

Reports by the juries on the subjects in the thirty classes into which the exhibition was divided.

Author/first author: Madras Exhibition of Raw Products, Arts and Manufactures of Southern India
Publisher: Printed for the General Committee of the Madras Exhibition of 1855 by Messrs. Pharoah and Co. Athanaeum Press,
Reference number: b28708891
Persistent URL: <https://wellcomelibrary.org/item/b28708891>
Catalogue record: https://search.wellcomelibrary.org/iii/encore/record/C__Rb2870889


This digital version has been supplied by the Wellcome Library under the following Conditions of Use:

This work has been identified as being free of known restrictions under copyright law, including all related and neighbouring rights and is being made available under the Creative Commons, Public Domain Mark.


You can copy, modify, distribute and perform the work, even for commercial purposes, without asking permission.




Wellcome Library
183 Euston Road
London NW1 2BE UK
T +44 (0)20 7611 8722
E library@wellcome.ac.uk
<https://wellcomelibrary.org>



52.1.20-



22501308885



Saving

Madras Exhibition of Raw Products, Arts,
and Manufactures of Southern India,

1855.

REPORTS

BY

THE JURIES

ON

THE SUBJECTS IN THE THIRTY CLASSES INTO WHICH
THE EXHIBITION WAS DIVIDED.



MADRAS:

Printed for the General Committee of the Madras Exhibition
BY MESSRS. PHAROAH AND CO. ATHENÆUM PRESS, MOUNT ROAD.

1856.

Report of the Commission of the Government of India
on the Administration of the Government of India

1858

REPORTS

OF

THE JUDGES

OF

THE SUPREME COURT IN THE THIRTY CLASSES INTO WHICH
THE JUDGES WERE DIVIDED.



MADRAS:

Printed for the Government of India by the Government of India
at the Government Press, Madras.

1858

THE Right Honorable the Governor of Madras in Council, in Extract Minutes of Consultation, dated 14th July 1854, appointed an Exhibition of the Raw Materials, of the Machinery and Manufactures, and of the Sculptures, Models and the Plastic Art, of the Madras Presidency and the neighboring States, to be held in the Banqueting Hall, Madras, in February 1855; and, in order to make generally known the wishes of Government regarding it, and to draw up a scheme of all the minor and subsidiary arrangements for carrying it out, nominated the following Gentlemen to form a Committee.

President.

The Right Honorable LORD HARRIS, Governor of Fort St. George.

Members.

THE HON'BLE J. F. THOMAS, ESQ.
W. A. MOREHEAD, ESQ.
W. U. ARBUTHNOT, ESQ.
COLONEL J. T. SMITH,
A. HUNTER, ESQ., M. D.

EDWARD BALFOUR, ESQ., *Secy.*
H. F. C. CLEGHORN, ESQ., M. D.
G. SMITH, ESQ., M. D.
H. A. MURRAY, ESQ.
CAPTAIN J. W. HAY.

LIEUT. GENERAL J. S. FRASER.
MAJOR J. MAITLAND.

THE HON'BLE WALTER ELLIOT, ESQ.


AND

THE HON'BLE SIR H. C. MONTGOMERY, *Bt.*

By Order.

EDWARD BALFOUR,

Secretary.



GENERAL COMMITTEE.

President.

THE RIGHT HONORABLE LORD HARRIS.

Members.

THE HON'BLE J. F. THOMAS, Esq.
W. A. MOREHEAD, Esq.
W. U. ARBUTHNOT, Esq.
LIEUT. COLONEL J. T. SMITH.
A. HUNTER, Esq., M. D.
EDWARD BALFOUR, Esq., *Secretary*.
H. F. C. CLEGHORN, Esq. M. D.
GEORGE SMITH, Esq. M. D.
H. A. MURRAY, Esq.
CAPT. J. W. HAY.
LIEUT. GENERAL J. S. FRASER.
MAJOR J. MAITLAND.
THE HON'BLE W. ELLIOT, Esq., and
THE HON'BLE SIR H. C. MONTGOMERY, *Bart.*

EXECUTIVE COMMITTEE.

Chairman.

THE RIGHT HONORABLE LORD HARRIS.

Members.

THE HON'BLE J. F. THOMAS, Esq.
A. HUNTER Esq., M. D., *Director of Arrangements*.
EDWARD BALFOUR, Esq., *Secretary*.
H. A. MURRAY, Esq.
CAPTAIN J. W. HAY.
THE HON'BLE WALTER ELLIOT, Esq.,
THE HON'BLE SIR H. C. MONTGOMERY, *Bart.*

SUB-COMMITTEE.

For Raw Products.

W. A. MOREHEAD, Esq., *Chairman*.
LIEUT. GENERAL J. S. FRASER.
EDWARD BALFOUR, Esq.
H. F. C. CLEGHORN, Esq., M. D., *Secretary*.

For Machinery, Manufactures, Sculptures, Models and the Plastic Art.

W. U. ARBUTHNOT, Esq., *Chairman*.
LIEUT. COLONEL J. T. SMITH.
G. SMITH, Esq., M. D. } *Secretaries*.
A. HUNTER, Esq., M. D. }
MAJOR MAITLAND.

JURIES.

Juries will be composed of those Members of the General Committee forming the two Sub-Committees with such other Gentlemen as may hereafter be nominated.

The examination of the Articles exhibited and the decision with respect to the rewards to be given will be confided to the Juries.

The Jurors for the first 11 Classes will be nominated by the Sub Committee for Raw Materials, and for the last 19 Classes by the Sub Committee for Arts and Manufactures.

The General Committee will allot the Jurors amongst the various Classes, and will fix the General Rules which will serve as the basis for their operations.

Rewards will not be granted until after they have been revised by the Executive Committee.

Each Jury will be at liberty to call to its assistance, any persons acquainted with the articles submitted to it for examination. These additional members or associates will only take part in the labours of the Jury, as regards the particular object for which their services are required, they will only be entitled to take part in the discussion and not to vote.

Such Exhibitors as have been appointed Jurors or Associates, will be held ineligible to receive a reward, for the particular class in which they have acted.

REWARDS.

An ample fund has been allotted for money Prizes.

Two Classes of Medals will also be provided, to be awarded in such cases as may appear desirable.

In the department of Raw Materials and produce, prizes will be allotted upon a consideration of the value and importance, in a commercial point of view, of the article, and the superior excellence of the particular specimens exhibited: in the case of prepared materials coming under this head of the Exhibition, the Juries will take into account the novelty and importance of the prepared product and the superior skill and ingenuity manifested in the process of preparation.

In the department of Machinery, the Prizes will have reference to novelty in the invention, superiority in the execution, increased efficiency or increased economy—in the use of the article exhibited.

The importance in a social or other point of view, of the purposes to which the article is to be applied, will also be taken into consideration, as will, also, the amount of difficulties overcome in bringing the invention to perfection.

In the department of Manufactures, only Articles of Native manufactures will be rewarded, and
(a.) Those consisting exclusively of native material, in all its stages, will receive the highest rewards.
(b.) For those manufactured from imported materials smaller prizes will be given.

Those Articles of Manufacture will be rewarded which fulfil in the highest degree the following conditions viz., increased usefulness, such as permanency in dyes, improved forms and arrangements in articles of utility, &c., superior quality or superior skill in workmanship. New use of known materials, use of new materials, new combinations of materials, as in Metals and Pottery. Beauty of design in form or colour or both, with reference to utility, cheapness relatively to excellence of production.

In the Department of Sculpture, Models and the Plastic Art, the rewards will have reference to the beauty and originality of the specimens exhibited, to improvements in the processes of production, to the applications of Art to Manufactures; and, in the case of Models, to the interest attaching to the subject they present.

It is the intention of the General Committee to reward excellence in whatever form it is presented, and not to give inducements to the distinctions of a merely individual competition.

The two classes of Medals are intended to distinguish the respective characters of subjects and not as first and second in degree for the same class of subjects.

DEPARTMENT OF JURIES.

LIST OF JURORS AND ASSOCIATE JURORS.

I.—Mining, Quarrying, Metallurgical Operations and Mineral Products.

Major J. MAITLAND, *Chairman*, Superintendent Gun Carriage Manufactory.
 G. B. BRUCE, Esq., Chief Engineer Madras Railway.
 EDWARD BALFOUR, Esq., In Charge of the Govt. Central Museum.
 Dr. G. J. SHAW, Assay Master, Madras Mint.
 Dr. A. J. SCOTT, Assist. Assay Master Madras Mint.
 A. HUNTER, Esq., M. D., Director Ma-
 dras School of Arts.

*Joint
Reporters.*

II.—Chemical and Pharmaceutical Processes and Products generally.

Dr. MAYER, Professor of Chemistry, *Chairman*.
 Dr. A. J. SCOTT, Assist. Assay Master
 H. NELSON, Esq.
 Dr. A. LORIMER, Secy. Medical Board.
 A. HUNTER, Esq., M. D., Director School of Arts.
 J. TAWSE, Esq.
 Dr. J. G. SHAW, Assay Master.
 H. F. C. CLEGHORN, Esq., M. D., Professor of Botany,
Reporter.

III.—Substances used for Food.

Lieutenant-Colonel A. McCALLY, Commissary General,
Chairman
 W. U. ARBUTHNOT, Esq.
 Lieut.-Colonel F. A. REID, C. B., Qr. Mr. General.
 R. O. CAMPBELL, Esq., President of the Chamber of
 Commerce.
 H. A. MURRAY, Esq.

Associates.

Dr. EVANS, Professor of Medicine.
 H. F. C. CLEGHORN, Esq., M. D., Professor of Botany,
Reporter.

IV.—Vegetable and Animal Substances, chiefly used in Manufactures, as Implements and for Ornaments.

Honorable W. ELLIOT, Esq., *Chairman*.
 W. E. UNDERWOOD, Esq., Collector of Sea Customs.
 Lieut.-Colonel G. BALFOUR, C. B., Member Military and
 Marine Boards.
 H. F. C. CLEGHORN, Esq., M. D., Professor of Botany.
 Lieutenant H. P. HAWKES, Deputy Asst. Comy. General.
 Lieut.-Colonel F. A. REID, C. B., Qr. Master General.
 A. HUNTER, Esq., M. D., Director Madras School of Arts.
 Lieut.-Col. T. T. PEARSE, C. B., Consulting Engineer.
 J. OUCHTERLONY, Esq., Member Chamber of Commerce.
 J. D. SIM, Esq., Sub Secretary Revenue Board.

Associates.

J. ROHDE, Esq.
 VEERAPERMAILL PILLAY.
 C. CUNDAPAH CHETTY.
 BALLA CHETTY.
 Lieut. FRENCH.
 Mr. J. DESCHAMPS.
 Mr. G. WILLIAMS.

SECTION I.

Gums and Resins.

Sub Jury.

W. E. UNDERWOOD, Esq., *Chairman*.
 A. HUNTER, Esq., M. D.
 Lieut. H. P. HAWKES.
 H. F. C. CLEGHORN, Esq., M. D., *Reporter.*

SECTION II.

Oils and Oil Seeds.

Sub Jury.

W. E. UNDERWOOD, Esq., *Chairman*.
 H. F. C. CLEGHORN, Esq., M. D.
 A. HUNTER, Esq., M. D.
 Lieut. H. P. HAWKES, *Reporter.*

SECTION III.

Dyes and Colours.

Sub Jury.

W. E. UNDERWOOD, Esq., *Chairman*.
 J. OUCHTERLONY, Esq.
 A. HUNTER, Esq., M. D.
 H. F. C. CLEGHORN, Esq., M. D., *Reporter.*
Associates.

J. ROHDE, Esq.
 VEERAPERMAILL PILLAY.
 C. CUNDAPAH CHETTY.
 BALLA CHETTY.

SECTION IV.

Tanning Materials.

Sub Jury.

W. E. UNDERWOOD, Esq., *Chairman*.
 J. OUCHTERLONY, Esq.
 A. HUNTER, Esq., M. D.
 H. F. C. CLEGHORN, Esq., M. D., *Reporter.*
Associate.

J. ROHDE, Esq.

SECTION V.

Fibrous Substances.

Sub Jury.

The Hon'ble WALTER ELLIOT, Esq., *Chairman*.
 Lieut.-Col. G. BALFOUR, C. B.
 Lieut.-Col. T. T. PEARSE, C. B.
 W. E. UNDERWOOD, Esq.
 J. OUCHTERLONY, Esq.
 J. D. SIM, Esq.
 H. F. C. CLEGHORN, Esq., M. D.
 A. HUNTER, Esq., M. D., *Reporter.*

SECTION VI.

Cellular Substances.*Sub Jury.*

Lieut.-Col. G. BALFOUR, C. B., *Chairman.*
 Lieut.-Col. T. T. PEARS, C. B.
 J. D. SIM, Esq.
 H. F. C. CLEGHORN, Esq., M. D., *Reporter.*

SECTION VII.

Timber and Ornamental Woods.*Sub Jury.*

Lieut.-Col. G. BALFOUR, C. B., *Chairman.*
 Lieut.-Col. T. T. PEARS, C. B.
 J. D. SIM, Esq.
 H. F. C. CLEGHORN, Esq., M. D., *Reporter.*

Associates.

J. RORDE, Esq.
 Lieut. FRENCH.
 Mr. J. DESCHAMPS.
 Mr. G. WILLIAMS.

SECTION VIII.

Animal Substances.*Sub Jury.*

The Hon'ble WALTER ELLIOT, Esq., *Chairman.*
 W. E. UNDERWOOD, Esq.
 A. HUNTER, Esq., M. D.
 H. F. C. CLEGHORN, Esq., M. D., *Reporter.*

B.—MACHINERY.**V.—Machines for direct use including Carriages and Railway and Naval Mechanism.**

Major J. MAITLAND, Supt. Gun Carriage Manufactory.
 G. B. BRUCE, Esq., Chief Engineer Madras Railway.
 Major JENKINS, Agent Madras Railway.
 Lieutenant-Colonel J. T. SMITH, Engineers, Mint Master
Chairman.
 Major W. K. WORSTER, Supt. of Roads and Acting
 Astronomer.
 E. KENNEDY, Esq., Engineer, Madras Railway.

Associate.

Lieut. H. P. HAWKES, Sub Asst. Comy. Genl. *Reporter.*

VI.—Manufacturing Machines and Tools.

Major J. MAITLAND, Supt. Gun Carriage Manufactory.
 G. B. BRUCE, Esq., Chief Engineer, Madras Railway.
 Major JENKINS, Agent Madras Railway.
 Lieut.-Colonel J. T. SMITH, Engineers, Mint Master,
Chairman.
 R. KENNEDY, Esq., Engineer Madras Railway.
 Major W. K. WORSTER, Supt. of Roads and Acting
 Astronomer.

Associate.

Lieut. H. P. HAWKES, Sub Asst. Comy. Genl. *Reporter.*

VII.—Civil Engineering, Architectural and Building contrivances.

Lieut.-Colonel J. T. SMITH, Engineers, Mint Master.
 Lieut.-Col. C. E. FABER, Chief Engineer—*Chairman.*
 Lieut.-Colonel F. A. REID, C. B., Qr. Mr. General.
 Major J. H. BELL, Secretary Board of Revenue D. P. W.
 A. H. MCNAIR, Esq., Engineer, Madras Railway.

VIII.—Naval, Architectural and Military Engineering, Ordnance, Armour and Accoutrements.

Lieut. General J. S. FRASER, *Chairman.*
 Major General F. BLUNDELL, C. B., Comd. of Artillery.
 His Excellency Lieut. General The Honorable GEORGE
 ANSON, Commander-in-Chief, Madras Army.
 Major W. K. WORSTER, Supt. of Road & Actg. Astronomers
 Lieut.-Colonel G. BALFOUR, C. B., Member of the Mil-
 itary and Marine Boards.
 J. SHAW, Esq., Surgeon Madras Army.
 A. BLACKLOCK, Esq., Professor of Surgery.
 H. D. E. DALRYMPLE, Esq., Sheriff of Madras.
 Captain BIDEN, Master Attendant.

Sub Committee.

Major Genl. F. BLUNDELL, C. B. } *Joint Reporters.*
 Lieut. Col. BALFOUR, C. B.

IX.—Agricultural and Horticultural Machines and Implements.

Lieut.-Colonel J. T. SMITH, Mint Master, *Chairman.*
 Lieut.-Colonel C. E. FABER, Chief Engineer.
 Major J. H. BELL, Secy. Revenue Board, D. P. W.
 A. H. MCNAIR, Esq., Engineer Madras Railway.
Associate and Reporter.
 H. P. HAWKES, Esq.

X.—Philosophical Instruments and Processes depending upon their use, Musical, Horological, and Surgical Instruments.

Lieut.-General J. S. FRASER, *Chairman.*
 J. SHAW, Esq., Surgeon Madras Army.
 A. BLACKLOCK, Esq., Professor of Surgery.
 Major W. K. WORSTER, Supt. of Roads and Acting
 Astronomer, *Reporter.*

C.—MANUFACTURES, Textiles, Fabrics.

CLASS XI.

Manufactures in Cotton.

AND

CLASS XVIII.

Woven, Spun, Felted and laid fabrics when shown as specimens of printing or dyeing.*Jury.*

W. E. UNDERWOOD, Esq., *Chairman and Reporter.*
 W. U. ARBUTHNOT, Esq.
 E. LECOT, Esq.
 T. TAWSE, Esq.
 N. C. MOOROOGASEM MOODELLY.
 AZEEZ OOL MOOLK BAHADOOR.
 Major General J. S. FRASER.
 E. MALTBY, Esq.
 Major J. McDUGALL.
 Captain G. B. ROBERTS.

XII.—Woollen and Worsted Manufacture.

W. E. UNDERWOOD, Esq., *Chairman and Reporter.*
 H. A. MURRAY, Esq.
 J. KELLIE, Esq.
 VEERA PERMALL PILLAY.
 SIRDAR JUNG BAHADOOR.

XIII.—Silk and Velvet.

The Hon'ble Sir CHRISTOPHER RAWLINSON, *Kt.*
 J. D. BOURDILLON, Esq.
 W. E. COCHRANE, Esq.
 HAJEE AGHA MAHOMMED BAKHIR NAMAZEE.
 S. D. BIRCH, Esq.
 T. PYCROFT, Esq., *Chairman.*
 R. H. WILLIAMSON, Esq.
 LUTCHMENARASOO CHETTYAR.

Associate.

Lieut. J. NICHOLAS, *Reporter.*

XIV.—Manufactures from Flax and Hemp.

The Hon'ble Sir CHRISTOPHER RAWLINSON, *Kt.*
 J. D. BOURDILLON, Esq.
 W. E. COCHRANE, Esq.
 Col. G. P. CAMERON, C. B., K. C. T. & S. & K. C.
 HAJEE AGHA MAHOMMED BAKHIR NAMAZEE.
 S. D. BIRCH, Esq.
 T. PYCROFT, Esq.
 R. H. WILLIAMSON, Esq.
 LUTCHMENARASOO CHETTYAR.

Associates.

Lieut.-Col. PEARS, C. B., *Chairman.*

A. HUNTER, Esq., M. D., *Reporter.*

XV.—Mixed Fabrics, including Shawls, but exclusive of Worsted Goods (Class XII.)

The Hon'ble Sir W. W. BURTON, *Kt., Chairman.*
 W. E. UNDERWOOD, Esq.
 Col. G. P. CAMERON, C. B., K. C. T. & S. & K. C., *Reporter.*
 J. KELLIE, Esq.
 H. A. MURRAY, Esq.
 VEERA PERMALL PILLAY.
 SIRDAR JUNG BAHADOOR.

XVI.—Leather, including Saddlery and Harness, Skins, Fur, Feathers, and Hair.

His Excellency Lieut. General The Honorable GEORGE ANSON, *Chairman.*

Sir HENRY MONTGOMERY, *Bart.*

W. A. MOREHEAD, Esq.

Major General TULLOCH.

Lieut.-Colonel A. McCALLY.

Lieut.-Colonel J. HILL.

Captain A. H. HOPE.

C. V. CUNNIAH CHETTYAR.

Associates.

H. D. E. DALRYMPLE, Esq. } *Reporters.*

A. BLACKLOCK, Esq.

XVII.—Paper and Stationery, Printing and Book Binding.

Sir HENRY MONTGOMERY, *Bt., Chairman and Reporter.*
 W. A. MOREHEAD, Esq.
 Lieut.-Colonel J. McCALLY.
 Lieut.-Colonel J. HILL.
 Captain A. H. HOPE.
 C. V. CUNNIAH CHETTYAR.

XIX.—Tapestry, including Carpets and Floor-Clothes, Lace and Embroidery, Fancy and Industrial Works.

The Right Honorable Lord HARRIS.
 H. A. MURRAY, Esq.
 The Honorable Sir W. W. BURTON, *Kt.*
 J. KELLIE, Esq.
 W. E. UNDERWOOD, Esq.
 VEERA PERMALL PILLAY.
 SIRDAR JUNG BAHADOOR.

Associate.

A. HUNTER, Esq., M. D., *Reporter.*

XX.—Articles of Clothing for immediate Personal or Domestic use.

Lieut. General J. S. FRASER, *Chairman.*
 E. MALTRY, Esq.
 Major J. MACDOUGALL.
 Lieut. H. P. HAWKES.
 SALAR-OO-MOOLK BAHADOOR.

Associates.

Captain R. ROBERTS.

Lieut. J. NICHOLAS, *Reporter.*

D.—METALLIC, VITREOUS, AND CERAMIC MANUFACTURES.**XXI.—Cutlery and Edge Tools.**

Major J. MAITLAND, *Chairman.*
 Captain R. R. LITTLE, *Artillery.*
 R. KENNEDY, Esq.
 P. VEERARAGAVOOLOO CHETTYAR.
 Major W. K. WORSTER, *Artillery.*

Associates.

Lieut. H. P. HAWKES.

Mr. WALLACE.

XXII.—Iron and General Hardware.

Major J. MAITLAND.
 Captain R. R. LITTLE.
 R. KENNEDY, Esq.
 P. VEERARAGAVOOLOO CHETTYAR.
 Major W. K. WORSTER.

Associate.

Lieut. H. P. HAWKES, *Reporter.*

XXIII.—Working in Precious Metals and in their imitations, Jewelry, and all Articles of Virtu and Luxury not included in all other classes.

The Right Honorable Lord HARRIS, *Chairman and Reporter.*

His Excellency Lieut. General The Honorable GEORGE ANSON.

Lieut. General J. S. FRASER.

W. A. MOREHEAD, Esq.

H. A. MURRAY, Esq.

W. E. UNDERWOOD, Esq.

J. B. NORTON, Esq.

Lieut.-Colonel W. P. MACDONALD.

J. ARATHOON, Esq.

NANA THAKOOR.

VENCATACHELLA CHETTYAR.

HAJEE AGHA MAHOMED BAKHIR NAMAZEE.

XXIV.—Glass.

Lieut.-Colonel J. T. SMITH, *Chairman and Reporter.*

A. HUNTER, Esq., M. D.,

Captain RAWLINS.

Captain HITCHINS.

Captain LAKE.

ALLAN WILSON, Esq.

XXV.—Ceramic Manufactures; China Porcelain, Earthenware, &c.

Lieut.-Colonel J. T. SMITH, *Chairman.*

A. HUNTER, Esq., M. D., *Reporter.*

Captain RAWLINS.

Captain HITCHINS.

Captain LAKE.

ALLAN WILSON, Esq.

E.—MISCELLANEOUS MANUFACTURES.

XXVI.—Decorations, Furniture and Upholstery, including Paper Hangings, Papier Mache and Japanned Goods.

The Honorable Sir W. BURTON, *Kt., Chairman.*

W. U. ARBUTHNOT, Esq.

J. B. NORTON, Esq.

J. VANS AGNEW, Esq.

J. KELLIE, Esq.

Associates.

Lieut.-Col. W. P. MACDONALD, *Paymaster.*

Major McDougall,

Mr. J. SHAW.

A. HUNTER, Esq., M. D., *Reporter.*

XXVII.—Manufactures in Mineral Substances used for Building or decoration as in Marble, Slate, Porphyries, Cement, Artificial Stones, &c.

Lieut.-Colonel J. T. SMITH, *Chairman.*

A. HUNTER, Esq., M. D.

Captain RAWLINS,

Captain HITCHINS.

Captain LAKE.

ALLAN WILSON, Esq.

} *Joint Reporters.*

XXVIII.—Manufactures from Animal and Vegetable Substances, not being Woven or Felted, or included in other Sections.

Sir HENRY MONTGOMERY, *Bart.*

W. A. MOREHEAD, Esq.

Major General TULLOCH.

Lieut.-Colonel J. McCALLY.

Lieut.-Colonel J. HILL.

Captain A. H. HOPE.

C. V. CUNNIAH CHETTYAR.

Associate.

A. HUNTER, Esq. M. D., *Reporter.*

XXIX.—Miscellaneous Manufactures and Small Wares.

E. LECOT, Esq., *Chairman.*

W. H. CRAKE, Esq.

Lieut. General CRAIGIE, C. B.

H. A. MURRAY, Esq.

EDWARD BALFOUR, Esq.

N. C. MOOROGASEM MOODELIAR, *Reporter.*

Associate.

H. STANBROUGH, Esq.

XXX.—F.—FINE ARTS, INCLUDING ALSO COINS, BOOKS, &c.

The Right Honorable Lord HARRIS.

His Excellency Lieut. General The Honorable GEORGE ANSON.

The Hon'ble WALTER ELLIOT, Esq.

R. O. CAMPBELL, Esq.

NANA THAKOOR.

T. G. CLARKE, Esq.

Captain J. W. HAY.

A. HUNTER, Esq., M. D.

Captain CUNNINGHAM.

The Honorable Sir W. W. BURTON, *Kt.*

H. A. MURRAY, Esq.

CLASS XXX.

Photography, Coins, Modelled Figures, Lithography and Painting.

Sub Jury.

The Right Honorable Lord HARRIS, *Chairman.*

Lieut. General J. S. FRASER.

The Honorable WALTER ELLIOT, Esq.

Captain OGILVIE.

NANA THAKOOR.

T. G. CLARKE, Esq.

Captain J. W. HAY.

H. A. MURRAY, Esq.

A. HUNTER, Esq., M. D., *Reporter.*

CLASS XXX.

Carvings in Sandal Wood, Ebony, Ivory, Stone, Metals, and Inlaid Woods.

Sub Jury.

His Excellency Lieut. General the Honorable GEORGE ANSON, *Chairman.*

R. O. CAMPBELL, Esq.

ALEXANDER HUNTER, Esq., M. D., *Reporter.*

Associates.

Captain OGILVIE.

H. F. C. CLEGHORN, Esq., M. D.

Lieut. H. P. HAWKES.

MEMBERS OF THE LOCAL COMMITTEES.

- Arcot, Northern Division.*—J. D. Bourdillon, Esq., and A. S. Mathison, Esq.
- Arcot Southern Division.*—A. Hall, Esq., and S. N. Ward, Esq.
- Bellary.*—C. Pelly, Esq., and E. Story, Esq.
- Canara.*—F. N. Maltby, Esq., and F. Anderson, Esq.
- Chingleput.*—C. J. Shubrick, Esq., B. Pauncefoto, Esq., and Assistant Surgeon J. Ratton.
- Cochin.*—The Dewan of H. H. the Rajah of Cochin, J. S. Vernede, Esq., and J. S. Kohlhoff, Esq.
- Coimbatore.*—E. B. Thomas, Esq., and T. B. Roupell, Esq.
- Cuddapah.*—W. Elliot, Esq., and M. Murray, Esq.
- Ganjam.*—T. Prendergast, Esq., and W. Knox, Esq.
- Goa.*—Jose Antonio D. Olivera, Esq., B. W. Xavier, Esq., and E. J. Nune, Esq.
- Guntoor.*—J. Rohde, Esq., and H. Wood, Esq.
- Hyderabad.*—Supt. Surgeon J. L. Geddes, Lieut.-Col. Henderson, C. B., Jervanjee Pestonjee, Esq., Captain Shelly, Captain J. L. Barrow, Ramasawmy Moodeliar, R. Riddell, Esq., W. C. Maclean, Esq., M. D., and George Smith, Esq., M. D.
- Kurnool.*—Captain J. G. Russell, and Captain C. Gill.
- Madras.*—W. E. Underwood, Esq., Chairman, H. Stokes, Esq.; E. Lecot, Esq., J. Thompson, Esq., Itimad-Ood Dowlah Bahadoor, and N. C. Moorogasem Moodeliar.
- Madura.*—R. D. Parker Esq., and C. R. Baynes, Esq.
- Malabar.*—H. V. Conolly, Esq., and G. H. Harris, Esq.
- Masulipatam.*—T. D. Lushington, Esq., and J. J. Cotton, Esq.
- Mysore.*—Captain Miller, Captain G. Harvey, Captain Riach, Dr. Neill, Revd. Mr. Garrett, Dr. Kirkpatrick, and Mr. Black.
- Nagpore.*—
- Nellore.*—J. Ratliff, Esq., and F. H. Crozier, Esq.
- Pondicherry.*—M. M. G. Montbrun, M. M. Faciolle, T. Amalric, Esq., E. Mottet, L. Guerre, DeNozeille, Testa, St. Paul, Saverinasa Pillay, Appasawmy Pillay, Arnachella Chetty, Soobroyah Pillay, Ponnen Rusesendra Pillay, and C. Dela Silla.
- Rajahmundry.*—F. Copleston, Esq., and A. Purvis, Esq.
- Salem.*—H. A. Brett, Esq., and T. W. Goodwyn, Esq.
- Tanjore.*—H. Forbes, Esq., and G. Ellis, Esq.
- Tinnevely.*—C. J. Bird, Esq., and C. H. Woodgate, Esq.
- Travancore.*—Lieut.-Colonel Grant, Dr. Reid, and T. Maduva Row.
- Trichinopoly.*—J. Bird, Esq., and T. J. P. Harris, Esq.
- Vizagapatam.*—A. Robertson, Esq., Walter Elliot, Esq., the Zemindar of Viziansagram, and Dr. Blackwell.

COMMITTEE AWARDS.

FOR SERVICES.

SPECIAL MEDALS OF THE FIRST CLASS.

- The Right Honorable Lord Harris, *President*, for Originating the Exhibition.—Gold Medal.
- Edward Balfour, Esq., for his Services to the Exhibition as Secretary to the General and to the Executive Committee.—Silver Medal.
- H. F. C. Cleghorn, Esq., M. D., as Secretary to the Sub-Committee for Raw Products.—Silver Medal.
- A. Hunter, Esq., M. D., as Director of Arrangements and Secretary to the Sub-Committee for Arts and Manufactures.—Silver Medal.

MEDALS OF THE FIRST CLASS.

The Right Honorable Lord Harris.	His Excellency Viscount DeVilla Nova D'Oorena, Goa.
The Honorable J. F. Thomas, Esq.	His Excellency Admiral Verninac, Pondicherry.
W. A. Morehead, Esq.	His Highness the Nabob of Banaganapilly.
W. U. Arbuthnot, Esq.	His Highness the Nizam of the Dekhan.
Lieut. Colonel J. T. Smith.	G. A. Bushby, Esq., Resident of Hyderabad.
A. Hunter, Esq., M. D.	Nabob Salar Jung Bahadoor, Hyderabad.
Edward Balfour, Esq.	His Highness the Maha Rajah of Mysore.
H. F. C. Cleghorn, Esq., M. D.	Lieut. General M. Cubbon, Commissioner, Mysore.
G. Smith, Esq., M. D.	His Highness the Nabob of the Carnatic.
H. A. Murray, Esq.	The Zemindar of Vizianagram.
Captain J. W. Hay.	His Highness the Maha Rajah of Travancore.
Lieut. General J. S. Fraser.	His Excellency Tondiman Rajah Bahadoor Poodoo Cottah.
Major J. Maitland.	His Highness the Rajah of Tanjore.
The Honorable Walter Elliot, Esq.	The Zemindar of Shevagunga.
The Honorable Sir H. C. Montgomery, <i>Bt.</i>	J. Rohde, Esq.
Lieut. James Nicholas.	Lieutenant Colonel A. McCally.
The Zemindar of Callesty.	Lieutenant H. P. Hawkes.
His Highness the Rajah of Cochin.	
Lieut. Genl. W. Cullen, Resident Travancore and Cochin.	

MEDALS OF THE SECOND CLASS.

P. Shungoonny Menowen Travancore, for his valuable report.	W. Knox, Esq.
Shungra Warriar, Dewan of Cochin, for the Sircar consignment.	Jose Antonio D. Olivera, Esq.
J. D. Bourdillon, Esq.	B. W. Xavier, Esq.
A. S. Mathison, Esq.	E. J. Nune, Esq.
A. Hall, Esq.	J. Rohde, Esq.
S. N. Ward, Esq.	H. Wood, Esq.
C. Pelly, Esq.	Supt. Surgeon J. L. Geddes.
E. Story, Esq.	Lieutenant-Colonel Henderson, C. B.
F. N. Maltby, Esq.	Jervanjee Pestonjee, Esq.
F. Anderson, Esq.	Captain Shelly.
C. J. Shubrick, Esq.	Captain J. L. Barrow.
B. Pauncefote, Esq.	Ramasawmy Moodeliar.
Assistant Surgeon J. Ratton.	R. Riddell, Esq.
The Dewan of H. H. the Rajah of Cochin.	W. C. Maclean, Esq., M. D.
J. S. Vernede, Esq.	George Smith, Esq., M. D.
J. S. Kohlhoff, Esq.	Captain J. G. Russell.
E. B. Thomas, Esq.	Captain C. Gill.
T. B. Roupell, Esq.	W. E. Underwood, Esq.
William Elliot, Esq.	H. Stokes, Esq.
M. Murray, Esq.	E. Lecot, Esq.
T. Prendergast, Esq.	J. Thompson, Esq.
	Itimad Ood Dowlah Bahadoor.
	N. C. Moorogasem Moodeliar.

R. D. Parker, Esq.
 C. R. Baynes, Esq.
 H. V. Conolly, Esq.
 G. H. Harris, Esq.
 T. D. Lushington, Esq.
 J. J. Cotton, Esq.
 Captain Miller.
 Captain G. Harvey.
 Captain Riach.
 Dr. Neill.
 Revd. Mr. Garrett.
 Dr. Kirkpatrick.
 Mr. Black.
 J. Ratliff, Esq.
 F. H. Crozier, Esq.
 M. G. Montbrun.
 M. Faciulle.
 T. Amalric, Esq.
 M. E. Mottet.
 M. L. Guerre.
 M. DeNozeille.
 M. Testa.
 M. St. Paul.

Saverinasa Pillay.
 Appasawmy Pillay.
 Arnachella Chetty.
 Soobroyah Pillay.
 Ponnen Russendra Pillay.
 M. C. Dela Silla.
 F. Copleston, Esq.
 A. Purvis, Esq.
 H. A. Brett, Esq.
 T. W. Goodwyn, Esq.
 H. Forbes, Esq.
 G. Ellis, Esq.
 C. J. Bird, Esq.
 C. H. Woodgate, Esq.
 Lieutenant-Colonel Grant.
 Dr. Reid.
 T. Maduva Row.
 J. Bird, Esq.
 T. J. P. Harris, Esq.
 A. Robertson, Esq.
 Walter Elliot, Esq.
 The Zemindar of Vizianagram.
 Dr. Blackwell.

JURY AWARDS.

CLASS I.

Mining, Quarrying, Metallurgical Operations and Mineral Products.

2ND CLASS MEDALS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
LXXV	60	Coimbatore Local Committee.....	Iron Ores and series of Iron.
LXXXII	46 to 56	Hyderabad Local Committee	Ores of Steel and Cast Steel.
CCXXI	269	General Cullen.....	Plumbago or Carburet of Iron.
XXXIII	1 to 39	J. Rohde, Esq.....	Slates and Marbles.

HONORABLE MENTION.

CLXXVI	107	Captain Elliot.....	Ores of Iron and Steel.
--------	-----	---------------------	-------------------------

CLASS II.

Chemical and Pharmaceutical Processes and Products Generally.

1ST CLASS MEDALS.

CXVI	591 to 807	E. Waring, Esq.....	Collections of Drugs.
CCXXIV	243 to 483	Dr. Kirkpatrick.....	Do. do.
CCXXIV	19	Dr. A. J. Scott.....	Hemidesmine.

2ND CLASS MEDALS.

CCXXVI	562	Hon'ble Walter Elliot, Esq.....	Ophelia elegans.
CXC VII	242	W. Hilbers, Esq.....	Extract of Hyoscyamus.
CCXC	120	Lieutenant E. M. Evans.....	Gamboge.
CCXCIV	10	Government of Goa.....	Do.
CLXXVII	166	Apothecary Wrightman.....	Do.
CCXLIV	576-7	Dr. Collas (Pondicherry).....	Blistering Beetles.
CLXIV	12-13	Major Gabbett.....	Saltpetre.
CLXIII		J. Ouchterlony, Esq.....	Do.
CI	42	Mr. J. R. Campbell	Common Salt.

HONORABLE MENTION.

CCCLXIII	63	1st Dresser C. Appavoo Pillay.....	Extract and Syrup of Sarsaparilla.
LXVIII	58	H. Forbes, Esq.....	Common Salt.
		J. Randall, Esq.....	Saltpetre.

CLASS III.

Substances used for Food.

2ND CLASS MEDALS.

CC	1 to 52	P. S. Mootoosawmy Moodelliar.....	Collections of Cereals.
CCXXI		F. Appavoo.....	Collections of Pulses.
CLXXVI		F. Green, Esq.....	Coffee.
CLXXVI	120	T. Caennan, Esq.....	Do.
		J. Ouchterlony, Esq.....	Do.
LXXXIX		J. Randall, Esq.....	Auranta Wine.
CCV		J. S. Vercede, Esq., Cochin.....	Collections of Spices.
CCXLIX		Aska Sugar Company.....	Refined Sugar.
CCXVI		Astagram Sugar Company	Loaf and Sugar Candy.

JURY AWARDS.

HONORABLE MENTION.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
LXVIII	1 to 149	W. E. Underwood, Esq.....	Carolina Rice.
LXIII		Collector of Tanjore.....	Collections of Cereals.
XX	5	Collector of Tinnevely.....	Do. do.
CCXXI	103	G. F. Fischer, Esq.....	Coffee.
LXXXIX	18	General Cullen.....	Cocoa.
CCXI	42	G. H. Faulkner, Esq., Rajahmundry.....	Sugar.
XXXVI	1	Local Committee, Cuddapah.....	Sugar.
		Commissary General.....	Collections of Commissariat Articles.
		John Rohde, Esq..	Cholum Straw cut with Reaping Machine.

CLASS. IV.

Vegetable and Animal Substances Chiefly used in Manufactures as Implements, and for Ornaments.

SECTION I.

Gums and Resins.

1st CLASS MEDALS.

CCXC	117 to 129	Lieutenant E. L. M. Evans.....	Collections of Gums.
------	------------	--------------------------------	----------------------

2ND CLASS MEDALS.

CCXXI	182 to 206	Local Committee, Travancore.....	Collections of Gums.
CCXXI		General Cullen.....	"Pauchonthee" Gum Elastic.
		Lieutenant Colonel F. Cotton.....	Gum Elastic.
		T. Ramasawmy, Head writer Engineer's Office, Kamp'ee.....	Lac and Shell Lac.
		2nd Dresser Pulnyandy.....	India Rubber.

HONORABLE MENTION.

CCXXVII		Surgeon Lovell.....	Exudation of Amyris Commiphora.
CCVI		Hon'ble Walter Elliot, Esq.....	Cuttimundoo Gum.
		Major General Clarke.....	Euphorbia Tirucalli (Gum.)
		W. E. Underwood, Esq.....	Cryptostegia grandiflora (Caoutchoue.)
CLXII		Narsinga Row, Masulipatam..	Euphorbia Neriifolia (Gum.)

SECTION II.

Oils and Oil Seeds.

2ND CLASS MEDALS.

		W. E. Underwood, Esq.....	Collections of oils in illustration of the Madras Tariff.
CCXXVII	1	Mr. W. Gay.....	Superior mode of de-colorizing oil.
CIV		Monsieur Godefroy.....	For Castor and Cocoanut oil.
LXV	1	W. D. Kohlhoff, Esq.....	For Castor, Gingeley, Cocoanut, Neem, Pinnacotay, and Mustard oils.

HONORABLE MENTION.

		Lieutenant J. D. Heath.....	For Camphor wood oil.
		Pulnyandy, 2nd Dresser.....	For do.
		Rev'd E. Johnston.....	For oil of the Sarcostigma Kleinü.
CCXC	1	Lieutenant E. L. M. Evans.....	For wood oil.
CCCI	36	Nellore Local Committee.....	For various oils.
LXIII	311	Tinnevely Local Committee.....	For Poovana, Gingeley Oils, &c.

JURY AWARDS.

xi

SECTION III.
Dyes and Colours.

2ND CLASS MEDALS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
CCI	53	Messrs. Hart and Simpson	Green leaf Indigo.
CCI	54	M. Jules Lepiné (late of Pondicherry,.....)	Casuarina dye.

HONORABLE MENTION.

		Messrs. Arbuthnot and Co.....	Green leaf Indigo.
		Mr. G. W. Flynn.....	Lake prepared from Lac.

SECTION IV.
Tanning Materials.

2ND CLASS MEDAL.

CXLIV	7	Captain Blagrove.....	Extract of Divi Divi.
-------	---	-----------------------	-----------------------

SECTION V.
Fibrous Substances.

2ND CLASS MEDALS.

CXXIV	218	Messrs. Fischer and Co., Salem.....	Bales of Cotton.
CLXXVI		Mr. Meppen.....	Cottons.
CCXXIV		Bala Chetty.....	Colored Yarns.
LXIV		Mr. Thorpe, Monegar Choultry.....	Aloe, yercum and Plantain Fibres.
LXIV	171	Mr. Crampton.....	Yercum Fibres.
LXXIV	123-126		
	127	Mr. C. Horne.....	Hemp lines and Coir Rope.
CCCXV	236 to 240	H. Forbes, Esq.....	Rope made at Tanjore.

HONORABLE MENTION.

CCXXL	56-64	Travancore Local Committee.....	Fishing lines.
CCXXI	265 to 297	Mr. Sheddan of Travancore.....	Fibrous Substances.
CLXXVI	174 to 205	Dr. Kirkpatrick.....	For introducing manufacture of Rope in Lunatic Asylum, Bangalore.
LXXXIII	59-114	Madras Local Committee.....	For Fibres.
LXIV	143 to 179	Mr. A. T. Jaffray.....	Do. do.

SECTION VII.
Timber and Ornamental Woods.

1st CLASS MEDAL.

CCXXI	289 to 451	Local Committee, Travancore.....	Collections of Woods.
-------	------------	----------------------------------	-----------------------

2ND CLASS MEDALS.

XIV	7 to 94	Mr. A. T. Jaffrey.....	Collections of Woods.
CLXXXIII	240	Captain Cunningham.....	Sam, agay Wood.
CXCVII		M. P. Nursing Row, Shemogah.....	Agui Wood.

HONORABLE MENTION.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
LXIII	Local Committee Tinnevely	Collections of Woods.
CLXXX	122 to 188	Captain Miller, Assistant Commissary General.	Collections of Woods.
CLXXXIII	233 to 287	Mr. Xavier.....	Collections of Woods.

SECTION VIII.

Animal Substances.

2ND CLASS MEDAL.

CLXXVIII	15 to 18	Mr. R. A. Fitzgibbon.....	Series of Wools.
----------	----------	---------------------------	------------------

HONORABLE MENTION.

CLXXVIII	19	Rajagopauloo Bangalore.....	Specimens of prepared Wool.
CXIX	21	Mr. Bowden.....	Do. do.
CCXX	Government Tannery, Hoonsoor.....	Glue of superior kind.
.....	Mr. Brophy.....	Do. do.

CLASS V.

Machines for Direct use including Carriages and Railway and Naval Mechanism.

HONORABLE MENTION.

CCXCII	10	Captain G. Harvey.....	Travelling Coach.
--------	----	------------------------	-------------------

CLASS VI.

Manufacturing Machines and Tools.

2ND CLASS MEDAL.

CCXLIII	44	Monsieur Bulliard.....	Distilling Apparatus.
---------	----	------------------------	-----------------------

PECUNIARY AWARD.

LXXXIII	7	Anakapen of Dindigul.....	Rs. 50	Slide rest for turning lathe.
---------	---	---------------------------	--------	-------------------------------

HONORABLE MENTION.

CCXXX	39	Staff Serjeant Gage.....	Model of tanning mill, &c.
CCLVIII	45	Gun Carriage Manufactory.....	Model of Oil Press
CCLVIII	47	Mr. Curran, Overseer.....	Augur for boring square holes.

CLASS VII.

Civil Engineering, Architectural and Building Contrivances.

2ND CLASS MEDALS.

CCLVIII	2	Mooregappah Achary.....	Model of Hindoo Dwelling house.
CCLVIII	6	Store Serjeant H. Carr... ..	Model of Cofferdam.
CCXCVI	1	Madras Railway Company	Model of the first Railway Terminus.
CCXCVII	8	Mr. G. Williams	Model of proposed Madras University.

CLASS VIII.

Naval, Architectural and Military Engineering, Ordnance, Armour & Accoutrements.

2ND CLASS MEDALS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
LXX	56 to 233	H. H. the Rajah of Tanjore.....	Arms of Offence and Defence.
CXCI	362 to 440	Hon'ble Walter Elliot, Esq.....	Do. do.
CCCXXXIII	486 to 502	His Excellency Lieut. General Anson.....	Do. do.

HONORABLE MENTION.

CXV	275 to 300	His Highness the Tondaman Rajah....	Arms of Offence and Defence.
CCLIII	455	Supt. of Gun Carriage Manufactory.....	Model of a Mortar.
CCVII	330 to 361	Director of Artillery Depot.....	Model of Gun Carriage.

CLASS IX.

Agricultural and Horticultural Machines and Implements.

2ND CLASS MEDALS.

CCLVII	52 to 63	Supervisor S. Brooks.....	Agricultural and Horticultural Implements.
CCLVII	64 & 65	Sub Conductor C. Smart.....	Agricultural Implements.

HONORABLE MENTION.

CCXX	Captain C. A. Blgrave.....	Drill for sowing grain.
------	-------	----------------------------	-------------------------

CLASS X.

Philosophical, Musical and Surgical Instruments.

2ND CLASS MEDAL.

LXVIII	216	Mootoosawmy of Tanjore.....	An Universal Sun Dial.
--------	-----	-----------------------------	------------------------

HONORABLE MENTION.

LXIII	176	Mr. Cruickshanks.....	Abacus for the blind.
CCLVIII	2	Mr. Patterson, Overseer.....	Tourniquet.
CCLXXIV	38	Aurokeum.....	Cavalry Trumpet.

CLASSES XI. AND XVIII.

Manufactures in Cotton and Woven, Spun, Felted and laid Fabrics, when shown as Specimens of Printing or Dyeing.

1ST CLASS MEDAL.

CIV	446 to 448	Monsieur Godefroy.....	Damask table linen, &c. &c.
-----	------------	------------------------	-----------------------------

2ND CLASS MEDALS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
CCLIX	384	Rajahmundry Local Committee.....	52—Punjum Cloth.
CLXX	98	J. Gooroomoorthy Chetty.....	Arnee white Muslin.
CXXIX	400 & 401	V. Kristnama Chetty.....	Cambric Muslin and bleached Isree.
CXXVIII	394 & 395	Butcha Ramalinga Chetty.....	Jean and watered Cambric.
.....	470	German Mission	Table cloths woven in the Jacquard loom.
.....	Palar Chetty.....	Table cloths and napkins.
.....	Cassava Doss.....	Rajahmundry trouser cloths.
LXXVII	330 to 432	Chengulroy Chetty.....	Gown cloths and towels from South Arcot.
CXLII	455	Masulipatam Local Committee.....	Short diapers.
.....	Nawab Salar Jung Bahadoor.....	Hyderabad Muslin.
CLXIX	314	Narasimloo Chetty.....	Native cloth with gold border.

HONORABLE MENTION.

CXLVIII	1	Ruthnum Moodely.....	Muslin.
LXIII	151	Coopchund.....	Nankeen.
CXLII	2 & 3	Pillarysethee Barthasaradee Naidoo.....	Palampores.
CXXXVI	7 to 21	Rajahmundry Local Committee.....	Chintzes of Sorts.
.....	53 to 56
CI	24	Balakiroochna and Parasoorama and Co	Blue cloth from Pondicherry.
CCXCIV	284 to 286	Goa Local Committee.....	Stamped dimity.
CXLII	234	Paremcottiah Naidoo.....	Ventapollum neckerchiefs.
CXLII	259	Revd. W. Groney.....	Damask napkins.
XC	345	Basavalingum.....	Penelope canvas for Berlia work.
LXI	290	Kotha Sooba Chetty.....	Native cloths.
.....	291 to 294	Moosany Lutchmen Chetty.....	Do.
CCXI	Cuddapah Local Committee.....	Trouser cloths.
CCLXXXIV	224	Iya Chetty.....	Cottons of sorts.

PECUNIARY AWARDS.

CXLII	176 to 179	Ajee Mandee Saib.....	Amount.	
CXLII	27	Aga Ismail Saib.....	Rs. 50	46 Chintzes of sorts.
CCXXXV	57	„ 50	36 Chintzes of sorts and a Gold flowered Palampore.
.....	Conjetty Arjapa Chetty.....	„ 50	Unbleached Isree.

CLASS XII.

Woollen and Worsted Manufacture.

2ND CLASS MEDALS.

CCXXX	12 to 16	Captain J. Loudon	Blankets.
XLIV	1	Captain Gill.....	Black Cumbly.

HONORABLE MENTION.

CLXXIII	10	Captain R. S. Dobbs.....	Check Cumbly.
---------	----	--------------------------	---------------

CLASS XIII.

Silk and Velvet.

2ND CLASS MEDALS.

CCLXXXVIII	178	Mrs. James Fraser, Ganjam.....	Silk Scarfs.
CCLVII	87	Hyderabad.....	Figured Satin.

HONORABLE MENTION.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
LXVII	5-6	Madras Tariff.....	Tanjore Silks.
CXCVIII	38 to 42	Trichinopoly.....	Kincobs.
LXI	3	Botha Sooba Chetty, Salem.....	Nafermanee Silk handkerchief.
CXV	81	Poodoccottah.....	White Doovettie.
CXXXI	7 to 21	Hyderabad.....	Satins Nos. 47, 59, 84, and 86.
CCLXXII	171	Soobo Pillay.....	Benares laced Kincob.
CXLV	Soojan Mul Lalah.....	Do do.

CLASS XIV.

Manufactures from Flax and Hemp.

1ST CLASS MEDAL.

CCCXLV	97 to 100	W. E. Underwood, Esq.....	Manufacture from the fibres of the Agave Americana.
--------	-----------	---------------------------	---

2ND CLASS MEDALS.

CCCIX	83 to 86	Dr. R. Riddell.....	Plain and Penelope canvas, colored cloth, brushes, white & colored Ladies' shoes, &c.
.....	Captain Meadows Taylor.	Prepared fibres of the Ootrum or Damia Extensa and six other plants.

HONORABLE MENTION.

CCCXV	235	W. D. Koblhoff, Esq., Tanjore.....	Koorinja fibre or Tylophora Asthmatica.
-------	-----	------------------------------------	---

CLASS XV.

Mixed Fabrics including Shawls, but exclusive of Worsted Goods.

1ST CLASS MEDALS.

CXLIII	58	Girdar Doss Valaba Doss ..	Cashmere Shawl.
LXVII	His Highness the Rajah of Tanjore.....	Richly laced fabrics.

2ND CLASS MEDALS.

CCXX	120	H. Balamoocoonda Doss.....	Red Cashmere Shawl.
CLXXIV	153	Moonshee Nunjapah.....	Silk Shawl.
CLXIX	251	Narsimloo Chetty.....	Crimson and Gold fabric.

HONORABLE MENTION.

CXLV	68	Soojamul Lallah.....	Scarf.
------	----	----------------------	--------

CLASS XVI.

Leather, including Saddlery and Harness, Skins, Fur, Feathers, and Hair.

2ND CLASS MEDALS.

CLXXVIII	149 to 162	Colonel Sherriff and Lieut. Grant.....	Leather of Sorts.
CLXXVIII	163	Peerajee.....	Saddle and Bridle.
CCLXXIII	197 to 236	Mr. Bowden.....	Leather of sorts.
CCXXX	227 to 262	Captain J. Loudon	Do. do.

HONORABLE MENTION.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
XCIV	84 & 85	H. H. the Rajah Tondaman Bahadoor.....	Native Saddlery.
LXV	21 & 22	W. D. Kohlhoff, Esq.....	Sheep and Goat skins.
XXIII	6	Rajah of Kalastry.....	Collections of skins.
LXIII	10 to 20	Meeranjee Meeah.....	Skins.
CXXXI	25 to 31	Nawab Salar Jung Bahadoor.....	Skins Raw and Tanned.
LXXXV	43 to 50	J. Ratliff, Esq.....	Skins Raw and Dressed.
CCV	117 to 126	H. H. the Maha Rajah of Cochin.....	Skins Raw and Tanned.
CXCI	127 to 134	Hon'ble Walter Elliot, Esq.....	Skins.
.....	146	Captain Miller.....	Sambre, Deer and Cheeta skins.
CCXXI	165 to 196	Travancore Local Committee.....	Skins of sorts.
CCXXXII	192	H. V. Conolly, Esq.....	Variegated Panther skins.
CXX	194 to 196	J. Rohde, Esq.....	Skins.
CCXI	125 to 142	Cuddapah Local Committee.....	Skins, &c.

CLASS XVII.

Paper and Stationery, Printing and Book-Binding.

2ND CLASS MEDALS.

CXI	584 to 594	Wesleyan Mission Press of Bangalore.....	Book binding in Morocco and Calf skin.
XLIII	C. V. Cuniah Chettyar.....	Paper.

PECUNIARY AWARD.

CXX	744	Guntoor Local Committee for the Manufacturer	Rs. 30	Sealing Wax.
-----	-----	--	--------	--------------

HONORABLE MENTION.

CXXIII	366 to 487	Christian Knowledge Society.....	Book binding.
CCIX	782 to 797	American Mission Press.....	Do. do.
.....	Messrs. Pharoah and Co.....	Do. do.
XI	34 to 98	Rev. C. Aroolapen.....	Do. do.
CCXI	798	Cuddapah Local Committee.....	Sealing Wax.
CCXXXIX	W. E. Underwood, Esq.....	Paper from the fibre of the screw Pine pandanus Odoratissimus.

CLASS XIX.

Tapestry, including Carpets and Floor Cloths, Lace and Embroidery, Fancy and Industrial Works.

1ST CLASS MEDALS.

LXVII	29	His Highness the Rajah of Tanjore.....	Silk Carpet for presentation to H. M. Queen Victoria.
.....	Linga Rajoo.....	Embroidered Rug.

2ND CLASS MEDALS.

CXXX	239	Mahomed Hoossain.....	Wurrungul Carpets.
CXXX	230	Peer Mahomed.....	Do do.
CXLII	246	S. Nummiah Naidoo.....	Ellore Carpets.
CCV	115 & 116	Cochin Local Committee.....	Grass mats
CXLIV	Oodagheer Mahomed Saib.....	Embroidery.
.....	Boojah Row.....	Do.
LXXXVIII	11 to 22	Edeyengoody Mission School.....	Lace.
CCLIV	160	Nagercoil Mission School.....	Do.
CCLXXIV	186	{ Munjoo Shaw.....	Embroidered Shamianah.
		{ Shaca Row.....	
		{ Chenanjoo Row.....	
		{ Ausagee Row.....	

HONORABLE MENTION.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
LXVIII	227	H. Forbes, Esq.	Tanjore Rugs.
CXXXVII	41	Miss Walton.....	Crochet Stockings.
CCLXXIX	188 to 194	Madras Local Committee.....	Gold Lace, &c.
.....	Hyderabad Local Committee.....	Cloth of Silver (Cl. xv.)

PECUNIARY AWARDS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Rs.	Object rewarded.
.....	18	Mangalore German Mission.....	35	Crochet Work.
XLVII	1	Miss Addis	20	Crochet Counterpane.
.....	Mr. Haller.....	20	Coir Matting.
.....	20	Do.

CLASS XXI.

Cutlery and Edge Tools.

1st CLASS MEDAL.

LIX	1 to 11	S. Arnachellum of Salem.....	Cutlery.
-----	---------	------------------------------	----------

2nd CLASS MEDAL.

CXCVIII	16 to 19	Austin, of Trichinopoly.....	Cutlery.
---------	----------	------------------------------	----------

CLASS XXII.

Iron and General Hardware.

2nd CLASS MEDALS.

CXX	67	J. Rohde, Esq.....	For wall Shade Bracket.
XCII	44	M. DeClosets.....	For cast iron railings.
CII	18 to 53	M. Bulliard.....	Iron Cots, &c.

HONORABLE MENTION.

CCV	80	H. H. the Maha Rajah of Cochin.....	Metallie Mirrors.
CCXXI	117	Travancore Local Committee.....	Do.
CCLVIII	126	Overseer W. Patterson.....	Hand Cuffs.
CCLXXIV	132	Captain Haines, Supt. Bangalore Division.....	Wire Steel.

CLASS XXIII.

Working in Precious Metals, Jewelry and Articles of Virtu and Luxury, not included in other Classes.

1st CLASS MEDALS.

CCLXIX	155 to 199	A. Arathoon, Esq.....	Precious Stones.
--------	------------	-----------------------	------------------

2ND CLASS MEDALS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
.....	Mr. P. Orr.....	Silver vase.
CCXXI	99 to 125	Travancore.....	Silver filigree work.
CCXXXVII	127	Jugganad Butten.....	Chased jewelry and bangles.
CCLXIX	Mrs. Taylor.....	Precious Stones.
CCLXX	Bala Mooconda Doss.....	A pair of enamelled bracelets.
.....	Lieut. General Fraser.....	A large vase of Beder ware.
CXLVI	597 to 599	Kasava Doss.....	Drawings and etchings (Class xxx.)
XLVII	Edward Balfour, Esq.....	Lithograph books in arabesque.
.....	Churdriah of Nellore.....	Iron and Steel.

HONORABLE MENTION.

CLXXII	80	Messrs. Scriven and Co.....	3 Vases and Silver filigree work from Cuttack.
CCXXI	99 to 125	Travancore and Goa Local Committees	Chased jewelry and bangles.
.....	Mr. Just Gantz.....	Water color drawings.
.....	T Chengulroy	Drawings of arms and ancient pottery.
.....	W. E. Underwood, Esq.	Photographs.

CLASS XXIV.

Glass.

PECUNIARY AWARDS.

LXXXIII	103	Madura Local Committee.....	Prize Rs. 10	Bangles.
LXXXV	9 to 13	Nellore Local Committee.....	Do. 10	Bangles and Glass Cups.
CXXXI	14	Hyderabad	Do. 25	White glass bottles.

CLASS XXV.

Ceramic Manufactures, China Porcelain, Earthenware, &c.

2ND CLASS MEDALS.

XCVII	10	Ange de Babick of Pondicherry.....	Medici vases.
CCCXII	Arcot Local Committee.....	White and colored pottery.

PECUNIARY AWARDS.

LXXII	3	Hyderabad Local Committee for Raichore } Manufactory.....	Rs. 50	Varnished, glazed and colored pottery.
-------	---	--	--------	--

HONORABLE MENTION.

CLXXVII	12	Bangalore Local Committee	White earthenware.
---------	----	---------------------------------	--------------------

CLASS XXVI.

Decorative Furniture and Upholstery, including Lacquered Goods.

1st CLASS MEDAL.

CCXIV	Mr. J. Deschamps.....	Carved furniture generally.
-------	-------	-----------------------	-----------------------------

CLASS XXVII.

Manufactures in Mineral Substances used for Building or Decoration as in Marble, Slate, Porphyries, Cement, Artificial Stones, &c.

2ND CLASS MEDALS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
.....	Mooroogasen Moodelly.....	Goglets and a Jar made of Naggery Potstone.
.....	Mr. M. Chesterfield.....	Improved Building and Roofing Materials.
.....	Gunner T. Barton.....	Building Bricks.

HONORABLE MENTION.

.....	Appavoo.....	Ink stand and Butter cup of Soap stone.
.....	Monsieur Carriol of Pondicherry.....	Artificial Hydraulic cement.

CLASS XXVIII.

Manufactures from Animal and Vegetable Substances, not being Woven or Felted, or included in other Sections.

2ND CLASS MEDAL.

CCXXI	16 to 64	H. H. the Rajah of Travancore.....	Series of Carvings in Ivory.
-------	----------	------------------------------------	------------------------------

CLASS XXIX.

Miscellaneous Manufactures and Small Wares.

2ND CLASS MEDALS.

CCV	87	H. H. the Maha Rajah of Cochin.....	Wax candles and Peacocks feather fans.
CCV	50	H. Excellency the Tondiman Bahadoor.....	Walking stick.
.....	Mr. W. Gay.....	Perfumery.
CCXIX	114 to 116	Lutchmiah Rajoo.....	Gilding.
.....	86 to 87	Dr. G. W. Flynn.....	Soap (Class II.)

PECUNIARY AWARD.

Madras Tariff.....	Seelar Sahib.....	Rs. 50	Attars, &c., &c.
--------------------	-------------------	--------	------------------

HONORABLE MENTION.

CCXXI	27 to 40	Hyderabad Local Committee.....	Lac ware.
CXLVII	99 to 106	Munnul Cody Ummal.....	Bead ware.
CCXXXIV	117 to 123	Miss Locker.....	Do.
.....	Rajahmundry Local Committee.....	Fans.
LXIII	19 to 23	Tinnevely Local Committee.....	Do.
CXLII	68 to 69	Masulipatam Local Committee.....	Condapillay toys.

CLASS XXX.

Fine Arts, including also Coins, Books, &c.

1st CLASS MEDALS.

Pro. No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
CCXCVIII	621	Captain Tripe.....	Photographic views of the temples of Hullabede and Belloor.
CLIX	529	W. E. Cochrane, Esq.....	Collection of Photographic portraits.

2ND CLASS MEDALS.

LVII	27	Mrs. Wilkieson.....	Carved Sandal wood Box.
CLXXII	549	Captain G. Harvey.....	Carvings in stone.
CCXLVIII	622	Dr. Neill.....	Landscape and Architectural views.
CCCH	Captain Greenlaw.....	Groups of figures.
CCCH	Mrs. Monckton.....	Chess Table painted on wood.
CXLVI	598	Casava Doss.....	Etchings on walking stick & bamboo boxes.

CLASS I.

REPORT ON MINING, QUARRYING, METALLURGICAL OPERATIONS AND MINERAL PRODUCTS.

JURY.

MAJOR MAITLAND, *Chairman, Superintendent Gun Carriage Manufactory.*

G. B. BRUCE, Esq., *Engineer, Madras Railway.*

EDWARD BALFOUR, Esq., *In charge of the Government Central Museum.*

G. J. SHAW, Esq., M. D., *Assay Master, Madras Mint.*

A. J. SCOTT, Esq., M. D., *Assistant Assay Master, Madras Mint.*

ALEX. HUNTER, Esq., M. D., *Director Madras School of Arts.* } *Joint Reporters.*

The Collection of Specimens exhibited in this Class is very meagre and cannot by any means be considered as a fair representation of the mineral resources of this Presidency. An exception must be made however in favor of the ores of iron and steel of which there are several series from different localities of much value and possessing considerable interest. The following species have been exhibited.

Native iron.	Clay iron stone.
Do. magnetic.	Bog iron ore.
Do. iron sand.	Pitchy hydrate.
Steely iron sand.	Silicate of iron,
Iron sand with manganese.	{ Silico calcareous ore or
Iron pyrites.	{ Yenite.
Octohedral sesquioxide.	Red and purple Haematite.
Cubical do.	Yellow do. or hydrate of
Radiated pyrites.	iron.
Arsenical do.	Antimonial ore.
Yellow sulphuret.	Brown ochrey ironstone.
Specular ore or glance.	Yellow do.
Red iron ore.	Pisiform ore.
Brown do.	Micaceous iron ore.
Umber.	Carburet of iron or plum-
Black iron stone.	bago.
Sparry iron stone.	

With the exception of 4 or 5 species this includes nearly all the ores of iron with which we are acquainted, and of these, two more are known to have been met with in this Presidency, but samples of them have not been forwarded, viz., titaniferous iron of the Neilgherries, and meteoric or nickeliforous iron which has been picked up in Southern India. Of the above ores the magnetic iron, iron sand, bog ore (or cellular iron) the haematites and the silicates are the species most frequently employed by the Natives. There are two or three forms in which the silicates occur in India which are deserving of attention, as these ores are much esteemed by the Natives on account of the quality of iron and steel which they yield, and the facility with which the metal is obtained from them. One is a sparry red or brown sandstone strongly impregnated with iron and particularly liable

to disintegrate or crumble on exposure to the air. This sandstone when examined with a lens is found to consist of minute particles of iron and quartz, there is often a little manganese with the iron, and the rock on decaying yields the iron sand of different colors of brown, red, grey and black which are so plentiful in Southern India. The steel grey varieties contain the greatest quantity of manganese, in the form of a silicated sesquioxide, and it is to the presence of a little of this metal that a good deal of the steel of Southern India owes its hardness and the working properties which adapt it so well for cutlery and stone masons' tools.

Another variety of silicate is a hard close-grained sandstone which accompanies the beds of lime, magnesian clay, and fire clay in the Chingleput, Nellore, and Masulipatam Districts. This sandstone is dark red, brown, and black in proportion to the quantity of iron which it contains, and its relative geognostic position.

At the Red Hills where it occurs along with conglomerate laterite and broken fragments of granite, on low undulating mounds, it is of a dark purple color strongly resembling the old red sandstone. Near Rajah's Choultry on the same tract of country about 30 miles distant, this sandstone again appears accompanied with black bands of Iron and fibrous lime. At Streepermatoor, 17 miles from the Red Hills, the sandstones are of considerable thickness, nearly white, and the iron in thin seams between the strata. These beds of iron, lime, sandstone and fire clay appear to extend for 250 miles or more both up and down the Coast with little interruption, and at depths varying from 2 to 80 feet from the surface. They are covered in many places with alluvial soil, marls, gypsum, the sand formations and the debris from the distant hills. In many parts of this tract the iron ores, iron sands and haematites appear to have been extensively worked in former times, as large mounds of iron ore and scoræ from furnaces with portions of burnt clay nozzles are frequently met with. In the Chingleput District the manufacture of iron is almost abandoned; but in Nellore

In Guntoor and Hyderabad a good deal of iron and steel are still manufactured.

These ores yield very fine qualities of iron and steel. They occur in Salem, Guntoor, Masulipatam and Mysore. A fine series of these ores is exhibited by Captain Elliot from Shemoga in Mysore. The Jury consider this series deserving of honorable mention, but they regret that the celebrated steel wire, or iron and steel manufactures of the district are not exhibited.

The iron ores and series of iron in different stages of preparation exhibited by the Coimbatore Local Committee is most complete, and if taken in connection with the models of iron implements used in agriculture and the different trades, this forms an interesting and instructive series, the Jury award a 2d Class Medal for this contribution.

The best series of ores of steel and of steel made from them, is exhibited by the Hyderabad Local Committee from Kurkool. A 2d Class Medal is awarded for this collection.

Major Dobbs exhibits a good series of iron ores from Chittledroog in the Mysore territory. The wrought steel from Tinnevely and Travancore both appear to be of good quality. Mr. Rohde exhibits a large and interesting series of iron ores from Guntoor. The Masulipatam Local Committee also exhibit a variety of ores chiefly haematites, iron glance, and sandstones containing iron.

As regards the manufacture of iron there are two or three points in which the native process differs from the European. First in the selection of ores; the native manufacturer employs only those which are rich in metal, never mixing those of different qualities, and seldom using fluxes to suit particular ores. The clay iron stone sand calcareous iron ores from which much of the iron of Europe is made, are almost totally neglected in India. The furnaces in which the ores are smelted are too small for manufacturing Iron on a large scale, being seldom more than 5 feet in height by 2½ in diameter—their walls are not of sufficient solidity to keep in the heat; they are built of a red ferruginous marl worked up in a soft sloppy pulp instead of being constructed of burnt fire bricks carefully and closely cemented; the walls are consequently filled with minute fissures which though not perceptible to the eye allow a good deal of heat to escape. The common native bellows made of cow skins inflated, do not keep up a sufficiently powerful and steady blast, and the metal does not flow freely enough to be separated from the scoriae. In the subsequent stages there are other imperfect appliances which tend to deteriorate the quality of the wrought iron and to render it unfit for large manufactures. The blast heat not being sufficiently powerful, the blooms require a long exposure in

and Masulipatam it is still carried on in a small way.

The third form in which the silicate occurs is as band iron ore alternating with layers of sandstone, and frequently accompanied by

the fire to render them malleable. They frequently get burnt on the surface and the whole mass is beaten up impurities and all. The Native ironsmith works his iron at a low temperature and with too light a sledge hammer for heavy work. See an interesting account of the manufacture of iron in the printed Reports from the Guntoor District drawn up by Mr. Rohde. The process of manufacturing iron as followed by the Natives may be regarded as one for refining and not for smelting the ores; the silicious particles are got rid of, and the iron is agglutinated into a lump which descends to the bottom and is taken out in a state fit for working up, by this mode the subsequent heating and puddling which are required in the English process for cast iron are avoided. It is doubtful whether the two processes are likely to be assimilated with benefit. The Indian process is economical for manufactures of a small kind, the cast iron of England for large manufactures and machinery.

STEEL.

The manufacture of steel is a branch of Industry for which India has long been celebrated. This substance can be made of good quality in small quantities and at a comparatively trifling cost; the process is more carefully conducted than that of making iron and the results are on the whole more satisfactory. Some defects however are found in the cast steel of India which interfere materially with its sale in the European market. These are the hardness of the external surface of the melted lumps, and their inequality, few being alike. The hardness is caused by the lumps cooling too rapidly on the surface from the small size and thinness of the crucibles. This branch of manufacture is susceptible of improvement in India, and there is a great abundance of rich ores, fluxes, and refractory clay in most of the districts of this Presidency. The great desideratum however is a bed of good coal that would convert into coke. Some of the black sandstones and band irons exhibited in this class with their accompanying strata of lime, fireclay, white pipe-clay and thick beds of yellow and red sandstone are very similar to those found in the coal bearing strata of Bengal and other countries.

PLUMBAGO OR CARBURET OF IRON.

Next in importance to the ores of iron, are the samples of plumbago from several localities; the finest and most varied series both as regards size and quality are those exhibited by General Cullen from Trevandrum. One large block occurs along with laterite and contains some pieces the size of a walnut, nearly equal to the fine kinds of Cumberland black lead. Other large blocks nearly a foot in cubic measurement appear of a softer and coarser quality. They have been sawed through, but are not so compact as the brightest portions of the first named block. This plumbago or graphite is well suited for the manufacture of ordinary pencils or for making crucibles.

A 2nd Class Medal is awarded to General Cullen for the series.

Mr. Caldecot exhibits some very fair samples from the same locality; the Zemindar of Vizianagrum also exhibits some fair specimens. It is to be regretted that the pencils which have been made from this black lead are not exhibited. Lieut. Evans, 51st Regiment M. N. I., exhibits plumbago of good quality from Ceylon, and of indifferent quality from beds of shale that accompany iron ore at Malacca.

Some indifferent specimens of plumbago are also exhibited along with iron ore and slaty shales from Cuddapah.

GALENA.

Among the metallic ores holding the promise of being marketable, are a rich ore of galena or sulphuret of lead from the vicinity of Cuddapah. This ore is rich in silver, and is worked by the Natives on this account, but all the lead is wasted and the silver is obtained by a tedious, clumsy, and expensive process. Mr. H. L. Pattinson's new process for separating the metals by careful, slow-cooling and crystalization, is applicable to this ore.

Another interesting ore of lead is a galena or sulphuret free from silver. It was brought to notice by Captain J. G. Russell and Dr. A. J. Scott, and occurs in large quantities and in blocks of great size in the vicinity of Kurnool. This substance was carefully analysed a few years ago by Dr. Scott, and was found to contain about 60 per cent. of lead without the least trace of silver. Its history is interesting. It was discovered accidentally by the late ex-Nawaub of Kurnool, in digging a well. He was at the time making warlike preparations and considering the discovery of much importance he surrounded the excavation with a wall for the purpose of concealing it and placed a guard over the entrance of the enclosure. The pit has now however been choked up as since the Kurnool territory has fallen into the hands of our Government, no outlay has been sanctioned to ascertain the extent of the lode and whether it would be worth while working it. The galena has been used in large quantities in the School of Arts for glazing common pottery and has been found of excellent quality.

MANGANESE ORES.

A very rich ore of manganese is exhibited from Vizianagrum, and another from Bimlipatam, amongst the minerals from the Madras School of Arts.

They occur in huge veins from 3 to 5 feet in thickness amongst primitive granites, and were forwarded by the Zemindar of Vizianagrum. Some of the blocks weighed from 3 to 4 cwt. They have been very accurately described and carefully analysed by Dr. Scott as follows. The minerals under consideration present a highly metallic lustre of a bluish black color, interspersed here and there with dull greyish spots, which latter possess the external character of Psilomelan; both specimens possess the same external characters. The sample from Vizianagrum breaks with diffi-

culty and when split with a chisel presents an imperfect rhombohedral cleavage, its sp. gr. is 4.50. When powdered it assumes a dark brownish black color, it dissolves readily in Hydrochloric acid with the evolution of Chlorine gas, and on evaporation forms a gelatinous mass of a deep yellow color. After a careful analysis the quantitative constitution was found to be as follows.

Silicic acid	8.300
Peroxide of iron	12.910
Magnesia	2.339
Water and loss	0.801
Red oxide of manganese	73.786
Oxygen	1.864

The quantity of metallic manganese in the above analysis amounts to 53.428 per cent. and the total quantity of oxygen combined therewith to 22.219; it corresponds very closely to the constitution of sesquioxide or of a mixture of protoxide and peroxide. It is protected from oxidation by being a silicate. It agrees most nearly with a manganese ore called marcellin from mount Marcel in Piedmont investigated by Damour. The sample of ore from Bimlipatam was also subjected to a careful quantitative analysis, and was found to differ in containing lime, its composition was as follows:

Silicic acid	9.090
Peroxide of iron	11.720
Lime	1.244
Magnesia	0.668
Red oxide of manganese	76.177
Oxygen	0.655
Water	0.432
Loss	0.014

It therefore contains metallic manganese 54.929 oxygen 22.558. To constitute a true sesquioxide 23.904 of oxygen would be required. It would thus appear that the metal is in a lower state of oxidation than in the Vizianagrum specimen. These ores are of little or no commercial value, but they have been found of use in producing strong black, purple, and brown glazes for the pottery exhibited in another Class.

COPPER ORES.

These are exhibited of good quality from Guntoor, Nellore and Cuddapah; the samples however are small and not so rich in the metal as those collected for the London Exhibition of 1851. Copper is known to occur in 17 or 18 different localities in the forms of green carbonate and grey and liver colored ores, but the metal has never been traced to good veins or nests.

ANTIMONY ORES.

It is to be regretted that only one or two small specimens of sulphuret of Antimony and Antimonial Iron are exhibited. It is known that the former metal occurs abundantly in the Northern Circars.

CHROMATE OF IRON.

A very fine sample of chrome ore weighing about 5

cwt. is exhibited by Mr. Fischer of Salem; the Jury would have awarded a 2d Class Medal for this specimen. The ore having been so largely exported to England as to have lowered the commercial value of the mineral.

ALLOYS, BRASSES AND BELL METALS.

A good series of these is exhibited by the Travancore Local Committee, and they are considered deserving of honorable mention, but it is regretted that no particulars are furnished regarding the proportions of the different metals employed.

COAL.

There are three samples of Coal, one from Labuan and two from Malacca, but they are known to be of inferior quality, being from very superficial beds. The latter was said to be very sulphureous and liable to spontaneous combustion.

A specimen of bituminous fossil-wood is exhibited from Perambore. This resembles the Bovey coal of Wales found on the outskirts of the coal formations. The sample was dug from a bed of marl, containing gypsum formations and fossil shells, it has been frequently found at the depth of 14 or 18 feet from the surface in sinking wells in this vicinity.

MATERIALS FOR POTTERY.

Will be noticed in detail in Class XXV, along with the articles manufactured from them.

GRANITE, LATERITE AND BUILDING STONES.

A few granites and laterites are exhibited by the

Travancore Local Committee and from Pondicherry, but they do not require special mention.

Mr. Rohde exhibits a very interesting series of granites, green stones, slates, lithographic marbles and limestones from Guntoor; the Jury consider them worthy of a 2d Class Medal, which is awarded.

EMERY AND CORUNDUMS.

These are exhibited from a great variety of places. The best samples are contributed by Mr. Rohde from Guntoor, the Hyderabad Local Committee, Dr. Kirkpatrick from Mysore, Mr. Meppen from Cuddoor, and Mr. Fischer from Salem. The Madras School of Arts exhibits two complete series of all the varieties of emery and corundum with their accompanying rocks, adulterations and the substances mistaken for them. These minerals are in great request for grinding and polishing machinery, steam engines, plate glass and pebbles, but they are never selected with sufficient care for exportation.

OIL STONES, HONE STONES, SOAPSTONE, AND LAC GRINDSTONES.

It is to be regretted that the display in this class is very meagre, as this Presidency is known to be very rich in grinding and polishing stones. The best samples exhibited are from Mysore, Cuddapah, Nellore and Guntoor, but finer qualities are known to occur in the Ceded Districts and several other localities.

ORES OF IRON AND STEEL AND SAMPLES OF THE METALS PREPARED FROM THEM.

NAMES OF ARTICLES.	USES.	LOCALITIES WHERE PROCURED.
Bog Ore or Spongy Iron Ore.....	Used in the Manufacture of Iron....	Coimbatore.
Coarse Iron Sand.....	Used as an Ore of Iron.....	Royasamoothrum Coimbatore.
Red Haematite.....	A rich Ore of Iron.....	Do.
Iron Ore.....	Rich in the Metal... ..	Oorpachoor—Coimbatore.
Iron Bloom.....	Ready for hammering... ..	Coimbatore.
Iron Blooms.....	In the first state of preparation... ..	Do.
Iron Blooms.....	In the second stage of preparation... ..	Do.
Iron Bloom.....	Cut & ready for a second hammering... ..	Do.
Wrought Iron.....	In its first stage... ..	Do.
Wrought Iron.....	In second stage hammered and welded... ..	Do.
Wrought Steel.....	Do.
Iron Ore.....	Broken for smelting, this Ore is rich in the Metal... ..	Chittledroog Division, Mysore.
Iron Ore—No. 100 of list... ..	Rich in the Metal... ..	Do.
Iron Ore—No. 15 of list...	Bigganhully in Chinnagherry Talook, Bangalore.
Ochrey Iron Ore—No. 72 of list... ..	Rich in the Metal... ..	Mysore.
Alternate layers of Iron Ore and Quartz.....	Used as an Ore of Iron... ..	Do.
Stratified Quartz and Iron—No. 100 of list.....	Do.	Chittledroog Division, Mysore.
Iron Sand—No. 73 of list.....	Used as an Ore of Iron... ..	Chittledroog Division, Mysore.
Iron Smelted—No. 74 do.....	Being the first preparation of Iron... ..	Do. do.
Wrought Iron.....	Used for making tools... ..	Do. do.
Iron Bloom... ..	First stage of preparation... ..	From Sateemuttum.
Wrought Iron—No. 76 of list... ..	Second do.	Chittledroog Division, Mysore.
Cast Steel—No. 77 of list.....	Used for sharp edged tools... ..	Do. do.
Brown Haematite—No. 15 of list..	Rich Ore of Iron....	Bigganhully Chinnagherry Talook, Bangalore.

NAMES OF ARTICLES.	USES.	LOCALITIES WHERE PROCURED.
Series of Ores of Iron & Manganese...	Used in the Manufacture of Iron, Steel and Wire...	From Shemogah, Chinnapatam and Mysore, exhibited by Dr. Hunter.
Iron glance....	A rich Ore of Iron....	Soondoor Hill Bellary, exhibited by Dr. Hunter.
Red Haematite with Iron glance ..	A rich Ore of Iron ...	Red Hills, exhibited by Dr. Hunter.
Magnetic Iron Ore	Rich in the Metal.....	Chingleput, exhibited by Dr. Hunter.
Coarse Granite, containing Iron....	Used as an Ore of Iron.....	Do. do.
Iron glance—No. 19 of list	A rich Ore of Iron....	Roodrah, Coilgoontla Talook, Cuddapah.
Stratified Iron Ore—No. 21 of list ..	Rich in the Metal....	Yalacatand, Cuddapah.
Iron Ore—No. 30 of list	Rich in the Metal....	Cuddapah.
Purple Haematite—No. 18 of list....	A rich Ore of Iron....	Roodrah, Coilgoontla Talook, Cuddapah.
Iron glance.....	Used for making Cast Iron.....	Vicinity of Pondicherry.
A pig of Cast Iron	Used in casting rails, machinery, &c.	Pondicherry made by M. A. De Closets.
Red Haematite.....	Used as an Ore of Iron.....	Teroor, Masulipatam.
Brown Sparry Iron Ore or Carbonate of Iron	Do.	From Teroor, Masulipatam.
Iron glance	Used in the Manufacture of Iron. ..	Masulipatam.
Iron glance	Used for making Iron and Steel.....	Bezwarah, Masulipatam.
Wrought Steel.....	Used for edge tools....	Teroor, Masulipatam.
1 Piece Melted Ore No. 2 of list....	Used for tools.....	Rajahmundry, Exhibited by Gungathadooroo.
Purple Haematite No. 1 of do.	A rich Ore of Iron ...	Do. do.
Iron Sand, poor in the metal.	Used as an Ore of Iron....	Poodocottah.
Pisiform Iron Ore	Used instead of shot for shooting Birds	Do.
Iron Sand No. 324 of list....	Used in coloring Bangles....	Madura.
Coarse Iron Sand	Used as an Ore of Iron.....	Tricanalore.
Iron Ore	Rich in the metal....	Do.
Iron Sand	Apparently containing Manganese...	Do.
Iron Sand.....	Containing Manganese....	Do.
Iron Sand.....	Rich in the metal....	Do.
Rusty Iron Sand.....	Used as an Ore of Iron....	Do.
Iron Sand.....	Used as an Ore of Iron...	Do.
Common Iron Sand.....	Do.	Cochin.
Coarse Iron Sand.....	Do.	Do.
Coarse Iron Sand.....	Do.	Do.
Fine Iron Sand.....	Containing Manganese..	Do.
Cast Steel and Bar Steel..	Used for edge tools....	Travancore.
Cast Steel No. 2. of list....	Do.	Do.
Bars or Oolies of wrought Steel No. 87 of list.....	Do.	Tinnevelly District.
Wrought Iron.....	Do.	Nellore local Committee.
Iron Sand No. 72 of list....	Used as an Ore of Iron....	Tinnevelly District.
Iron glance No. 29 of list....	A very rich Ore of Iron...	Tinnevelly.
Octohedral Crystals of Iron Ore	Yields Iron Ore of good quality....	Salem.
Iron Ore and Wrought Iron.	Used for tools.....	Do.
Iron bloom No. 25 of list....	Do.	Hyderabad.
Do. No. 26 of do.....	Do.	Kurkool, Hyderabad.
Iron Ores No. 34 of do.....	Do.	Hyderabad.
Steel Ores No. 29 of do.....	Do.	Do.
Steel from No. 30 of do.....	Do.	Do.
Steel Ores No. 32 of list....	Do.	Do.
Cast Steel No. 24 of do.....	Do.	Kurkool, Hyderabad.
Cast Steel.....	Do.	Hyderabad.
Iron Bloom.....	Do.	Teroor, Masulipatam
Wrought Iron.....	Used for making tools....	Do. do.
Melted Iron or Iron Bloom No. 2 of list	Do.	Poodocottah.
Samples of wrought Iron and Steel...	Do.	Mangalore.
Iron Glance	Very rich in the Metal.....	Do.
Iron Sand.....	Do.	Sattemuttum.
Iron Sand	Used as an Ore of Iron	Pattoolor.
Iron Glance	A rich Ore of Iron.....	Do.
Iron Sand.....	Rich in the Metal used as an Ore of Iron	Guntoor.
Yellow Ochrey Iron Ore..	Rich in the Metal	Do.
Cubical Iron Ore.....	Do.	Goorzal, Guntoor.
Iron Ore D. of list..	Do.	Jampad, Guntoor.
Brown Haematite.....	A rich Ore of Iron.....	From Margampad and Kan anky Guntoor.
Brown Ochrey Iron Stone No. B. 2 of list.....	Used as an Ore of Iron....	Goondlapilly, Guntoor.

NAMES OF ARTICLES.	USES.	LOCALITIES WHERE PROCURED.
Silicious Iron Ore.....	Used Do.....	Guntoor.
Red and Black Haematite No. 1 of list.	Used as an Ore of Iron....	Do.
Iron Ore.....	Rich in the Metal.....	Toomaragod Guntoor.
Iron Glance.....	Used as an Ore of Iron.....	Cunchemalay
Iron Ore.....	Do.....	Gooticondah, Guntoor.
Iron Slag.....	Used in Making Crucibles..	Goondlapilly, Guntoor.

CHROME ORES.

Chromate of Iron or Chrome Ore.....	Exhibited by Mr. Fischer, Salem.
Chromate of Iron.....	Bangalore Local Committee.
Chromate of Iron, Madras School of Arts.....	Used as a Coloring Substance..... Vizianagram.

PLUMBAGO SERIES.

Plumbago—Graphite or Carburet of Iron No. 8 of list....	14 Miles N. E. of Trivandrum found in Laterite and at a depth of 4 or 5 feet. It is not worked. Exhibited by General Cullen, Trevandrum.
Plumbago—Graphite or Carburet of Iron No. 9 of list....	14 miles N. E. of Trivandrum found in laterite and at a depth of 4 or 5 feet—It is not worked. Exhibited by Genl. Cullen, Trivandrum..
Plumbago No. 10 of list.....	Do. do.
Plumbago No. 11 of list.....	Do. do.
Plumbago—Graphite or Carburet of Iron.....	Exhibited by Mr. Caldecott Travancore.
Plumbago—Black lead or Graphite..	Used for making pencils and crucibles.... By His Highness the Rajah of Vizianagram.
Plumbago No. 20 of list..	Contributed by Lieut. E. L. M. Evans 51st Regt. M. N. I. from Ceylon.
Plumbago No. 19 of do..	Found in a Village about 12 miles from the town of Malacca, contributed by do.
Plumbago—Madras School of Arts..	Cuddapah.
Iron Ore containing Plumbago or Black lead No. 31 of list..	Paulcondah Hill Chennoor Talook Cuddapah.
Iron Ore containing Plumbago No. 97 of list....	Chittledroog Division Mysore.

ORES OF MANGANESE.

Manganese Ore, Sesquioxide of Manganese with Silica and a little Iron..	Used in coloring and glazing Pottery.	Vizianagram.
Brown Wad or Oxide of Manganese and Iron..	Used in coloring Pottery ..	Red Hills.
Sesquioxide and Peroxide of Manganese..	Do.	Vizianagram.
Purple Clay Iron stone, containing a vein of Manganese..		Red Hills near Madras.
Iron Ore and Manganese in alternate strata, Madras School of Arts..		Bangalore.
Sesquioxide of Manganese containing 74 per cent of the Metal, analysed by Dr. A. Scott ..	Used for coloring Pottery..	Vizianagram.
Iron Ore, containing Plumbago No. 11 of list ..		Roodrar, Coilgoontla Talook, Cuddapah.
Peroxide of Manganese, Madras School of Arts ..		
Brown Wad or Oxide of Manganese and Iron, Madras School of Arts.	Used in Chemical Manufactures	Soondoor Hill, Bellary.
Sesquioxide of Manganese, Madras School of Arts ..	Used for coloring glass and Pottery.	Shemogah Mysore.
Galena or Sulphuret of Lead ..	Used for glasses and glazing Pottery.	Kurnool.
Iron Sand, No. 3 of list ..	Said to contain gold ..	Conjeemallay Hills Salem, District.
Arsenical Pyrites or Cube Ore, Madras School of Arts ..	Roasted as an Ore of Arsenic ..	Salem.

NAMES OF ARTICLES.	USES.	LOCALITIES WHERE PROCURED.
Octohedral Iron Ore a Sesquioxide of Iron, Madras School of Arts	Sometimes used for making Steel....	Guntoor.
Sulphuret of Iron or Iron Pyrites, Madras School of Arts	Embedded in secondary clay Slate..	Nundial Cuddapah.
Galena or Sulphuret of Lead No. 25 of list	Used for glass and glazing Pottery.	Cuddapah.
Orpiment, Yellow Sulphuret of Arsenic, No. 48 of list	Used as a medicine	M. P. Nursingarow Shemoga.
Copper Ore, containing Malachite or Green Carbonate of Copper No. 60 of list	Used as a ring stone	Garemenapenta in Daumoor Division Nellore, Local Committee.
Copper Ore No. 60 of do. . . .		Do. do.
Copper Ore, Green Carbonate of Copper	Rich in the Metal	Ventanoor, Cuddapah.
Samples of Brass, Pewter and Bell Metal	Used for coloring glass	Travancore.
Coal, Madras School of Arts		From Labuan.
Coal, Madras School of Arts	Used as a fuel	From Mergni.
Coal from the Mine No. 9 of list, Madras School of Arts	Do. . . .	At Tanjong-Kubong, Labuan.
		Exhibited by P. S. Mootoosawmy, Moodelliar.
Coal. No. 21 a small specimen of, reported to be found at Malacca, contributed by Lieut. E. L. M. Evans, 51st Regt. M. N. I. . . .		Malacca.

AWARDS.

HONORABLE MENTION.

	Captain Elliot.	Ores of Iron & Steel.
--	-----------------	-----------------------

2ND CLASS MEDALS.

Pro. No.	Catal No.	Name of Exhibitor.	Object Rewarded.
		CoimbatoreLocal } Committee . . }	Iron Ores and series of Iron.
cxxxix	37to47	HyderabadLocal } Committee... }	Ores of Steel.
ccxxxi	8 to 11	General Cullen...	Plumbago.
xxxiii	1 to 39	J. Rohde, Esq. ...	Slates and Marbles.

CLASS II.

REPORT ON CHEMICAL AND PHARMACEUTICAL PROCESSES AND PRODUCTS GENERALLY.

JURY.

Dr. MAYER, *Professor of Chemistry, Chairman.*

Dr. A. J. SCOTT, *Asst. Assay Master.*

H. NELSON, Esq.

Dr. A. LORIMER, *Secy. Medical Board.*

Dr. A. HUNTER, *Director Madras School of Arts.*

J. TAWSE, Esq.

Dr. G. J. SHAW, *Assay Master.*

Dr. H. CLEGHORN, *Professor of Botany, Reporter.*

Although chemistry and pharmacy afford little scope for competition at the present time in India, yet there is no part of the Exhibition, which presents so many objects of a novel character as Class II, which contains a very large number of raw materials used in medicine, and a smaller number of the products of chemical manufacture.

The Arabs have the credit of having given origin to chemistry, but it is probable that the early Hindoos were acquainted with the same substances and preparations, as we find them enumerated under similar names in the earliest works on Hindoo medicine. (Royle). The crude soda and mineral acids are still prepared here by the same simple methods and rude apparatus as in the most ancient times.

It would be impossible for the Jury to enlarge upon the individual articles of the *Materia Medica*, but they would draw attention to the numerous and interesting medicinal agents sent from the various districts of the Presidency. The specimens themselves and the facts detailed by the Exhibitors, especially Dr. Kirkpatrick and Mr. Waring, prove that Southern India is abundantly supplied with simple, energetic, and appropriate remedies, well adapted for the treatment of tropical diseases; the Jury are of opinion that many other indigenous drugs besides the "country medicines" now known, might be brought into use, and improved by the operations of the Pharmaceutical Laboratory, and they urge the Medical Department to co-operate with the Drug Committee, now in existence, in the further prosecution of enquiries which may be greatly extended, and which will prove of general benefit by pointing out the Pharmaceutical resources of the country, and effecting a considerable saving to the coffers of the state.

The number of Exhibitors, whose contributions have been submitted to the consideration of the Jury appear to be about 50. Many other medicinal substances, or which may be used as such, are noticed among the *spices* and intoxicating drugs, (class III) or amongst the gums, resins and oils (class IV).

Of the larger collections of Drugs, the chief were from Dr. Waring, Dr. Kirkpatrick, Captain Miller, H. E. the Rajah Tondiman Bahadoor, the Canara and Madras Committees; and in addition to the above, there is an instructive series of Bazaar Drugs included in the Commissariat collection, and in the Madras Tariff.

The following products were each shown by but one Exhibitor—alum, muriate of ammonia, barilla, petroleum, borneo camphor, borax, nitric and muriatic acids and blistering beetles.

The crystallized sulphur (Mediterranean) and nitre (Salem) from their size (2½ feet high) and beauty appropriately illustrate the great manufactures of the mother country—they have been obtained during the slow cooling of large quantities of solution. The crystals are well defined and of unusual dimensions.

CANARA.

A very extensive collection of medicinal substances, illustrating the Native Pharmacopœia of Western India, has been forwarded by the Local Committee of Canara. This collection is not limited to indigenous products—it contains not a few articles imported from Arabia and elsewhere—these are often interesting, and their commercial routes are difficult to be traced, but with the majority of them we are already acquainted. The products being of a perishable nature, did not all arrive in a state fit for examination, and considerable obscurity involves the history of some of them, but as a whole, the collection exhibits well the condition of the Drug Bazaars in that province, and the nature of the traffic carried on with the Persian Gulf.

Amongst the drugs, we observe *gamboge*, *catechu*, *dik-kamul'y* gum, *cubebs*, *colocynth*, *assafatida*, *wood oil*, (*dipterocarpus*) *cocculus cordifolius*, *sphaeranthus*?, *plumbago zeylanica*, *acorus calamus*, *guilandina bonduc*, *argemone mexicana*, *cannabis indica*, *cyperus*?, *fish oil*, *cocum-butter*, and *sago*.

The Canara committee have evidently taken much trouble in preparing the above collection, and the Jury consider it worthy of honorable mention.

TRAVANCORE, MR. WARING.

The most valuable of the drug collections in regard to extent, variety, and careful method in which they have been put up, is forwarded by E. Waring, Esq., Residency Surgeon, Travancore, consisting of 241 specimens, accompanied with a descriptive catalogue of the drugs, and well dried specimens of the plants—the numbers being attached, corresponding with the vegetable products. This collection contains *Star Aniseed*, some remarkable *Galls*, *Wood Aloes*, *Butea Kino*, *True Kino*, *Mutty Pal*, &c., also the root of a *Smitax*, which is reported to be a good substitute for Jamaica sarsaparilla, *Cocculus Indicus*, *Nux Vomica*, *Zedoaria*, &c. *Croton Tiglium*, *Aristolochia Indica*, *Curcuma Montana*. The series is admirably arranged, and has been a source of much attraction during the Exhibition. The Jury award to Mr. Waring a 1st Class Medal.

MYSORE, DR. KIRKPATRICK.

The collection of medicines forwarded by Dr. Kirkpatrick as part of the Mysore contribution, is very large and interesting. "In forming this collection" (243 specimens, accompanied with drawings of some of the plants,) Dr. Kirkpatrick writes "care has been taken to include only such articles as there was every reason to suppose were natural products of the Mysore Territories. Different preparations of several medicines, and a long list of medicinal substances procurable in the bazaars, have been excluded because they were not products of Mysore." Amongst this collection, there are preparations of *Boel*, *Tylophora Asthmatica*, *Wrightia Antidysenterica*, *Celastrus Nutans*, *Guilandina Bonduc*, *Cucumis Colocynthis*, &c. with practical comments upon their therapeutical value. For the reasons given in speaking of Mr. Waring's collection, and also on account of Dr. Kirkpatrick having submitted many of the substances to the test of actual hospital practice, the jury award a 1st Class Medal.

MADURA.

A collection consisting of 66 specimens was forwarded by the Local Committee of Madura, containing some interesting drugs from the Pulney hills.

POODOOCOTTAH.

A small collection of drugs (43 specimens,) was forwarded by H. E. the Rajah Tondiman Bahadoor. Many of the samples were unfortunately spoiled, being found covered with mould, when the bags were opened.

The following articles of Indian materia medica deserve special notice.

1. Oil of Lemon grass or Citronelle, the produce of "*Andropogon Citratus*" is exhibited from Travancore, and also from Ceylon by Mrs. Goodsir.

2. Roussa grass oil, the produce of "*Andropogon Calamus aromaticus*" is exhibited from the Nizam's

territories by Dr. Riddell; this is found to be a good substitute for the more expensive Cajeput oil, and is a useful rubefacient.

3. *Cardole*, a thick black oily substance, obtained from the pericarp of ("*Anacardium occidentale*") the cashew nut, is exhibited from Tanjore (Local Committee) and by Lieutenant Hawkes. It is a powerful vesicating agent.

4. *Borneo Camphor*, the produce of "*Dryobalanops camphora*," a small quantity was brought over from Labuan, as a curiosity by 2d Dresser Pulnyandy.

5. *Country Sarsaparilla*. The roots of "*Hemidesmus Indicus*" have been sent from almost every district, but they vary considerably in aroma, the bundle from Trichinopoly being the best.

Syrup and extract from the indigenous plant, growing at the foot of Courtallum hills by 1st Dresser C. Appavoo Pillay, Tinnevely.

Dr. A. J. Scott has forwarded a crystallized principle called "*Hemidesmine*," which is found on examination to be an entirely new substance, exhibiting a remarkable indifference both to acids and alkalies, crystallizing in a peculiar manner in hexagonal plates, which are subject to rapid efflorescence. The only ascertained solvents are alcohol and ether; it is perfectly insoluble in water, both cold and hot. These facts show that it is a substance of a very peculiar nature. The jury recommend that this preparation be fully tested in hospital practice, along with the extract and syrup prepared from the same plant, and forwarded by 1st Dresser C. Appavoo Pillay. In consideration of Hemidesmine being a new product, the jury award a 1st class medal to Dr. Scott, and to C. Appavoo Pillay, Honorable Mention.

The late Mr. Gay's specimens of various pharmaceutical preparations including *Omum Water*, crystallized sugar of *Omum*, *Wine of Sarsaparilla*, *Essence of Sarsaparilla*, and *Croton oil*, are considered creditable, and deserving of notice.

6. *Ophelia elegans*. Two bundles of a vegetable drug in considerable demand to the Northward, where it is used as a bitter and febrifuge, are exhibited by the Honorable W. Elliot, Esq. The plant when carefully examined, proves to be "*Ophelia elegans*," (vide Wight Icon. t. 1331.) closely allied to, and greatly resembling (*chiretta*)—the native name is *Salaras* or *Salajit*, the stalks are sold bound together in bundles about one foot long, and a little thicker than a man's arm. The drug is exceedingly cheap, and the amount exported is considerable: to what extent it is employed, is difficult to ascertain, as it is confounded in the bazaar with "*chiretta*." For the interesting fact of a new Gentian being thus brought into notice, and for the specimens sent,

the jury are indebted to the Honorable W. Elliot Esq., and award to him a 2d class medal.

7. *Gunta baringa*, the root of a plant growing in the hills about Lamsingi to the W. of Vizagapatam. It is mentioned by Ainslie p. 112. (1st Ed. 4to,) under its tamil name "chirudekku." (Honorable Mr. Elliot). The same drug is contained in the Canara and Travancore collections, the plant yielding these roots is unknown.

8. *Senna*. A fine specimen of "Tinnevely senna" cultivated near Cape Comorin may be noticed as of a superior quality. It is satisfactory to remark, that senna grown in the Southern provinces of the presidency is highly esteemed in Britain, and preferred by many to all other sorts, as being both cheaper and purer.

9. *Catechu*. (kuth or terra japonica,) of this astringent, there are many samples, which may be reduced to three varieties, these are as follows.

1. Circular flat Cakes from Travancore, covered on both sides with paddy husks.

2. Large flat Cakes from the Northern Division, varying in colour from Brick dust to dull yellow.

3. Round balls of a dark brown colour, the size of a small Orange from Mangalore, where a large manufacture takes place. These two sorts appear identical or nearly so, varying only in shape. There is likewise a piece of the wood of "Acacia Catechu."

10. *Gambir*, from Rangoon, in cubical cakes covered with a malvaceous leaf.

11. *Kino*, the natural exudation of *Pterocarpus marsupium*, is an article of export from the Malabar Coast. Several specimens exhibited are quite identical with the kino of commerce.

12. *Extract of Hyoscyamus*. A large fresh specimen has been forwarded from Hoonsoor, prepared by Asst. Surgeon Hilbers, the quality of the extract has been thoroughly tested in the different Civil Dispensaries, and it has been pronounced equally useful as the European article, considering that this valuable medicine has been prepared for the first time in the Presidency, the Jury award a 2d Class Medal.

13. *Gamboge*—has been forwarded from Goa, Mysore, Canara, Malacca and Labuan. The specimen from Malacca exhibited by Lieut. Evans 51st N. I., is the finest pipe variety, all the others are in the form of lumps or tears. The series is very instructive, showing how much the commercial character of this product may be altered by trivial circumstances, the exudation being yellow, reddish, or brown, and of different degrees of solidity, according to the season of the year, and the method of manipulation. It has been shown that the peninsular Gamboge is a useful pigment, and an effective purgative. It has been lately added to the list of country medicines, and it appears that the tree is so abundant along the crest of the ghauts, that the

product may be obtained in very considerable quantities in the forests of Mysore, Malabar and Canara. The Jury award a second Class Medal to Lieut Evans, also a 2d Class Medal to the Government of Goa, and another to Apothecary Wrightman, who has collected this product with much care, in homogeneous masses without air vessels, and free of woody fibres or other impurities.

14. *Medicinal*—*Seer Liver*—*Shark Liver* and other Fish oils (used in cases of Rheumatism, Atrophy, Phthisis, Glandular swellings and all diseases of a strumous nature) are exhibited, of fine quality, from Mangalore, Tellicherry, Masulipatam and Pondicherry*. The Oil is obtained from different fishes. Drawings of these would be interesting.

15. Specimens of the Indian Blistering Beetles, *Mylabris pustulata*, and *punctum* are exhibited by Monsieur Le Docteur Collas of Pondicherry. These are accompanied with a full and interesting report on their blistering properties printed in the "*Moniteur Officiel*" of 2d March 1855. The larger species is *Mylabris pustulata*, and the smaller is *Mylabris punctum*—Both insects are found in large quantities at certain seasons all over Southern India. On account of Dr. Collas' careful researches into the natural History of these Beetles, as well as his interesting report, and successful experiments with this therapeutic agent, the Jury award a 2d Class Medal.

The following chemical substances were exhibited by C. Bauloo Moodelly of Madras, they have been carefully examined by the Professor of Chemistry, who reports as follows.

1. Ammonia Solution—S. G. 0.968, (pharmacopœia strength 0.960) about 10 per cent of real Ammonia.

2. Hydrochloric Acid—S. G. 1.148 (pharmacopœia strength 1.16) contains no Sulphuric Acid, nor any free chlorine.

Half fluid ounce evaporated to dryness left no appreciable residue.

3. Nitric Acid—S. G. 1.359 contains no Sulphuric Acid, half fluid ounce evaporated to dryness left 0.1 gr. of fixed residue which consisted of Iron.

4. Bleaching Powder—Contains 9.24 per cent. of Chlorine has potent bleaching properties emits a strong odour of Chlorine.

The powder is very moist and somewhat rusty, which good bleaching powder should not be; with this exception, which diminishes the percentage of chlorine, owing to the weight of moisture it contains, it is a fair sample. Bleaching powder that is moist, is apt to suffer speedy decomposition. The samples of Dhobies earth and Carbonate of Soda manufactured therefrom exhibited by Bauloo Moodelly and W. Hilbers, Esq. of Hoonsoor, on examination are found to be of inferior quality. The sample of the carbonate exhibited by the

* There is an active demand for this article at all the Sea ports of the Western Coast, and the product has become of great importance as the Export Return shows, vide Appendix A)

former contains only 34 per cent. of Alkali, and is much adulterated with chlorides and sulphates. That exhibited by Mr. Hilbers contains 39 per cent. of Alkali, and although it only exhibits a trace of chlorine, contains much sulphuric acid. The earth sent by Mr. Hilbers marked No. 1, only contains 4 per cent. of alkali.

Seven other specimens of native Carbonate of Soda, have been sent to the Exhibition. The richest in alkali is from the Territories of the Nizam, the Jury do not offer any remark, as a full account with a report of its chemical examination by Mr. R. Reynolds is contained in the *Pharmaceutical Journal* 1853, Vol. XII p. 517, the quantity of anhydrous sesquicarbonate being 67 per cent.

Samples of *Armenian Bole*, and of soft Magnesian earths from Mysore, Bellary and other localities are worthy of notice, as being articles of the Indian *Materia Medica* in general estimation; they are also employed in Native painting and gilding. The *Petroleum* or mud oil from Borneo, appears to be a good specimen of this article, but not of sufficient importance to deserve further mention.

The varieties of *Asbestos* and *Amianthus* from Salem and Mysore are deserving of notice, as this mineral is coming into use for various chemical purposes in Europe.

The *Sulphur* from Canara and Nellore is of fair quality, and in pure though small crystals. This substance is found in several districts of this Presidency as Salem, Masulipatam, Guntoor, Cuddapah and Trichinopoly; it occurs along with Gypsum in marl and clay beds, and also very largely in the form of metallic sulphurets. The natives are acquainted with the modes of subliming sulphur, and they prepare it of indifferent quality for the manufacture of gunpowder, which is used for Engineering purposes, &c.

In regard to *Saltpetre*, eight good samples of which are exhibited, the jury have to remark that, in the absence of all information regarding them, as to whether they are brought into market in the same state in which they are exhibited, and as to the number of times each specimen has been refined, they have some difficulty in pronouncing an opinion—they can only judge of the quality of the specimens as laid before them. The beautiful crystallization of this salt, exhibited by Major Gabbett, Superintendent of the Gun Powder Manufactory is entitled to a 2d Class Medal. Of the remaining specimens, the jury consider that exhibited by Mr. Ouchterlony to be the best, and award to him a 2d Class Medal—the next and almost equally good, being that of Mr. J. Rundall, Razole, Rajahmundry—to whom the jury award Honorable Mention.

Fourteen specimens of common *Salt* are exhibited, and the same remark is applicable to them as to the saltpetre. The jury being without information as to the history of their manufacture, can only judge of the

quality of the samples before them. They award a 2d Class Medal to Mr. Campbell, and Honorable Mention to Mr. Forbes, the collector of Tanjore.

Captain Blagrove contributes a specimen of Barilla, or crude subcarbonate of Soda, prepared from the ashes of "*Salicornia Indica*." Capt. Blagrove not having furnished any data as to the mode of preparation, or cost involved, the jury are precluded from giving even an approximative value of the article. The jury remark that this is a source, from which large quantities of alkali might be procured, as these saline plants grow abundantly in the salt marshes and back waters of this Presidency. It is doubtful, however, whether even taking into consideration the cheapness of labour, the manufacture could come into competition with the more economical processes for procuring this substance from dhobee's earth (native carbonate of soda), or from sea salt.

APPENDIX A.

Statement shewing the articles exported from the Madras Territories by Sea for the year 1854.

	Quantity.	Rupees.
Catechu.....	Cwts. 1,369	6,984
Kino.....	" 66	1,031
Gamboge.....	" None.	
Country Sarsaparilla.....	" 269	1,699
Senna.....	" 404	2,917
Fish oil.....	Gs. 7,21,095	2,06,863
Lemon Grass oil.....	None.	

JURY AWARDS.

CLASS II.

1ST CLASS MEDALS.

Progressive No.	Catalogue No.	Names of Exhibitors.	Object Rewarded.
		E. Waring, Esq. Dr. Kirkpatrick. Dr. A. J. Scott.	Collection of Drugs Do. Hemidesmine.

2ND CLASS MEDALS.

Hon'ble W. Elliot, Esq.	Ophelia elegans.
W. Hilbers, Esq.	Ext. of Hyoscyamus.
Lieut. Evans.	Gamboge.
Government of Goa.	Do.
Apothecary Wrightman.	Do.
Dr. Collas (Pondicherry.)	Blistering Beetles.
Major Gabbett.	Saltpetre.
J. Ouchterlony, Esq.	Do.
Mr. — Campbell.	Common Salt.

HONORABLE MENTION.

Mr. J. Rundall.	Saltpetre.
Mr. H. Forbes.	Common Salt.
C. Appavoo Pillay (1st Dresser.)	Extract and Syru of Sarsaparilla.

CLASS III.

REPORT ON SUBSTANCES USED FOR FOOD.

JURY.

Lieut.-Colonel A. McCALLY, *Commissary General, Chairman.*

W. U. ARBUTHNOT, Esq.

Colonel F. A. REID, C. B. *Quarter Master General.*R. O. CAMPBELL, Esq., *President of the Chamber of Commerce.*

H. A. MURRAY, Esq.,

*Associates.*Dr. EVANS, *Professor of Medicine.*Dr. CLEGHORN, *Professor of Botany, Reporter.*

Of the Cerealia commonly cultivated in Southern India, viz. Rice, Cholum, Maize and the Millets (together with the European grains, more sparingly met with, Wheat, Barley, &c.) the Jury inspected about 500 samples, many of great excellence, but more are dirty, broken weevil-eaten and unequal, characteristic of the slovenly state of Indian bazaars. Some are ears on spikes for scientific illustration, others were exhibited in bags or trays with tickets affixed bearing the name of each article. The land produce of each district was exhibited altogether. The rice from Canara and Travancore is packed in its own straw, but when intended for export is covered with rush mat and tied round with coir cord—in shape the *moodah* resembles an orange—the rice by this mode of packing keeps better, and is more secure from insects than in gunny bags.

The grains and pulses are very unequally distributed in the Peninsula, and the accompanying table affords interesting information as to the relations in this respect between the Collectorates and their produce.

Tinnevely District....55 Varieties of Paddy.

16 Do. of dry Grains.

9 Do. of Pulses.

Tanjore District77 Do. of Paddy.

14 Do. of dry Grains.

12 Do. of Pulses.

Nellore District13 Do. of Paddy.

5 Do. of dry Grains.

9 Do. of Pulses.

Trichinopoly..7 Do. of dry Grains.

9 Do. of Pulses.

Cuddapah4 Do. of Paddy.

10 Do. of dry Grains.

8 Do. of Pulses.

Madras.....36 Do. of Paddy.

16 Do. of dry Grains.

24 Do. of Pulses.

Masulipatam19 Varieties of Paddy.

9 Do. of dry Grains.

11 Do. of Pulses.

4 Do. of Paddy.

14 Do. of dry Grains.

9 Do. of Pulses.

Madura.....11 Do. of Paddy.

16 Do. of dry Grains.

10 Do. of Pulses.

Chittledroog.....12 Varieties of Paddy.

17 Do. of dry Grains.

6 Do. of Pulses.

Canara15 Do. of Rice.

3 Do. of dry Grains.

6 Do. of Pulses.

Travancore11 Do. of Paddy.

4 Do. of dry Grains.

6 Do. of Pulses.

Hingolee1 Sort of Gundaree Rice.

1 Do. of Triticum Aestivum

1 Do. of Cajanus Indicus.

Bangalore.1 Do. of Coarse Paddy.

Major Haines' collec- } 5 Varieties of dry Grains.

tion. } 8 Do. of Pulses.

Major Miller's collec- } 35 Do. of Paddy.

tion. } 25 Do. of dry Grains.

} 28 Do. of Pulses.

Poodocottah.....5 Do. of Paddy.

10 Do. of dry Grains.

W. Elliot, Esq.1 Chittamootyaloo, or seed Pearl

Rice.

Rajahmundry12 Varieties of Paddy.

11 Do. of dry Grains.

8 Do. of Pulses.

Ennore (Mr. Underwood) Carolina Rice.

Thus from Tanjore, the most richly irrigated province there are 77 varieties of rice, whilst from the districts of Cuddapah and Guntoor there are only four.

In size, colour and fineness, none was equal to the Carolina rice, of which a beautiful sheaf was exhibited by W. E. Underwood, Esq., grown at Ennore from imported seed—the straw of this is large and strong. There have been several importations of this grain, but the seeds did not previously vegetate—80 bags were imported of which about 3 measures were received by Mr. Underwood, the rest being sent to the northward, and never* reached their destination, the seed produced 5 per cent. more grains and ripened a month earlier than the surrounding paddy—there is a sufficient quantity for distribution, and as the value of Carolina rice is greater than that of Madras rice, the propagation of the new variety is very desirable. Several sam-

ples of the Hill rice grown without irrigation are curious.

There are samples of a variety of millets, which are of great importance in many parts of the country, the samples with difficulty have been carefully named; they are found to be as below, and hold a rank second to Rice alone. In Mysore, perhaps, they surpass all other crops in importance. Ragee forms a principal article of diet along the Western Ghats, &c.

The attention of the Jury has been directed to a sample of Cholum cut by Ransom's patent reaping machine: this is forwarded by J. Rohde, Esq., and is considered worthy of favorable notice.

LIST OF MILLETS.

Botanical Names.	English.	Hindoostanee.	Tamil.
<i>Setaria italica</i>	Italian millet.. ..	{ Kala kangnee. } { Kora kang..... }	Tenney.
<i>Setaria germanica</i>	German millet.. ..		
<i>Panicum miliaceum</i>	Little millet.. ..	{ Samee cheena..... } { Warree..... }	Varagoo.
<i>Pencillaria spicata</i>	Spiked millet	Bajree.....	Cumboo.
<i>Sorghum vulgare</i>	Great millet.	Jowaree.....	Cholum.
<i>Eleusine coracana</i>	Raggy	Ragee.....	Kavaroo.

The Indian corn or maize (*Zea mays*) is for the most part indifferent, and deteriorated, it does not show the usual tint of the West Indies. One good sample, however, of the large white variety is exhibited by Mr. Western, Veterinary Surgeon, the produce of American seeds, grown in his garden at Bangalore. "The product is about 500 fold. One head containing 534 seeds and the other 509. Five hundred and thirty four seeds weighed a few grains less than a pound. The soil in which it grew was the common red soil of the compound, well dug but without any manure, and the plants were watered only occasionally *i. e.* once in four or five days." The red American variety is also exhibited from Tinnevely.

Of 13 samples of Wheat, raised chiefly on the table

land of the Peninsula, the best is forwarded by Captain Meadows Taylor, Hingolee.

There is only one sample of Barley, viz. from the Pulney Hills.

Of the general collections from the different Collectories, those from Tanjore and Tinnevely, are the most complete and generally interesting.

There are two collections, which appear prominently interesting in this class, and which deserve particular notice.

Mootoosawmy Moodelliar. This collection is of considerable merit, illustrating the Agriculture around Madras; it consists of 52 varieties of Cerealia in bottles, the samples are clean and good. As a collection, it has attracted much attention, and the Jury recommend a second class Medal.

* A considerable portion of it did, and it has been cultivated with some success.

LIST OF CEREAL GRAINS USED AS FOOD IN THE MADRAS PRESIDENCY, CONTRIBUTED
TO THE MADRAS EXHIBITION—BY. P. S. MOOTOOSAWMY MOODEELIAR, MADRAS
MEDICAL COLLEGE.

Number.	BOTANICAL NAMES.		Variety.	English Names.	Tamil in English Character.	Whence Received.	Price.	REMARKS.
	Order.	Species.						
1		Oriza Sativa.....	1	Paddy.....	Mosana Car Nelloo...	Procurable at Madras. Alaypaukum, near Vun- dalore.	14 Marcals	
2		"	"	"	Sumba do.		per Pagoda.	
3		"	"	"	Caroopoo Manacata do.		12 " "	
4		"	"	"	Vellay lear do.		15 " "	
5		"	"	"	Aroonjothee do.		14 " "	
6		"	"	"	Coondun Sumba do.		14 " "	
7		"	"	"	Erungoo Motan do.		not known.	
8		"	"	"	Esara Cova do.			
9		"	"	"	Sembalay do.			
10		"	"	"	Valanosana do.			
11		"	"	"	Kykelavan Sumba do.			
12		"	"	"	Chinnasumba do.			
13		"	"	"	Cada Caloothan do.			
14		"	"	"	Poompada do.			
15		"	"	"	Vaday Sumba do.			
16		"	"	"	Seroomane do.			
17		"		Rice prepared or	Mullega Sumba.....	Procurable at Madras.	3½ " "	
18		"		Putcharisy.....	Sunna Sumba.....		4 " "	
19		"		"	Elooppapoo Sumba....		4 " "	
20		"		"	Pall Sumba.....		3½ " "	
21		"		"	Yeerka Sumba.....		not known.	Received from Bengal.
22		"		"	Sada Sumba.....		5 " "	
23		"		"	Mosana Car.....		5½ " "	
24		"		"	Kooroon Sumba....		5½ " "	
25		"		"	Moolagoo Sumba....		4 " "	
26		"		"	Seeraga Sumba.....		4 " "	
27		"		"	Monakatay Car.....		6 " "	
28		"		"	Vaday Sumba.....		6 " "	
29		"		"	Peroovellay Sumba....		5½ " "	
30		"		Rice prepared by	Paroom Sumba.....		6 " "	
31		"		Steaming or	Vaday Sumba.....		6 " "	
32		"		Pooloongal arisy	Kodun Sumba.....		6 " "	
33		"		"	Koonda Sumba.....		5 " "	
34		"		"	Aune Car.....		7 " "	
35		"		"	Sunna Sumba.....		3½ " "	
36		"		"	Seroomoney Sumba....		3½ " "	
37		Triticum Aestivum....		Wheat.....	Godoombay.....	Procurable at Madras.	3½ " "	
38		Zea Mays.....		Indian Corn....	Mukacholum.....		not known.	
39		Sorghum Vulgare.....		Great Millet....	Munja Cholum.....			
40		Do. do.		Great Millet....	Moothoo Cholum.....			
40a		Do. do.		Great Millet....	Secapoo Cholum.....			
41		Pencillaria Spicata....		"	Cumboo.....			
42		Eleusine Coracana....		Raggy	Cavaroo.....		8 " "	
43		Eleusine.....		"	Muthunga Pil Arisy....		not known.	Prepared used in famine.
44		Panicum Italicum.....		"	Tenny.....			
45		Do. do.		"	Tenny Arisy.....			
46		Do. Miliaceum....		Little Millet....	Varoogoo.....			
47		Do. do.		"	Varagoo Arisy.....			
48		Do. do.		"	Samay.....			
49		Do. do.		"	Samay Arisy.....			
50		Bambusa Arundinacea..		Bamboo Grain..	Moongull Arisy.....			Used in famine
51		Panicum.....		Little Millet....	Vursnom PH Arisy.....			Do.

F. Appavoo. This collection is likewise an interesting series, consisting of 24 varieties of Indian Pulses neatly arranged on a stand. The importance of these in tropical countries is very great, and the variety of

the smaller Lentils is copious, as seen in the annexed list. This contribution is also considered worthy of a second class Medal.

The only specimen of Job's Tears (*Coix Lachryma*) is forwarded by Assistant Apothecary Wood from Singapore.

DRIED FRUITS.

Tamarinds are sent from Goa and Canara. The Sub acid pulp is highly esteemed for its cooling properties, and it forms a large export, being packed in tin with or without syrup. It is chiefly employed for making medicinal drinks, and enters into curries.

The Durian, Litchi, Mangosteen, the Citron, Rose-apple, &c. are exhibited in bottles as curiosities, but none have been preserved for commercial purposes.

Betel nuts and *Cashew nuts* are exhibited in great variety; a series of the former from Travancore is interesting, the nuts being boiled and unboiled and coated with layers of catechu of different thickness. The native gentlemen appear to give the preference to the Nuggur betel nuts.

Chaurapuppoo. The kernel of the *Buchanania latifolia* is much used in native confectionary brought to Madras from Cuddapah, &c. The oily kernel is roasted and eaten by the Brahmins with milk, and is considered a great delicacy.

SUBSTANCES USED AS DRINKS.

Coffee.—Many good samples of coffee are exhibited from various districts, and some of very superior quality from the virgin forest land of the Western ghats—the cultivation of this staple is now extending greatly, and becoming of much importance. It has been pursued with great success by private individuals.

Mr. Green of Munzeerabad exhibits a beautiful series of very fine and well picked coffees, including the pearl or pea berry, but the aroma is defective, as the samples have absorbed an effluvia from the oily wood of the boxes in which they are enclosed. The jury award a second class Medal.

Mr. Cannan's coffee from Annoor in Mysore, Mr. Ouchterlony's from the Western slopes of the Neilgherry range below Naidoobettah, and Mr. Fischer's of the Shevaroy Hills in Salem district, are all of the best quality, and in the best condition.

Mr. Fischer's sample tho' deficient in color, is exceedingly carefully cured and prepared, and the beans being close and well formed, it is deemed worthy of Honorable Mention.

Mr. Ouchterlony's sample is also very carefully prepared, and well cured; the bean is large, and remarkably well shaped, in this respect and in color this sample surpasses Mr. Fischer's.

Mr. Cannan's coffee, however, excels both in color and aroma, being in these respects unexceptionable; the bean is large, but more irregular in shape and size, than either of the other two. These two last are considered the best and worthy of second class Medals.

Cocoa.—The Cocoa seeds sent by General Cullen from his gardens near Oodagherry, 1,800 feet above sea, are the only samples; they are of good quality, the beans being plump, ripe and clean, but small, not well cured and without colour. The jury consider this deserving of Honorable Mention. Considering how much of this article is employed daily in private life, it is of great consequence to get good Cocoa grown in the country. The Committee would draw attention to the cultivation of the tree, from which this valuable nut is produced, and for which the climate and soil of the Western coast would appear peculiarly favorable. It may be remarked—the Cocoa flourishes best in the alluvial soil of mountain vallies, though it will grow well at some elevation on mountain sides. Great care should be taken in the selection of plants, as the varieties are numerous, some producing very superior fruit to the others; judgment on this point must chiefly be acquired by experience.

Considerable diversity of opinion exists as to the distance, at which the plants should be placed, some authorities considering that from 12 to 16 feet apart is sufficient, others maintaining that 30 feet is not too much. It is clear that a free ventilation of air should be insured to the tree, after it has come to its full growth, and this cannot well be attained with a smaller space than 30 feet. The Cocoa plant requires large forest trees of favourable sorts to be scattered amongst them, to protect them—the tree used for this purpose in the West-Indies and South America is one of the *Bombaceae*. The average return of Cocoa per tree, when the trees are planted close together, is from 1 to 3 lbs. there being two crops in the year, but as much as from 9 to 16 lbs may be procured by proper planting and cultivation. The plants begin to bear at from 5 to 7 years of age, during this period, the interspaces between the rows of trees can be rendered productive by planting Yams and Vegetables in them. Great care is required in curing the Cocoa, after it is separated from the pod, and on the method of fermenting and drying, depends very much the production of a good or bad article.

FERMENTED LIQUORS.

An Orange wine (*Auranta*) prepared by Mr. Rundall, Razole, Rajahmundry District, is quite a novelty, and is an agreeable beverage. On being tasted, it was found sound and good, although of a somewhat peculiar flavour, resembling Malmsey or Muscat. It is recommended for flavouring jellies. The jury consider that the manufacturer is deserving of a second class Medal.

Paddy Liquor (*Arrack*) has been forwarded from Coorg, but this specimen is not remarkable.

TOBACCO.

Cheroots are sent from Trichinopoly and a large supply of lunka segars of the *Nicotiana rustica* grown on

the islets of the Godavery, where the cultivation is rapidly increasing; these latter are a superior article, and the whole stock amounting to 40,000 was purchased and sent to the Crimea. Manufacture exercises a great influence over the quality of tobacco. Some of the samples of cheroots are very badly prepared and of inferior quality.

Two bottles of Snuff from Masulipatam; this appears to be moist and oily.

SPICES AND CONDIMENTS.

By the word spices, we mean those vegetable products which have an agreeable aromatic and pungent flavour rendering them useful in the preparation of food and condiments.

The general collections of spices from Travancore and Cochin deserve *special* notice—these specimens being fine and in beautiful order. To the series from Cochin as being superior to the other, the jury adjudicate a 2d class Medal.

Cinnamon.—The dried under bark of "*Cinnamomum aromaticum*" is forwarded from several localities—in some instances it is probably the produce of Ceylon.

The best specimen of thin rolled and compact quills is from Coorg.

Cassia or *Cassia lignea* is sent from Mysore, Travancore and Cochin—it is coarser than the last and has a camphoraceous flavor.

Cassia buds are exhibited from Mysore, Canara and Travancore. They are the immature flowers gathered and dried of the "*Cinnamomum iners*" from which the *Cassia lignea* is derived. This spice is less known than it deserves to be, and is now exported pretty largely from the western coast.

Nutmegs.—Fine samples of nutmegs were sent by General Cullen from his gardens, Vellei Malay near Oodagherry south of Travancore, 1800 feet above the sea.

Two sorts of nutmegs were exhibited by J. S. Vernede Esq. Commercial Agent to the Cochin government; first sort, averaging 70 to the pound, and the second sort, 100 to the pound; the former are particularly fine.

In some instances the nutmegs had been coated with chunam to preserve them.

Wild or spurious nutmeg, is also forwarded from the Bababoodeen Hills, Mysore, and from Canara; it is much used as a substitute for the true spice, but is almost wholly devoid of Aroma and of no interest.

Mace.—The Arillus of the true nutmeg is also a valuable article, it is a flat branching membrane of a bright reddish yellow colour. General Cullen and Mr. Vernede have forwarded the best samples, which are equal to the mace of Penang, and considered worthy of a second class Medal.

Wild mace is also exhibited—this is occasionally used for adulterating the true mace.

Cloves.—The unexpanded flower buds of the clove tree "*Caryophyllus aromaticus*;" they are forwarded from Travancore, Tinnevely, Canara, and Cochin. The plumpest and heaviest are from General Cullen's Gardens near Oodagherry, 1800 feet above the sea—these have a strong aromatic odour, and are of a dark brown colour; they are quite entire, and when pressed with the nail, the oil exudes.

The specimens from S. Warriar, Dewan of Cochin, and those from Tinnevely District are almost equally good.

Pepper.—Being a regular crop on the Western Coast, we have it exhibited from Coorg, Mysore, Canara and Travancore.

The following varieties were examined.

Black Pepper.
White Pepper,
Long Pepper.
Cubebs.

The two first are the same substance, but the white pepper is less pungent than the black, from which the wrinkled covering has been removed by bleaching, which improves the colour, but deteriorates the quality. The quantity of black pepper exported is immense, that of Malabar is the best.

Long Pepper (*Piper longum*, Lin.) is extensively cultivated in the Northern Circars, its use is rather limited; as in the commercial returns it is always included with black pepper, the quantity cannot be ascertained.

Mustard is abundantly exhibited from the different districts, the samples vary in size and pungency, several species of *Sinapis* appear to be extensively cultivated, but more on account of the oil contained in the seeds, than for any other purpose.

Cardamoms.—(*Elettaria Cardamomum*.) This favorite condiment, so much used for various kinds of food, is exhibited in fine order from Mysore, Coorg, Canara and Travancore.

Ginger.—The Rhizome of the *Zingiber Officinale* has been abundantly sent both as *black* and *white* Ginger, the majority of the samples are of a very light colour, though unscrapped and unbleached. In the Bazaars it is distinguished as green and dry Ginger. As is usual with ginger prepared in the East, the specimens are all coarse and hard.

Capsicum.—The dried fruits of several species and varieties of *Capsicum* have been forwarded. These are valued as a digestive condiment, and are raised all over the country, the principal use is to make Cayenne Pepper and Chilly vinegar.

The species forwarded.

Capsicum grossum (Bell pepper)
,, *Annuum*.
,, *Frutescens*.
,, *Minimum* (Bird's Eye.)

Coriander, Aniseed and Cummin, which are much used as condiments, have been largely exhibited from several collectorates, they are noticed in Class IV, on account of the essential oils, which are distilled from them.

Turmeric.—The rootstock of *Curcuma longa* used extensively as a dyestuff, and as a condiment, entering into curry stuff, has been forwarded from many districts.

The finest tubers were received from Trichinopoly. As dyeing is the principal use of Turmeric, it will be noticed in Class IV.

STARCHES.

Under this head are comprehended the various farinæ used in the Presidency for food or export.

Arrowroot.—(West Indian) *Maranta Arundinacea* is exhibited from Chittoor and Royapoorum. At both places, the plant is extensively cultivated and the article is considered of excellent quality. The Chittoor Arrowroot is remarkably pure, a fine impalpable powder without odour, and without taste. Mr. Spears of Royapoorum has sent a large quantity of good Arrowroot which is an equally valuable farina, if manufactured with equal care.

Arrowroot (East Indian) *Curcuma Montana* and *Angustifolia* from Travancore, Cochin and Canara. This starch has been prepared in large quantities on the Western Coast for many years, where the farina is extracted from the pendulous tubers of these and other species of *Curcuma*, and this excellent substitute for the West Indian article, might be produced in large quantities all over the Peninsula. The method of preparing the arrowroot is substantially the same from whichever plant it is extracted. The commercial value of the East Indian farina, is very much below that of the *Maranta* arrowroot. It is less used as an article of diet, but is largely bought by the starch makers of London.

Roots of *kutchoora* a general name given to the genus *Curcuma* are sent by Dr. Lovell, Sholapore—as well as arrowroot manufactured from them by the Chinese prisoners at Mahableshwur Hills under the superintendence of Dr. Winchester—the article is sold at 4 annas per pound giving a good profit—it is of good quality, and is a staple food of the Hill people. The roots appear to be those of *Curcuma montana* “Roxburgh.” The jury award Honorable Mention for this interesting contribution.

Sago meal.—The pith of *Caryota urens* is much used in Canara when fresh, and deserves attention.

Plantain meal.—Prepared from Plantains sliced, dried, ground and washed has attracted some notice in England. A sample is exhibited from Travancore. The nutritive quality of this substance, and its chemical composition are found to approach very closely to that of rice. There can be no doubt therefore of the value of this meal, and of the benefit of preparing it, when-

ever the fruit is produced in larger quantities than it can be consumed.

Cassava meal.—Prepared from the roots of the Euphorbiaceous shrub. (*Janipha manihot*.) A very similar substance to the last, is sent from Travancore.

Tapioca.—From Mr. Rundall, Razole near Rajahmundry, in respect of feel and taste is excellent, and is manufactured by him at the rate of Rs. 7 8 0 per maund.

Various other samples of Miscellaneous “Hill Tapiocas” are exhibited—these are obtained from the roots of different species of Arum, Dioscorea or Terrestrial Orchids: none of them appear important, and from deficiency of exact information, the jury are unable to enter into details, *Amorphophallus companulatus* (Telenga Potatoo,) esteemed a very wholesome food, is likewise exhibited from Travancore, under the name of “karnakelungoo”—The large dark coloured flowers have a very curious appearance.

Batatas ——— ?

Four small roots were sent from Australia by Mr. Dowdeswell, and planted by Mr. Rohde at Guntoor, whence it has been already largely distributed. It has been in daily use as a vegetable for the last six months, and is preferred to the common sweet potato as being less sweet and more farinaceous.

There are 3 samples of “Salep misree” contributed by Dr. Riddell—“one” and “two” are labelled “Salep misree” from the Kunner Hills near Aurungabad—sold when green, and fresh dug up, at 2 pice per seer—“three” is from Booldanah Hills in Berar—when fresh dug is sold by the bheels at 12 seers for the Rupee. These small dried tubers of Terrestrial Orchids are hard, and have a horny appearance, the two first are dirty green and the third of a yellowish white color.

The Salep contains a gummy principle (Basserine) beside the large proportion of amylaceous matter, which renders it highly nutritious as a diet for invalids. Dr. Riddell's price is considerably lower than that in the bazaar of Madras.

Singhara.—Spinous fruit of *Trapa bispinosa*. This important article of food is only exhibited from Hingolee by Capt. M. Taylor—the plant appears to have been extirpated from the tanks of southern India, while it has been preserved in the Mahratta Country and Deccan.

Aponogeton Monostachyon, *Roxb.*—The small tuberous roots dug up in swampy places, and eaten by natives have been sent from Madura under the name of “Koteekalangoo.”

Parkia Biglobosa.—The sweet and farinaceous pulp within the pods is highly esteemed and made into sweetmeats. The natives also make a pleasant drink by diffusing the farina thro' water. This tree has now been introduced for many years, into some of the Gardens about Madras; the farina is a new article of food in this Presidency and deserves attention.

Sugar.—A smaller number of specimens of this article are exhibited than might have been expected.

In refined Sugar, there are three samples forwarded by the Aska Sugar Company—the first of these is the best exhibited and leaves nothing to be desired in color and grain, a 2d class Medal is awarded.

Six samples of a good description are forwarded by the Astagram Sugar Company—who excel in loaf sugar and also in Sugar Candy, to them a 2d class Medal also is awarded.

Two sorts of excellent Sugar, exhibited by G. Faulkner, Esq., Rajahmundry are likewise worthy of Honorable Mention.

Sundry raw Sugars were exhibited, one sample from Madiapollum in Cuddapah District deserve Honorable Mention. The Sugar prepared by native processes is very inferior. One large mass of Sugar Candy crystallized in a Chatty from Ganjam however deserves attention.

Palm Sugars.—Jaggery obtained from the Date and Palmyra palms are exhibited as curiosities, as also Molasses.

ANIMAL KINGDOM.

Honey.—There is a considerable variety of specimens of honey, but there is no novelty of importance. The most of the samples have deteriorated by keeping in glass stoppered bottles; or are in a state of fermentation.

Isinglass.—The air bladders of several fishes yielding this alimentary substance, have been forwarded from the Western Coast. None however have been finely prepared.

Sharks' Fins.—Travancore sends this which is a favorite article of diet with the Chinese, and is largely exported.

The jury cannot close their report on food without noticing the very interesting case, contributed by the Commissary General, illustrating the various articles (157 in number) which are issued by that department. For this complete, instructive and well arranged collection of alimentary products consumed in barracks, jails and hospitals, the jury award Honorable Mention, and would have awarded a 1st class Medal, if Colonel McCally had not been their Chairman.

H. CLEGHORN,
Reporter.

EXPORTS OF FOOD SUBSTANCES FOR 1853-54.

	Quantity.	Value. Rs.
Rice.....	Qrs. 6,25,104	59,25,118
Wheat.....	Qrs. 5,208	58,736
Coffee.....	lb. 72,05,996	7,15,562
Sugar.....	Cwt. 5,33,878	33,58,346
Tamarind.....	Cwt. 5,438	11,156
Tabacco.....	lb. 16,19,787	72,577
Cinnamon.....	Cwt. 215	9,653
Cassia buds.....	„ 981	2,018

Nutmegs.....	None.	
Mace.....	None.	
Cloves.....	Cwt. 36	1,312
Pepper.....	Cwt. 1,00,796	9,88,084
Cardamums.....	„ 3,318	3,24,295
Ginger.....	„ 25,991	1,23,353
Coriander seeds.....	„ 7,718	11,239
Arrowroot.....	„ 7,400	45,069
Sharkfins.....	1,329	28,073
Fish Maws.....	501	7,528

JURY AWARDS.

CLASS III.

HONORABLE MENTION.

Pro. No.	Catalogue No.	Names of Exhibitor.	Object Rewarded.
	1 to	W. E. Underwood, Esq.....	Carolina Rice.
LXVIII	149	Collector of Tanjore.	Collection of Cereals.
LXIII		Collector of Tinnevely.....	Collection of Cereals
XX	5	Mr. Fischer.....	Coffee.
CCXXI	103	General Cullen.....	Cocoa.
LXXXIX	18	Mr. Faulkner, Rajahmundry	Sugar.
CCXI	42	Local Committee, Cuddapah.....	Sugar, (Madapollum.
XXXVI	1	Commissary General.	Collection of Commissariat Articles.
		John Rohde, Esq. ..	Cholum Straw, cut with Reaping Machine.

2ND CLASS MEDAL.

Pro. No.	Catalogue No.	Names of Exhibitor.	Object Rewarded.
CC	1 to 52	P. S. Mootoosawmy Moodelliar ...	Collection of Cereals.
CCLXXI		F. Appavoo	Collection of Pulses.
CLXXVI		Mr. Green	Coffee.
CLXXVI	120	Mr. Cannan.....	Coffee.
		Mr. Ouchterlony ...	Coffee.
LXXXIX		Mr. Rundall.....	Auranta Wine.
CCV		J. S. Vernede, Esq., Cochin.....	Collection of Spices.
CCXLIX		Aska Company.....	Refined Sugar.
CCXVI		Astagram Company..	Loaf & Sugar Candy.

CLASS IV.

REPORT ON VEGETABLE AND ANIMAL SUBSTANCES CHIEFLY USED IN MANUFACTURES,
AS IMPLEMENTS, AND FOR ORNAMENTS.

JURY.

HONORABLE W. ELLIOT, Esq., *Chairman.*W. E. UNDERWOOD, Esq., *Collector of Sea Customs.*Lieut. Colonel G. BALFOUR, C. B., *Member Military and Marine Boards.*Dr. H. CLEGHORN, *Professor of Botany.*Lieut. H. P. HAWKES, *Deputy Assistant Commissary General.*Lieut. Colonel A. REID, C. B., *Quarter Master General, Madras Army.*Dr. A. HUNTER, *Director, Madras School of Arts.*Lieut.-Colonel T. T. PEARS, C. B., *Consulting Engineer, Madras Railway.*J. OUCHTERLONY, Esq., *Member Chamber of Commerce.*J. D. SIM, Esq., *Sub-Secretary Revenue Board.*

At their first Meeting the Jury took a preliminary survey, and finding the field of their operations to be of great extent and importance, they resolved themselves into two sub Juries, and appointed Reporters as follows:—Oils, Lieutenant Hawkes; Fibres, Dr. Hunter; other sections, Dr. Cleghorn.

Section—I. Gum and Resin Series.

II. Oil Series.

III. Dyes and Colours.

IV. Tanning Materials.

V. Fibrous Substances.

VI. Cellular Substances.

VII. Timber and Ornamental Woods.

VIII. Animal Substances.

SECTION I.

GUMS AND RESINS.

SUB JURY.

W. E. UNDERWOOD, Esq., *Chairman.*

ALEX. HUNTER, Esq., M. D.

H. P. HAWKES, Esq.

Dr. H. CLEGHORN, *Reporter.*

Although the season was noticed as having been unfavorable, in some parts, for the production, and the time too limited for the collection of these exudations, which are not generally procurable in the Bazaars, but are collected as required, yet the series of gums and resins is very interesting and extensive. In this report, the jury cannot give a detailed account of individual specimens, some of which are very little known, but they notice the chief substances, reserving others for future inquiry and research.

The term *Gum*, properly speaking, is confined to those natural exudations, which, solidify on exposure to the air, but are easily redissolved by water: they are often transparent, but vary in tint from white to reddish brown. Of the true gums, the only one which enters largely into commerce from this Presidency is *Gum Arabic*, or East Indian gum: under this term, the exudation of a

variety of trees is known to be included, and the variation in quality of many of the specimens is very remarkable. When insoluble in water, but soluble in alcohol, these exudations bear the name of *Gum Resins*, they are chiefly used in medicine. When soluble in spirit of turpentine, they are *Resins*, these are used for the most part in preparing dyes, varnishes, lacquers, sealing wax, &c. &c.

Besides these two sorts, the *Elastic Gums* belong to this section. India rubber and Caoutchouc are the types of the latter, both of these substances rapidly rose in demand after their first discovery, and the merchants anxiously look for new sources of supply. Recent inquiry has shown that caoutchouc is furnished of good quality, by a large number of milky juiced plants, belonging to different families (Sapotaceæ, Apocynaceæ, Moraceæ and Euphorbiaceæ.) Assam, in particular, furnishes large quantities of India rubber from "*Ficus elastica*," whilst specimens are exhibited from Labuan of the "*Urceola elastica*" caoutchouc, and from the Peninsula of *Cryptostegia Grandi-flora*. On the other hand, the supply of Gutta Percha from the Indian Archipelago is beginning to fall off. By a late account, a few isolated trees here and there occur, but they are scarce, and Gutta Taban (as it is there commonly called,) will every year be more difficult to obtain, as the coast region is said to be pretty well cleared, and a long transport from the interior must by augmenting the labour, increase the value of the article. Up to 1844, it was calculated by Mr. Logan in the "*Journal of the Indian Archipelago*" that 270,000 trees had been felled—value of gutta percha 274,190 dollars—the value of each tree is thus on an average about a dollar. The difference in the appearance and properties of the gutta percha of the present day, is owing to its having become a manufactured substance with an intermixture of inferior guttas, added by the gum hunters to increase the weight.

There are several new and peculiar substances of this section, which might probably be introduced with advantage to the notice of English traders, though as

yet almost unknown to the Natives of the places, where they are procured.

The following collections of Gums and Resins were exhibited.

I. A very interesting series of gums and resins from the Malayan Peninsula, 17 in number, is exhibited by Lieut. Evans, 51st N. I. The samples being brought from Malacca, as prepared for the market, are peculiarly interesting in a commercial point of view. The series is also a most instructive collection to the Medical Student, comprising excellent specimens of Benzoin, Storax, Gamboge, Copal, Dammar and various Guttas of the Eastern Archipelago. Considering that the samples are remarkably fine and pure, such as are rarely met with in commerce, the Jury award a 1st Class Medal.

II. The Travancore collection is a very numerous series (24) of gums, resins and gum resins, and is especially valuable, because the specimens are large and generally of a first-rate quality. Several are new or scarcely known as will be seen in the list vide Appendix II. The Jury award a 2nd Class Medal.

III. This section is likewise well represented from the district of Canara. The exudations being often the same as are observed in the Travancore series, the Jury are of opinion that these forest productions will become important when their value is better known.

IV. The collection of gums and balsams exhibited by Lieut. Hawkes is numerous and interesting, comprising 53 specimens used in medicine or manufacture. The series is not confined to the products of India, but it illustrates well the variety of the resinoid substances known. The specimens are small, and are not accompanied with any statistical information, but they are of superior quality and are carefully named.

V. Dr. Cleghorn exhibits a collection of 28 gums, &c. collected for the most part from well known trees in the Botanical gardens, the value of this series does not depend upon the quality of the samples, which serve merely as illustrations of ordinary exudations commonly met with, but upon the accuracy of the nomenclature, almost every tree having been examined by himself when the exudation was being collected.

The following is the list of gums, resins, &c. shown in the Exhibition.

SIMPLE GUMS.

1. *Babool gum* largely produced and well known in commerce, the produce of the *Acacia arabica*.

2. *Woodapple gum*, obtained from the *Feronia elephantum*—this useful gum is very abundant, and with the last yields the well known "East Indian Gum Arabic." Mr. Rohde mentions that from its ready solubility without residue it gives the best mucilage for making Black Ink.

3. *Keekur gum* produced by *Vachellia farnesiana*—also a variety of Arabic.

4. *Dirisana gum* (*Acacia Sirissa*) yields a large quantity of this clear gum, closely resembling the preceding.

4. *Kut or Kheir gum* is a watery extract, the produce of "*Acacia Catechu*" sent from Travancore, Canara, Bangalore. The specimen from Canara was in Circular flat cakes or balls covered with paddy husk.

5. *Cashew gum*—(*Anacardium Occidentale*.) The trunk and branches yield on being wounded, during the ascent of the sap, a transparent gum similar in appearance to gum arabic, for which it is a good substitute. This gum is subastringent, and being unpalatable to Insects, is particularly adapted for use, where their depredations require to be guarded against.

6. *Moringa gum* from *Moringa pterygosperma* obtained in a large quantity, but does not dissolve in water, resembles in some respects Gum Tragacanth, for which it may probably be substituted.

7. *Booraga* obtained from *Bombax Malabaricum* is a pure gum.

8. *Gambir* an Extract from *Uncaria Gambir* was received from Pegu—the specimen was a cubical cake covered with a Malvaceous leaf.

9. *Butea gum* is extracted from *Butea frondosa*—a Leguminous tree, very common all over the country, this gum is very astringent, being a variety of kino, and might be procured in a large quantity.

10. *Vutta thamary*—A simple pure gum of a crimson colour, is exhibited from Travancore, it has been used for taking impressions of leaves, coins, medallions, &c. Specimens of the transparent castings are forwarded; when the gum is pure and carefully prepared the impressions are as sharp as those of sulphur, without its brittleness—also a twig of the tree, which has been identified as *Macaranga Indica*, the exudation so far as known is an entirely unknown production.

RESINS AND GUM RESINS.

11. *Doopada Resin*—From Mysore and Canara, exuding from the *Vateria Indica*, and constituting the piney varnish. The resin is used as a fragrant incense in Temples, the quantity procurable is very considerable.

12. *Dikamali Resin*—Produced by *Gardenia lucida* of Roxburgh, from Canara, Mysore and Guntoor—this fragrant resin is useful in Hospitals, keeping away flies from sores, on account of its strong aroma, and is an article in the materia of the village Farrier. It deserves more attention.

13. *Assafetida*—(*Narthex Assafetida*.) is exhibited from Canara, but it is imported from the Persian Gulf.

14. *Edellium*—(*Amyris Commiphora*.) of this, two varieties are exhibited—the solid gum, and the balsamic fluid, as obtained from the tree. Living specimens of the balsamic tree were sent to the Horticultural Gardens, by Surgeon Lovell, to whom the Jury are in-

debted for these specimens and award Honorable Mention.

15. *Gamboge*, is exhibited from Malacca, Labuan, Coorg, Canara and Mysore; that from Malacca is the best, in pipes—the others from Mysore, &c. are all in lumps, the results of a variety of modes of preparation—one specimen is full of air vesicles, and of a dark colour, damaged by being collected in rainy weather. The peninsular specimens are known to be produced from *Garcinia pictoria*, and are of excellent quality. Mr. Maltby, Collector of Canara, states that “it is to be found in the greatest abundance along the whole line of our Ghats, and it is probable that, if the attention of the trade were directed to those provinces, it might become an important article of export.” Gamboge in tears is exhibited from Labuan, it has a different tint, and is probably obtained from a different tree, *Garcinia Cochinchinensis*.

16. A green semi-transparent hard resin from Coorg, is soluble in spirit, and promises to make excellent coach varnish, the tree is not known.

17. A Fragrant Resin from the Bababooden Hills, Mysore, forwarded by Mr. R. D. Meppen, the leaves sent appear to belong to one of the Dipterocarpeæ. A flowering twig would be acceptable, and also the fruit with the Native name and uses of the tree.

18. *Mutty Pal*, the resinoid exudation of “*Ailanthus Malabaricus*” D. C., is a peculiar substance, first mentioned by Buchanan, who observed it in the Animallaya Forests. It is exhibited from Cochin and Travancore, and is said to be used as incense.

19. *Lac*, is the name of a substance obtained from incrustations made by an insect (coccus lacca), similar to the cochineal, (coccus cacti) on the branches and twigs of many trees in India, as *Vatica laccifera*, *Croton laccifera*, *Butea frondosa*, *Inga dulcis*, *Feronia elephantum*, *Erythrina indica*, *Schleichera trijaga*, (coosumb tree,) &c. The lac is formed by the insect into cells, somewhat resembling a honey-comb, in which the insect is generally found entire, and owing to whose presence, stick-lac yields by proper treatment a red dye, nearly if not quite as bright, as that obtained from Cochineal, and more permanent. Lac is found encircling the branches of these trees in the form of a tube ($\frac{1}{2}$ inch to one inch in diameter) the broken branches with encrustations at various distances is called in commerce *stick-lac* which ought to be semitransparent.

The coloring matter, exhibited by grinding stick-lac, and then treating it with water constitutes *seed-lac*.

The crude stick-lac attached to branches of various trees as above mentioned is exhibited from 16 localities extending from Kamptee to Trivandrum.

Shell-lac is exhibited in the Tariff and by T. Ramasawmy Moodelliar, head writer, Engineer's Office, Kamptee, who sends a series of samples, showing the lac in process of formation, also samples of shell-lac prepared there-

from, with an interesting detail of the mode of collection and preparation, for which the Jury have awarded a 2d Class Medal.

The resin is abundant in the jungles of S. India, but is not much collected for commercial purposes, although always procurable in the bazaars; the best lac is produced upon the *Schleichera triguga*, which abounds in the central provinces, and yields the colouring matter twice a year.

Seed-lac is exhibited from Canara, but it is marked as “the produce of Pegu.”

GUM ELASTICS.

From different parts of the presidency, valuable specimens have been received possessing the useful properties of Caoutchouc and Gutta Percha in more or less degree. The exhibition of the inspissated gum elastic juice of a number of trees, from different localities, and prepared in different manner, renders it probable that there are a number of similar vegetable productions, which may be advantageously introduced into commerce.

General Cullen has forwarded a drawing and description of a large forest tree, abounding at the foot of the Ghauts N. E. of Trivandrum. The plant delineated, is evidently one of the Sapotaceæ, and the Malayalim name is “pauchonthee” and the product, of which a good sample is forwarded, on examination bears a strong resemblance to gutta percha, both in external appearance and mechanical properties. It appears to the Jury, that this gum elastic is possessed of valuable properties, and they beg to recommend that a 2d Class Medal be awarded.

2. Lieutenant Col. F. Cotton, Engineers, forwards from the Neilgherries a small sample of a product similar to gutta percha in its smell, general appearance and fracture. No drawing of the tree has been submitted, but a few leaves which surrounded the exudation, very closely resemble the real *Isonandra gutta*. The trees are said to be very large and numerous in the forest. The Jury award a 2d Class Medal.

3. The Honorable W. Elliot Esq. exhibits 7 articles (basin, ewer, tumbler, &c.) made of *Cuttimundoo gum*, moulded with the hand, without any preparation. The fresh juice is used as a vesicant, and also as a cement for fastening knife handles, &c. For the introduction of this interesting substance, a medal was awarded to Mr. Elliot at the London Exhibition of 1851, and for the further application of it to useful purposes. The Jury award Honorable Mention.

The Jury are glad to hear that several consignments have been made by Messrs. Healy and Luttrell, of Vizagapatam, and also that 2 cwt. have been sent by request to Professor Solly, Society of Arts, London. The samples exhibited illustrate the variety of uses to which this gum elastic may be applied.

4. Major General Clarke forwards from Jaulnah a Hydrocarbon, closely resembling Cuttimundoo gum, obtained from the "*Euphorbia tirucalli*" which is however considerably different from Caoutchouc or Gutta Percha in its physical qualities, for this the Jury award Honorable Mention.

5. Nursinga Row of Masulipatam has forwarded two lumps of a similar substance obtained from "*Euphorbia nerüfolia*" to which the same remarks apply, the Jury award Honorable Mention.

6. *Cryptostegia grandiflora*—samples of the concrete juice of this handsome climber have been sent from Nellore by F. Crozier, Esq., from Masulipatam by J. J. Cotton, Esq. from Cuddapah, by Wm. Elliot, Esq. and from Madras by W. E. Underwood, Esq. This strong climbing plant is found in abundance along the Eastern

Coast, and in some places is a standard. The milky juice has long been known to contain caoutchouc, but it has not as yet been collected for the purposes of commerce, and it is doubtful, if a sufficient quantity could be obtained to render it an article of trade. The small samples forwarded by the above mentioned exhibitors, appear to be of excellent quality, and answer well for rubbing out pencil marks from paper. Mr. Underwood has made a fair attempt at producing water proof cloth by simply running the juice over the cloth which deserves Honorable Mention.

7. A remarkably fine specimen of sheet India rubber, about 2lbs. weight, is exhibited by Pulnyandy 2d dresser. For this sample, (taken in conjunction with other Labuan products shown by the same exhibitor,) the Jury would award a 2d Class Medal.

LIST OF GUMS, RESINS, AND GUM RESINS EXHIBITED BY THE LOCAL COMMITTEE TRAVANCORE.

ENGLISH NAMES.	BOTANICAL NAMES.	VERNACULAR NAMES.	REMARKS.
1 Wood Apple tree gum.	<i>Feronia elephantum</i>	Velam marum pesin	Excellent arabic.
2 Moringa do. do.	<i>Moringa pterygosperma</i>	Moringa do. do.	Sparingly soluble.
3 Margosa do. do.	<i>Melia azadirachta</i>	Vapum do. do.	Inferior bitter
4 Mangoe do. do.	<i>Mangifera indica</i>	Mah do. do.	Inferior.
5 Catechu.	<i>Acacia catechu</i>	Good catechu.
6 Cocoanut tree gum . .	<i>Cocos nucifera</i>	Tainga marum pesin
7 Mutty Paul.	<i>Ailanthus malabaricus</i>	Burnt in temples.
8 Vully Plachy.	<i>Butea parviflora</i>	A variety of kino.
9 Wood do.
10 Pynee Varnish.	<i>Vateria indica</i>	Yields piney varnish.
11 Cocum butter	Fat of <i>Garcinia pictoria</i>	An article of diet, anti-scorbutic.
12 Kino gum	<i>Pterocarpus marsupium</i>	Vengay marum pesin	Astringent medicine, kino of commerce.
13 Dhak kino.	<i>Butea frondosa</i>	Porasay do. do.	Do. do. a variety of kino.
14 Dammer white	Coarse varnish.
15 do. black
16 Chalinkai gum
17 Vutta thamara.	<i>Macaranga indica</i>	Vutta thamara.	Suits for making impressions and castings.
18 Painjain.	<i>Embryopteris glutinifera</i> . . .	Gab.	Paying boats, & strengthening fishing lines.
19 Panachoo
20 Jack tree gum.	<i>Artocarpus integrifolia</i>	Pela marum pesin
21 Poonarumpoly.	<i>Boswellia thweifera</i>	Fragrant incense.
22 Pinnay tree gum.	<i>Calophyllum inophyllum</i>	Pinnay marum pesin
23 Oolthin	Known in Ceylon.
24 Marking nut	<i>Semecarpus anacardium</i>	Shainkotay marum pesin

COLLECTION OF GUMS AND RESINS FROM MALACCA EXHIBITED BY LIEUT. EVANS, 51ST N. I.

1 Dammer Klootate.	11 Gutta Jellotong (an inferior Gutta, often, intermixed with Gutta taban.)
2 do. do.	12 do. Benkoo.
3 do. Battoo.	13 do. Cayer unah.
4 do do. useful for caulking boats, &c.	14 do. Aejele (Malay bird lime.)
5 Gum Copal (of inferior quality.)	15 do. Koomerrian (Benzoin) very superior, such a specimen is seldom met with.)
6 Dammer, Mata Koochin or Copal.	16 Wood oil, 1 quart, as extracted from the tree without preparation.
7 do. do. do.	17 Dammer keejay.
8 Gutta Koning or Gamboge (In pipes of the very best description.)	
9 Gutta Temponay.	
10 do. Gagret, or Caoutchouc of Malacca (often mixed with Gutta Taban.)	

LIST OF BALSAMS, RESINS, AND GUM RESINS, FORWARDED TO THE MADRAS EXHIBITION, BY LIEUTENANT HAWKES, SUB-ASSISTANT COMMISSARY GENERAL.

COMMERCIAL NAME.	COMMERCIAL NAME.
Cypress resin.	Gamboge.
Olibanum balsam.	Opium.
Mastich.	Scammony.
Dragon's blood, 1st sort.	Aloes vulgaris.
Do. 2d sort.	Aloes.
Do. 3d sort.	Aloes spicata.
Benzoin, 1st sort.	Cashew tree.
Do. 2d sort.	Neem or Margosa.
Copal.	Mango tree.
Lac (shell).	Kuteera (cochlospermum).
Refuse lac, from which dye has been extracted.	Wood-apple gum.
Lac stick.	Gum arabic.
Amber.	Peach gum.
Bengal kino.	Shaddock gum.
Dammer.	Guaiacum resin.
Dammer.	Champaca pal.
Dammer.	Chian turpentine.
Dammer.	Balsam of peru.
Bdellium or Dammer.	Mulberry gum.
Euphorbium.	Tragacanth.
Myrrh.	Euphorbia.
Olibanum.	Caoutchouc.
Opoponax.	Yercum pal.
Sagapenum.	Ben or moringa.
Assafoetida.	Cutteemundoo.
Galbanum.	Thevetia nerifolia.
Ammoniac.	

LIST OF GUMS, RESINS, &c. FORWARDED BY DR. CLEGHORN TO THE MADRAS EXHIBITION 1855.

No.	BOTANICAL NAMES.	TAMIL NAMES.	REMARKS.
1	Gardenia lucida	Useful in Hospital, for preventing the access of flies to festering wounds.
2	Balsamodendron ?	Sold as googul at Sholapore.
3	Mangifera indica	Mah marum pesin	Inferior.
4	Swietenia mahogoni	Mahogany pesin	Clear, superior.
5	Acacia catechu	Wadallee marum pesin	Good catechu.
6	Amyris commiphora	Fragrant balsamic resin.
7	Bombax malabaricum	Catoolagoo marum pesin	Good colour, but inferior.
8	Conocarpus latifolia	Vellay nagah marum pesin	Tolerable.
9	Acacia ferruginea	Vel vaila marum pesin	Inferior.
10	Garcinia Pictoria	Excellent gamboge, gum resin.
11	Garuga pinnata	Curvamboo marum pesin	Inferior.
12	Soymida febrifuga	Choar kullie marum pesin	Tolerable.
13	Azadirachta indica	Vapum marum pesin	Inferior.
14	Prosopis spicigera	Vunny marum do.	Good arabic.
15	Sterculia urens	Vellay bootallie marum do.	Inferior Gum.
16	Vachellia farnesiana	Vaday vullie marum do.	Soft red do.
17	Acacia arabica	Curvalla marum do.	} Very good arabic.
18	„ sundra	Curren gallie marum do.	
19	Feronia elephantum	Velam marum do.	} Excellent gum do.
20	Zizyphus jujuba	Yellandie marum do.	
21	Bassia longifolia	Elloopa marum do.	} Inferior.
22	Swietenia chloroxylon	Kadawah porsh marum do.	
23	Melia azadirach	Mulla vambao marum do.	Do.
24	Pterocarpus marsupium	Vangay marum do.	Inferior, bitter.
25	Egle marmelos	Vilvay marum do.	Best Mysore kino.
26	Sterculia foetida	Peenarry marum do.	Good arabic.
			Resembling tragacanth.

JURY AWARDS.

SECTION I.
1ST CLASS MEDAL.

Progressive No.	Catalogue No.	Names of Exhibitors.	Object Rewarded.
		Lieutenant Evans ..	Collection of Gums.

2ND CLASS MEDAL.

CCXXI		Local Committee Travancore.	Collection of Gums
CCXXI		General Cullen.	"Pauchonthee" Gum Elastic.
		Lieut. Col. F. Cotton.	Gum Elastic.
		T. Ramasawmy Moodelliar, Headwriter Engineer's Office, Kamptee	Lac and shell Lac.
		2nd Dresser Pulnyandy	India Rubber.

HONORABLE MENTION.

Progressive No.	Catalogue No.	Names of Exhibitors.	Object Rewarded.
CCXXVII		Surgeon Lovell.	Exudation of Amyris Commiphora.
CCVI		Hon'ble W. Elliot, Esq.	Cuttimundoo Gum.
		Major Genl. Clarke.	Euphorbia Tirucalli (Gum.)
		W. E. Underwood, Esq.	Cryptostegia grandiflora (Caoutchouc.)
CLXII		Nursinga Row, Masulipatam.	Euphorbia Neriifolia (Gum.)

SECTION II.

OILS AND OIL SEEDS.

SUB JURY.

W. E. UNDERWOOD, Esq., *Chairman.*

Dr. H. CLEGHORN,

Dr. A. HUNTER,

Lieutenant H. P. HAWKES, *Reporter.*

Oils are generally divided into two primary groups, "Fixed" and "Volatile," the former class being again subdivided into drying, greasy, and solid oils. In the consideration, however, of the present collection the following classification has been adopted as being in many respects more convenient.

- (1)—"FIXED VEGETABLE OILS," INCLUDING
"DRYING" "GREASY" AND SOLID OILS.

- (2)—"WOOD OILS."

- (3)—"MINERAL OILS."

- (4)—"ANIMAL OILS."

The value of oil as an article of commerce and its numerous uses in candle and soap-making, wool-dressing, food and medicine, as well as its importance as a lubricating agent, are well known.

The following table compiled from the official reports of the Madras Custom House will show the quantity and value of all the oils exported from this Presidency.

COMPARATIVE STATEMENT OF THE GROSS QUANTITY OF OILS AND OIL-SEEDS EXPORTED FROM THE MADRAS TERRITORIES
TO THE UNITED KINGDOM, FOREIGN PORTS AND HOME PORTS, FOR THE YEARS 1847-48 to 1852-53.

NAMES.	1847-48.		1848-49.		1849-50.		1850-51.		1851-52.		1852-53.	
	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.	Quantity.	Value.
Cocoanuts, dry..	Cwt. 74,061	2,90,393	Cwt. 1,52,642	5,60,764	Cwt. 1,32,219	5,45,876	Cwt. 1,11,216	4,31,008	Cwt. 1,28,819	5,05,316	Cwt. 151,528	5,30,928
Cocoanut oil....	Gl. 5,67,801	1,26,476	Gl. 6,26,425	1,64,201	Gl. 10,97,080	2,46,335	Gl. 6,56,118	1,44,952	Gl. 9,56,937	2,11,669	Gl. 14,57,741	3,18,655
Gingeley seed...	Qr. 17,518	1,60,134	Qr. 8,594	1,02,736	Cwt. 1,44,125	2,99,412	Cwt. 2,27,779	4,37,185	Cwt. 1,09,414	3,02,559	Cwt. 2,51,613	5,31,864
Gingeley oil....	Gl. 19,520	14,766	Gl. 14,685	11,535	Gl. 52,721	36,294	Gl. 77,262	48,605	Gl. 46,196	26,722	Gl. 72,607	43,608
Lamp oil seeds..	Qr. 1,876	13,736	Qr. 3,921	27,388	Cwt. 1,10,076	53,870	Cwt. 6,011	12,347	Cwt. 6,125	9,993	Cwt. 73,215	54,228
Lamp oil	Gl. 26,379	12,637	Gl. 17,157	9,483	Gl. 20,181	10,578	Gl. 26,693	13,358	Gl. 24,475	11,979	Gl. 51,084	20,927
Ground nuts...	Cwt. 939	6,315	Cwt. 795	1,728
Ground nut oil..
Fish oil	Gl. 3,512	2,786	Gl. 37,204	17,438	Gl. 1,07,731	50,499	Gl. 1,10,566	52,840	Gl. 31,027	14,760	Gl. 57,207	23,673
Margosa oil...	Gl. 1,587	1,240	Gl. 39,459	12,717	Gl. 77,240	22,157	Gl. 2,57,217	71,769
Pinnacotay oil..	Gl. 3,871	2,116	Gl. 1,917	1,048	Gl. 3,111	1,701
Pinnacotay seeds	Cwt. 508	1,353
Cassia oil....	Gl. 794	2,121	Cwt. 50	2,240	Gl. 718	2,059	Gl. 1,000	3,053	Cwt. 33	1,572	Cwt. 890	1,167
Sandalwood oil..	Cwt. 39	25,619	Cwt. 61	38,995	Cwt. 93	54,015	Cwt. 141	38,215	Cwt. 93	45,758	Cwt. 30	1,701
Cotton seed....	Cwt. 2,458	2,751	Cwt. 5,141	4,581	Cwt. 4,143	3,540	Cwt. 4,498	3,624	Cwt. 96	50,037
Fonugreek	Cwt. 301	1,079	Cwt. 1,191	3,837	Cwt. 1,567	5,628	Cwt. 591	2,136	Cwt. 1,078	3,855	Cwt. 8,090	7,613
Mustard seed....	Cwt. 5,828	11,009	Cwt. 6,767	14,953	Cwt. 9,435	25,559	Cwt. 9,909	22,097	Cwt. 3,636	9,319	Cwt. 1,451	5,322
Castor oil.....	Gl. 8,670	26,969	Gl. 15,971	25,132	Gl. 12,600	15,694	Cwt. 16,075	31,048
Castor seeds....	Cwt. 5,168	8,790	Cwt. 14,617	24,096	Gl. 8,059	7,818
Lin seed	Cwt. 1,256	3,897	Cwt. 401	1,539	Cwt. 801	2,271	Cwt. 1,067	2,927	Cwt. 2,764	4,247
Linseed oil	Cwt. 1,106	3,275
Fennel seed.....	Cwt. 122	1,097	Cwt. 191	1,712

In addition to the above, about 300,000 lbs. of Wax and Wax Candles, are yearly exported.

These exports are sent to the following—United Kingdom, America, Arabia, Persian Gulf, Cape of Good Hope, Ceylon, China, France, Maldives Islands, Mauritius, New South Wales, Pegu, West Coast of Sumatra, West Indies, Bengal, Bombay, Concan, Cutch, Gon, Guzerat, French (Indian) Ports, Scinde, Malacca and the Straits, Travancore.

One hundred and twenty fixed oils are known to be produced throughout the Madras Presidency and Burmah. These may be arranged as follows:

Fixed Vegetable oils, including drying, } greasy and solid oils.....	105
Wood oils.....	10
Mineral oil.....	1
Animal oils.....	4
Total.....	120

Of the first class, Cocoanut, Castor, Groundnut, Gingeley and its variety Rape, Mustard and Linseed form considerable articles of foreign trade. The first three being exported in the shape of oil, the last two as oil seed, and Gingeley, both as an oil and oil seed.

In addition to these, the following are consumed to a large extent in India—Lamp, Ramtill, Kurunj, Pinacotay, Illoopoo, Poneig or Doopada, Margosa or Neem, Physic nut, Brumadundoo, Safflower and Poppy. Of the remainder some are medicinal and some are prepared only in those localities, in which the substances producing them, happen to abound in a wild state. The prices of these products vary very considerably, not only in different parts of the Presidency, but even in various towns of the same district. It is therefore difficult, if not altogether impracticable, to fix their respective values, with any degree of certainty; an increased demand or greater facility of transit would moreover considerably affect their present value. In estimating the value of an oil producing plant or tree, the other valuable products which it yields should not be lost sight of. The linseed in addition to its oil produces the scarcely less valuable flax, hemp yields a fibre and an intoxicating resin, safflower, a dye—pinacotay, a soft inferior gum—poonga, a valuable timber—piney, a resin—gamboge tree, a valuable pigment—mahowa, a spirit distilled from the flowers, &c., &c., whilst in the case of the poppy, the oil is second in importance to the more valuable opium.

An excellent epitome of the particular qualities, on which the value of an oil as an article of commerce depends will be found in the accompanying extracts of a letter from G. F. Wilson, Esq. to Sir William Hooker, Royal Gardens, Kew.

"Every oil, or grease, whether solid or liquid, if not poisonous or acrid, like croton oil, or viscid and gummy, like castor oil, or drying, like linseed oil, must be worth in London at least £30 a ton. Among greases solid, at above 60° Fahrenheit, the higher the melting point (other things equal), the greater the value; for example, the vegetable tallow of Borneo melting at about 90° Fahrenheit, is worth at least £5 a ton more than the cocoanut oil of Ceylon melting at 70°. The effect of the soap duty having been taken off, may probably before long, materially change the relative values of greases; but, at present, liquid oils, like the ground

nut (*Arachis Hypogea*), are worth more than soft solid oils, like the Bassia butter of India, as they require less manufacturing to fit them for use, the liquid oils after a simple treatment in a cheap apparatus, being fit for burning in lamps, while the soft solid oils being neither hard enough for use in candles, or liquid enough for use in lamps, require to go through a press before they are saleable, except for soap-making. Greases may have particular advantages, such as being little acted upon by the air, and therefore not easily becoming rancid, but these good qualities, can only be ascertained by experiments; which your correspondents had perhaps better leave to us."

"We have been engaged in some experiments upon oils, for use in medicine, in which it seems probable they will take an important place; already one vegetable oil has been found to be almost as efficacious as cod liver oil, with the advantages of being less unpleasant and cheaper. On account of this new use, it might be well to collect small quantities of oils, even if they did not obey the conditions mentioned above. The value of oil must depend a little (especially when found in out of the way places) upon the way it is held in its matrix; for example, the oil of the Lumbang nut (*Aleurites Triloba*) can be separated with much less labour and simpler machinery than the cocoanut oil, which requires very great pressure to extract it from the copperah, or dried cocoanut kernel."

"Waxes are worth more than greases, on account of their very high melting points; their relative values depend upon colour, transparency, and freedom from resinous matter. Resin may be easily detected by lighting a small piece of the wax; the more smoke, the greater proportion of resin, and therefore less value; the paler and more transparent the wax the better. The most valuable tree wax known, is the beautiful insect wax of China."

"A simple way to try an oil nut, is to crush it with a stone, and then squeeze it between your finger and thumb; if it contains any considerable quantity of grease, enough will be pressed out to judge of colour, hardness and sweetness; if the nut tastes oily, and yet oil does not come out by this treatment, it is well to dry the kernel before squeezing; and, in the case of nuts containing grease, solid at a high temperature, like that of the *Myristica Sebifera*, it is well also to heat the nut. Where a stearic candle can be got, and is burned down a little, until it has formed a cup, and then blown out, into this a little of the material to be tried may be placed; after a moment's burning, the candle material with which the wick is saturated is burnt out, the new material to be tried, in the cup takes its place, and becomes the material supplying the wick until the cup is emptied, and so can be judged of, or a piece of string dipped in the oil or melted grease makes a very tolerable wick, or simpler still, where the nut is very full of oil, if lighted at one end, it will at least show what tendency to smoke there is, and the colour of the light."

"Some of the resins ought to come in for candle making, though I believe that they have never been extensively used, except for the commonest sorts of candles, on account of their giving off so much smoke; but as some descriptions smoke less than others, there is a hope that new ones may be found smoking still less, these would then be very serviceable in candle making. The points connected with new greases, &c., that we should be most thankful for information upon, are, the manner of growth, probable expense of collecting, means of transport, and quantity likely to be obtained, with small specimens of the grease, if manufactured, and of the fruit, with both its husk and hard shell, where these exist."

Of vegetable substances producing "volatile oils" there is an immense variety, but with the exception of the oils of cassia and cinnamon, roosa and the rose uttur, few are of any commercial importance, nor are they prepared in any quantity for consumption in India.

Scented oils erroneously termed "volatile" obtained by the repeated distillation of fragrant herbs, &c., over into a receiver containing a portion of any fixed oil, to which the aroma is imparted are prepared to some extent but chiefly for native use.

Sandalwood oil and the large variety of utturs, &c., which form the principal part of native perfumery are included in this class.

The following contributions appear worthy of particular notice. A sample of "Liquid Camphor" or "Camphorwood oil" obtained from the Dryobalanops camphora, and brought from Labuan by the exhibitor, Second dresser Pulneandy, and an equally good specimen of the same from Lieut. J. D. Heath, 38th Regt. N. I. Mr. Gay exhibits Castor, Omum, and Ground nut oils. For the superior manner in which these have been purified, a 2nd Class Medal is awarded.

For excellent specimens of Castor and Cocoonut from Mr. Godefroy of Pondicherry, for superior samples of Castor, Gingeley, Cocoonut, Neem, Pinnacottay and Mustard oils from Mr. Kohlhoff of Tanjore, a 2nd Class Exhibition Medal has been awarded to each.

The following contributors are considered worthy of Honorable Mention:—Nellore Local Committee for various oils, Tinnevely Local Committee for Poovana, Gingeley and Margosa oils.

W. E. Underwood, Esq., contributes a large and varied series of fixed oils in illustration of the Madras Tariff. Although professing to be merely the ordinary market articles, they are for the most part very good specimens, and are considered worthy of a 2nd Class Medal.

The collection of oils exhibited by Lieut. Hawkes, is very extensive, and contains a very large number of highly interesting specimens. The series exhibits the oleaginous products in a state of great purity, accompanied by the oil seeds yielding them. No considera-

tion of cost or trouble has been allowed to interfere with providing all that is necessary to render this collection a complete illustration of the oils of Southern India. The value of the collection is greatly enhanced by the care which has been bestowed in the preparation, and the exclusion of all impurities in the process of extraction. The Jury would have awarded to this contributor, a first Class Medal, but being a Juror in this class the regulations do not allow its award to him.

CLASS I.—FIXED VEGETABLE OILS.

No. 1.—CASTOR OIL—RICINUS COMMUNIS, FRUCTIBUS MINORIBUS—SITT-AMUNAKEI YENNAI (TAMIL)—CHITT-AMINDIALOO NOONA (TELOOGOO)—BA-REEK ERUNDIE KA TAEI (HIND.)

Two varieties of the Ricinus communis, one bearing small and the other large seeds, are produced all over India. The small seeded variety yields the best product, and is employed in preparing the oil exported for medicinal purposes.

Mode of Preparation.—The fresh seeds after having been sifted and cleaned from dust, stones, and all extraneous matters, are slightly crushed between two rollers, freed by hand from husks and coloured grains, and enclosed in clean gunny. They then receive a slight pressure in an oblong mould which gives a uniform shape and density to the packets of seed. The "Bricks" as they are technically called, are then placed alternately with plates of sheet iron in the ordinary screw or hydraulic press.

The oil thus procured is received in clean tin pans, and water in the proportion of a pint to a gallon of oil being added, the whole is boiled until the water has evaporated, the mucilage will be found to have subsided and encrusted the bottom of the pan, whilst the albumen solidified by the heat, forms a white layer between the oil and the water. Great care must be taken in removing the pan from the fire, the instant the whole of the water has evaporated, which may be known by the bubbles having ceased, for if allowed to remain longer the oil which has hitherto been of the temperature of boiling water or 212°, suddenly rises to that of oil or nearly 600°, thereby heightening the color and communicating an empyreumatic taste and odour.

The oil is then filtered through blanket, flannel, or American drill, and put into cans for exportation. It is usually of a light straw colour, sometimes approaching to a greenish tinge.

The cleaned seeds yield from 47 to 50 per cent. of oil worth in England from 4d. to 6d. per lb.

The following is the result of experiments made at Madras and Calcutta to ascertain the per-centage of oil in the Castor seed. (January 27th, 1853.)

Calcutta.—1400 lbs of seed yield Kernels and raw oil as follows:—

	Kernels.	Oil.	
1st Sort.....	632lbs.	324lbs.	= 512
2nd Sort....	184lbs.	87½lbs.	47½
3rd Sort.....	164lbs.	76½lbs.	46½

Making a total of 980lbs. of kernels and 488lbs. of raw oil from 1,400lbs. of seed. = 34,300

Madras.—1400 lbs. of seed yield Raw oil as follows:

1st Sort.....	318 lbs. of oil.
2nd Sort.....	88 lbs. do.
3rd Sort.....	74 lbs. do.

Making a total of 480 lbs. of oil from 1400 lbs. of seed. = 34,300

The Cost of the Madras oil is as follows:

1400 lbs. of seed at Rs. 3 3 per bag of 164 lbs.	27	3	4
Husking and selecting kernels and cooly hire..	3	11	9
Crushing, moulding, pressing and boiling.....	2	7	1
Filtering and sundries.....	2	8	0
Overseer's pay, Godown Rent, &c. &c.....	1	6	2
300 empty Quart bottles, corks &c.....	34	4	8
Cleaning and Packing charges.....	4	8	0

Rs. 76 1 0

Or an average of Annas $4\frac{1}{3}\frac{7}{8}$ per quart of First, Second and Third sort oil=4d per lb.

Uses.—This oil is chiefly used as a mild Purgative. Soap of good quality may be made of it, but the cost and disagreeable smell which it communicates, preclude its general use.

Exports.—Average for the last 4 years 1849-50 to 1852-53 11,325 galls. per annum.

The samples of this oil exhibited by Mr. Gay, Madras, Mr. Kohlhoff, Tanjore, and Monsieur Godefroy of Pondicherry are particularly fine. Mr. Gay's specimen is the clearest, and most limpid, and devoid of any offensive smell. These qualities however do not arise from any superiority of the seed, or care in extraction, but from repeated decolorization with animal charcoal, which in the opinion of many eminent Medical men considerably detracts from its strength and efficacy. Appavoo Pillay of Tinnevely, the Nellore Local Committee, and Lieut. Hawkes also exhibit excellent specimens.

When manufactured in the ordinary Native mill, this oil is sometimes used by the richer classes in Lamps.

Castor oil (extracted hot). This differs from the preceding only in the mode of preparation—The seeds are boiled for two hours in water, dried for three days in the sun, freed from the shells, pounded and then boiled in fresh water, until the whole of the oil has risen to the surface. Five seers of the seeds or 3½lb. should by this process yield a quart of oil.

This is the sort generally used in medicine by native practitioners, it is straw colored, and free from any unpleasant taste or smell.

A good sample of this oil is contributed by Lieut. Hawkes.

No. 2.—CASTOR OR LAMP OIL. RICINUS COMMUNIS FRUCTIBUS MAJORIBUS—VULLAK ENNAI (TAM.) PED-AMIDUM (TEL.)—CHIRAGH-KA-TAEL—(HIND.)

This oil which is obtained from the large seeded variety of the "Ricinus communis" is sometimes drawn cold, and a straw-colored specimen scarcely distinguishable in quality from the oil of the small seeded variety is shown by Lieut. Hawkes. It is however more usually extracted by heat, and forms the common "Lamp oil" of the Bazar.

Mode of preparation—The seeds having been partially roasted over a charcoal fire, both to coagulate the albumen and to liquify the oil, are then pounded and boiled in water until the oil rises to the surface. The roasting process, however, gives it a deeper red colour and an empyreumatic odour.

Price.—The price of this oil varies in different parts of the country from Rs. 1 10 0 to Rs. 3 13 6 per maund of 25lbs. The average of nineteen large stations, in all parts of the Presidency for the Quarter ending 31st October 1854 was Rs. 2 8 6 per maund.

Uses.—Chiefly for lamps.

Exports.—Average of the last six years. Galls. 27.561 per annum.

Specimens of this oil are shown in the collection illustrative of the Madras Tariff, by Major Miller of Bangalore, the Nellore Local Committee and Lieutenant Hawkes.

No. 3.—ILLOOPOO OIL—BASSIA LONGIFOLIA—ILLEPIE YENNAI (TAM.)—MOHAY-KA-TAEL (HIND.)

This semi-solid oil is expressed from the seeds of a tree which is everywhere common in Southern India. It is seldom sold in the Bazaar, but the seeds are collected, and the oil manufactured by the Natives for private consumption. The seeds contain about 30 per cent of oil of a bright yellow colour.

It is procurable in South Arcot at Rs. 25 per candy, or Rs. 1 4 0 per maund—in Bellary at 3 8 0, in Bhopaul at Rs. 3 12 0. In Tanjore, it may be had to the extent of 2,702 candies at the rate of 2 8 8 per maund.

Uses.—This oil makes excellent candles and soap. Of the latter, several specimens are contributed (Cl. xxix) from Tanjore, Madras, &c. Its chief use is, however, for burning in lamps, and as a substitute for Butter in Native cookery.

The very great difference in colour, consistence and flavour, which is observable in the many specimens of this oil sent for exhibition, is entirely attributable to the mode of preparation, and to the presence in some

cases of a very large proportion of mucilage and other extraneous matter.

A bright colored specimen from Tanjore, on being treated with dilute sulphuric acid, proved remarkably pure, samples of the same oil from Rajamundry and Tinnevely and from Lieut. Hawkes were equally good, but those from Nellore and Mysore deposited a large amount of mucilage.

No. 4.—COCOANUT OIL—COCOS NUCIFERA—TAYNGA YENNAI (TAM.)—TENCAYA NOONA (TEL.)—NARIEL-KATIEL (HIND.)

The average annual quantity of this oil exported from 1847-48 to 1852-53 is about Galls 9,00,000 per annum. Of this by far the largest portion is sent to the United Kingdom and France, the remainder finds its way to Arabia, Mauritius, Bombay and the French (Indian) Ports.

Price.—The prices of this oil vary considerably in different parts of the country. For the quarter ending 31st October 1854 the max : and min : were Rs. 8. 5. 4 at Jubbulpore and Rs. 1. 12. 9 at Mhow per maund. The average of twenty one large Stations in the Madras Presidency giving Rs. 4. 9. 5 per maund, or about £41-2 per ton. The market-value of "Cochin oil" in London (January 1855) was £46. 10—the average being £46 to 48.

The best oil is that exported from Cochin, and the neighbouring ports on the Malabar Coast. It usually fetches 20s. per ton more than the Ceylon or Coromandel coast article.

Uses. In Europe, for Candle and soap manufacture, for lubricating machinery, &c. &c. In India, for making soap, anointing the person, for cookery, lamps and in medicine.

A very excellent sample of this oil is shown by Monsieur Godefroy of Pondicherry—The Canara Local Committee, the Madras Tariff, Soobroya Pillay, Mr. Kohlhoff and Lieut. Hawkes also contribute excellent specimens.

No. 5.—BRYONIA OIL—BRYONIA—TOOMUTTIKAI YENNAI (TAM.) BODDAMA KAIA NOONA (TEL.)

This oil is used for burning in Lamps in some parts of the country, where the fruit abounds. It is extracted by boiling in water, and is procurable only in very small quantities.

A specimen is shown by Lieut. Hawkes.

No. 6.—GROUND NUT OIL—ARACHIS HYPOGEA—VAYR-CUDDALA-YENNAI (TAM.)—MANILLA NOONA (TEL.) WILLAYETIE-MOONG-KIE-PHULLIE-KA TIEL (HIND.)

This valuable oil, which of late years has been exported to a large amount, is obtained by expression from the seeds of the Ground or Manilla nut, which is now cultivated to a considerable extent in most parts of the Peninsula.

In the year 1848-49—37,000 gallons were shipped, but in the two following years the Exports exceeded 1,00,000 gallons. It has however fallen to 57,207 gallons in 1852-53.

It does not seem to be consumed to any large extent in this country, although the nut itself is much eaten by the poorer classes. It is said to be used for adulterating gingeley oil in North Arcot, where it costs from Rs. 1-8-0, to 2-12-0, per maund. In the Nellore District, the seeds are procurable at Rs. 1-8-0, per maund and in Tanjore about 200 acres are cultivated, producing annually 75 candies of oil at Rs. 2-6-0 per maund.

The seeds yield about 43 per cent. of a clear straw coloured edible oil, which is an excellent substitute for olive oil, and makes a good soap.

Its value in London in January 1855 was £47-10 per ton.

The Madras Tariff, the Tanjore Local Committee and Lieut. Hawkes exhibit excellent specimens. Mr. Gay contributes a perfectly clear and colourless specimen, evidently purified in the same manner as the castor oil before alluded to, the perfect decolorization in the present instance, however, far from depreciating, considerably enhances the value of the oil, and entitles this specimen to Honorable Mention.

No. 7.—POPPY OIL—PAPAVER SOMNIFERUM—CAS-CASA YENNAI (TAM.)—CASA-CASA NOONA (TEL.)—KHUSH-KHASH-KA TIEL (HIND.)

The poppy is largely cultivated throughout Malwa and the Opium districts, where the drying oil obtained from the seed is more extensively used than any other both in lamps and as food. At Bhopaul the oil is procurable at the rate of Rs. 4 8 0 per maund of 25lbs. or £40 6 per ton.

Good specimens of the unbleached oil are shown by Lieut. Hawkes, in the collection illustrating the Madras Tariff, and by the Tanjore Local Committee.

By simple exposure to the rays of the sun in shallow vessels, this oil is rendered perfectly colourless, and a very excellent sample of the bleached article exhibited by Lieut. Hawkes deserves Honorable Mention. It is much prized by European artists.

No. 8.—MUSTARD OIL—SINAPIS SPECIES—KADAGHOO YENNAI (TAM.)—AVALOO AND SURSAYA NOONA (TEL.)—RAYE KA TIEL (HIND.)

Five or six species of Sinapis are cultivated in all parts of India, for the sake of the valuable oil they yield, those most frequently seen are *S. glanca*, *toria* and *racemosa*.

The seeds of the "*sinapis alba*" yields by expression 36 per cent of a bright yellow, pleasant tasted, edible oil, having a strong smell, and slight taste of mustard.

The seeds of "*sinapis nigra*," yield only 28 per cent of an oil in all respects similar to the above.

The average price of mustard seed in eighteen large stations, in all parts of the Presidency, for the Quarter ending 31st October 1854 was Rs. 1 2 8 per maund of 25lbs., the maximum being Rs. 1 11 6 at Cannanore and the minimum As. 10 5 at Nagpore. In Vizagapatam it costs Rs. 208 per Sicca garce.

The oil is not exported, but the seeds have been shipped as follows:

In the years 1847-48.....	Cwt. 5,828
" 1848-49.....	" 6,767
" 1849-50.....	" 9,435
" 1850-51.....	" 9,909
" 1851-52.....	" 3,636
" 1852-53.....	" 16,075

Uses.—This valuable oil, although seldom sold in the Market, is made when required, is used in most parts of India in cookery, and is considered superior to all other oils for anointing the body, which it is supposed to invigorate. In medicine, it is sometimes given internally, but is more frequently applied as a rubefacient.

The following exhibitors contribute very good specimens, Mr. Kohhoff of Tanjore, Madras Tariff, Trichinopoly Local Committee, and Rajahmundry Local Committee.

Lieut. Hawkes, exhibits a complete and interesting series of oils and oil cake (common mustard) obtained from four different sorts of sinapis.

No. 9.—GINGELEY OR SESAMUM OIL (BLACK SEEDED VARIETY)—SESAMUM ORIENTALE—NOOL ENNAI (TAM.)—MUNDIE NOONAY (TEL.)—MEETHA TILL KA TAEI (HIND.)

This oil which is perhaps consumed to a greater extent than any other by the Natives of India, is, moreover, second only to cocoanut oil in its importance as an article of commerce.

It is extensively cultivated throughout the whole of the Presidency, and has been exported as follows.

Gingeley Seed.

Years 1847-48.	Years 1848-49.
Qr. 17,518...Rs. 1,60,134	Qr. 8,594...Rs. 1,02,726
Years 1849-50.	Years 1850-51.
Cwt. 1,44,125...Rs. 299,412	Cwt. 2,27,779 Rs. 4,37,185
Years 1851-52.	Years 1852-53.
Cwt. 1,09,414...Rs. 302,559	Cwt. 2,51,613 Rs. 5,31,664

Gingeley Oil.

Years 1847-48.	Years 1848-49.
Gl. 19,520...Rs. 14,766	Gl. 14,686...Rs. 11,535
Years 1849-50.	Years 1850-51.
Gl. 52,721...Rs. 36,294	Gl. 77,262...Rs. 48,605
Years 1851-52.	Years 1852-53.
Gl. 46,196...Rs. 26,722	Gl. 72,607...Rs. 43,608

Of the gingeley seed exported in 1852-53 the United Kingdom received cwt. 12,713—Ceylon, cwt. 590—France, cwt. 2,87,225—Pegue, cwt. 741—Bombay, cwt. 113—Malacca, cwt. 33 and Travancore, cwt. 148.

Of the quantity of oil (72,607 gals.) exported in the same year—gals. 42,043 were shipped to the United

Kingdom—gals. 2,968 to Ceylon—gals. 4,232 to Mauritius and Bourbon—gals. 19,698 to Pegue—gals. 46 to Bengal—gals. 27 to the French (Indian) ports, and gals. 3,593 to Malacca.

Mode of preparation.—The great disparity of color observed in the specimens of this oil in the exhibition is to be attributed to the mode of preparation.

The method sometimes adopted is that of throwing the fresh seeds, without any cleansing process, into the common mill, and expressing in the usual way. The oil thus becomes mixed with a large portion of the coloring matter of the epidermis of the seed, and is neither so pleasant to the eye, nor so agreeable to the taste, as that obtained by first repeatedly washing the seeds in cold water, or by boiling them, for a short time, until the whole of the reddish brown coloring matter is removed, and the seeds have become perfectly white. They are then dried in the sun, and the oil expressed as usual. This process yields 40 to 44 per cent. of a very pale straw colored sweet smelling oil, an excellent substitute for olive oil.

Uses.—In India, it is chiefly used in cookery, in anointing the person, for making soap, and for burning in lamps.

In England, it is chiefly used for the manufacture of soap, and for burning in Table-lamps, for which it is better suited than cocoanut oil, owing to the lower temperature at which it congeals.

Price.—Present value in England (January 1855) £47.10 per ton. In different parts of the Presidency the price of this oil varies from Rs. 1 5 0 to Rs. 6 0 0 per maund of 25lbs. In S. Arcot it is procurable at Rs. 27 12 5 per candy.

The prices per maund of this oil, at the undermentioned stations, for the quarter ending 31st October 1854, were as follows,

Arcot.....Rs. 3 8 0	Madura.....Rs. 5 8 3
Bangalore...., 3 7 3	Mangalore...., 4 1 8
Bellary....., 3 2 0	Nagpore...., 1 12 0
Berhampore... , 2 8 0	Palamcottah... , 4 12 0
Cannanore.... , 6 0 0	Paulghat...., 3 7 0
Cuddapah...., 2 13 0	Samulcottah... , 2 10 8
Jaulnah....., 2 6 0	Secunderabad... , 2 3 11
Jubbulpore... , 1 5 0	Trichinopoly... , 4 1 8
Madras....., 3 14 0	Vellore....., 3 14 0
Masulipatam.. , 3 0 0	Vizagapatam... , 3 2 0

Excellent specimens of this oil are exhibited by the Cochin, Tinnevely, Rajahmundry, Tanjore, Nellore and Canara Local Committees, by Mr. Kohhoff of Tanjore and Lieut. Hawkes.

Second sort Gingeley Oil, erroneously called "Rape," (Kharasancee yellow), red seeded variety.—This oil which is expressed from a variety of sesamum differs but little from the one abovementioned.

Good samples are shown from Rajahmundry and Tinnevely, and by Lieut. Hawkes.

In Tanjore, it is procurable at Rupees 3 0 0 per maund.

The following particulars concerning the two varieties of plant, yielding this important oil have been furnished by F. Copleston, Esq., Rajahmundry.

Two varieties of Sesamum, are cultivated for the sake of the oil.

The gingeley seed *par excellence* is the produce of the plant, which is sown in the month of March, after the rice crop, and is irrigated twice, once at sowing, and once afterwards. The seed which is *black*, and is called 1st sort gingeley, from the fact of its yielding the largest percentage of oil, ripens in May, and sells at the rate of Rs 60 per candy of 500 lbs. The oil obtained from both varieties, sells at the same price, viz. Rs. 2 14 6 to 3 per maund of 25 lbs. according to quality.

Second sort gingeley is sown in June, and produces a *red* seed. The plant although a little larger resembles in most respects the former, it has, however, a somewhat longer leaf, and the flower differs a shade or two in color. A candy of 500 lbs. of this seed sells at Rs. 57 8 0. The price of the oil is the same as that of gingeley.

This seed has of late been exported to France, in consequence of which the present price is double what it was three years ago.

No. 10.—RAMTILL OIL—GUIZOTIA OLEIFERA, VERBESINA SATIVA—VALEESALOO NOONAY (TEL.)—KALA THEL KA TAEI (HIND.)

This sweet tasted edible oil is plentiful in the Mysore, Vizagapatam and Ganjam Districts. It is used for nearly the same purposes as the sesamum.

It is procurable in the Nuggur Division of Mysore at Rs. 3 8 0 per maund, but is considered inferior to gingeley oil.

Good samples are shown in the Madras Tariff, by the Rajahmundry and Canara Local Committees, and Lieut. by Hawkes.

No. 11.—MARGOSA OR NEEM OIL—(AZADIRACHTA INDICA; ET MELIA AZADIRACH.) VAYPUM YENNAI—(TAM.)—VAPA NOONA (TEL.)—NEEM KA TAEI (HIND.)

This valuable and much used medicinal oil is obtained by either expression or boiling, from the seeds of the abovementioned trees, which are common throughout the Presidency.

It enters much into the practice of native Physicians, by whom it is administered internally as an anthelmintic, and externally as a liniment in Rheumatism, headache and as an application to ulcers.

The oil is of a deep yellow colour, has a strong smell and an unpleasant bitter taste. In the year 1847-48 galls 1, 587 were exported, and in the year 1851-52, galls, 1, 917, in 1852-53, galls 3-111. The chief market is Ceylon, but the demand is not constant.

It is frequently burnt in lamps, and is sold in the bazaar, under the name of "bitter oil" Excellent

samples are exhibited by Captain Miller, the Nellore Local Committee and Lieutenant Hawkes.

No. 12.—LINSEED OIL—LINUM USITATISSIMUM—ALLIVERIE YENNAI (TAM.)—AVEESE NOONA (TEL.)—ULSEE KA TAEI (HIND.)

The seed from which this oil is expressed, has long been cultivated to a limited extent in Nagpore, Bellary and other parts of the Presidency. There is an impression that the oil obtained from the Indian plant is inferior to that imported from England, but it will be found on experiment, that this arises from the former having been imperfectly freed from mucilage, which prevents its drying.

The seed is now an article of export to the amount at (1852-53) of cwt. 1,106.

The Rajahmundry Local Committee, Lieut. Hawkes and the Madras Tariff exhibit excellent samples of this oil. It is said to be procurable in Bellary at Rs. 3-8-0 per maund.

In the year 1852-53, English Linseed oil to the amount of galls 4-552 and valued at Rs. 8,763 was imported into Madras, whilst at the same time cwt. 1,045 of the seed were exported from hence mostly to England, it appears that it can be made on the spot for much less than the average value of the English oil. This fact, it is hoped, needs only to be pointed out, to be taken advantage of. It would, however, be necessary to guard against the adulteration of this oil, with any of the other greasy oils which would of course infallibly destroy its drying properties.

No. 13.—HEMP SEED OIL—CANNABIS SATIVA—GANJAYENNA (TAM.)

This oil is obtained by expression from the seeds of the common hemp, which is cultivated in many parts of the country. In Russia, the oil is much used for burning in Lamps, but it is unknown to the natives of India.

Three specimens are exhibited, one of a deep green colour from Tanjore, another of an olive green sent by Lieut. Hawkes and the third in the Madras Tariff.

No. 14.—BEN OR MORINGA OIL—MORINGA PTERYGO SPERMA—MORUNGHY YENNAI—(TAM.)—MORUNGA NOONA (TEL.)—SAHUJNA (HIND.)

Ben nut oil has long been considered valuable on account of the lengthened period, which it may be kept without contracting rancidity. The tree from which the "nuts" are obtained, is common in all parts of the country, the flowers leaves and fruit are eaten by the natives, and the rasped root is used by Europeans as a substitute for horse-radish, to which circumstance it owes its common name of "horse-radish tree." The oil however is seldom made in India, nor does it now form an article of export.

Lieut. Hawkes, the Tanjore Local Committee and the Madras Tariff exhibit very good specimens.

No. 16.—PORTIA NUT OIL—THESPIESIA POPULNEA POORASUN YENNAI (TAM.)—PARIS PIP-PUL—(HIND.)

This deep red colored and somewhat thick oil is obtained from the seeds of the portia tree, which grows in great abundance in the vicinity of Madras, and other parts of the Presidency.

It is extensively planted as an avenue tree, for which its quick growth and the beauty of its flowers renders it a favorite. The wood is capable of being worked when fresh cut and is used for boat building and cabinet work.

The juice of the tree is used on the western coast, as a remedy for various cutaneous affections, and the oil which is yet unknown to the natives, might probably be of use in similar cases. Its expense precludes its use otherwise than medicinally.

Specimens of this oil are exhibited by the Madras Tariff and Lieut. Hawkes.

No. 17.—BRUMADUNDU OR COOROOKOO OIL—ARGE-MONE MEXICANA—BRUMADUNDU YENNAI—(TAM.)—BRUMADUNDIE NOONA (TEL.)—FARINGIE DATURA KA TAEI (HIND.)—PRICKLY POPPY—JAMAICA YELLOW THISTLE.

This pale yellow, limpid oil may be obtained in large quantities from the round corrugated seeds of the prickly poppy, which was originally introduced from Mexico in ballast, but now flourishes luxuriantly in all parts of India.

It is sometimes expressed by the natives and used in lamps, but is doubtless adapted to other and more important uses. In North Arcot it costs from Rs. 1-14-0 to Rs. 2-1-0 per maund.

Excellent specimens of this oil are exhibited by the Tanjore Local Committee by Mr. Kohlhoff, Lieut. Hawkes, Capt. Miller, Rajahmundry Local Committee and the Madras Tariff.

No. 19.—SAFFLOWER OIL—CARTHAMUS TINCTORIUS CHENDROOROOKOO YENNAI (TAM.)—KOOSUMBA NOONAY TEL.) KURRUR OR COOSUM KA TAEI (HIND.)

A light yellow clear oil obtained from the seeds of the plant, yielding the well known dye. It grows plentifully in Mysore and Tinnevely.

In Mysore and Bellary, it costs about Rs. 2-8-0 per maund, and is used for Lamps, culinary and other purposes.

Good specimens are shown by Lieutenant Hawkes and Captain Miller.

No. 20.—PINNACOTAY OR POON-SEED OIL—CALOPHYLLUM INOPHYLLUM—PINNAY YENNAI (TAM.)—PINNAY NOONA (TEL.)—SURPUN KA TAEI (HIND.)—

The fresh seeds of the "Alexandrian laurel" when shelled, and subjected to pressure yield a dark green oil of a peculiar odour. Old seeds yield a higher colored and thicker product.

In the year 1847-48, Galls. 3,871 of the oil, and cwt. 508 of the seeds, were shipped chiefly to Ceylon and the Straits, it has now ceased to be an article of Export.

In Tanjore, 437 acres producing on an average 24½ cullums per acre of seed are covered with this tree this yields 2671½ maunds of oil at Rs. 20-4 per maund. In Tinnevely, it costs As. 4-8 and Trichinopoly As. 4 per seer. In Tanjore, it is used for Lamps, and for caulking vessels, but it appears to be chiefly valuable as a medicine. It is seldom procurable in the bazar, but is expressed when required.

Excellent samples are shown by Mr. Kohlhoff, from Tinnevely and Travancore, the Tanjore Local Committee, Cochin and the Madras Tariff—Also from Canara, under the name of "Honay," from Goa by the name of "Oleum unda," from Cochin called "Perun Poonaka," and from Masulipatam.

No. 21.—SOAPNUT OIL—SAPINDUS EMARGINATUS—POOVANDIE COTTAY OR POONGUM-KAI YENNAI (TAM.)—KOOCOODIE NOONA (TEL.)—REETHAY KA TAEI (HIND.)

This semi-solid oil is used medicinally by the natives, and is extracted from the kernel of the Soap-nut. Its cost prevents its general use.

Excellent specimens are shown by the Trichinopoly Local Committee, and Lieut. Hawkes, also fair samples from Tanjore and the Madras Tariff.

No. 22.—POONGA OR KURUNJ OIL—DALBERGIA ARBOREA VEL PONGAMIA GLABRA—POONGA YENNAI (TAM.)—KANOGGOO NOONA (TEL.)—KURUNJ KA TAEI (HIND.)

This oil which in some parts of the Country is used to a large extent in adulterating lamp oil, is expressed from the seeds of a tree, common in most parts of the Presidency.

In North Arcot, Bellary, and the Nuggur Division of Mysore, the oil is procurable at Rs. 2-8-0 per maund. The Travancore and Guntur Local Committees and Major Miller contribute excellent samples. Those from Mr. Kohlhoff, the Madras Tariff, the Masulipatam and Tinnevely Local Committees and Lieut. Hawkes are also good, but high colored.

It is chiefly used as a Lamp oil by the poorer classes.

No. 23.—CROTON OR NAPAULAH OIL—CROTON TIGLIUM NEERVALUM YENNAI (TAM.)—NAYPALUM VITTILOO (TEL.)—JUMAL-GOTAY-KA TAEI (HIND.)

This well known medicinal oil, the use of which as a drastic purgative, seems to be decreasing, is exhibited

by Mr. Gay (particularly good) the Madras Tariff and Lieutenant Hawkes.

No. 25.—(A) CASHEW NUT OIL—ANACARDIUM OCCIDENTALE—MOONDREE COTTAY YENNAI (TAM.)—KAJÈO KA TAEI (HIND.)

The light yellow, sweet tasted and edible oil obtained from the nut of this tree, is in every respect equal, if not indeed superior, to either Olive or Almond oil.

It is very seldom prepared, the nuts being used as a table fruit.

Excellent specimens are exhibited by the Tanjore Local Committee, the Madras Tariff and Lieutenant Hawkes.

No. 25.—(B) — CASHEW APPLE OIL—ANACARDIUM OCCIDENTALE.

This powerfully vesicating oil obtained from the pericarp of the Cashew Apple has been long known to the Native Physicians, and much resembles in its properties the acrid oil obtained from the marking nut (*Semecarpus Anacardium*).

Specimens are shown from Cochin, Mr. Kohlhoff, and the Travancore and Tanjore Local Committees.

No. 26.—BELGAUM WALNUT OIL—ALEURITES TRILOBA—HIDGLEE BADAM KA TAEI (HIND.)

The Mollucca tree which produces the "Lumbang nut" grows plentifully near Hyderabad. The nuts yield a very large percentage of Oil, and the tree is found to be very prolific. The nuts are said to be strung upon a thin strip of bamboo, and when lighted will burn like a candle; a notice of this interesting substance may be found in the Transactions of the Agri-Horticultural Society of India. (Vol. 8. p. 220.)

Specimens of this oil are contributed by Dr. Riddell and Lieut. Hawkes.

No. 27.—POOVANA OIL—SARCOSTIGMA KLEINII.

Is exhibited by the Tinnevely and Travancore Local Committees, and by the Rev. E. Johnston, Cottayam, and is reported to be useful in Rheumatism.

No. 28.—PINEY TALLOW OR DOOPADA OIL—VATERIA INDICA—PINEY YENNAI (TAM.)

This most valuable tree, which, besides the product under consideration, yields a Resin nearly equal to copal, and an excellent building wood, grows plentifully in the jungles of the Western Coast.

The oil which is perfectly solid even in hot climates, is prepared by cleaning the seeds, then roasting and grinding them into a mass. To 5 seers of seed, add 12 seers of water, and boil until the oil rises to the surface. Remove the oil, stir the contents of the vessel, and allow it to stand until the following day, when more oil will be observed on the surface, which may be collected and the process repeated.

The oil is principally used for lamps, but is very suitable for soaps and candle making.

Specimens are exhibited by the Madras Tariff, Canara Local Committee, Narsing Row, and Lieut. Hawkes.

No. 30.—WILD ALMOND OIL—TERMINALIA CATAPPA.

A specimen of oil said to be obtained from the fruit of this tree is exhibited in the "Madras Tariff." A sample labelled "Almond oil" from Tanjore is the product of this species of Terminalia.

No. 31.—NEERADIMOOTOO OIL.—? NEERADA MOOTOO YENNAI (TAM.)—JUNGLEE BADAM KA TAEI (HIND.)

This valuable oil has been sent to the Exhibition under the various names of Neeradee-mootoo, jungle Almond, Maroty, Tamana, Maravettie, Neervettie and Soorty. It is said to be in great repute, as a medicine amongst native practitioners, and the kernel enters largely into their prescriptions. It might probably be found of use in the arts, it much resembles almond oil but is rather thicker.

The seeds cost in Madras Rs. 2-6 per seer—excellent specimens are contributed by the Madras Tariff, Travancore and Cochin Local Committees and Lieutenant Hawkes.

No. 32.—GLAUCCUS LEAVED PHYSIC NUT OIL—JATROPHA GLAUCA—ADDALE OR AUTHAULAY YENNAI.

This oil which in appearance approaches castor seems to be but little known. It is fluid and light straw colored, and is procurable in South Arcot, where the plant grows in waste land.

It is now chiefly used medicinally as a counter irritant, but if procurable in sufficient quantity seems likely to prove an useful oil.

A high colored specimen is sent from Tinnevely and one of a pale straw colour from Lieutenant Hawkes.

No. 33.—ANGULAR-LEAVED PHYSIC-NUT OIL—CURCAS PURGANS—CAAT-AMUNAK YENNAI (TAM.)—ADEVEE AMEDAPOO NOONA (TEL.)—JUNGLEE BRUNDIE KA TAEI (HIND.)

This oil which has of late been imported into England, as a substitute for Linseed oil, is expressed from the fruit of a species of Iatropha, which abounds in all parts of the Presidency. The color is somewhat paler than the best linseed oil. It can be obtained in some parts of the country where it is plentiful, for little more than the cost of manufacture.

It is now chiefly used in lamps. A light straw colored specimen is shown by Lieutenant Hawkes and several good but rather high colored samples from the Tanjore and Travancore Local Committees and the Madras Tariff.

No. 36.—**MALKUNGUNEE OR STAFF TREE OIL**—*CELASTRUS PANICULATA*—*VALULUVY YENNAI* (TAM.)—*BAVUNGIE NOONA* (TEL.)—*MALKUNGUNEE KA TAEI* (HIND.)

The deep scarlet colored oil obtained by expression from the seeds of this shrub is used in medicine, the seeds submitted to destructive distillation yield the *oleum nigrum*.

The Madras Tariff, Major Miller and Lieut. Hawkes exhibit specimens of this oil.

No. 38.—**FENNEL FLOWER OIL**—*NIGELLA SATIVACARUN*—*SEERAGUM* (TAM.) *NULLA GILLIKARRA* (TEL.) *KULONJEE AND SIAH DANAH* (HIND.)

The black aromatic seeds of the *nigella sativa*, yield by expression a dark colored fragrant oil, which is shown by Major Miller, Lieut. Hawkes and the Madras Tariff.

No. 40.—**CHEERONGIE OIL**—*CHIRONGIA SAPIDA* OR *BUCHANANIA LATIFOLIA*—*SARAYUPPOO NOONAY* (TEL.) *CHEERONJIE OR CHAROOLIE KA TAEI* (HIND.)

The kernels of this tree are eaten by the Natives, to promote fatness, they abound in a straw colored, sweet tasted and limpid oil which is seldom extracted.

The tree grows plentifully in Mysore and Cuddapah; good specimens are exhibited by Major Miller and Lieut. Hawkes.

No. 41.—**CUCUMBER SEED OIL**—*CUCURBITA PEPO*—*VALERIKOI YENNAI* (TAM.)—*THOSA NOONA* (TEL.)

A clear edible oil. A particularly fine sample is contributed from Masulipatam. The Madras Tariff, Tanjore Local Committee and Lieut. Hawkes also exhibit very creditable specimens.

No. 42.—**MELON SEED OIL**—*CUCUMIS MELO*—*PITCHA PUSJHUM*—*DHARBOOZA, KHURBOOZA*.

No. 43.—**PUMPKIN SEED OIL.**

No. 45.—**NUTMEG BUTTER**—*MYRISTICA MOSCHATA* *IADIPOOTRIE TYLUM* (TAM.) *IAJIKARRA NOONA* (TEL.) *JAPHUL KA TAEI* (HIND.)

Is obtained by expression from the nutmeg, it has an aromatic smell from the volatile oil it contains.

No. 49.—**GAMBOGE BUTTER**—*GARCINIA PICTORIA* (ROX.) *MUKKI*—*TYLUM* (TAM.)—*ARASINAGOORGHY YENNAI* (CAN.)

The solid butter contained in the seeds of the "Gamboge tree" a species closely allied to the *G. purpurea* which produces the "cocum butter" has attracted attention. The Gamboge tree grows abundantly in certain parts of the Mysore and Western coast jungles. The oil which is procurable in moderate quantities, is prepared by pounding the seed in a stone mortar and boil-

ing the mass, until the butter, or oil rises to the surface. Two and a half measures of seed should yield one seer and a half of butter. In the Nuggur Division of Mysore, it is sold at the rate of As. 1-4 per seer of 24 Rs. weight, or at £36-6 per ton, and is chiefly used as a lamp oil by the better classes of natives, and by the poor as a substitute for ghee. The butter thus prepared does not appear to possess any of the purgative qualities of the Gamboge resin, but is considered an antiscorbutic ingredient in food. (The above interesting particulars have been furnished by H. R. Oswald, Esq. M. D. Nuggur Division, Mysore Commission.)

Specimens are shown by Narsing Row of Shemoga, and Lieut. Hawkes.

No. 50.—**MARKING NUT OIL.** *SEMICARPUS ANACARDIUM*—*SHAYNG COTTAY YENNAI* (TAM.)—*NELLA-JIEDE NOONA* (TEL.) *BHILLAHWAN KA TAEI* (HIND.)

The acrid and vesicating oil which is found between the two laminæ of the pericarp of the marking nut is collected and used, as a preventive against the attacks of white ants, and by native practitioners in Rheumatic and Leprous affections.

By boiling the whole nut not divested of its pericarp, an oil is also obtained which acts as a blister.

The qualities of the oil of the kernel of the nut of which a good specimen is shown by Lieut. Hawkes require investigation.

The preparation or collection either of the oil or acrid juice is liable to cause much irritation and inflammation of the hands, face, &c. of those engaged in the work.

Specimens of the acrid juice (improperly called oil) are shown by the Tanjore and Goa Local Committees, Madras Tariff and Major Miller.

No. 51.—**BONDUC NUT OIL**—*GUILANDINA BONDUC*—*CALICHIKAI YENNAI* (TAM.)

The oil of this common seed is mentioned by Ainslie, as being considered useful in convulsions and palsy. The seeds themselves are believed to possess tonic virtues. Used solely as a medicine.

No. 52.—**MAHOWA OIL**—*BASSIA LATIFOLIA*.

Several specimens of oil under this name are exhibited, but doubt exists as to their being really the produce of the *B. latifolia*, which has always been described as a solid oil or butter, whereas those now shown are quite liquid at ordinary temperature.

The *B. latifolia* is produced plentifully in Bengal, but it is not yet ascertained that it grows in this Presidency.

No. 53.—**FETID STERCULIA OIL**—*STERCULIA FETIDA*—*COODIRA PUSJUN YENNAI* (TAM.)—

This semi-solid oil obtained by expression from the seeds of a large Jungle tree, appears to contain a large per centage of Stearine, but it is doubtful if it can be

obtained in large quantities, it was sent to the great Exhibition of 1851 from Bombay.

No. 58.—MOODOOGA OIL—BUTEA FRONDOSA.

The seeds of this tree yield a small quantity of a bright clear oil which is sometimes used medicinally.

No. 61.—MIMUSOPS OIL—MIMUSOPS ELENGI.

A medicinal oil. Obtainable in tolerably large quantities in some parts of the Country. It is exhibited by W. E. Underwood, Esq. as a new oil, but is known in England.

No. 63.—NUX VOMICA OIL—STRYCHNOS NUX VOMICA—MOO YETTIE COTTAY YENNAI (TAM.) CARUN-JOOTY (CAN.)

An empyreumatic oil prepared from the fresh nut, is used medicinally by Native Practitioners. It is exhibited by the Travancore Local Committee under the name of Carun-jooty oil and by Lieut. Hawkes.

No. 68.—WILD CUMMIN SEED OIL—VERNONIA ANTHELMINTICA—CAAT SEERAGUM YENNAI (TAM.)

Specimens of this oil are exhibited by Major Miller and Lieutenant Hawkes.

No. 70.—GARLIC OIL—ALLIUM SATIVUM—VELLAY POONDoo YENNAI (TAM.)

Good specimens of this medicinal oil are exhibited by Major Miller, the Madras Tariff and Lieut. Hawkes.

No. 77.—RADISH SEED OIL.—RAPHANUS SATIVUS.

Exhibited in the Madras Tariff.

No. 78.—CABBAGE SEED OIL.

Exhibited in the Madras Tariff.

No. 79.—CARDAMOM SEED OIL (FIXED.)

This is sent as a "new oil" by Mr. Rose, but is already well known. Pereira. p. 1031.

Exhibited by the Madras Tariff.

No. 83.—COLOCYNTH SEED OIL.—CUCUMIS COLOCYNTHIS.

Exhibited W. E. Underwood, Esq.

No. 85.—OLEUM NIGRUM—CELASTRUS PANICULATA VALULUVY TYLUM. (TAM.) VAYLARIE TYLUM.

An empyreumatic oil obtained by the destructive distillation of the seeds of the Celastrus, either alone or in combination with other ingredients. It is much used in the treatment of Beri-beri, Malcolmson's Essay p. 312.

Specimens are exhibited by the Bangalore Local Committee and by Lieutenant Hawkes.

The oils in the foregoing list which appear more particularly to merit attention are the Poppy, Brumadundoo,

Kurunj, Belgam walnut, Poovana, Neeradimootoo, Physic nut, oils and Gamboge Butter.

To render the above List of Fixed oils complete the following which are known to be produced in this Presidency are added.

No. 18.—SUNFLOWER OIL.

24.—THORNY TRICHILIA.

29.—CYPERUS OIL.

35.—COTTON SEED OIL.

37.—THORN APPLE OIL (EMPYREUMATIC.)

39.—COCUM BUTTER.

47.—FENUGREEK OIL.

55.—CONDAMUNNEE OIL.

56.—ADENANTHERA PAVONINA SEED.

59.—GUTTA PERCHA SEED OIL.

60.—SAUL SEED OIL.

62.—EUGENIA OIL.

66.—DAMMER TREE OIL.

72.—KIKUEL, OR SALVADORA PERSICA OIL.

73.—COCCULUS INDICUS OIL.

75.—LIMBOLEE OR BERGERA KENIGII OIL.

76.—BALANITES AEGYPTIACA OIL.

89.—HYOSCIAMUS.

With the exception however of Cotton seed, Sunflower, and one or two other of the above mentioned oils, most of these can only be procured in very small quantities and are chiefly used for medicinal purposes.

NEW OILS.

In determining the claim of any contribution to be entitled a "new" product, the Jury have been guided partly by recent works on the subject, and partly by their own experience.

Although the greater part of these substances are medicinal, they are obtainable only in very small quantities, yet one or two appear worthy of further enquiry.

The Perun Poonaka oil from Cochin, the Pootroojie from Madras and Mysore, Country Cress, Nagasumpunghee, Viscid cleome and Silk Cotton seed oils, as well as several new oils and Tallows exhibited from Canara are particularly worthy of notice.

The following fixed oils are exhibited by Mr. Rose through W. E. Underwood, Esq. as novelties. They may perhaps prove of medicinal value, but their scarcity and cost preclude their use for ordinary purposes.

No. 46.—ROSEBAY OIL—WRIGHTIA ANTIDYSENTERICA.

A thick, scarlet colored, medicinal oil partaking doubtless of the properties of the seed.

No. 84.—CORDIA OIL—SEBESTANA OFFICINALIS.

No. 67.—BELLERIC MYRABOLAN OIL—TERMINALIA BELLERICA.

No. 27.—The Revd. E. Johnston of Cottayam forwards a specimen of the oil of *Sarcostigma Kleinii*. This substance has been long known under the names of

Poovana and Poovengah, but the exhibitor is considered deserving of Honorable Mention as being the first to ascertain its correct Botanical name.

This medicinal oil is used largely on the Western Coast, and seems especially to merit further investigation.

No. 87.—The *Adul* oil of Travancore was forwarded to the great Exhibition of 1851, but merits further attention. It seems to be medicinal, but the Botanical name of the plant producing it is not given.

The Woundtree oil, or Gayapanoona of Rajahmundry although locally known for sometime, is now prominently brought to notice.

The Broonga Malagum Ointment and the Vishnamoosty or Snake tree ointment of Masulipatam appear to be new products, but being unaccompanied with any information as to source from which they are derived, this cannot be accurately determined.

No. 80.—A NEW OIL UNDER THE NAME OF *Cherroot Pinnacottay* (*CALOPHYLLUM CALABA* ?) IS SENT FROM COCHIN.

Major Miller, Assistant Commissary General, Bangalore, forwards a new oil under the name of "Pootronjic." The same oil is also shown by Mr. Rose of Madras and Lieut Hawkes.

The following new or partially known oils are exhibited by Lieut. Hawkes.

No. 11.—COUNTRY CRESS OIL—*LEPIDIUM SATIVUM*—*ALIE-VERIE-YENNAI* (TAM.)

This oil is extracted from the seeds of the "Chinese wall cress." Its qualities and uses have yet to be determined. It must not be confounded with "Linseed oil" the Tamil name of which is the same as that of the present article.

No 34.—NAGA-SUMPUNGHEE OIL—*MESUA FERREA*.

This valuable oil is procurable in Canara, at the rate of Rs. 4 and the seed at 1-8-0 per maund. It is used both as a lamp oil, and as a healing application to sores.

No. 44.—COOROOKOOPILLY OIL—*INGA DULCIS*.

The seeds of this common hedge plant yield by expression a light colored oil, about the consistence of castor oil. Its qualities and uses require to be ascertained.

No. 46.—ROSEBAY OIL—*WRIGHTIA ANTIDYSENTERICA*—*VAIPALLAY YENNAI* (TAM.)

A medicinal oil—little known.

No. 48.—VISCID CLEOME OIL—*POLANISIA VISCOSA*—*NAHI-CADAGHOO* (TAM.)

This warm and pungent little seed when subjected to very powerful pressure, yields a moderate per centage

of a light olive green colored limpid oil, which promises to be useful for purposes requiring a very liquid oil.

No. 54.—SANDAL SEED OIL.—*SANTALUM ALBUM*—*CHUNDANA PUSJHUM YENNAI* (TAM.)

The seeds of the sandal wood tree yield by expression a thick and viscid oil which is burnt by the poorer classes in lamps.

No. 57.—SAND BOX TREE OIL—*HURA CREPITANS*.

The seeds of this tree (which has been introduced from Jamaica) yield by expression an oil, as the whole tree abounds in poisonous matter, this oil probably partakes of its deleterious nature. The tree grows in the Horticultural Gardens.

No. 64.—SILK COTTON SEED OIL—*BOMBAX PENTANDRUM*.

A dark brown though clear oil is obtained by expression from the seed of the silk cotton tree, the fibre of which is largely used as a stuffing for pillows, mattresses, &c. &c.

No. 65.—MACASSAR OIL.

The qualities of this oil which is said to have been obtained from Macassar, the capital of the Celebes Island require to be determined, it is used by the natives of Singapoore as a hair oil.

No. 67.—BELLERIC MYRABOLAN OIL—*TERMINALIA BELLERICA*—*TANIKAI YENNAI* (TAM.)

A medicinal oil obtainable in small quantities from the kernel of the Belleric Myrabolan, the use of this drupe as a tanning material is well known.

No. 69.—WILD OLIVE OR POOTROOJIE OIL.

Obtained by expression from a handsome tree growing plentifully in Canara and Mysore.

No. 71.—THE "EXILE" OIL—*THEVETIA NERIIFOLIA*.

The kernels of the seeds of this common shrub yield by expression a large per centage of a clear bright yellow colored oil, the qualities of which have not as yet been determined.

No. 74. A medicinal oil is procurable in very small quantities from the kernel of the *Chebulic Myrabolan*.

No. 88. MOOROGANA TALLOW.—This valuable substance which even at high temperatures is perhaps the most solid oil with which we are yet acquainted, was forwarded together with the following from Canara by F. N. Maltby, Esq. If procurable in large quantities, and at a moderate cost it promises to be a valued material for the manufacture of candles, &c. &c. It is used for medicinal purposes, &c. &c. and a cure for cattle wounded by Tigers.

THORONOGULLO OIL.—*Pongamia glabra*? from Canara used for cutaneous diseases.

MANALOO OIL.—From Canara used for lamps.

No. 86.—THORTAY OIL.—*Hydro-Carpus inebrians*.—From Canara a very valuable vegetable tallow, used for sores.

GHIRGILLY OIL.—From Canara obtained from the pulp of the tree; considered an excellent remedy for Rheumatic pains.

SAHCOTTAY OIL.—From Canara, used for cutaneous diseases.

No. 90.—WILD CASTOR OIL.—(A new species) from Canara. Is burnt in lumps.

An empyreumatic medicinal substance called *Tuntapoo oil* (cassia tora?) is contributed by the Masulipatam Local Committee.

W. E. Underwood, Esq., exhibits an empyreumatic oil and pyroligneous acid obtained by the destructive distillation of cocoanut shells. The latter substance has been used successfully in developing photographs by the collodion process. The oil or tar mixed with ordinary "japan varnish" is said to be used with advantage in the "backing up" of positive pictures.

OIL SEEDS.

The oil seeds most generally cultivated in India are the castor, gingelly and rape, mustard, ground nut, ramtill, and linseed; poppy is cultivated for its opium the seed forming a secondary consideration.

The following plants grow in a wild state, their fruit being collected and the oil expressed as occasion requires; margosa, ben, brumadundoo, pinnacottay, soap-nut, kurunj, cashew-nut, poovanna, piney, neradimootoo physic nut, cheeronjee, coorookoopilly, &c. &c. &c.

WOOD OILS.

This class of oils is obtained for the most part from the Burmese coast and the Straits. They are usually procured by tapping certain trees of the order Dipterocarpaceae, and applying heat to the incision. The oil which flows from the wound, is a mixture of a balsam and volatile oil, and when applied as a varnish to wood or other substance the oil evaporating deposits a hard and durable coat of resin.

They are chiefly used as natural varnishes, either alone, or in combination with colored pigments, also as a substitute for Tar in paying the seams of shipping, and for preserving timber from the attacks of white ants. They are said also to be useful as an ingredient in Lithographic inks.

Owing to the distance from which they are brought, and the imperfect knowledge we yet possess of the country whence they are imported, the names of the trees

from which these valuable substances are derived, are involved in some degree of obscurity.

The oils, therefore, generally receive the names of the localities from which they are imported. Some of them differ considerably in colour and consistence, but they all possess the same balsamic odour, and are derived from various trees of the noble family of Dipterocarpaceae.

In this section, may be remarked three good samples of wood oil from Canara. Also, a very interesting series of ten oils from various parts of the Madras Presidency and Burmah contributed by Lieut. Hawkes to which series the Jury award Honorable Mention.

Lieut Evans 51st Regt. N. I., in addition to other contributions, exhibits a bottle of wood oil from Malacca in its natural state as procured from the tree. The mode of extraction is as follows. "About the end of the dry season, that is in March or April, several deep incisions are made with an axe into the heart of the wood, and a good sized piece scooped out, into these holes fire is placed, and kept burning until the oil begins to run, when it is received into a bamboo, and allowed to run slowly drop by drop."

The following are exhibited by Lieut. Hawkes.

No. 91.—TEAK WOOD OIL.

An opaque dull ash colored oil under this name, is procurable in most of the large Bazaars of India; when allowed to rest for some time, it separates into two layers, an upper or dark colored clear stratum and a lower and more solid deposit.

Its chief use is for applying to woodwork of all sorts, either alone as a natural varnish, or in combination with certain resins.

No. 92.—WOOD OIL FROM PEGU.—It is much to be regretted that the Botanical names of the trees, yielding this and the following wood oils cannot with any certainty be ascertained. The oil which is generally known by this name, is a very clear and liquid substance forming a natural varnish when applied to wood or other substances.

No. 93.—DEODAR OR SHEMANATHU OIL—ERYTHROXYLON AREOLATUM.

An empyreumatic medicinal oil.

No. 94.—WOOD OIL FROM CHITTAGONG.—This substance much resembles the "Teak wood oil" and the "Wood oil from Pegu," above mentioned. It is less liquid than the latter, but is used for the same purpose; procurable in all large Bazaars

No. 95.—WOOD OIL FROM MOULMEIN.

No. 96.—WOOD OIL FROM RANGOON.—This appears to differ very considerably from any other specimen of

Catalogue raisonné 1855
(CCCII. 214-220)
Classified cat 1857.
CL IV Sect II

"wood oil" in the Exhibition, it is quite white and almost solid—but has the usual resinous smell of this class of oils.

No. 97.—WOOD OIL FROM SINGAPORE.

No. 98.—WOOD OIL FROM CHINA.—Although scarcely coming within the limits of this report, this valuable product merits notice as being one of the substances of which the well-known and much prized China lacquer is made. It is used in Singapore for painting the beams and wood-work of Native houses, and may also be mixed with paint when not exposed to the sun.

No. 99.—SISSOO-WOOD OIL.—DALBERGIA SISSOO.

An empyreumatic medicinal product.

No. 100.—WOOD OIL FROM TINNEVELLY.

An empyreumatic product similar to tar, chiefly used medicinally by Native Practitioners.

No. 102.—CAMPHOR-WOOD OIL.—*Dryobalanope Camphora*.—The last of this series belongs to the class of "Volatile oils," but may be here noticed. The specimen exhibited by Lieut. Hawkes was forwarded to him from Singapore through Lieut. Heath of the 38th Regiment N. I., and another excellent specimen which is exhibited by Second Dresser Pulneandy was brought by him from Labuan. It is used largely in Singapore as a substitute for turpentine, and sells at from 15 to 20 cent. a bottle.

The Jury consider Lieut. Heath and 2d Dresser Pulneandy deserving of Honorable Mention.

WOOD OIL, AS OBTAINED FROM THE TREE WITHOUT ANY PREPARATION.

This very interesting specimen which was before mentioned as being contributed by Lieutenant E. J. M. Evans, 51st Regt. N. I., by whom it was obtained from Malacca, is obtained from a large tree of the Dipteraceous family, which is very common in the dense jungles of the Malayan Peninsula, and grows to a great height. When not tapped too soon, the base of the trunk is often of immense girth—the wood is reddish brown and has a smell not unlike that of English fir, the bark is smooth, the leaves alternate, pinnate and exstipulate, fruit a one seeded drupe, seed angular and anatropal.

The oil when permitted to remain at rest divides itself into two layers, the upper consisting of a clear chestnut colored liquid balsam and the lower being in appearance like flakes of granulated sugar and consisting probably of the surplus resin deposited by the action of the atmosphere.

The Jury consider the Exhibitor deserving of Honorable Mention.

MINERAL OILS.

No. 101. Specimens of *Petroleum* are exhibited by the Madras Tariff and Lieut. Hawkes, the produce of our Burmese Possessions.

Its uses are well known.

ANIMAL OILS.

No. 105. FISH OIL.—The preparation of fish oil is chiefly confined to Malabar and the Western Coast whence it is exported to England in large quantities, the demand is also yearly increasing.

No. 106.—FISH LIVER OIL.—Is also prepared chiefly on the Western Coast although some is now made at Madras.

The liver of the white shark is that generally used. The mode of preparing the best Cod liver oil which is equally applicable to "Fish liver" is thus described.

"COD LIVER OIL."—The proper season for preparing this oil is early in January when the livers are plump, firm, large, white, and full of oil—the livers are sometimes found diseased, and are specifically lighter than water, these should be rejected. Good livers should cut smooth, and not tear, when cut none of the substance should flow out in a half liquid state.

The quantity of oil produced by livers depends much upon the time of the year.

In the beginning of January 1000 livers were found by experiment to yield 37 Imperial gallons, and at the end of February an equal number only gave 23 gallons of oil. In the beginning of January 1000 livers of average size weighed 900 lbs. whilst in the last day of March the same number weighed only 575 lbs.

The oil at these different seasons was equally pale, and the livers equally white, although much smaller and more flabby in the latter season.

To prepare the oil—Wash the livers very carefully, first removing the gall bladders which adhere to them, and infuse them in rain or other water free from salt. Place them over the fire and never allow the heat to exceed 120 or 130°. On this head especial care must be taken, a higher degree of heat although yielding a larger product, communicates a rank fishy taste and smell and heightens the color of the oil, thereby rendering it disgusting to the Patient.

No. 107.—NEATS FOOT OIL—is exhibited by the Madras Tariff—Tanjore Local Committee and Lieut. Hawkes. Its uses as a softener of leather, &c. &c. are well known.

No. 108. OIL OF WAX—OLEUM CERÆ.

Bees wax submitted to destructive distillation with the addition of a little salt yields an empyreumatic oil which is much used in medicine by Native Doctors.

No. 109.—GUANA OIL.—A specimen of this oil is exhibited by J. Rohde, Esq. of Guntour.

VOLATILE OILS.

No. 9.—LEMON GRASS OIL, ANDROPOGON SCHÆNANTHUS—CAMACHIE PILLOO TYLUM.

This well known Oil is obtained by distillation from a grass, which grows plentifully in many parts of the country. It is much used as a rubefacient for Rheumatic affections, as well as in Perfumery, for which purposes it is said to be largely exported from Travancore. When newly made, this Oil is of a light straw color, but age changes it to a deep red.

Excellent specimens are exhibited by the Travancore and Tanjore Local Committees and by Lieut. Hawkes.

Mrs. Goodsir forwards an excellent sample obtained from Ceylon.

No. 8.—ROOSA GRASS OIL, ANDROPOGON CALAMUS AROMATICUS.

This Oil differs but little either in appearance or quality from the Lemon Grass Oil. It is used for the same purposes.

Good specimens are exhibited by Dr. Riddell and Lieut. Hawkes.

No. 12.—BISHOPS WEED OIL, ANETHUM SOWA.

These well known carminative seeds yield by distillation a very useful Oil which is given medicinally, as a stomachic.

Good specimens are shown by Mr. Gay, the Tanjore Local Committee and Lieut. Hawkes.

The following volatile Oils contributed by W. E. Underwood, Esq. are deserving of especial mention as they are but little known.

No. 11.—NOOCHIE OIL, VITEX NEGUNDO.
CARPOORAVULLY OIL, ANISOCHILUS CARNOSUM.

In addition to those mentioned above, the following are contributed by Lieut. Hawkes.

- No. 1.—OIL OF ANISE—PIMPINELLA ANISUM.
- No. 2.—OIL OF CINNAMON—CINNAMOMUM AROMATICUM.
- No. 3.—OIL OF SWEET FENNEL—FÆNICULUM DULCE.
- No. 4.—OIL OF CAJAPUT—MELALEUCA CAJAPUTI.
- No. 6.—OIL OF CLOVES—CARYOPHYLLUS AROMATICUS.
- No. 7.—OIL OF NUTMEGS—MYRISTICA MOSCHATA.
- No. 10.—OIL OF SASSAFRAS—LAURUS SASSAFRAS.
- No. 15.—OIL OF CASSIA—CINNAMOMUM INERS.
- No. 17.—OIL OF LEMONS—CITRUS LIMONUM.
- No. 24.—OIL OF PEPPER—PIPER NIGRUM.

The following substances grown in India produce volatile oil.

No. 7.—OIL OF NUTMEGS, MYRISTICA MALABARICA.

No. 13. " CARDAMOMS, ELETTARIA CARDAMOMUM.

No. 14. " STAR ANISE, ILLICUM ANISATUM.

No. 16. " CUMMIN, CUMINUM CYMINUM.

No. 18. " SPIKENARD, ANDROPOGON NARDUS.

No. 19. " CUSCUS, Do. MURICATUS.

No. 20. " GINGER GRASS, Do. IWARANCUSA.

No. 21. " TOBACCO, NICOTIANA TABACUM.

No. 23. " SWEET FLAG, AND 13 OTHERS.

SCENTED OILS.

No. 41.—SANDALWOOD OIL—SANTALUM ALBUM—CHUNDANA YENNAI (TAM.)

Specimens of this oil are exhibited by the Salem and Canara Local Committees, the Madras Tariff and Lieut. Hawkes.

The exports amount annually to about 100 cwt.

A set of Scented oils or utturs from Hyderabad comprise the following.

Moteah	Uttur.
Chumbaley	"
Ryatroo	"
Inah	"
Kaserah	"
Chumpah	"
Gool	"
Banjeree	"
Burmookee	"
Dhoolpend	"
Cuscus	"
Moleserree	"
Rowsep	"
Showahg	"
Sona Manthre	"
Nohrutten	"
Sandal	"
Muzmah	"

They vary in price from 4 Annas to 5 Rs. per tola.

A very complete collection of these oils is exhibited by W. E. Underwood, Esq. comprising

- Oil of Sandal wood.
- " Star Anise.
- " Coriander.
- " Pepper.
- " Bitter orange.
- " Cummin.
- " Screw Pine.
- " Cloves.
- " Patchouli.
- " Cuscus.
- " Mint.
- " Nutmeg.
- " Cardamom.
- " Indian Southern wood.
- " Jessamine.
- " Bishops weed.
- " Sweet Fennel

Lieutenant Hawkes also exhibits the following.

No. 41.—OIL OF SANDAL WOOD FROM COORG.

No. 41.—OIL OF SANDAL WOOD FROM BANGALORE.

No. 44.—OIL OF JESSAMINE.

No. 42.—OIL OF FRAGRANT SCREW PINE.

JURY AWARDS.

SECOND CLASS MEDAL.

Pro. No.	Cat. No.	Name of Exhibitor.	Objects Rewarded.
		Underwood, W. E. Esq.	Collection of oils in illustration of the Madras Tariff.
ccxxvii	1	Gay, Mr. W.	Superior mode of de-colorizing oil.
civ		Godefroy, Monsieur.	For Castor and Coconut oil.
lxv	1	Kohlhoff, Mr. W. D.	For Castor, Gingeley, Coconut, Neem, Pinnacotay, and Mustard oils.

HONORABLE MENTION.

Pro. No.	Cat. No.	Name of Exhibitor.	Objects Rewarded.
		Heath, Lieut. J. D.	For Camphor wood oil.
		Pulneandy, 2d Dresser....	For Do.
		Johnston, Revd. E...	For oil of the Sarcostigma Kleinii.
ccxc	1	Evans, E. J. M. Lieut....	For wood oil.
ccci	36	Nellore Local Committee.....	For various oils.
lxiii	311	Tinnevely L. C....	For Poovana, Gingeley oils, &c.

TABLE showing the names of the various Oils sent from or obtainable in the different Districts of the Madras Presidency, with their present prices.

N. Arcot.

			Rs. A. P.
Castor oil	{	Maund	2 1 0
			3 8 0
Lamp oil, 1st	{	"	2 0 0
			3 0 0
Lamp oil, 2nd	{	"	1 14 0
			2 8 0
Cocoanut oil.. ..	{	Maund	3 8 0
			4 0 0
Gingeley oil..	{	"	2 12 0
			3 12 0

			Rs. A. P.
Ground nut.....	{	"	1 8 0
			2 12 0
Kurunj	{	"	1 2 0
			2 8 0
Illooppoo	{	"	1 8 0
			2 8
Physic nut.....	{	"	1 10 0
			1 14 0
Neem oil.....	{	"	2 1 0
			5 0 0

S. Arcot.

Illooppoo	Candy	25 0 0
Rape seed	"	31 4 0
Pyaroo gingeley....	"	27 12 5
Neem.....	"	25 0 0
Mustard	"	0 0 0
Neeradimootoo	"	0 0 0
Lemon grass.....	"	0 0 0
Pinnacottay	"	0 0 0
Cassia oil.....	"	0 0 0
Cathartocarpus	"	0 0 0
Bryony oil	"	0 0 0
Physic nut, (33)	"	0 0 0
Physic nut, (32)	"	0 0 0
Fetid sterculia	"	0 0 0

Nuggur.

Dr. H. R. Oswald, Esq.

Lamp oil	Maund	3 4 0
Cocoanut	"	3 0 0
Gingeley	"	4 0 0
Ramtill	"	3 8 0
Safflower.....	Seer	0 1 0
Kurunj.....	Maund	2 8 0
Sandal wood oil.....	Seer	6 0 0
Neem oil.....	Maund	7 0 0
Gamboge butter.....	Seer of 24M.	0 1 4
Sandal seed oil		0 0 0
Malkungunee oil.....		0 0 0
Mustard oil.....		0 0 0
Illooppoo oil		0 0 0
Ground nut.....		0 0 0
Brumadundoo		0 0 0
Safflower.....		0 0 0
Poppy		0 0 0
Wild cummin		0 0 0
Pootroojie		0 0 0
Margosa		0 0 0
Neeradimootoo		0 0 0
Ol. nigrum.....		0 0 0
Piney tallow		0 0 0

Bellary.

Dr. Day.

Castor oil	Maund	4 8 0
Lamp oil.....	"	2 8 0
Cocoanut oil	"	3 4 0

[illegible]

	Rs.	A.	P.
Chitellay (flower).....oz.	0	1	0
Thukkolah winday urree from			
China.....oz.	0	1	0
Kottay kai (fruit).....oz.	0	0	6
Kodaga pal urree.....oz.	0	0	5
Korasane hycundrum from Bom-			
bay.....oz.	0	0	10
Chuddoopahoz.	0	0	6
Kurunj	0	0	0
Brumadundoo.....	0	0	0
Gingeley	0	0	0
Cadarumbum gingeley	0	0	0
Ground nut oil	0	0	0
Soapnut oil	0	0	0
Almond oil.....	0	0	0
Cashew nut oil.....	0	0	0
Fish oil.....	0	0	0
Neat's foot oil.....	0	0	0
Tobacco oil.. ..	0	0	0
Cashew apple oil	0	0	0
Mustard oil.. ..	0	0	0
Marking nut oil	0	0	0
Ben or moringa	0	0	0
Poppy oil.. ..	0	0	0
Cucumber oil.....	0	0	0
Adjowan oil	0	0	0
Hemp seed oil	0	0	0
Lemon grass oil.....	0	0	0
Pinnacottay oil.....	0	0	0
Castor	0	0	0
Cocoonut	0	0	0
Kurunj	0	0	0
Gingeley	0	0	0
Neeradimootoo....	0	0	0
Lemon grass.....	0	0	0
Margosa.....	0	0	0
Cashew nut	0	0	0
Poovana	0	0	0
Illoopoo	0	0	0
Physic nut	0	0	0
Pinnacottay	0	0	0
Wood oil.....	0	0	0
Nux vomica	0	0	0
Curungooty	0	0	0

Nellore.

Gingeley.....bottle	0	2	11
Illoopoo oil	0	2	6
Neem oil	0	2	0
Lamp oil	0	2	8
Linseed oil.. ..	0	3	2
Castor oilViss	1	0	0
Brumadundoo.. ..	0	4	0
Poppy oil	1	4	0
Ground nut.....	1	0	0
Cucumber oil.....	0	4	0
Mustard oil	0	10	0

Travancore.

	Rs.	A.	P.
Illoopoo oil	0	4	0
Pyroo Gingeley	0	6	0
Neem oil	0	2	0
Deodar wood oilSeer	0	8	0
Nux vomica oil	0	8	0

Tinnevely.

C. Bird, Esq.

Lamp oilM. Seer	0	6	6
Gingeley.. ..	0	9	0
Kurunj	0	5	0
Pinnacottay.....	0	4	8
Safflower	0	5	4
Illoopoo	0	4	11
Rape seed.. ..	0	8	11
Brumadundoo.. ..	0	6	0
Neem	0	6	7
Wood oil.. ..	0	4	0
Poovana oil.. ..	0	8	0
Physic nut	0	5	0
Adjale	0	5	0

SECTION III.

DYES AND COLOURS.

SUB JURY.

W. E. UNDERWOOD, Esq.—*Chairman.*

J. OUCHTERLONY, Esq.

A. HUNTER, Esq.

H. CLEGHORN, Esq.—*Reporter.*

ASSOCIATES.

J. RÖHDE, Esq.

VEERA PERMALL PILLAY.

C. CUNDAPAH CHETTY.

BALA CHETTY.

The methods of dyeing practised in India are generally tedious and complicated, yet the natives have long possessed the Art of giving beautiful and permanent colours to cotton goods. The country supplies all the raw materials for producing a variety of colours, and the Hindoos have long been acquainted with Alum and the salts of Iron, &c., which are still employed as mordants. But in a country where chemical science may be said to be unknown, we naturally cannot look for any of those signs of progress, which in Europe, have marked the application of that science to the art of dyeing. The process is as rude as it was ages ago, and any improvement in a colour, or production of a new one, has been rather the result of a happy accident, or an elaborate pains-taking experiment, than a skilful combination upon understood principles. Yet the field is one, that well merits labour and research, for, whatever

the external influence that operates in this country, the colours produced in dyeing are unquestionably brilliant, and the best test of their superiority is understood to have been afforded some years past, when Manchester cloths were sent out to the country to be dyed, and returned home to enter the market as the "Blue cloths of Commerce." It is almost entirely cloth of Cotton that the natives of this part of India treat, and they are able to impart durable colours to this in reds, blacks and blues, and the various modifications of either; but their deep greens, yellows and other colours appear to be very fugitive. Dr. Heyne has published an accurate account of the mode of dyeing cotton yarn, as practised on this Coast, in his Tracts, (P. 204,) and there is appended to this report, a statement furnished by a Native working dyer at Madras, of the manipulation and materials employed by him for producing various colours. It is very evident from these documents, that the Native dyers have at this day much to learn, and that their processes may be very materially improved.

From the great diversity of substances used in dyeing, including metals, woods, flowers, roots, barks, leaves, fruits, lichens, insects, &c., all of which require essentially different treatment; there is considerable variation in the methods practised, —and this variety is further increased by the different nature of the materials submitted to the dyes, *viz.*, *Animal substances*, Wool, Silk and leather; or *Vegetable materials*, as Cotton, flax and wood. Experience shows that the colouring matter, which takes upon Animal substances, will not suit vegetable matter, a piece of wool will bear an acid, which would corrode and destroy a cotton fabric, and the dyeing of mixed fabrics, where animal and vegetable matters are combined, and where several brilliant colours are blended together, requires the manufacturer to practise all the nicety of his Art.

Dyeing is indeed a purely *Chemical* process, and it is owing to the progress of that *Science* in Europe, that such great improvement has been made of late years, and that many colouring matters, which were formerly considered of but little value, are now rising in importance, (such as Munjeet, Chayroot, Logwood, Annatto,) and being more extensively brought into use. The collection now under report presents most of the above, and comprises an instructive and important series of well known dyes, with a few little known substances as Puply Chuckay, Ratinara, (Lichen), and extract of Casuarina, &c.

Amongst some of the little known dyes, here exhibited, there are several well deserving a careful examination. It is to be hoped, that some method may be devised of rendering available these new colouring materials, as well as of applying more economically, those long in use, and which may be procured in large quantities and at low prices.

The following is the series of Dye stuffs shown in the Exhibition.

1. *Indigo*—the most important of Indian dye stuffs, is a blue colouring matter, extracted from several tropical plants, but chiefly from the various species of *Indigofera*, which form a most valuable article of Agricultural produce in the District of Cuddapah and elsewhere. In former years the usual mode of extracting Indigo, as practised in Southern India, was from the dry leaf, a process which will be found minutely described in the pages of Heyne and Roxburgh. But this is now almost entirely superseded, by the better system of the *green leaf* manufacture, which is followed in all the Indigo growing districts of this Presidency, save the Province of South Arcot. In the latter, the *dry leaf* process is still persevered in, but it is likely that it is only so, from the distance to which the leaf has generally to be carried before it reaches the factory, and the consequent partial drying that takes place on the journey. The Indigo trade of Madras has of late years sustained a great development, though, owing to the draught of 1854, the export fell off above 50 per cent, it having in that year only reached 2,162 Candies (about 4,300 chests) while in 1853, it amounted to 5,445 Candies (about 10,900 chests). The subjoined table of the quantity landed each year in the port of London will show the progress of the trade since 1840.

Landed in 1840	3600	chests
1841	3312	"
1842	6436	"
1843	5318	"
1844	7731	"
1845	11348	"
1846	8261	"
1847	8948	"
1848	3848	"
1849	5383	"
1850	6094	"
1851	8582	"
1852	9311	"
1853	9761	"
1854	9229	"

The average import from Bengal during the same period was about 22,000 chests, so that Madras now contributes 30 per cent. of the whole supply of this dye from India to the London market. But notwithstanding this importance of the traffic, the general manufacture is so indifferently conducted, or rather on so imperfect a system, that the value of the article produced is seriously diminished, and its currency injured as an article of trade. It is not that the quality of Madras Indigo is inferior to the ordinary run of that of Bengal, for where the manufacture has been conducted on a large scale, and with elaborate care and skill, as in the factories of Messrs. Arbuthnot and Co. at Cuddapah and Bimlipatam and Messrs. Hart and Simpson in the Cuddapah and Nellore districts, an article is produced which is held in high estimation in the home market, and commands as current a sale as the produce

of any Bengal factory. But Indigo is commonly manufactured over the Madras Presidency in driblets; one vat-owner often not producing enough to fill even a chest, and the consequence is, that no one can make a purchase of a quantity of Indigo in the Madras market upon a sample, as is commonly done in Bengal,—that every parcel, and often the same chest is of mixed qualities, and that the value of the dye becomes thereby disproportionately depreciated at home.

Nine samples of *Green leaf* Indigo and four of *Dry leaf* have been sent to the Exhibition. The First Prize for the former has been awarded to the produce of Messrs. Hart and Simpson's Factory, a beautiful specimen of the dye. Ranking closely with it, is the produce of Messrs. Arbutnot and Co.'s Factory, which, though not quite coming up to the former specimen in colour, is so well manufactured, so even, square and uniform in quality, as to deserve the highest commendation. The several contributions sent are classed below. The dry leaf specimens were all of ordinary quality.

GREEN LEAF.

Messrs. Hart, Simpson and Co.	Middling fine, purple violet, large square.
Messrs. Arbutnot and Co. (A. F. Kurpah)..	Good purple violet, square and even.
Cuddapah No. 85—A	
1st sort	A single specimen of superior quality, good violet, imperfect square.
Guntoor	A single piece good violet and copper.
Salem (Avery)	Ordinary copper and violet, specky.
Chittoor, broken	Ordinary copper.
Nellore	Broken ordinary copper, heavy.
Masulipatam	Very inferior.

DRY LEAF.

Auchanoor (Tanjore)...	Square fair—ordinary grey purple specky.
Tanjore (Mr. Kohloff)...	Light good square, ordinary soft grey purple.
Pondicherry	Fair ordinary, light clean but dull.
Tinnevelly	Very inferior.

Pala Indigo.—Of the Indigo manufactured from the Pala tree, *Wrightia tinctoria*, three samples have been sent from Madura, Salem, and Canara, but only one deserves mention, that from Messrs. Fischer and Co. of Salem, which is well manufactured. Fair specimen of the variety, broken square, light, even ordinary copper, sandy. The other samples were heavy, sooty, coarse and grey, as were all the specimens of Indigo sent from the Western Coast.

3. *Red Sanders Wood*.—(*Pterocarpus santalinus*) This dye wood is the produce of a large tree, growing on the Pulicat and Tirpaty mountains, it is usually seen in billets of 2 to 3 feet in length, of a deep red colour, the concentric circles being divided by dark lines. With different mordants, it yields various shades of red, these are said not to be permanent. This wood is largely exported but little used in the country. The exports for 1854 amounted to 47,431 cwts. value 59,570 Rupees.

4. *Sappan Wood*.—(*Coesalpinia sappan*), specimens were exhibited in billets and chips from Tanjore, Travancore, Goa and Cuddapah. A red dye is made from an aqueous extract of the chips of this wood, but it is not reported to be a fast colour, and is principally used for common and cheap cloths. It is precipitated dark brown with iron, and red with alum.

5. *Safflower*.—(*Carthamus tinctorius*), Coosumba, four specimens of the powder were exhibited from Cuddapah, Chittledroog and Madura, and several packets of the seeds were sent from other Districts. The dried florets of "*Carthamus tinctorius*" yield a very beautiful colouring matter, which attaches itself without a mordant: it is chiefly used here for colouring cotton, and produces various shades of pink, rose, crimson, scarlet, &c. In Bangalore, silk is dyed with it, but the dye is very fugitive, and will not bear washing. An Alkaline extract precipitated by an acid (Lime juice is commonly used) will give a fine rose colour either to silk or cotton. The colouring matter is not suitable to Wool.

The coosum is cultivated extensively throughout the Ceded Districts, &c. the seed yielding an Oil, and the flower a dye. The flower is gathered and rubbed down into a powder, and sold in this state. When used for dyeing it is put in a cloth and washed in cold water for a long time, to remove a yellow colouring matter; it is then boiled and yields the Pink dyeing liquid. The Chinese safflower is worth four times the amount of the Indian article (Professor Solly), and the loss from careless drying and preparation has too often been set down to the "nature of the article."

6. *Turmeric* (*Curcuma longa*) specimens are exhibited as a root from Trichinopoly, Tinnevelly, Madura &c. and in a prepared state from Goa.

The root affords without a mordant, a yellow dye which is brilliant, but not permanent. It enters into curries and is largely used by native females as a paste to colour their faces. Dr. Pereira considered Madras Turmeric "as the most showy of all kinds of Turmeric," and the Jury observe the tubers are very large and the colour a bright yellow.

7. *Chayroot* (*Oldenlandia umbellata*). Eight specimens were exhibited from Guntoor, Masulipatam, Nellore, Tanjore, Tinnevelly, Travancore and Madura. The plant is a small biennial weed, growing in light sandy ground near the sea where its roots strike very deep—the colouring matter resides entirely in the bark

of the root, the inner portion is white and useless. The root is of great importance to the Indian dyer, yielding a red dye similar to munjeet, which is used to a great extent in the southern parts of Hindostan. The celebrated red Turbans of Madura are dyed with the Chayroot, which is considered superior of its kind, but this is probably owing to some chemical effect which the water of the Vigay River has upon it, and not to any peculiar excellence of the dye itself. Wild chay is considered to yield one-third more colouring matter than the cultivated root, this probably arises from too much watering, as much rain injures the quality of the root. Roots of 2 years growth are preferred when procurable. It is currently reported that chayroot rapidly deteriorates by being kept in the hold of a ship, or indeed, in any dark place.

8. *Morinda bark* (*Morinda tinctoria*, *citrifolia* and *umbellata*). Specimens of the bark and root of various species of *Morinda* were exhibited from different parts of Southern India and the Northern Circars. These form a very valuable red dye which is fixed with alum: the colour, though not brilliant, is far more permanent than many other red colours—the most of the Madras red Turbans are dyed with the root bark of the *Nona* tree, which is pretty common, and is in flower great part of the year. The large Triplicane burying ground is thickly studded with the tree. The quantity procurable is very large, and the dye appears worthy of the attention of practical dyers.

9. *Aliakoo* or Casau elay (*Memecylon tinctorium*). A small tree common in jungles in the Carnatic. The wood is brought into Madras for firewood and a large quantity of the leaves are imported daily for dyeing purposes. Cold infusion of the leaves imparts a yellow dye.

10. *Arnotto* (*Bixa orellana*.) Many good specimens of fruits and seeds were exhibited. A specimen of Cake Arnotto, of a thick pasty consistence, prepared by macerating the seeds was forwarded by Lieut. Colonel Grant, Trivandrum. An Orange colouring matter is obtained in this way. This is soluble in Alkalies, by which means it is fixed to silk or wool; sometimes (as appears to have been the case in Colonel Grant's specimen) the colouring matter is mixed with oil before drying, the dye is also used by milkmen to colour butter and cheese, and by others for tinging oils, spirits and varnishes.

11. *Pulas* or Moduga flowers (*Butea frondosa*) used for dyeing red—received from Madras, Mysore and Cuddapah.

12. *Cupla rung* (*Rottlera tinctoria*). The stellate pubescence covering the 3-coccous capsule of this large tree, is collected for sale in Mysore, where it is used for dyeing silk an orange colour. In the Edinburgh Philosophical Journal, April 1855, Professor Anderson of Glasgow gives a very satisfactory report on the colouring matter of this dye, and the trials which he has

made with it are sufficient "to show that it really merits the attention of silk dyers." The tree is widely spread over the Madras Presidency, and large supplies of the dye might be easily obtained. The colouring matter does not require a mordant, all that is necessary being to mix it with water containing about half its weight of carbonate of soda. "On silk, the colour is a rich flame or orange tint of great beauty and extreme stability;" and "the fact that the material supplied by commerce, contains between 70 and 80 per cent. of real colouring matter, ought to induce the silk dyers of this country to turn their attention to it."

13. *Pupli Chukay*. The bark of the Pupli root yields an orange dye, and is treated with alum, Myrobolans, &c. This dye is exhibited from Bellary, Mysore and Salem. It was noticed by Buchanan (Mysore 1. p. 168.) and was named by him somewhat doubtfully as *Ventilago*? a *Rhamnaceous* genus. Flowering or fruit bearing specimens of this scandent shrub have not been procured to settle the point in question.

14. The *Myrobolans* of commerce yielded by *Terminalia chebula*, *belerica* and *citrina* (called also Gallnuts) are oval fruits of a dingy yellow colour, containing much tannin; hence, they are useful to the tanner as well as the dyer. With alum, this dye yields a good durable yellow, and with salts of iron, a black colour, little inferior to that produced by Oak Galls. The Myrobolans although a very common dyeing and tanning material of this country from time immemorial, have not been many years introduced into English commerce, but so useful have they been found, that they have become a very important article of trade, and the consumption is now fully 2000 tons annually (Archer).

On this subject, the Canara Local Committee observe as follows. "During the last season a sudden demand arose for the Gallnut, and large profits were made by the persons who collected it from the jungles. The exports for five years have been as follows:—"

	Fuslies.	Quantity		Value.		
		Candies	Mds.	Rs.	As.	P.
Fusly	1259.....	207	3	918	"	"
	1260.....	380	16	1877	"	"
	1261.....	537	19	2860	"	"
	1262.....	530	17	2614	"	"
	1263.....	2154	4	3029	"	"

15. *Ratinara*, a solitary specimen of Lichen with a fragment of the black extractive matter, (in a mass) was forwarded from Nellore. Illustrations of the practical use of this new dye, and a chemical analysis of its constitution are required to enable the Jury to give an opinion of its value.

16. *Casuarina*. An entirely new dyestuff is exhibited by M. Jules Lepiné (late of Pondicherry,) obtained from the bark of the *Casuarina Equisetifolia*.

The manufacturer states that the Extract is fixed by a solution of Bichromate of Potass : with Alum as a mordant the Casuarina gives a reddish nankeen colour, with Iron a black colour, and if these mordants are mixed, the result is grey. The Casuarina dye becomes fixed by exposure to air without mordants, a nankeen red is obtained after 30 minutes exposure. At the end of an hour, M. Lepiné states that the colour is not affected by water, alkalies, solar light, or heat. The crystallised Extract and cloth dyed with the Casuarina were laid before the Jury, and the reddish brown colour of the cloth stood the test of washing well. Considering the discovery to be highly creditable to M. Lepiné, the Jury award a 2d Class Medal.

17. Lac has been already fully mentioned in Section I. It is largely used as a dye, as will be seen in the Appendix.

The Jury however beg to notice the specimen of Lac Lake prepared by Mr. Flynn, who supplies the following information. "The Lac Lake was prepared by boiling coarsely powdered Rangoon stick lac in several portions of water, until it ceased to yield any colouring matter, a small quantity of Alum was then added to the filtered solution, after a few minutes, a small quantity of Liqr. Potassæ was used to throw down the Alumina with the colouring matter, the

fluid at the same time being constantly agitated. The precipitate was allowed to settle for a day, the fluid then drawn off and the sediment pressed into cakes and dried in the shade." The Jury award Mr. Flynn Honorable mention.

18. *Cochineal* (from *Chittledroog*) is a small Insect, "*coccus cacti*," which feeds upon different species of Cactus. The cochineal exhibited is "silver grain." It forms a very fine and permanent dye in red, crimson, scarlets. It answers on wool and silk, but not on cotton. It is a most expensive colour, and is rarely in the hands of the dyer, but if supplied to him, he understands the method of using it.

The attention of the East India Company was for many years directed to the production of this dye, but with little success. The insect was with much difficulty procured, and introduced about 50 years ago, and a large quantity was produced under the superintendence of Dr. Anderson, and encouragement held out by the Madras Government, but unfortunately the insect turned out to be the wild species.

What was exported, proved to be small and deficient in colouring matter, and very inferior to any brought from New Spain.

The Court of Directors offered £2000 for the introduction of the true Mexican Cochineal, but this never was accomplished.

SERIES OF DYE STUFFS, SHOWN IN THE EXHIBITION.

English Names.	Botanical Names.	Vernacular Names.	Remarks.
Indigo	<i>Indigofera tinctoria</i> ...	Neelum ..	Green leaf and dry leaf, about 20 different samples.
Pala Indigo	<i>Wrightia tinctoria</i>	Palay neelum ..	Exported to England, falling into disuse.
Red Sandal wood	<i>Pterocarpus santalinus</i> ...	Sevapoo chandanum	Exported in billets.
Sappan wood	<i>Cæsalpinia sappan</i>	Puttegee puttay	Exported in cakes.
Safflower	<i>Carthamus tinctorius</i>	Koosumba ..	
Turmeric	<i>Curcuma longa</i> ...	Munjai ..	
Morinda bark	<i>Morinda Umbellata</i> ...	Muddy chuckay	The bark and root of these are used.
	<i>citrifolia</i>	Noona chuckay	
	<i>tinctoria</i>	Soorinjee chuckay ...	
.....	<i>Ventilago</i> ? ...	Pupli chuckay	
Pulas flower	<i>Butea frondosa</i> ..	Porasum poo ..	
.....	<i>Cassia tora</i> ? ...	Tantapoo seeds ..	
.....	Malapoo ..	Flower of a tree, unknown.
.....	<i>Rottleria tinctoria</i>	Cupla rung ..	
.....	Chiragoodoo puttay ..	
.....	Soorool puttay ..	
Ratinara	<i>Lichen</i> ..	Ratinara ..	Forwarded from Nellore.
Wood Turmeric	Mara munjal ..	Confined to Western Coast.
Chay root	<i>Oldenlandia umbellata</i>	Chaya ..	
Extract of cassuarina	<i>Casuarina equisetifolia</i>	An entirely new dye.
Bastard Indigo	<i>Tephrosia tinctoria</i>	Calacootee vittaloo	
Arnotto	<i>Bixa orellana</i> ..	Jabra veray ..	
.....	<i>Memeeylon tinctorium</i> ..	Aliakoo or Casau elay ..	
.....	<i>Toddalia aculeata</i> ..	Mirapagandra chuckay	
Marking nut ..	<i>Semecarpus anacardium</i> ...	Shain cottay ..	
Gamboge ...	<i>Garcinia pictoria</i> ...	Urshin goorgee	Used sparingly for dyeing cloth in Canara.
Lake prepared from stick lac	Komboo arakoo sevapoo choyam.	
Cochineal insect	<i>Coccus cacti</i>	

APPENDIX.

PROCESS OF DYEING CLOTH PRACTISED BY BALA CHETTY AT MADRAS.

Red Colour.—Dissolve a small quantity of Ashes, procured by burning the milk hedge tree, in water, filter and add an equal quantity of sheep's droppings and Gingeley oil to the solution. Soak the yarn in the mixture twice a day for 20 days, drying the yarn in the sun during the intervals. Wash the yarn white in pure water and dry. Steep it in a mixture of chay root powder, and causa leaf, coarsely powdered, for three successive days, both morning and evening, drying the yarn during the day, steep the yarn again for 5 days (morning and evening) in a mixture of chayroot powder and drying it for 5 successive days and on the 6th night, boil the yarn in a closely covered vessel for 12 hours, and wash it in pure water, on the following morning, when a fast red colour will be found.

Purple. If the yarns dyed by the above process be steeped for some time in a solution of Indigo, a deep purple colour will be produced.

Light Purple.—If white yarn prepared as above detailed, be soaked for 5 successive days, both morning and evening, in a solution of *Seorool Puttay*, dry the yarn in the sun and boil it as prescribed for the red colour, a shade of purple colour will be produced.

Shade of Purple Red.—If the yarn prepared, as for the light purple, be soaked in a solution of Puplichuckay powder a different shade is produced.

Blue Black.—Indigo. If a mixture made of powdered chunam and extract of Thakaravaray (cassia auriculata) be put into an earthen vessel, partly burned in the earth and the yarn steeped in it for 8 days, will produce different shades of black.

Note.—The mixture must be constantly stirred during the process of dyeing.

Sky Blue.—When a light preparation of the mixture, above prescribed is made and the yarn soaked in it 3 times a day, will produce the sky blue colour.

Black.—If white yarn be soaked in a paste made of Kadukay powder (*Terminalia chebula*) and green vitriol and again steeped in a bath of Tank mud, the yarn will take various shades of black colour—and this will depend upon the intensity of the dye used.

Pink or Rose Colour.—If Powdered Coosumba flower (*carthamus tinctorius*) be well washed with water and mixed with Applacaram—it is then to be trodden under feet, strain and add lime juice to it—bleached yarn to be soaked in this mixture and a beautiful rose colour will be produced.

Orange Colour.—Mix Turmeric, powder in water, soak the bleached yarn in this mixture, and dry, soak the yarn again in the Coosumba mixture and an orange colour will be produced.

Yellow Colour.—Mix a quantity of Turmeric powder in water, soak the yarn for 24 hours, squeeze and let it dry, repeat the operation for 4 successive days, then soak the yarn again in a solution of Turmeric powder with Alum, morning and evening, squeeze the yarn and let it dry when a bright yellow colour will be produced.

Straw Colour.—Soak the yarn in a solution of Turmeric powder and water 4 or 5 times, squeeze and steep the yarn again in a solution of lime juice and fresh water for about an hour—squeeze it well, and dry, when a straw colour will be produced.

Green Colour.—Soak the bleached yarn in a solution of Indigo, dry and then steep it in a solution of Turmeric powder and water for 48 hours, wash the yarn in a mixture of lime juice and water and dry it in the shade when a green colour will be produced.

Orange Colour.—Tie a quantity of Annato seeds in a piece of cloth, soak it in water for 12 hours, squeeze the colouring matter out in a basin of fresh water, add cocoanut water, lime juice and alum powder, steep the yarn in the mixture for 4 hours and then boil it for an hour—squeeze and let it dry, when a deep orange colour will be produced.

Bleaching silk.—Steep the silk in a solution of chunam and Dhobys' earth for 24 hours, wash the yarn in fine water and then soak it in Alum for an hour (which is a mordant) and again for 2 hours in a mixture of soap and Indigo when the yarn will be bleached to a white colour, wash and let it dry.

Red Colour.—Tie a quantity of stick lac, coarsely powdered, in a strong cloth and macerate it in warm water, bruising it occasionally with a wooden hammer, till it ceases to yield any colouring matter: add to the liquor a small quantity of Tamarind pulp and Alum powder, boil the silk in this mixture for 2 hours, and wash, when a deep red colour will be produced.

Crimson Colour.—Make a mixture of Chironjee seeds, *Buchanania latifolia* add a small quantity of Alum and boil the silk (which has been previously bleached and dyed deep red) for an hour squeeze and dry, when a crimson colour will be produced.

Orange Colour.—Make a mixture of Fuller's Earth and Cupla powder, add a small quantity of Alum and boil the silk (which has been previously bleached and dyed red) for 2 hours, when cold, squeeze and dry, when an orange colour will be produced.

JURY AWARDS.

CLASS IV.

SECTION III.

2D CLASS MEDALS.

Pro. No.	Cat. No.	Names of Exhibitors.	Object Rewarded.
CCI	53	Messrs. Hart and Simpson	Green leaf Indigo.
CCI	54	M. Jules Lepin� (late of Pondicherry)....	Casuarina dye.

HONORABLE MENTION.

Pro. No.	Cat. No.	Names of Exhibitors.	Object Rewarded.
		Messrs. Arbuthnot and Co.	Green leaf Indigo.
		Mr. G. W. Flynn.....	Lake prepared from Lac.

SECTION IV.

TANNING MATERIALS.

SUB JURY.

W. E. UNDERWOOD, Esq.—*Chairman.*

J. OUCHTERLONY, Esq.

A. HUNTER, Esq., M. D.

H. CLEGHORN, Esq., M. D.—*Reporter.*

ASSOCIATE.

J. ROHDE, Esq.

The Manufacture of leather in this Presidency, is by no means so thriving as it might be, considering the great abundance of Tanning materials at command. This is probably owing to the very low rank of the Artisans, (*Chucklers* or *Chumarwallas*,) for the art of leather production is well understood and successfully practised by the European tanners at Pondicherry, Hoonsoor, Guntoor, Bangalore and Madras, the leather being scarcely inferior to that made in Europe.

Goat skins, Sheep skins, Buffalo and Bullock hides are much used and are generally procurable, but are very badly dressed, as may be readily imagined from the excellent description of the usual process given by Mr. Rohde, which accompanied the consignment of leather from Guntoor: indeed, currying the leather being the province of the shoemaker's wife, while manufacturing it for the market belongs to the husband, inferiority of Indian leather may be ascribed to want of skill on the part of the currier, and the use of quicklime.

It is generally acknowledged that there is no better tanning material than Oak bark—but it has been shown in the class of Leather (including saddlery and harness)

that similar substances, if treated with care and skill, may be employed with great success, as for instance, Divi Divi, Catechu, Tanghedu Bark, &c., these produce their effects more rapidly, and the leather so manufactured is said to be nearly as durable.

A valuable series of Tanning materials accompanied the leather prepared by Mr. Bowden at Guntoor, and some interesting samples were shown from the Government Tannery, Hoonsoor, with hides tanned by the different barks, which illustrate the practical application of these various substances.

We shall notice them in detail, beginning with the Divi Divi, which comes nearest to Oak bark.

Casalpinia coriaria, a considerable tree, introduced from South America, the pods are indifferently called *Libi Divi* and *Dibi Divi* (the last name is most usually adopted) and is said to contain about 50 per cent of Tannin. This valuable tree was propagated from a young plant sent from the Botanical Garden at Calcutta (about 12 years ago,) the quantity available is yet limited, but the Jury are informed that small plantations of it are thriving well at Guntoor, Hoonsoor, Bangalore and Masulipatam.

The average produce of a full grown tree is estimated in the West Indies at 80 pounds, which, deducting 20 pounds for seeds, leaves 60 pounds of tanning material. The tree is found to grow well in dry and sterile ground, and the results of Mr. Bowden's industry abundantly prove the value of this substance to the Tanners and Dyers; the pod being superior to any other material used in our Tanneries.

When leather is tanned throughout with *Divi Divi* it resembles that tanned with Oak bark.

Cassia Auriculata. Turwer, *Hind.* Tanghedu, *Tel.* Avaray puttay, *Tam.* One of the commonest shrubs in the Presidency, and which grows abundantly in the sterile tracts, is of great importance to the tanner, the virtues of this plant are well known to the native Chuckler, who can obtain a large quantity of the bark at a low rate, and with it a soft and durable leather may be turned out. On the whole, it is perhaps the best of our indigenous astringents for this purpose.

Cathartocarpus Fistula, *Rella*, *Tel.* Kakay, *Can.* likewise abounds in many parts. It is not in equal repute with the Chucklers, the proportion of astringent extract being much smaller, and it is said to thicken the leather, but will probably be found to be well suited to the tanning of hides and butts. It is very probable that other species of *Cassia* are suitable for the purposes of tanning, but the two preceding species are the most astringent as well as the most abundant.

Acacia Arabica. *Acacia* or Babool bark. This material makes a good leather under proper management, but in native hands the leather is porous, brittle and ill coloured.

Acacia Catechu. (Terra Japonica.) The well known watery extract of *Acacia Catechu* as well as the extract of *Nauclea Gambir*, forms a good leather of a red or orange colour.

Terminalia Belerica, citrina, &c. (Myrobolans are the dried fruits of a tree, very common in many districts of India; they are derived from several species of *Terminalia*. They are much valued as a tanning material. The Myrobolans are about an inch in length, about the size and shape of a Spanish olive, with an ash yellow coloured pericarp, generally strongly marked with longitudinal wrinkle. They have become a very important item in commerce, but their introduction to general use can only date back about ten years. The imports into England, according to Mr. Poole, now amount to about 1200 tons annually: from Madras, 1853-54, the exports were 4,145 cwt. value 8,447 Rs.

Terminalia chebula.—Huldee Kay, *Tel.* Kadukay, *Tam.* The tender leaves are punctured by an insect, and its eggs deposited therein; hollow galls are subsequently formed, these are powerfully astringent, and make as good ink as oak galls. They also yield to Chintz painters and the Carpet weavers at Ellore the most durable yellow. Mr. Rohde states that it forms perfect leather, but is too expensive for ordinary tanning purposes.

Syzygium Jambolanum.—Neradi Bark has been classed as a tanning substance by Buchanan, in his journey to Mysore, and in the Jury Reports of the Great Exhibition, but it proved a failure even with the careful management of Mr. Bowden.

Azadirachta Indica.—The Neem bark, although containing a powerful bitter, does not seem well suited for tanning purposes.

Acacia Sunda.—Zummi. *Tel.* This Bark has also been tried and was found of no value for tanning purposes.

An Extract of Divi Divi has been forwarded by Captain Blagrave, which possesses valuable properties in the opinion of the Jury, and for which they award a 2d Class Medal.

JURY AWARDS.

2D CLASS MEDAL.

Progressive No.	Catalogue No.	Name of Exhibitor.	Object Rewarded.
CXLIV.	7	Capt. Blagrave.	Extract of Divi Divi.

SECTION V.

FIBROUS SUBSTANCES.

SUB JURY.

THE HONORABLE WALTER ELLIOT, Esq.—*Chairman.*

LIEUT. COLONEL BALFOUR, C. B.

LIEUT. COLONEL T. T. PEARS, C. B.

W. E. UNDERWOOD, Esq.

J. OUCHTERLONY, Esq.

J. D. SIM, Esq.

H. CLEGHORN, Esq., M. D.

A. HUNTER, Esq. M. D.—*Reporter.*

A very extensive and varied collection of fibrous substances has been contributed from all parts of the Presidency. Many of these are already known, and a few of them are cultivated as articles of commerce, but a number of interesting facts have been brought to light which show that Southern India is abundantly supplied with fibrous materials for every description of textile manufacture from the coarsest packing cloth, to the finest cambric, lawn, or muslin. The series also contains a number of novel specimens suited to particular manufactures, but hitherto little employed except for the commonest purposes. A good deal of trouble has been taken by the Local Committees, and by private exhibitors, to make this part of their collections as complete as possible, and in addition to the care bestowed on the preparation of many of the fibres the Jury remark that much trouble and expense have been incurred by some exhibitors, in proving that their contributions are suited to the manufacturing wants of this country.

It would be impossible to say how far the cultivation of fibrous plants might be carried, and what would be the demand for them in this Presidency, if properly prepared for the market; but there is no doubt, that the usual careless and slovenly mode of preparing these materials, has hitherto tended greatly to interfere with their sale in the European market. This fact is very clearly demonstrated, by comparing the samples of one or two of the common fibres prepared in various ways, and exhibited by 20 or 30 different parties. In almost every instance, the relative softness or clearness of the fibre has proved a good criterion of its strength and *vice versa*. The Jury are much indebted to the Principal Commissary of Ordnance, and the Military Board for a valuable series of experiments tried to ascertain the relative strength of the fibrous substances exhibited. (See Report on Ropes sent to the Arsenal to be tested.)

As this collection is one of the most varied and extensive in the Exhibition, some classification will be requisite, but it is not necessary to describe every specimen, as a reference to the printed catalogue will show nearly all that have been contributed. A few samples arrived too late for insertion in the catalogue,

but those which were considered of good quality have been noted in this Report.

The simplest and most scientific classification is that usually followed by Botanists, viz. under the head of *Endogenous* or inside growing plants, (characterised by the absence of bark, by having parallel veins in the leaves, and a single seed leaf,) and *Exogenous* or outside growing plants (characterised by having a true bark—reticulated veins in the leaves, and two cotyledonary or seed leaves.)

Under the head of *Endogenous* plants yielding fibres may be classed the

Palms.
Aloes and Agaves.
Yucca or Adam's Needle.
Sansevieria, or Marool.
Fourcroya, or gigantic Aloe.
Ananassa or Pine Apple.
Musa or Plantain.
Pandanus or screw pine.
Rushes.
Grasses.
Sedges, &c.

The *Exogenous* fibrous plants embrace those yielding Cotton and silk cotton, Flax and its substitutes, viz. :

Calotropis, or yercum.
Tylophora asthmatica.
Cryptostegia grandiflora, or Palay.
Damia extensa, or Ootrum.
Hemp—Cannabis Sativa, and its substitutes.
Jute, Corchorus olitorius.
Sunn or Junapum, Crotolaria Juncea.
Ambarce, or Hibiscus cannabinus,
Bendee, or Abelmoschus.
Toothee, or Abutilon.

Barks of Trees, including varieties of Ficus.
Bauhinia.
Grewia.
Dalbergia.
Isora.
Butea.
Vernonia.

and a number of plants which have not yet been identified, but which probably belong to some of the preceding classes :—

PALMS.

The most generally useful of this class, is the Cocoonut, or *Cocos nucifera*, which yields the Coir of commerce, prepared from the husk of the fruit. There is a very great difference in the specimens contributed, depending chiefly on the modes of preparation that have been adopted. While many of the samples are clean, pale yellow, and strong, others are coarse, dirty and brittle, from the apparent want of careful preparation.

The modes of cleaning the different fibres will be described at the end of this report, so as to avoid repetition, and to facilitate reference. Good clean coir is contributed by the Tanjore, Travancore, and Cochin local committees. Also from Poodoocotta, Chittledroog, and Cocanada. The best specimens have evidently been prepared from the fresh cocoonut by beating and washing the fibre before it was discolored by the sap. The Tanjore, Cochin and Travancore specimens are sufficiently clean to take dyes, and the ropes made from them are nearly equal in quality. There is a large export trade in coir from the Western Coast, the best of which comes from the Laccadive Islands, and the cocoonut appears to grow more luxuriantly there, than in other parts of this Presidency. The following quantities were exported in 1853-54. Coir and coir rope—cwt. 1,30—1,30,828—828—value 297-639 Rs. A prize has been awarded in another class, to the Canara local committee for some colored flooring mats manufactured from this substance. When carefully prepared and well dyed, it might be applied to finer manufactures.

Borassus flabelliformis, or Palmyra of Europeans. Some clean but brittle fibres are exhibited by the Tinnevely, Madura and Travancore local committees and well twisted rope accompanies most of the samples, but the material is said to be stiff, brittle, and liable to rot when wet. This substance does not appear to have undergone any preparation, and it contains so much woody fibre, that it is questionable whether it would ever be suited for manufacturing purposes. Its chief uses are for securing thatch and tying bamboos in building native huts, the dried leaves of this plant are used for writing upon with an Iron style, also in thatching, making fans, and light baskets for irrigation.

Elate or *Phoenix Sylvestris*, wild Date. There are only three exhibitors of the leaves of this plant, and these are in a crude unprepared state, or simply split and twisted into rope, its chief uses are for thatching and making light mats, for building huts. The fibres of the leaf stalk are used for cables in the Red Sea.

Caryota urens, the nar of the Indian Sago palm, is exhibited from Cocanada, Nellore, Masulipatam and Travancore. It is much used by the natives for making fishing lines and bow strings, it is very strong, resists water for some time, but is liable to snap if suddenly bent or knotted. It resembles black horse hair and might be employed for similar manufactures.

Calamus rotang.—Among the palms, is also exhibited a sample of what is called the marsh date, the leaves of which are used at Cuddapah for making ropes and mats: this may be the ground rattan, or *Calamus rotang* which grows abundantly in marshy ground, and bears leaves resembling those of the date.

ALOE FAMILY OR LILIACEOUS PLANTS

Agave Americana, Common American Aloe, Cuttalay, Bramarachasee Nor or Kitha Nava.—Some very fine specimens of this fibre are exhibited by the Tanjore, Travancore, and Nellore local committees, also by Dr. Riddell from Bolarum: Mr. Underwood, Madras: Major Dobbs, Chittledroog: the Lunatic Asylum, Bangalore: Mr. Thorpe, Monegar Choultry, Madras: Assist. Surgeon H. Nott, Tranquebar: Capt. Meadows Taylor, Nizam's Territories: and the Madras School of Arts. In addition to these, there are indifferent and bad specimens of the same fibre, from almost every part of the Presidency. Although this plant is not indigenous, it seems to be one of the most widely diffused in Southern India. It is particularly well suited for cordage, and from the repeated trials which have been made with it (see "Fibrous plants of India" by J. Forbes Royle, M. D. F. R. S. 1855. Reports of experiments made in the Arsenal Fort St. George, and the Madras Journal of Arts) there is no doubt that when carefully prepared, the fibre is as strong as Russian hemp. The Aloe fibre now forms an article of export, from the Western Coast; in the year 1853-54, 3,658 cwts. were exported, valued at Rs. 21,506. It was employed for several years, instead of English hemp, in the Arsenal at Madras, but it was ascertained that the fibre was liable to rot, when frequently wet, and its use was discontinued on this account. It has also been tried in the Arsenal as a substitute for tow in packing shot, but is found to be more easily cut.

Further experiments, however, would probably point out some means of overcoming this defect. The Jury are indebted to Mr. Thorpe for pointing out the cause of this defect, viz. its tendency to rot, and to Mr. Underwood for suggesting a means of obviating it. (See process of cleaning the fibres of Agave.)

Agave vivipara.—A good specimen of fibre from this plant is contributed by Dr. Kirkpatrick. It is long in the staple, clean and strong and has been prepared without rotting, by the simple process of beating, scraping and washing. The manufacture of this and of rope have been introduced as an employment for the Lunatics in the Asylum at Bangalore. The rope finds a ready sale in the bazaar, and pays all the expenses of the manufacture, besides providing a few comforts for the most industrious inmates.

The jury consider Dr. Kirkpatrick entitled to Honorable Mention for the introduction of this useful manufacture.

A specimen of fibre said to be from the *Agave viridis* is exhibited by the Cuddapah Local Committee. It is of fair quality, but not so clean as the last, it is probably the produce of the same plant.

Fourcroya gigantea.—Nearly allied to the Agave, is the Fourcroya or Seemay Cathalay, this fibre is of 5 or 6 feet in length a little finer than the

Agave fibre, but possessed of similar properties. Good samples are exhibited by Mr. Jaffray from the Horticultural Garden; by the Bangalore Local Committee; the Madura Local Committee; and the Madras School of Arts. The plant is one of the largest of its class, the leaves often attaining the length of 10 feet, but it is not so abundant as the Agave, though as easily propagated.

Sansevieria Zeylanica.—Marool, Murle, Moorva, Moorghabee, Dant Saga or Sago Nar. This plant appears to abound in most parts of this Presidency, it has narrow striped leaves and resembles the Agave in some of its characters, but produces finer fibres, which are easily separated from the pulp. The best specimens are contributed by the Travancore and Tanjore local Committees, the Madras School of Arts, Mr. Jaffray and Mr. Thorpe: several of the contributions from other localities are discolored from steeping, and one or two are dirty grey and brittle. This fibre has long been known as a useful material for cordage and it is soft, silky and pliant when well prepared. It is sometimes called Bowstring Hemp, and is about equal to the Agave fibre in point of strength; as it is a finer material, it might be applied to a better description of manufactures. The plant is easily propagated and yields a good crop under cultivation. It was tried against Russian Hemp, on board the *Thalia* East Indiaman, when commanded by Captain Biden, and was highly approved of; it has also been made into fine cloth. Some good thread, twine, rope, and cord made from this fibre in the Justice's jail, and house of correction are exhibited by Dr. Hunter, along with ropes made from the Agave, Musa, Yucca, and Calotropis fibres.

Yucca Gloriosa.—Adam's needle. This plant yields a strong white fine but rather stiff fibre, suited for the manufacture of cordage, it very soon becomes discolored by steeping, but is not so liable to rot as some of the other fibres of this kind. Very good specimens are exhibited by Dr. Riddell, Dr. Kirkpatrick and Revd. P. Methuselah; the plant does not appear to be abundant in Southern India, but grows easily and might be propagated to a great extent.

Yucca Aloifolia.—This fibre is white, pliant and strong when well prepared, it resembles the Agave fibre in some respects, but is liable to be discolored by steeping, which the Agave is not. A good specimen of this fibre is exhibited by the Madras School of Industrial Arts; the specimen exhibited by Mr. Jaffray is grey, stiff and chaffy, from too long steeping.

Pine Apple, *Bromelia ananas* or *Ananassa Sativa*.

Some very clean and well prepared samples of this fibre are exhibited by Dr. Riddell of Bolarum, from Co-canada, South Arcot and Travancore. The Madras School of Industrial Arts exhibits a series of well dress-

ed and hackled fibres, thread, yarn, twine and tow for string, prepared from the common Pine apple, and the variegated variety introduced a few years ago from Singapore. All the above samples are nearly white, very soft, silky and pliant, and the material seems to be good substitute for flax, as it is known to be strong, durable, and susceptible of fine subdivision—It has also the advantage of being as long in the staple as flax, and it can be worked up with the same machinery. The objection which used to be made to this material, that it would not bleach, has been found to arise from the faulty mode of preparation by steeping, which is resorted to in Manilla and Singapore,—where the fibre is prepared in large quantities. The specimens sent from Travancore and Tranquebar are stiff, hard, dirty, and brittle from steeping.

PANDANUS ODORATISSIMUS.

Screw Pine—Keora—Kaldera bush—Thaium, Thaulay Mazalic, Seethay Nar and Umbrella Tree.

The number of names by which plants are known in different districts of India is very confusing. The screw pine is a good instance of this. The only clean specimens of this fibre are exhibited by Mr. Underwood, and the Madras School of Industrial Arts. All the others are discolored by rotting. The leaves of the plant are used by the natives for making mats—baskets and hats. There are extensive manufactories of these articles at Pulicat, Cuddalore and several other localities. The fibre of the leaf is white, soft, and pulpy, but possessed of little strength. It appears to be a good material for the preparation of paper, but ill suited for cordage. The aerial roots are much used as coarse brushes for white washing houses, when beaten with a mallet, they open out like a soft brush.

RUSHES, GRASSES AND SEDGES.

Although these substances are extensively used in India for the manufacture of mats, ropes, baskets, and thatching, there is but a poor display of them in the Exhibition. The Travancore Local Committee and the Canara Local Committee exhibit the *Cyperus Textilis*, and a finer kind of grass called kooray or koaray both used for making mats. The celebrated mats of Paulghat and Cochin are noticed in another class. Several species of *Typha*, *Juncus*, and *Saccharum* are known to abound in this Presidency, and to be applied to useful purposes. The *Phrynium dichotomum* of Bengal is used for making the sital patee mat.

The *Saccharum Munja* is used in Bengal for making strong ropes for tying up cattle and drawing water.

The *S. Sara* yields the common Reed Pen of India, specimens of which are exhibited in this class.

A few neat table mats are exhibited from Kimedya, and some teasing brushes made from the roots of a grass called Chepooroo valelloo. These are likely to

command a ready sale, if they could be brought prominently to notice. The botanical names of the plants from which they are made are not yet ascertained. Further enquiries are requisite in this department of Raw produce.

MUSA PARADISIACA.

Plantain, Banana, Valey. This plant is cultivated everywhere in Southern India. It yields a fine white silky fibre of considerable length, specifically lighter than Hemp, Flax and Aloe fibre by 1-4th or 1-5th and possessing considerable strength. There are numerous varieties of the Plantain, which yield fibres of different qualities, viz.:

Rustaley, superior table plantain.

Poovaley, or small Guindy variety.

Payvaley, a pale ash colored sweet fruit.

Monden, 3 sided coarse fruit.

Shevaley, large red fruit.

Putchay Laden or long curved green fruit.

These varieties as might be expected, yield fibres of very different quality. The only samples in which the different plants are noted, are those contributed by the South Arcot Local Committee, but they are not well cleaned. Very fine specimens of this fibre are contributed by the Local Committees of Masulipatam, Tanjore, Malabar, Canara, Nellore and Travancore. Very carefully prepared Plantain fibre, Hackled Do yarn, string, rope, tow and half stuff for paper are exhibited by the Madras School of Industrial Arts. The same fibre is exhibited from almost every district in the Presidency, and varies in shade and quality according to the method of cleaning that has been adopted. This plant has a particular tendency to rot and to become stiff, brittle and discolored by steeping in the green state, and it has been ascertained by trial that the strength is in proportion to the cleanness of the fibre. If it has been well cleaned, and all the sap quickly removed, it bears immersion in water as well as most other fibres, and is about the same strength as Russian Hemp. The coarse large fruited plantains yield the strongest and thickest fibres, the smaller kinds yield fine fibres, suited for weaving, and if carefully prepared, these have a glossy appearance like silk. This gloss however can only be got by cleaning rapidly, and before the sap has time to stain the fibre, it is soon lost if the plant be steeped in water. By far the greater number of specimens of Plantain fibre exhibited are discolored from steeping, and they have acquired a dull ash grey or brown color, which in this plant is always accompanied by stiffness and brittleness; one or two of the specimens are so brittle as to break when gently rubbed; others are harsh and stiff. Some well made rope, line, and string are exhibited by several of the Local Committees. A 2d Class Medal is awarded for the ropes from Mayaveram in Tanjore, these are clean, strong, silky and well laid up. A 2nd Class Medal

is awarded to Mr. Thorpe for the cleanest and largest bundles of Plantain fibre, prepared in the Monegar Choultry. The Madura Local Committee exhibits fine specimens of fibre cleaned both by the quick process and by soaking, the latter have lost their gloss and are stiff and not so strong as the others.

The Travancore Local Committee exhibits some excellent fibre and rope, the latter very carefully laid up but stiff from over twisting. This kind of rope ought not to be hard spun, as it becomes stiffer when wet and is liable to snap if it gets into a twist or knot. The Plantain fibre being one of the most abundant in India, will be again noticed under the head of Cultivation and cleaning of fibres.

EXOGENOUS FIBROUS PLANTS, or those characterised by having a true bark and reticulated leaves: the most important of this class are the commercial varieties of cotton.

GOSSYPIMUM HERBACEUM, OR PAROOTY, OOPUM, PUNJEE.

There are several exhibitors of this staple of Indian commerce, though few of the samples are in large bales, and a large proportion are too dirty to attract the attention of the mercantile community. The best series of cottons grown from imported seed is that exhibited by Mr. Jaffrey, consisting of samples of Bourbon, Sea Island, New Orleans, Mexican, Brazilian, and American cottons, all of these are carefully selected, well cleaned, and long in the staple, but as prizes have already been awarded for them at the annual exhibition of the Agri-Horticultural Society, they cannot now compete with recently grown samples.

The best bales of Cotton are those exhibited by Messrs. Fischer and Co. grown at Salem from Bourbon seed. This is fine in quality, clean and of good staple. The Jury award a 2nd Class Medal for these bales.

Mr. Meppen also exhibits good samples of New Orleans, Sea Island, and Hybrid cotton grown in the Mysore Government experimental farm at Cuddoor. The two latter are clean, of excellent quality, and of fair staple. The experiments of Mr. Meppen on Hybridising the cotton plants of India and America are worthy of commendation, and the Jury award a 2nd Class Medal for his contributions—some well cleaned cottons are exhibited by the Guntoor and Tanjore Local Committees, and from Chittledroog, but they are short in the staple, and generally coarse in quality.

Some Nankin cotton, of a dark color and rather coarse quality, is exhibited by the Madura Local Committee grown near Dindigul.

There is a very poor display of plain cotton yarns and none deserving of special notice.

Bala Chetty of Madras exhibits a very good series of colored yarns among which the different shades of Red,

Purple, Brown, and Orange are very brilliant and clear. A 2nd class medal is awarded for this series.

Some dark colored yarns and thread are exhibited by the Guntoor Local Committee and from Ventapollem.

SILK COTTONS.

Small samples of the silk cotton from the *Bombax*, *Ochroma lagopus*, *Calotropis* and *Cryptostegia* are exhibited, but they appear to have been put to no other use than stuffing pillows; they might be employed for the manufacture of paper, and the silky down of the *Cryptostegia* being very strong might be applied to some textile manufactures.

FLAX.

FLAX, *Linum Usitatissimum*. There are but three samples of the true flax exhibited, and they are all stained and badly cleaned. This is to be regretted, as the staple is of good length and the fibre is said to be procurable in large quantities in Goomsoor, and the Nizam's territories, if previous intimation be given to the Cultivators.

SUBSTITUTES FOR FLAX.

There is a very good display of fibres resembling flax in appearance and other qualities. One of the most promising of these is the Yercum, (*Calotropis gigantea*) a soft white fibre possessed of great strength, and susceptible of being spun into the finest yarn for Cambric.

Very good well cleaned samples of this fibre are exhibited from a number of districts. The best is a large bundle of carded fibre prepared by Mr. J. F. Crampton of Madras. The jury award a 2nd class medal for this specimen.

Some very good samples of rope and string are exhibited by the Tanjore and Bangalore Local Committees, and of fibre, thread, and cloth by the Cuddapah Local Committee—Bala Chetty of Madras exhibits some fine yarn, and Mr. Underwood some cambric made from this fibre for which a prize is awarded in another class.

The Palay (*Cryptostegia grandiflora*) is another climbing plant, belonging to the same family as the last (viz. the Aselepiadaceae) it yields a very fine strong white fibre, which resembles flax, and is susceptible of being spun into the finest yarn. Mr. Underwood is the only exhibitor of this fibre in the clean state, and spun into yarns of different qualities. It has not yet been woven into cloth, but it appears to be deserving of attention, as the plant is common, and yields a considerable percentage of Fibre. (See Remarks on Cultivation and cleaning of Fibres. The Koorinja, (*Tylophora Asthmatica*) is another plant of the same family, which yields a strong while Silky fibre resembling Flax, a small sample of it is exhibited by the Tanjore Local Committee and is noticed under the substitutes for Flax.

The Ootrum fibre (*Damia extensa*) is another promising substitute for Flax which has been noticed

under that head, as exhibited by Captain Meadows Taylor.

INDIAN HEMP (*Cannabis sativa*) Gunga Nar or Vari Banghy Nara. There are only four exhibitors of this fibre, the best and cleanest sample having been sent from Nellore. This plant does not thrive in Southern India so well as in the North West Provinces, and the colder parts of Bengal; it there produces a strong fibre suited for cordage and weaving, but in Southern India the Fibre deteriorates, and has little strength, it grows best at altitudes of 3 to 7000 feet.

There are a number of Indian plants, which yield good substitutes for Hemp, some of which are extensively cultivated in this Presidency.

SUNN HEMP, (*Crotalaria juncea*) called also—Sun-nub, Vuckoonar, Shanal or Jute gramee.

This plant is largely cultivated for the manufacture of Rope, string and gunny bags. It is exhibited from a great many districts, but every specimen has been more or less discolored, and its strength impaired by steeping too long. The best sample is exhibited by the Masulipatam Local Committee. This fibre is not so strong as many others, but it is well suited for the manufacture of gunny bags and paper, and is sometimes sold as Jute; it will be noticed again under the head of cleaning fibres.

The exports from Madras in the year 1850-51 were	
Sunn Hemp.....	cwt. 2,095
Twine from Do.....	cwt. 1,372
Gunny bags.....	58,950

JUTE (*Corchorus olitorius*.) The true Jute of Bengal is not exhibited, the most abundant of the Hemp plants of this Presidency, are the species of Hibiscus and Abeltmoschus, which appear to thrive in almost every district, and to be cheaply and easily cultivated. The species are sometimes mistaken for each other, and much uncertainty still exists regarding the local names by which they are known. The most common kinds are the *Hibiscus cannabinus*, or sour greens called Poolychay, Ambaree, Palungoo, Googoo, Gonkura, Poonrick, Pooly-manjee and Thella Googoo.

The *Hibiscus Sabdariffa*, or Rozelle, called Yera googoo. Kaserika, Poolychay keera.

Good samples of the *Hibiscus vesicarius*, or wild Ambaree are exhibited by Captain Meadows Taylor.

H. Vitifolia, *H. Lampas*, *H. Rosa Chinensis* and *H. Mutabilis* are contributed by Mr. Jaffrey and the Madras School of Arts.

The *Abeltmoschus esculentus*, Bandikay, Bendee, Vendee, Ambaree. This plant yields long silky fibres possessed of considerable strength and pliancy, well suited for the manufacture of Rope, String, Gunny bags, and Paper, and bearing considerable resemblance

to the true Hemp of Europe. There is a great consumption of them in this Presidency, chiefly for Rope and gunny bags, and they are exported to a small extent as Hemp. In the year 1853-54 the following quantity was exported 6,112 cwt. valued at 27,113 Rs. Samples of these fibres are exhibited from a number of districts, but nearly all of them are discolored and their strength much impaired from steeping. They retain their gloss even when very brown and rotten. The best specimens are contributed by Dr. Riddell, Captain M. Taylor, Dr. Kirkpatrick, and from Trivady in Tanjore, Cocanada, and Masulipatam. Some of these appear to have been cleaned without steeping and are of good strength, soft, pliant, whitish yellow in color and very silky.

The *Abeltmoschus ficulneus* belonging to the same class also promises to be a useful fibre for gunny bags and paper. The bark contains a large proportion of white reticulated fibre, similar to that obtained from the Mulberry. Mr. Jaffrey exhibits a very good clean sample of this fibre which is of great length, but not very strong. It grows abundantly on the black cotton soil in this presidency.

Nearly allied to this class is the *Abutilon tomentosum*, or Toothee; some small indifferent specimens of which are exhibited from two or three districts. The *Abutilon polyandrum* also yields a silky long fibre resembling Hemp exhibited by Mr. Jaffrey.

Some small samples of Fibres from the *Althæa rosea*, and varieties of *Sida* are also exhibited but they do not merit particular attention.

Some good white fibres from the bark of the *Isora Corylifolia* are exhibited by the Madura Local Committee, by Mr. Saldanah and Mr. Jaffrey. The same fibre is called Googull and is made into excellent Ropes at the Training Depot.

Dr. Riddell exhibits fibres of the *Grewia Asiatica*, *G. Tiliaefolia* and *Maliop grandiflora*, but they are coarse and indifferent.

The *Decaschistia Crotonifolia* exhibited by Mr. Jaffrey appears to yield a good fibre. It is to be regretted that no samples of Nettle fibre, *Urtica* or *Boehmeria*, have been contributed, as it is known that these abound on the Neilgherries, and other localities, and that they yield a long and silky fibre like the true Rhea or China grass. The *Girardinia Leschenaultiana* figured by Wight (Icon. t. 1976) is frequent all over the higher range of the Neilgherries, the bark yields a fine strong white flax-like fibre, which the Hill people obtain by plunging the plant in hot water to deprive it of its virulently stinging properties, and then peeling the stalks. The textile material so prepared is of great strength, and the Todawars use it as thread.

A large and interesting class of Fibrous substances, which have hitherto attracted but little attention, is the unprepared Barks of Trees, many of these yield a strong and ready substitute for rope, and from the

quantity of Tannin, which some of them contain, they resist moisture, and retain their strength for a long time; with a little care and the employment of simple machinery, excellent ropes, mats and baskets might be prepared from some of these substances, and they would probably find a ready sale for agricultural and commercial purposes. One of the most common of these barks is the *Bauhinia diphylla*, called Authee nar, Yepy, and Apa. This is a strong coarse brown bark of which the Natives make a temporary rope for securing thatch, matting or fences. The barks of several other *Bauhinias* are used for the same purposes. The Ara nar is the bark of the *Bauhinia parvifolia*, of which matches for native guns are made. This class also includes the barks of the Banian, *Ficus indica* or Ala nar, Peepul, *Ficus religiosa* Arasa nar, *Ficus racemosa*, Atti nar, *Ficus oppositifolia*, Bodda nar, *Ficus* (?) Cullethy nar. The Honorable Mr. Elliot exhibits fibre and cloth made from the bark of the *Ficus Tomentosa*. We have also the barks of several species of *Acacia*, as the Babool (*Acacia arabica*,) or karoovalum nar, the white *Acacia*, or Oday nar, (*Acacia Leucophlea*,) Velvalla nar, *Wrightia tinctoria*, and a number of other plants not yet identified.

The trailing roots, twigs, tendrils, and drops of a number of plants are used for the same purposes, and this is a subject well deserving of further enquiry.

ON THE CULTIVATION AND CLEANING OF FIBROUS PLANTS.

Few subjects present a wider or more interesting field for investigation, than the best modes of cultivating and cleaning fibrous plants. Hitherto, these branches of industry have not been carried on in India, with sufficient care or energy, to make profitable returns to the Agriculturist or the merchant. Some very serious faults have been committed in the process of cleaning Indian fibres, which have tended in a great measure to deprive them of their value for manufacturing purposes. In order to save labour, the usual practice has been to steep the plants till the sap and vegetable juices are thoroughly decomposed, and the fibre can then in most instances, be easily beaten or washed out, but this method though applicable to a certain extent, in cold climates, where decomposition takes place slowly, is found to be very injurious to the fibre, and to be almost inapplicable in warm climates, where fermentation often passes into putrefaction within three days, and the decomposed sap acquires acid and other properties which not only deprive the fibres of their strength but discolor them in such a way as to render them quite unfit for manufacturing purposes. Most vegetable substances contain besides the fibrous tissue, sap, cellular tissue, and a little coloring matter; the sap consists usually of water, gum, fecula and alkali with occasionally tannin.

When plants are dead or dried up, they pass into a red or brown usually streaked with deep yellow and grey. It is often possible to detect a regular succession of colors in the different parts of the same plant, and a few very useful lessons may be drawn from them—1st, that pale yellow or greenish parts of a plant contain fresh, tender fibres—2dly, that deep green parts of a plant contain fibres in full vigor, and 3dly that red or brown parts indicate that the fibre is past its prime and beginning to decay. In the latter case, the fibre becomes stiff harsh and often brittle. If plants be cut and exposed to the air or steeped in water, the same succession of colors may be observed, while they are drying or passing into decomposition, and these form a criterion by which the value of the fibre may be detected. As soon as a plant is cut, the circulation in its leaves ceases, and a new process is set a going which if carefully watched, will be found to be a beautiful and wise provision for reducing the parts to their primitive elements; the fecula and gum begin to ferment passing first into sugar, then into spirit and lastly into vinegar, the rapidity of the changes is usually in proportion to the water in the sap and the temperature of the air; the drier the plant the more slowly does it usually decay, but if the sap be allowed to dry up in a cut plant, the above changes still go on, though they are less perceptible, and the plant undergoes another change which is an equally wise provision for reducing it to its pristine elements. It becomes stiff and brittle, light and crumbly, parts falling into dust while the fibre and woody parts often remain to point out how the plant grew, derived its nourishment, and accomplished the ends for which it was created. It is from a careful observation of the laws of vegetable growth and decay, that man has been enabled to take advantage of many of the beautiful vegetable products that lie scattered about in luxuriant profusion, and in proportion to the pains he takes to observe the laws of nature, and the judgment he displays in applying this acquired knowledge to scientific or useful purposes, so are the results beneficial to the community at large; one man looks perhaps at the Chemistry of vegetation, another merely at the Physiology, while a third considers it useless to waste time with such abstruse studies, and enquires merely what is the mercantile value of fibrous substances, and how cheaply they can be brought into the market. Now all these enquiries have their relative importance but unfortunately for India, scientific and practical researches have not been carried far enough, and mere economy of production has been studied, and as far as most of the fibrous plants have been concerned, the results are anything but satisfactory. It would be as useless as it is uncalled for, to enter into a detailed account of the method of cleaning every kind of plant, but some broad and simple principles may be laid down, which have been found by experience to be applicable to the cleaning of most fibres.

THE CUTTING OF PLANTS FOR FIBRES.

The leaves, stalks or barks of plants should be cut when in full vigor and of a bright green color—when old, dry or decayed, they yield coarse and stiff fibre—no more should be cut at a time, than can be cleaned within two days, and the cut plants should not be left long exposed to the sun, as the sap dries up, and the process of cleaning then becomes more tedious. The sooner the sap, pulp, and impurities can be removed from the fibre, the cleaner and stronger will it be. The process of rotting plants, or steeping till fermentation takes place, is objectionable in a warm climate, and is now being abandoned even in cold climates, as it discolors the fibres and takes from their strength. Beating, crushing and scraping fibres improves their quality, instead of injuring them, as was at one time supposed. In fact, the more a fresh fibre gets knocked about, provided it is not cut across and rendered too short in the staple, the softer and more pliant does it become. If a plant be well crushed or beaten soon after it is cut, it may be immersed in water for a night and a good deal of the injurious part of the sap will be removed.

The above remarks are applicable to the cleaning of nearly all plants. Some special observations will now be necessary as regards particular classes.

THE PALMS—COCOANUT COIR.

It has lately been proved that the fibre from the husk of the ripe fruit is greatly improved in quality and appearance by beating, washing, and soaking, and that the old method of steeping in salt water for 18 months or 2 years, is quite unnecessary, and that it produces a harsher and dirtier coir. The Tannin which this substance contains prevents the fibre from rotting, but most of the coir of commerce is a dusty harsh produce, very different from many of the clean and dyed samples exhibited, which are suited to a superior class of manufactures, as fine mats and furniture brushes.

LEAVES OF THE PALMS.

These are employed for thatching and making fans, they do not undergo any preparation; a better description of mats for packing purposes might be made, and if kept always on hand would probably find a sale.

LEAF STALKS OF THE PALMS.

These are harsh, stiff and brittle, but if beaten and washed they become softer and whiter; if carefully split and drawn like wire through perforated steel plates, a neat clean and durable basket work might be made from them.

LEAVES OF THE SCREW PINE.

Some neat kinds of basket work have been made from this substance, it has also been tried for paper and yields it of good quality, light and strong. Further experiments are required to separate the green parts of the pulp from the white short fibre.

RUSHES, GRASSES, AND SEDGES.

A good deal of uncertainty exists regarding the number and the names of the species employed. There is a great difference in the quality of the mats exhibited, but it is uncertain whether this depends upon the treatment of the grass and the modes of splitting it, or on the different qualities of the species employed. The Paulghat and Cochin mats have long been considered the finest.

LILLACEOUS PLANTS.

These include the different varieties of Aloe, Agave, Yucca, Fourcroya and Sansevieria. These plants are all hardy, and require but little care for their cultivation. They are comparatively easily cleaned, and yield good white fibres of considerable length. All that is necessary for cleaning them is to beat or crush the pulp with a common mallet, a pair of crushing cylinders, or a brake, then scrape away the pulp and wash the fibre. There are large exports of Aloe fibre from the Western coast, and the cultivation of these plants might easily be extended on this coast, as it was on a former occasion. (See Report in Records of Military Board on Aloe Ropes supplied to the Arsenal from the years 1797 till 1805.) It was lately ascertained by Mr. Thorpe of Madras, that the Aloe fibre contains a thick, viscid milky juice which remains in the fibre after it has been cleaned and imparts a stiffness to it. This juice can only be removed by hard beating or crushing. Mr. Underwood has invented two simple and effective machines, one a cheap modification of the brake, and the other a grooved cylinder press covered with sheet Iron, by which the juice is removed, and the fibre afterwards becomes soft, pliant and fit for weaving. It is probable that this juice gives the aloe fibre its tendency to rot when much exposed to moisture.

FLAX AND ITS SUBSTITUTES.

Several experiments are now being tried to improve and extend the culture of Flax from European and country seed. It is found to grow on the Shevaroy Hills, Mysore, Cuddapah in the Nizam's Territories and the Northern Circars. In cultivating Sunn, Hemp or Flax, it is important to remember that the seeds should be sown thickly together, in order that they may shoot up into long wandlike plants, which will yield much longer fibres, and be much less branched than if sown wide and freely exposed. The most promising substitutes for Flax appear to be the Pine Apple, Yercum, Palay, Ootrum and Koorunga. Several of these grow abundantly in Southern India, but experiments are required to test their productiveness and the expense of their culture.

PLANTAIN FIBRE.

This plant is extensively cultivated throughout India, but very little attention has been paid to the clean-

ing of its fibres. The plants being cut down and allowed to go to waste. The fibre is easily cleaned, but some simple machinery is requisite, of the description invented by Mr. Underwood, or by Major Maitland, both of which appliances have been found on trial to be efficient. Natives would require to be instructed in the use of these machines, and rewards should be offered for the best bales of fibres exhibited.

HEMP, JUTE AND SUNN.

Of all Indian fibres, these appear to hold out the best prospects of proving remunerative. They are easily cultivated, and appear to thrive in most parts of the Presidency. Though not so strong as flax and its substitutes, they are suited for cordage, coarse cloth and other manufactures. The demand for them is steady and would probably increase if they were prepared of good quality. They could be cleaned economically by the same machinery as is used for cleaning flax, but the machines would require to be made, and their uses

taught to the Natives; liberal encouragement ought to be held out to cultivators and cleaners of the fibres. Further experiments might also be tried on the barks of some other promising plants as the species of *Hibiscus*, *Abutilon*, *Abelmoschus*, *Althaea*, *Ficus*, *Bauhinia*, *Grewia*, and *Wrightia*.

Another point of some importance, which still requires to be determined, is whether Tanning or Tarring is the better mode of preserving Cordage, and whether a substitute for tar might not be discovered in some of the numerous Resins and Gum elastics of Southern India.

It should also be borne in mind that it would be more advantageous for India to turn her fibrous substances to profitable account in manufactures, than to allow other nations to reap the benefits of her fertile soil and abundant vegetation.

ALEX. HUNTER.

Reporter.

LIST OF INDIAN PLANTS YIELDING FIBRES.

Common Name.	Botanical Name.	Uses.
Sara	<i>Saccharum sara</i>	Moonshee's pen, reed grass.
Mat-Grass or Coaray	<i>Cyperus textilis</i>	Used in the manufacture of mats.
Camachy pilloo	<i>Andropogon schoenanthus</i>	Used in thatching.
Moorghee or Marool	<i>Sansevieria Zeylanica</i>	Bow string hemp, abundant along coasts.
Pita in Adam's Needle	<i>Yucca gloriosa</i>	Fibre and Oakum, clean and strong.
	<i>Yucca aloifolia</i>	Clean white and silky.
Pita fibre in great Aloe	<i>Agave Americana</i>	American aloe, now common in every part of India, used for cordage.
Kathalay	<i>Agave Vivipara</i>	Long in the staple, clean and strong, used for cordage.
	<i>Agave Viridis</i>	Not strong do.
Seemay Kathalay	<i>Fourcroya gigantea</i>	White, strong, fit for cordage or paper.
Pine Apple fibre	<i>Ananassa Sativa</i>	Fibres of various kinds, and worked handkerchief, cords of different sizes.
Plantain fibre	<i>Musa paradisiaca</i>	Preserved fruit and meal, fibre, tow, cords, ropes, tarred rope, canvas, worked handkerchief and paper.
Fragrant Screw Pine	<i>Pandanus Odoratissimus</i>	White, good for paper.
Cocoa	<i>Cocos Nucifera</i>	Cocoa mats, cord and ropes.
Palmyra fibre	<i>Borassus flabelliformis</i>	Good colored fibre only fit for basket work or coarse cordage.
Flax	<i>Linum usitatissimum</i>	Flax of commerce.
	<i>Grewia asiatica</i>	Coarse strong bark.
	<i>Do. tieioefolia</i>	Do.
	<i>Triumfetta angulata</i>	Do.
Jute	<i>Corchorus olitorius</i>	Jute, cloth, gunny bags and rope.
	<i>Do. capsularis</i>	Jute, cloth, gunny bags and rope.
Poolychay fibre	<i>Hibiscus cannabinus</i>	Gunny bags and cordage.
Roselle fibre	<i>Do. Sabdariffa</i>	Strong and silky.
Wild ambara	<i>Do. Vesicarius</i>	Soft and silky, fit for weaving.
Shoe plant fibre	<i>Do. Rosa chinensis</i>	Clean and silky, fit for cordage.
	<i>Do. Vitifolia</i>	Good color, strong do.
	<i>Do. Lampas</i>	Fit for rope and paper.
	<i>Abelmoschus ficulneus</i>	Good color and long do.
Vendee fibre	<i>Do. esculentus</i>	Strong and clean.
	<i>Decaschistia crotonifolia</i>	Strong, silky and of good color, fit for weaving.
	<i>Abutilon tomentosum</i>	Silky, good color, not strong.
	<i>Do. polyandrum</i>	Silky, stronger than the last, fit for rope.
Toottee	<i>Do. Indicum</i>	Clean and strong, fit for rope.

LIST OF INDIAN PLANTS YIELDING FIBRES.—Continued.

Common Name.	Botanical Name.	Uses.
Cotton	<i>Gossypium indicum</i>	Canvas and rope.
Brazil cotton	Do. <i>acuminatum</i>	1½ inch staple, very clean.
Valumbrikai	<i>Isora corylifolia</i>	Strong, white, fit for weaving.
	<i>Eriochloa Candollii</i>	Dark color, fit for rope.
	<i>Guazuma tomentosa</i>	Slightly woody, only fit for rope.
Brown hemp	<i>Butea frondosa</i>	Gunny bags.
Sunn, or wuckoo nar	<i>Crotalaria juncea</i>	Strong, clean, fit for cordage and weaving.
	Do. <i>tenuifolia</i>	Stained but strong.
	<i>Sesbania cannabina</i>	Fibre and rope.
Malhun	<i>Bauhinia racemosa</i>	Makes strong ropes.
Yepy tree bark	Do. <i>diphylla</i>	Used in Cuddapah, makes strong ropes.
	Do. <i>Vahlü</i>	Do.
Odor fibre	<i>Acacia leucophloea</i>	Clean, young bark.
Karoovalum nar	Do. <i>arabica</i>	Coarse bark fibres.
Ak, Mudar, or Yercum	<i>Calotropis gigantea</i>	Fibres clean, a good substitute for flax, fit for cambric cloth and twine.
Ootrum ka bel	<i>Doemia extensa</i>	Very fine, strong and like flax do.
Koorinja	<i>Tylophora asthmatica</i>	Strong, clean, and resembling the yercum.
Hemp	<i>Cannabis sativa</i>	Very good, clean, strong fibre fit for cordage.
Neilgherry nettle	<i>Girardinia Leschenaultiana</i>	Yields a fine strong flax.
Arasa nar	<i>Ficus religiosa</i>	A coarse fibre for ropes.
Atti nar	Do. <i>racemosa</i>	Dark coarse bark.
Aulamarum nar	Do. <i>indica</i>	Do.
Bodda nara	Do. <i>oppositifolia</i>	Soft fibre, fit for weaving.
Elavum parooty	<i>Salmalia malabarica</i>	Very fair for stuffing pillows.
Coat seeragum	<i>Vernonia anthelmintica</i>	Coarse fibre.
Parunday nar	<i>Cissus quadrangularis</i>	Dirty uncleaned fibre.
Arengee	<i>Antiaris saccidora</i>	Sacks made of bark for carrying rice.

JURY AWARDS.

CLASS IV.

Section V.

FIBROUS SUBSTANCES.

2D CLASS MEDALS.

Pro. No.	Catal. No.	Names of Exhibitors.	Objects Reward- ed.
cxxiv.	218	Messrs. Fisher and Co., Salem	Bales of Cotton.
clxxvi.	—	Mr. Meppen	Cottons.
cccxlv.	—	Bala Chetty	Colored Yarns.
lxiv.	—	Mr. Thorpe, Mone- gar Choultry. }	Aloe, yercum and Plantain fibres.
lxiv.	171	Mr. Crampton	Yercum Fibre.
lxxiv.	123—126	Mr. Horne.	Hemp lines and Coir Rope.
cccxv.	127	—	—
cccxv.	236 to 240	H. Forbes, Esq.	Rope made at Tanjore.

HONORABLE MENTION.

ccxxi.	56—64	Travancore Local Committee.	Fishing lines.
ccxxi.	265 to 297	Mr. Sheddan of Travancore }	Fibrous Sub- stances.
clxxvi.	174—205	Dr. Kirkpatrick	For introducing manufacture of Rope in Lunatic Asylum, Bangalore.
lxxxiii.	59—114	Madras Local Com- mittee.	For Fibres.
lxiv.	143—170	Mr. Jaffray	Do. do.

SECTION VI.

Cellular Substances.

SUB-JURY.

Lieutenant-Colonel G. Balfour, C. B., Chairman.

Lieutenant-Colonel T. T. Pears, C. B.

J. D. Sim, Esq.

H. Cleghorn, Esq., M. D., Reporter.

There are only two substances demanding the attention of the Jury in this Section, viz. Cork and "Shola."

Two specimens of cork were exhibited, one good, from the "Western Coast Jungles," by A. Hunter, Esq., and another inferior from Coimbatore, the trees producing the samples are not mentioned. The deeply cracked spongy bark of the "*Bignonia suberosa*" (country-cork tree) yields an inferior kind of cork.

Two samples of pith (Shola, obtained from "*Aeschynomene aspera*") were received from Nellore and Shemogah.

This substance is much used in India for making hats, bottle cases, &c. From its loosely-cellular structure, it is a very bad conductor of heat, and this, together with its great lightness, admirably fits it for the manufacture of hats, as was proved in the late Burmese War.

Shola is also advantageously used for making models of Temples, Houses, &c. which possess all the appearance of ivory. Beautiful specimens of these were exhibited in Class XXX.

Besides these, several light porous woods, such as *Gyrocarpus Jacquini* and *Salmalia Malabarica*; and the fruit of the Baobab used as floats for fishing nets are exhibited.

SECTION VII.

Timber and Ornamental Woods.

SUB-JURY.

Lieutenant-Colonel G. Balfour, C. B.—*Chairman*.
Lieutenant-Colonel T. T. Pears, C. B.
J. D. Sim, Esq.
H. Cleghorn, Esq., M. D.—*Reporter*.

ASSOCIATES.

John Rohde, Esq.
Lieutenant French.
Mr. Deschamps.
Mr. Williams.

The importance of this Section of the Exhibition, can scarcely be overrated, in a country like this, for it must be remembered, that the value of wood and timber here, is not to be measured by the estimation in which they are held, in temperate climates. Here, they are not only applied to those economic uses, with which we are all familiar, but they also furnish fuel to all classes, supplying the place of that valuable mineral, coal, which has not yet been found in any quantity within the limits of the Presidency. Besides this, the influence of trees on climate is very considerable, tending as they do, to prevent the too rapid withdrawal of moisture from the soil, a point of great importance in a country, where the heat of the sun is intense, and the supply of water is dependent only upon periodical falls of rain.

The value of timber would be best shown by the vast extent, to which it is employed in the various purposes of life. It is impossible to ascertain the amount used in this country, but the quantity of firewood alone imported by sea into Madras during 5 years is given below, that for 1849-50 being estimated by the Military Board to be equal to 12,000 tons.

Years.	Billets.	Value Rs.
1845-46	63,61,816	32,536
1846-47	42,77,013	22,746
1847-48	56,78,794	31,974
1848-49	104,75,590	58,026
1849-50	98,51,050	66,101

The above is exclusive of imports by Cochrane's Canal, and the trunk roads which the Military Board estimated at upwards of 85,000 tons per annum.

The trade Reports of this Presidency show that the exports of the following 5 woods alone, amounted in value to 3,84,000 Rupees in 1854, viz.—

Sandalwood, cwt.	11,684	137,944
Redwood, "	47,431	59,570
Sappanwood "	5,248	15,350
Ebonywood, "	4,859
Teak, "	216,368

These returns are all the Jury have at command, but they may mention that the imports of timber into Great Britain alone in 1850, amounted to ten millions of cubic feet. From these facts, may be deduced the great importance of endeavouring to ascertain first, which is the best kind of timber for each particular purpose, and 2d, whence the supply can be obtained with the greatest certainty and economy.

The number of individual contributors in this division is, as might be expected, small, but the specimens sent are numerous, and include many objects of great value and interest. It is evidently impossible for the Jury in their report to remark in detail on each specimen, which has come under their consideration. They have therefore referred to the lists of the different collections, published in the General Catalogue, and, for facility of reference, they have drawn up a Classified List, of 155 woods, containing in a condensed form, all the information within their reach. To this, therefore, the Jury solicit the attention of those, who either for practical purposes, or as a branch of scientific enquiry, feel an interest in this important subject. The Jury will limit themselves to a few general observations on each collection, to a statement of the grounds, on which they have adjudged the awards recommended by them, and to a brief notice of those points, to which in the ensuing exhibition, the particular attention of contributors should be invited.

Travancore.—The collection of woods, forwarded by the Committee of Travancore, is the most numerous (158 specimens) and best selected, and for these reasons, the Jury consider it deserving of a *First Class Medal*.

Among the many interesting specimens, which this collection includes, the Jury would draw attention to one of a tree, undoubtedly of the Cedar family, and named, though doubtfully, "*Cedrela Toona*."

The specimen is of considerable size, the outer wood is whitish in colour, and of little use, but the internal portion, forming about 2-3rds of the entire trunk, is close grained, hard, of a rich dark red, and takes a high polish. The tree is stated to be abundant, 25 miles North East of Trivandrum, and to yield planks from 2 to 3 feet in diameter, and the Jury are informed by competent practical advisers that it promises to be a good substitute for Mahogany.

2. *Mr. A. T. Jaffray.*—The collection which ranks next, in the opinion of the Jury, is one contributed by Mr. A. T. Jaffray, Superintendent of the Horticultural Gardens at Madras. The specimens, 88 in number (with one or two exceptions,) were obtained from the Gardens under his management, as a necessary consequence, they are of small size and chiefly of sapwood, but this defect is counterbalanced by their careful Botanical nomenclature, a point in which the other collections are unfortunately deficient: a few of the large Timber trees, for the same reason, have no representative in this miniature collection, which is, however, rich in many

new and interesting introduced woods, such as "Lignum vitæ," "Mahogany, Logwood, &c." The specimens are well prepared, showing the horizontal as well as vertical section of each tree, the bark being in all cases retained. The Jury recommend the award of a 2nd Class Medal to Mr. Jaffrey, and they would submit that his collection, or one prepared in the same manner, of full grown trees, would be valuable to the Government, as an index to the specimens in its possession, which show only the timber without any guide to the external appearance and character of each tree.

3. The *Tinnevely* collection is numerous containing 63 specimens, in the form of "truncheons." The native names are all carefully given; from the short period allowed for preparation, the specimens are necessarily unseasoned, and many of them are sapwood, but the collection deserves Honorable Mention, and gives a good idea of the resources of the Southern portion of the Peninsula.

The *Mysore* territory which forms the central portion of Southern India, and occupies a generally high level is well represented in the collections of Captain Miller, Assistant Commissary General, of Captain Gustard, Superintendent of Coorg, of Mr. Apothecary Xavier, and of Dr. Cleghorn.

4. *Captain Miller's* contribution contains 67 specimens, in the shape of truncheons, with the Canarese and Botanical names attached, though the accuracy of the latter is in some cases doubtful, for this collection the Jury award Honorable Mention.

5. The *Coorg* collection is numerically small, considering the vast forests in that territory. They are however, excellent samples, in regard to size and preparation, being cut from sound heart-wood, and well adapted for testing the working qualities of each tree.

6. *Mr. Xavier's* contribution contains 56 specimens accompanied with an account of the general uses, and local distribution of each tree, altogether reflecting great credit on that exhibitor; its deficiencies being obviously attributable to his limited resources, and the Jury award Honorable Mention.

7. *Dr. Cleghorn's* collection was made about 8 years ago. It consists of small thin slabs of 43 different kinds of woods carefully selected from trees of full growth. From the size of the specimens, the utility of the woods for building, and other such purposes cannot of course be tested, but the collection is of value, from its showing well the grain of the different woods, and their adaptation for cabinet purposes. The Jury would specially remark the *Michelia Rheedii*, (*Wight*) *Sumpaghy-mara*, which yields a pretty olive colored mottled wood, close grained, without being heavy, and well suited for cabinet making.

8. *Mr. Rohde.* The Jury are indebted to Mr. Rohde for six specimens of wood, the highly ornamental character of which, is well displayed, to many, probably for the

first time. They are turned into cylinders, which form seems well suited for displaying the character of the wood, and its suitability for cabinet purposes. The Jury would point to the Tamarind and Margosa trees, which abound in every part of the country, and by Mr. Rohde's skilful treatment, are shown to be suited for the most ornamental as well as the commonest purposes.

9. *Hyderabad.* The Jury would next notice the collection received from Hyderabad, from which some knowledge may be gained of the resources of the territories of His Highness the Nizam. The specimens are in a rough state, but obtained generally from trees of mature growth. The collection contains several woods of great promise, now probably used only for fire wood, and shows the need of a careful and systematic enquiry into the resources of this large tract of country. The Jury have only to refer to the fact that timber is now imported from Rangoon for the building of Churches and Barracks at Secunderabad. Monsieur Deschamps who favoured the Jury with his counsel produced a specimen of an unknown wood, procured from the Deccan, and eminently suited from its great beauty to the purposes of the cabinet maker.

10. The Jury have before them a few specimens from Rajahmundry, Nellore, and Masulipatam. They can scarcely be termed collections, but are interesting and useful and deserve Mention here. The jury are aware that little time was allowed to the Local Committees for the collection of specimens, and even that little was not exclusively available for any one of the important subjects which the Exhibition embraces. The Jury regret that they are compelled to pass, almost without remark, a large collection from Ganjam. It has evidently been collected with much labour, but as the specimens consist chiefly of young sapwood, and moreover sustained injury in transit, the Jury are unable to form a judgment of its value. The tract of country which this collection embraces, is known to be rich in woods, and as the province has a long Sea coast, with facilities of water carriage from the interior, the expense of transit would probably not be such, as to throw its resources out of the market. The Jury here had the advantage of referring to the valuable collection of woods, made many years ago, by the late Colonel Frith, and now exhibited by the Military Board. A duplicate of this collection is lodged in the United Service Museum, London, and a list of the specimens is given in the Jury Reports of the London Exhibition of 1851. The Jury would submit with reference to this well known collection, that as many of the specimens are of sapwood, it does not in all cases furnish a fair criterion, whereby to test, and identify subsequent collections. The Jury would in conclusion, briefly notice some single specimens of peculiar merit.

The first is a very large plank contributed by Capt. Cunningham of the Mysore Commission, obtained from *Michelia Rheedii* (*Sumpaghy*). The extraordinary di-

mensions, (length $11\frac{1}{2}$ feet, breadth $4\frac{1}{2}$ feet, thickness 3 inches,) which the tree assumes, though rarely, and the ornamental character of the wood, are well shown in this specimen, which may with justice be declared *unique*. The Jury considering the rarity of such specimens, together with the expense and difficulty of its preparation and transmission, beg to recommend that a Second Class Medal be awarded to Captain Cunningham. The second specimen referred to, is a large and well seasoned plank of Moulmein Teak contributed by H. W. Porteous, Esq. (Dimensions $10\frac{1}{2}$ feet in length $3\frac{3}{4}$ in breadth, $1\frac{1}{2}$ inch thick) to whom the Jury feel greatly indebted for one of the finest individual specimens contributed to the Collection. It must not be supposed, that timber of such dimensions as the two above mentioned is often procurable, but the specimens are valuable; as showing what magnitude these trees can attain under favorable circumstances.

Another specimen which the Jury would notice is a slab of Kyaboooca wood, imported from Singapore and exhibited by J. Sanderson, Esq. A small portion is polished, and shows well the highly ornamental appearance of the timber in its marking. The specimen exhibits the very knotty character and curly fibres of the wood, from which pieces of even a foot square free from flaws, can rarely be obtained. The Botanical name of the tree has not yet been determined with certainty, although it is generally believed to be "*Pterospermum Indicum*." The Jury remark also two specimens of a somewhat rare wood. "Sassafras" both from Mergui. The wood is very fragrant, and contains an essential oil of value in medicine.

Another fragrant wood the "aguil," contributed by M. Nursing Row of Shemogah, also deserves mention. The Jury understand that the wood is sold by weight, and is prized next to Sandalwood by Natives. There is reason to believe, that this is the "*Aloexylon Agallocha*" the Lign Aloes of Scripture. The habitat of the tree has not been ascertained although it is supposed to have been brought from the Malayan Peninsula. The Jury beg to recommend a 2d Class Medal.

The Jury have looked in vain for any wood likely to answer the purposes of English or Turkish box, the most generally useful in Europe of all the hard woods. It is more than probable that its equal for many, if not all the purposes, to which it is applied, is to be found among the less known shrubs or small trees of our jungles, and it appears to the Jury, worthy of consideration whether a Medal or Prize should not be specially offered to any one, who shall exhibit and prove to the satisfaction of competent persons, the like properties in any abundant Indian tree. To prevent misapprehension, it may be desirable to state, that uniformity of structure and considerable toughness, hardness and retention of any sharp angles to which it may be cut, (whether on the end or on the side,) are essential prop-

erties; colour, except for certain purposes, is of little consequence.

The Jury must not omit to acknowledge the valuable aid cheerfully accorded to them, by Mr. Rohde, Lieut. French, Monsieur Deshamps, and Mr. Williams, in all matters requiring special practical knowledge and experience. They have also availed themselves of the very useful treatise on "Turning and Mechanical Manipulation" by Mr. Holtzapfell of Long Acre, with botanical notes by Dr. Royle, and "Observations on the Forest trees of S. India" by Dr. R. Wight, with practical notes by Mr. Rohde; these are the most reliable works for reference on this most important subject.

The Jury regard the subject of the Woods of India, as in all respects so highly important, that they venture to make a few suggestions regarding the collection, &c. of specimens, in the hope, that the deficiencies of the present Exhibition, may be remedied, and the labour and expense which many of the contributors have incurred, may not again be neutralized by the want of some particular information, or the neglect of some little precaution.

The Jury have endeavoured to make the most of the materials at their command, and have spared no pains to obtain the most authentic information within their reach, upon a subject confessedly difficult, but a comparison of their report with the numerical lists of specimens, will show how large a number of the samples are of little practical value, from the causes above noticed. They will now briefly mention the points to which contributors should pay special attention.

Nomenclature. Most of the woods, in general use, have a variety of names, and much confusion arises from this circumstance. There is first the *local* name, varying often in the same district. This should always be given, in the native character, whether Tamil, Tellogoo, Hindustanee, &c. Many woods have also a *commercial* name, by which they are known in the Market, as "Trincomallee" wood, "Coromandel" wood, &c. These names are sometimes derived from the place of export, but often it is impossible to trace their derivation. If this name is known, it should also be given, as it is very desirable to identify some valuable woods known in Europe, only by their commercial name. Lastly, there is the *Botanical* name, the sure determination of which is a matter of the first importance, for if this be known the tree can be identified with certainty, all over the world. It is very necessary, therefore, that the means of determining this should be furnished with each specimen. A small shoot bearing flowers, fruit and full grown leaves, either together or separately, pressed flat and dried, so as to be fixed on a sheet of paper, is such a specimen as is required, and if it comprehends all these parts, is a representation of the largest tree, in the forest, and gives a sufficient idea of the plant to the Botanist, to enable him to find its place in the

Systema Vegetabilium. The fruit and seeds sometimes, will not bear compression, in that case, they should be sent separately. Succulent fruits are best preserved in a strong solution of salt. It is important to observe how the specimens should be marked. Paper labels are unsafe, writing on cadjan leaves is less liable to be defaced, but the woods should in addition to a label be cut or branded with a number. The Botanical specimens should be securely sewn up or pasted in a paper bag with a corresponding number.

SIZE, &c. OF THE SPECIMENS.

For a complete collection, there should be several of each wood from various localities. 1st. A horizontal section of the tree with the bark complete, and about 3 inches thick. 2d. A plank about 3 inches thick, and about 3 feet long, cut from the log about half way between the pith and heart, the bark, sapwood, &c. being retained. 3d. Two or three bars about 2 feet 6 inches long, 2½ inches square (if the plant grows so much) cut from the sound wood. 4th. A turned cylinder of hard or ornamental woods, 1 foot long and 3 inches in diameter.

The use of the above specimens is obvious, the first shows the character of the entire timber, having sufficient to illustrate this, the 2d shows the value of the wood for carpentry, &c., the 3d enables trials to be made of the strength of the wood, its power of supporting weight, its deflection, &c., the 4th shows its ornamental nature and suitability for turnery. These specimens should be planed smooth at each extremity, but neither varnished nor polished.

But the value of wood depends much on its age, the young tree possesses strength and elasticity in the greater degree; when mature, i. e. when it would shortly cease to increase in diameter, as it increases in age it acquires its maximum of stiffness and durability, in its aged state, it will also probably best suit the purposes of the Cabinet Maker. The grain of the wood depends also greatly on the nature of the soil, being generally straight and open in a tree growing rapidly, on a rich, and the reverse in a poor soil. In some cases, specimens of the root of the same tree in different stages of growth, would be very serviceable as affording wood of great resisting power for furniture, thus the root of a healthy Oak is prepared for spokes of wheels, while veneers from the root of an aged specimen, often bear a high value for Cabinet purposes. The objects for which the wood seems adapted must be a guide to the collector in the choice of these forms.

The Jury need scarcely remark that specimens in the above forms are not required of all woods, but only of new, little known or valuable species. It would be a waste of time, labour and expense to have specimens in these forms, sent from every district, of the Tamarind, the Mango, or other such trees of common occurrence every where, but new species or those little known or

little used, should be thus sent, and then all that is required, can once for all be ascertained with certainty and precision.

GENERAL INFORMATION.

As the specimens above recommended will sufficiently show the character of the wood, little information is requisite on that point, but there are others to which attention should be directed.

I. The uses to which the several parts of the tree is applied, and those for which experienced Natives consider it especially adapted.

II. Its distribution in the District, the localities where the best is procurable with the nature of the sub-soil, the distance from the nearest seaport, or town of any size, whether water carriage is available?

III. The extent of supply, whether this is increasing by self sown seedlings or fresh plantations, &c. or decreasing? the average size in height, and circumference of the mature tree, its character, whether straight or crooked, the average length, &c. of the logs or planks the time required for seasoning, and the amount of seasoned timber generally procurable.

IV. The age at which the tree reaches maturity, i. e. when increasing age brings no further increase of diameter. This is a point of great importance, though hitherto quite neglected in this country, for on it depends the relative value of trees for planting. Thus, supposing there are two species of trees, of equal value as regards timber, &c., but one attains maturity in 25, while the other requires 35 years, it is obvious that the first is much the more valuable of the two: its money value being realised 10 years sooner. The Jury would lastly remark that, in every case, the information given should be precise. If any doubt attaches to any point, let that be fairly stated, for it is undeniable that much of the confusion now existing owes its origin to doubtful information, being given without any indication of its real value, and being too readily assumed to be an ascertained fact, whereas had the doubt been mentioned, enquiry might have been made, and the error, if it were one, detected at the outset. In all cases, therefore, writers ought to state whence the information has been obtained? and how far it can be depended upon?

Every effort should at the same time be made to test the intelligence given by one individual, by enquiries from others, &c.

The Jury trust that their remarks will not deter parties from sending good specimens merely because all the information above required, cannot be furnished. Their intention in giving these hints, will be quite misunderstood, if such is the case, for these remarks owe their origin to the fact, that above 200 specimens now before them, collected with much labor, time and expense are practically useless, to the disappointment equally of the disinterested contributors and the public.

The Jury beg to append a List of Woods authorized to be used as Railway sleepers, and now under trial on the Madras Line.

- 1—Teak *Tectona grandis*.
- 2—Saul *Vatica robusta*.
- 3—Sissoo *Dalbergia sissoo*.
- 4—Pedawk *Pterocarpus Indicus*.
- 5—Kurkuttah *Zizyphus glabrata*.
- 6—Kurrah Murdah *Terminalia glabra*.
- 7—Maroothy Marum *Terminalia alata*.
- 8—Aucha Marum *Bauhinia diphylla*.
- 9—Vangay Marum *Pterocarpus marsupium*.
- 10—Kadookay Marum *Terminalia chebula*.
- 11—Neenec Marum
- 12—Myladee Marum
- 13—Sem Marum *Soymida Febrifuga*.
- 14—Curroo Vangay or } *Acacia odoratissima*.
Chella Woongah Marum }
- 15—Perumbay Marum *Prosopis spicigera*.
- 16—Erroovaloo Marum *Inga Xylocarpa*.
- 17—Vel Vangay Marum *Acacia speciosa*.
- 18—Peela Marum *Artocarpus integrifolia*.
- 19—Dud Eloopa Marum *Bassia longifolia*.
- 20—Karvalum Marum *Acacia arabica*.
- 21—Coombadree
- 22—Katooyoye Marum

JURY AWARDS.

CLASS IV.

1st Class Medal.

Progressive No.	Catalogue No.	Names of Exhibitors.	Object rewarded.
CCXXI	289 to 451	Local Committee Travancore	Collection of Woods.

2nd Class Medals.

XIV	7 to 94	Mr. A. T. Jaffrey	Collection of woods.
CLXXIII	240	Capt. Cunningham	Sumpagay wood.
CXCVII		M. P. Nursing Row (Shemogah)	Aguil wood.

Honorable Mention.

LXIII		Local Committee, Tinnevely	Collection of woods.
CLXXX	122 to 188	Capt. Miller, Assistant Commissary General.	Do.
CLXXXIII	233 to 287	Mr. Xavier	Do.

CLASSIFIED LIST OF WOODS, NATIVE, OR GROWN IN THE MADRAS PRESIDENCY.

1. *Acacia arabica*, Babool, *Eng.* Baboola, *Hind.* Curvala, *Tam.* Nulla toomma curra, *Tel.*—This very hard tough wood is extensively used, but cannot be obtained of large size, and is generally very crooked. It is used for plough shares, naves of wheels, &c., and generally for all purposes, for which a bent hard wood is required. It makes excellent tent pegs.

The tree is found in every district, and is worthy of cultivation on account of its gum, timber, and its seeds, a favorite food of sheep, &c. It is of rapid growth, and requires no water, flourishing in dry arid plains, and especially in black cotton soil, where other trees are rarely met with. The bark is extensively used for tanning, and gives a reddish tinge to the leather. Wight No. 19, Coimbatore, Bangalore, 2,310, Paulghaut, 5, Madras, 2, Masulipatam, Canara, Hyderabad.

2. *Acacia catechu*, Kheir, *Hind.* Wodahalay, *Tam.*—The wood of this tree is less hard and durable than that of the other *Acacias*. The tree is small, and occurs more frequently in the Deccan than in the Carnatic. The watery extract (kut) is largely manufactured. Wight No. 124, Coimbatore, Travancore 371, Canara.

3. *Acacia leucophloea*, Velvalla, *Tam.* Tella toomma, *Tel.* Kikar, *Hind.*—A good dark coloured wood, but generally small. The specific name is given from the whitish colour of the bark, which is used in distilling arrack. This *Acacia* is easily distinguished by its paniced globular inflorescence and stipulary thorns. Wight No. 115, Tinnevely 3.

4. *Acacia odoratissima*, Caroovangay *Tam.* A strong and heavy wood of rapid growth attaining considerable size, and well suited for naves and fellows of wheels. The tree is abundant, and grows in almost any soil. The grain is ornamental but rather open. Wight No. 18, 39, Coimbatore, Travancore 283, 783, Paulghaut, 32, Palamcottah, 230, 231, 251, Bellary, 239.

5. *Acacia speciosa*, Dirisana, *Tel.* Velvangay, *Tam.* A very serviceable timber, easily procured at Madras, this is the *A. sirissa*, which is extensively planted along the Ganges Canal. The tree is of large size and rapid growth, the wood of light colour, durable and very hard. Wight No. 116, Coimbatore, Tinnevely 1? Guntoor, Hyderabad.

6. *Acacia sundra*, Currangally, *Tam.*—A very hard, heavy and durable wood, used for posts and rice pestles. The tree is rather large and abundant, but the wood is not generally to be obtained in the market in planks of any size. At Guntoor, Mr. Rohde states that posts 5 feet long, are procurable, at 12 Rs. per 100, these are well suited for fencing, though the non-elastic nature of the wood is unfavorable to the holding of nails driven into it. The natives regard it as the most durable wood for posts in house building. Wight No.

13. Coimbatore, Travancore 260, Paulghaut 1, Hyderabad.

7. *Adansonia digitata*, Baobab-tree.—*Papara poolimaram, Tam.*—A tree of immense girth, introduced from Africa, but now found all over the Presidency, the leaves are eaten, and the fruit is used as a float, but the wood is useless, being light, open and perishable. Hort. Garden 1.

8. *Adenanthera pavonina*. Wood hard, durable, red, yielding a dye, not procurable generally in any quantity. The tree is of handsome appearance. Hort. Garden 2.

9. *Agati grandiflora*, *Agathy Tam.* *Avisi* or *Agisi Tel.*—A very common tree of rapid growth, cultivated for the sake of its flowers and pods, both of which are eaten by the natives. Wood quite worthless. Hort. Garden No. 77.

10. *Ailanthus excelsa*, *Peddu man Tel.* *Peru marum Tam.* A large tree, resembling the ash in general appearance, wood light and white, used for making sword handles, &c. Wight No. 71, Travancore 375.

11. *Alangium decapetalum*, *Alinjee Marum Tam.*—*Anisarooly Mara Can.* *Akola, Hind.* The wood is said by Roxburgh to be "beautiful," and Wight found it to sustain a weight of 310 lbs. but he had never seen a ten inch plank. The jury have no means of verifying these statements, only one specimen having been forwarded to them. Wight No. 3, Coimbatore, Mysore 20-42.

12. *Anacardium occidentale*, Cashewnut tree, *Cajoo—Hind.* *Jidi memidi Tel.*—A small handsome tree, a native of the W. Indies, yields a large quantity of transparent gum, which with the nuts is an article of trade, wood said to be useless. Frith Coll.

13. *Anona muricata*, Sour sop. A fruit tree—wood inferior, Hort. Garden 61.

14. *Anona reticulata*, Bullock's Heart, *Rama Seeta marum Tam.*—A fruit tree. *Idem*, Hort. Garden 62.

15. *Aquilaria Agallocha*—Eagle wood or Aloes wood. *Aglay marum Tam.*—*Agar, Hind.* Contains a fragrant resinous substance. The specimen from Shemogah is green and old, (the two others are yellow, and appear to have been obtained from a different tree.) It remains to identify the tree yielding this odoriferous wood, which is sold by weight, and is reported to have been brought from the Malayan Peninsula. Wight No. 2, Travancore 63, 192, 289, 339, Tinnevely 42, Shemogah.

16. *Areca catechu*—Betel nut palm, *Sooparee Hind.* *Camogoo Tam.*—A palm of remarkably perpendicular growth, attaining a height of 30 or 40 feet with a tuft of feathery leaves at the extreme top, the trunk is only a few inches in diameter, the structure of the wood is like that of palms in general, and might be used in turnery for small objects. The nut is used by the natives with the betel leaf. It is hard and peculiarly

streaked, and is used in turnery for small ornamental work. Used in Travancore for spear handles and bows, for which it is well suited being very elastic. Travancore 327.

17. *Artocarpus hirsuta*—*Angelie marum Tam.*—A large tree used in Travancore for making canoes, &c., the trunk being hollowed out. Rheede figures the tree and praises the timber. It is, the jury understand, confined to the Western Coast. Wight, No. 4, Travancore 197, Mullattoor 48, Mysore 36, Coorg 12, Cleghorn (Mysore.)

18. *Artocarpus incisa*—Bread fruit tree. A tree of slow growth, not uncommon in Gardens about Madras. Hort. Garden 15.

19. *Artocarpus integrifolia*—Jack tree, *Pillah Tam.*—*Panasa Tel.* *Alasegana mara Can.*—Excellent timber, at first yellow, changing to brown, much used for furniture in Ceylon, somewhat resembling Mahogany in colour and appearance, but does not bear great alternations of dryness and moisture, suitable for house carpentry in general. The tree grows rapidly, and the fruit is prized. A very brittle wood when dry. Wight No. 64, Mysore 3, Bangalore 25, Tinnevely 43, Paulghaut 9, Travancore 200, 256, 287, Coorg 10, Rajahmundry 7-20, Hort. Garden 14, Penang 169, Canara 235, Cleghorn (Mysore.)

20. *Atalantia monophylla*, *Caatyalo micha marum Tam.*—A small tree, wood close grained, hard and heavy. It is pale yellow, and if procurable of sufficient size, would be very valuable for cabinet purposes. Wight No. 28 Hort. Garden 47.

21. *Averhoa Bilimbi*, *Bilimbi marum Tam.*—A small fruit tree, of little value as timber. Hort. Garden 10.

22. *Averhoa Carambola*, *Thamartha marum Tam.*—A small fruit tree, of little value as timber. Hort. Garden 11.

23. *Azadirachta indica*, *Neem tree*, *Vaypum Marum Tam.*—*Vepa Mannoo, Tel.*—Hard heavy wood, when old, difficult to work, but *beautifully* mottled, as in Mr. Rohde's Specimen. The seed affords a valuable bitter oil. The tree is found every where, attaining a large size in some localities, deserving of attention for ornamental work. Wight No. 108, Coimbatore, Palamcottah 125-6, 255. Mysore 10-11-12, Bangalore 30-3-11 Travancore 90, Guntoor, Paulghaut 12, Masulipatam.

24. *Bassia longifolia*—*Mohwa. Hind.*—*Elooppa Marum Tam.*—*Hippa Mannoo Tel.*—Good wood for trenails, it is comparatively free from the attacks of the *Teredo navalis*—it is procurable among the logs brought down the Godavery. It is valued for all purposes, in situations where it is not exposed to air, as planking of ships below the water line, frames on which well walls are built &c., (J. R.) Nearly equal to teak but smaller. Much used for construction of Carts at Coimbatore, and in Malabar, where it attains a large size, it is used for spars. (R. W.) A valuable fatty oil is obtained from the

seed. Wight No. 24, Mysore 4-31 Bangalore 23, Palamcottah 259, Travancore, 316 Cleghorn 20.

25. *Bauhinia Richardiana*—Introduced from Madagascar, of this wood we have no knowledge. The trees in the country being still young. Hort. Garden 58.

26. *Bauhinia tomentosa*—Caat Attie Tam.—A tree of small size, the wood dark brown and hard—not much in use. Bark used as Cordage. Several of the *Bauhinias* yield dark coloured heavy and durable timber. *B. diphylla* is the *Yepi* of Nellore, Guntoor and Masulipatam. Wight No. 9, Hort. Garden 59.

27. *Bauhinia Variegata*—Irkumbalitha mara Can.—A beautiful tree with variegated flowers, wood of little use. Mysore 34.

28. *Berrya Ammonilla*—Trincomallee wood, Eng.—Tircanamalay marum, Tam.—Introduced from Ceylon, the wood is annually imported from Trincomallee, by which appellation it is known in the market. It is highly esteemed for its lightness and strength, is straight grained—slightly pliant, tough and little affected by the atmosphere, employed in the construction of the Massoola boats of Madras (Wight.)

Used for spokes of Wheels, helms, handles, planes, frames, poles and shafts of Carriages, it is inferior to *Saul* for spokes, and to the Babool for some other purposes, but it is comparatively light and easily worked (Rohde.) The market is still dependent on importation from Ceylon. Hort. Garden 12, Ceylon, Frith Coll.

29. *Bignonia suberosa*—A very handsome tree with fragrant flowers and spongy bark, which is a very inferior kind of Cork. Hort. Garden 82.

30. *Blighia sapida*—A native of Guinea, fruit the size of a pear. Wood light and useless. Hort. Garden 38.

31. *Borassus flabelliformis*—Palmyrah—Panna marum, Tam. Tatti chettoo, Tel. This tree is very abundant, especially in sandy tracts near the Sea. It is used chiefly for rafters, joists and reapers, when of good age, the timber is very valuable for this purpose, the trunk is split into 4 for rafters, into 8 for reapers, these are dressed with an adze. Jaffna Palmyrahs are famous, and were largely imported in former times. From the structure of the fibres, it splits easily in the direction of its length, but supports a greater cross strain than any other wood: iron nails however, rust rapidly in it.

The fruit and the fusiform roots of the young trees (in the Northern Circars) are used as an article of food by the poorer classes. The leaves are used for thatching and coarse fibre. Jaggery and Toddy are extracted from the Tree, the former is extensively used in the manufacture of Sugar in Vizianagrum and Rajahmundry.

Very neat baskets of Palmyrah leaf are exhibited from Tinnevely. Wight No. 69, Hort. Garden 73, Travancore 324, Masulipatam.

32. *Briedelia spinosa*? Moolloo vangay Tam.—Wood not known in Madras, the tree is not uncommon, and attains a considerable size in the alpine jungles. Wight No. 46. Travancore 182.

33. *Butea frondosa*, Palas, Sans.—Dhāk, Hind.—Porasum Tam.—Thorus mara Can.—Moduga chettoo Tel.—A common tree thriving well in many parts of the country; flower deep red used as a dye. Many esteem the wood for Gunpowder Charcoal. The field of Plassey took its name from this tree. Wight No. 82, Coimbatore Hort. Gardens 67, Bangalore 62, Paulghat 35.

34. *Cesalpinia coriaria*, the Dibi dibi. The tree was introduced from seed supplied by Dr. Wallich, about 20 years ago, the pods are collected with care, being valuable for tanning purposes. Hort. Gardens 26.

35. *Cesalpinia sappan*. The Sappan tree, Puttungay. Hind. Isiapangum, Vuttunghy, Tam. Used for dyeing, cultivated in Paulghat for the purpose of dyeing the straw used in mat making (Wight) from its high price for this purpose, not used for Carpentry. Wight No. 104, Coimbatore, Travancore 271 and 157, Tanjore 68, Cuddapah 48, Goa.

36. *Calophyllum Inophyllum*. Alexandrian Laurel Eng. Pinnay marum Tam. Wooma mara Can. Ponna chettoo Tel. A beautiful tree with an appropriate name, very common; a good lamp oil obtained from the seeds, wood coarse grained, strong, durable and ornamental. The tree is worthy of attention, as it grows well in sandy tracts close to the Sea, where few others thrive. Wight No. 73, Bangalore 51, Travancore 72-317, Palamcottah 84, Coorg 9, Hyderabad.

37. *Careya arborea*. Paila marum Tam. Budadeni Tel. Cumbia Can. Wood useless, the bark serves as cordage, and is used as slow match for guns in N. Circars. Wight No. 65, Hort. Garden 23, Coimbatore.

38. *Careya sphaerica*. Wood useless, the bark serves as cordage, and is used as slow match for guns in N. Circars. Hort. Garden 22.

39. *Caryota urens*. Bastard Sago Palm. Ootaly pana Tam. Bhynee Can. A very ornamental palm, furnishes an inferior kind of Sago and also toddy. Is extensively used under the name of Napiera in Ceylon for rafters which are exceedingly hard and durable. Travancore 325.

40. *Casuarina equisetifolia*. This tree was introduced about 50 years ago, and is now well established, growing freely and ripening seed in great abundance. In general appearance, it much resembles the Larch Fir,—it grows in 10 years to the height of about 30 feet. It generally grows very straight, and where the main shoot is broken or lopped off, throws out secondary shoots readily and these are usually straight and erect. It thrives best in sandy tracts along the Sea

shore, and it would be desirable to plant it largely on the sand Hills, North and South of Madras where some numbers have already been grown. The wood is reddish in colour, in density and appearance it somewhat resembles Trincomallee. It bears a great strain, is well adapted for posts, and is said to bear submersion in water very well. The bark contains tannin, and a brown dye has lately been extracted from it by M. Jules L'Epine of Pondicherry. On the whole, this tree well deserves extensive cultivation on the sandy tracts, where it grows so readily. Hort. Garden, 13, Frith Col.

41. *Cathartocarpus fistula*, Koannay marum Tam. Rellie Tel. A tree of great beauty, when in flower, but generally too small and crooked to yield valuable timber; wood close grained and used for tomtoms, &c. In the Malabar forests, it attains sufficient size for spars of Native vessels (Wight.) The Bark is one of the best for tanning. Wight No. 31, Coimbatore, Hort. Garden, 27, Guntoor.

42. *Cathartocarpus Roxburghii*. A highly ornamental tree, in form much resembling the weeping ash. It is at present only to be found in gardens, but the wood is hard and handsomely marked, and may hereafter prove a valuable addition to the timbers of India. Hort. Garden 28.

43. *Cedrela Toona*, the Toon tree, Toon marum, Tam. Toona Hind.—Tundu Can.—A valuable tree of large size, wood reddish coloured, used all over India in cabinet making, scarcely inferior to mahogany, but lighter and not so close in the grain, often sold here under the general name of "Chittagongwood." It is the most valuable of the woods known by that commercial name. It is said to be abundant in Travancore. It is very deserving of careful enquiry, as to locality, supply, &c. with a view to being brought into more extensive use in this Presidency. The specimen sent by General Cullen shows the grain and polish remarkably well: It is however of a brighter colour, and apparently a denser quality than any met with in the market, inducing a doubt as to its being of the same species. Found in the Mysore and Salem jungles in large quantities, also along the crest of the ghats from Travancore to Goa. Wight No. 103, 126, Travancore.

44. *Chickrassa tabularis*, Aglay marum. Wood extensively used in cabinet making, also coming under the denomination of "Chittagong wood" being imported from that province, but it is abundant in the mountainous parts of the Peninsula, it makes beautiful and light furniture, but is apt to warp during the season of hot land winds. The wood is well known and easily procured. Wight No. 2, Travancore 265, Cleghorn, Mysore.

45. *Chloroxylon swietenia*, Satin wood tree, Kodawah porsh Tam.—Billu kurra Tel.—This tree grows abundantly in the mountainous districts of the Presidency, but seldom attains a large size, occasionally planks of 10 to 15 inches in breadth may be procured. The wood

is very close grained, hard and durable, of a light orange colour, takes a fine polish, and is suited for all kinds of ornamental purposes, but is somewhat apt to split. For picture frames, it is nearly equal to American maple. The timber bears submersion well, in some instances it is beautifully feathered. There is this peculiarity, satin wood loses its beauty by age, unless protected by a coat of fine varnish. Wight No. 34, Rajahmundry, Coimbatore, Cleghorn, Mysore.

46. *Cicca disticha*, Aranelly, Harfarooovri, Hind.—A small tree bearing a round acid fruit, the country gooseberry, wood inferior. Hort. Garden 31.

47. *Citrus aurantium*, Orange tree, Kolinjee marum Tam.—The well known orange tree, wood, hard, but not available of any size, or in any quantity. Hort. Garden 65.

48. *Cluytia collina*, Woadoogoo marum Tam.—Wodesha Tel.—A small tree, wood red colored, exceedingly hard and durable, but little is known of it. Wight No. 123, Paulghaut 34.

49. *Cocos nucifera*, Coconut tree Tenna marum Tam.—Narrel, Hind.—Tenkoi chettoo, Tel.—Kinghena Canarese. This tree thrives well on the sea coast, its uses and produce are well known, the wood is occasionally used for reapers, &c., for which purposes it is inferior to the palmyrah. In Ceylon, however, and on the Western Coast hard and durable rafters are procurable, the Cochin fibres were sent in a large box of this wood, the planks of which are prettily striped and of remarkable size. Hort. Garden 74, Travancore 326, Mysore 15, Penang 166.

50. *Cordia latifolia*. Wood very inferior, and of small size. Hort. Garden 51.

51. *Cyathea arborea*, Tree fern. The section of this tree fern displays well the structure of an Acrogenous stem, hollow in the centre, marked on the outside by the scars of the fallen leaves, and showing the elongation of the axis by the junction of the petioles. Wood quite worthless as timber. Hort. Garden 87.

52. *Dalbergia latifolia*, Blackwood, Eroopoottoo Tam.—Bitti Can.—A magnificent tree, from which the well known Malabar black wood is obtained, planks 4 feet broad are often procurable, after all the external white wood has been removed: it is heavy and close grained, admitting of fine polish, very much used for furniture. One of the most valuable woods of this Presidency.

Mr. Ouchterlony exhibits his prize coffee in a large box of fine black wood from his Neilgherry Estate. Wight No. 25, Travancore 257, Coorg 7, Paulghaut 24, Cannanore 743, Neilgherries.

53. *Dalbergia sissooides*, Bittymarum kar Itty or Blackwood. This is a smaller tree than *D. latifolia*, but more common in the forests, both yield a black wood, and in Madras are indiscriminately called "Rose wood." The wood contains much oil, which unfits it for receiv-

ing paint. Wight No. 21, Travancore 202, Paulphant 7, Canara 117.

54. *Dalbergia sissoo*, Sissu Tel.—Introduced from Bengal at the recommendation of Dr. Wallich, grows to a large size, has been planted on the banks of the Toombodra, and is thriving wonderfully; it is growing extensively in the cantonment of Masulipatam, as an avenue tree, and has been planted in some places on the banks of the Kistnah Annicut. There are few trees which so much deserve attention, considering its rapid growth, its beauty and its usefulness. Wood hard, strong, tenacious, and compact, whilst its great durability combines to render it one of the most valuable Timbers known. The tree grows rapidly, is propagated and reared with facility, and it early attains a good working condition of timber. It is used in Bengal for Gun Carriages. Hort. Garden 39, Bengal 84.

55. *Dillenia pentagyna*. Pinnay Marum. Tam. A stately forest tree, common on the face of the W. Ghauts, The wood is said to be exceedingly strong and durable, even when buried under ground; this is believed to be the tree, which furnishes the *poon* spar, so valuable for shipping though *Calophyllum Inophyllum* has hitherto been so considered. Wight No. 74, Coimbatore, Travancore.

56. *Diospyros cordifolia*. Vuckana Marum. Tam. A hard heavy wood, colored dark brown; it is difficult to work. Wight No. 121, Travancore 348, Tinnevely 30.

57. *Diospyros ebenaster*. Acha marum. Tam. Ebony of very superior quality is procurable in these districts as well as the Northern Circars. Mr. Rohde has received 16 inch planks of a fine uniform black. Ebony is much affected by the weather, on which account European cabinet makers seldom use it except in Veneer.

The tree bearing the name "Achay" at Madras is *Bauhinia tomentosa*. Wight No. 1, Travancore 258, Coorg 1.

58. *Diospyros mabola*, (often called "mangosteen") under which name it is cultivated extensively in gardens at Vizagapatam.

59. *Diospyros Melanoxylon*. Ebony, Toombie marum Tam.—The species of *Diospyros* have this peculiarity that the black heart wood is surrounded by white sapwood. There are several fine specimens of the genus, but the jury are unable to determine the species or verify the names. The subject is important and merits careful elucidation. Hort. Garden 88. Wight No. 102, Coimbatore, Cuddapah (Col. Pears) Hyderabad.

60. *Ehretia laevis*. Wood of very small size, the wood seems a good one, but the only specimen before the jury is from the Botanical Gardens and a safe judgment cannot be formed upon it. Hort. Gard. 66.

61. *Elate sylvestris*, Wild Date, Eajata Can.—Has the general characteristics of the family, but is inferior to the Palmyrah, Coccoanut, &c. Mysore 43.

62. *Embllica officinalis*, Emblic Myrabolan, Aoula, Hind. Nelly marum Tam.—Nelly mara Can. Usirika Tel.—A fruit tree, the wood of which would appear to be of service, for making boxes, &c. Travancore 280, Mysore 24-36, Palamecottah 264.

63. *Embryopteris glutinifera*, Coosharatha mara Toomei Tel.—A middling sized tree, the wood is of indifferent quality. The viscid juice of the fruit is used for paying boats, and strengthening fishing nets and lines. Bangalore 34.

64. *Eriodendron anfractuosum*, White cotton tree, Elava marum. A soft almost worthless wood used for toys, floats, &c. and such purposes. Wight No. 23, Travancore 360.

65. *Erythrina indica*, Indian Coral tree, Moorkoo marum Tam.—Badida chettoo Tel.—This is the "Moochee" wood of Madras, soft and only used for toys, light boxes, trays, &c. The varnished toys from the Northern Circars are made of this wood. Wight No. 48, Travancore 377.

66. *Euphorbia tirucalli*, Milk Hedge, Kulli Tam.—Wood light colored, the root of old shrubs is understood to be well adapted for gun stocks, but plants of sufficient age are seldom met with. Wight No. 27, Cowloor Humsagar 31.

67. *Euphorbia Litchi*. A fruit tree, introduced from China, the Litchi attains a height of 25 to 30 feet but does not ripen its fruit at Madras. Hort. Gard. 18.

68. *Eurya longifolia*. Hort. Gard. 86.

69. *Feronia elephantum*. Wood apple, Kait, Hind. Veelamarum, Tam.—Bilvurthitha mara, Can.—Velluga Chettoo, Tel.—A large tree, widely diffused in India, yielding a hard strong heavy wood, much used at Vizagapatam in House building. Said to be not very durable. Wight No. 107, Mysore 41, Bangalore 58.

70. *Ficus glomerata*. Rulla kith mara, Can.—Mysore 39.

71. *Ficus Indica*. Banyan Tree, Ala marum, Tam.—Ahlada mara, Canarese.—Mysore 2, 3, 18, Bangalore 10 Hort. Gard. 4, Cleghorn (Mysore.)

72. *Ficus infectoria*. Bassari mara. Mysore 29.

73. *Ficus nitida*. Hort. Gard. 5.

74. *Ficus racemosa*. Atti mara. Mysore 19, Tinnevely 52, Travancore 363.

75. *Ficus religiosa*. The Pippul Tree, Arasa marum, Tam.—Ranghy mara, Can. Ray aman Tel.—A very poor wood, Mysore 49, Bangalore 31.

76. *Ficus virens*. Goovee mannoo, Tel.—Masulipatam.

These various species of *Ficus* are well known, and differ little from each other in their properties. The trees are large and of rapid growth, but the timber is of little value, being light, open and soft. The large drops of the Banyan after being well soaked in water to get rid of the viscid juice are used for Tent poles and such purposes, bird lime is prepared from the fresh juice.

77. *Gmelina arborea*. Coommy marum, *Tam.*—Goommedee chettoo, *Tel.*—A large timber tree, growing in mountainous districts. The wood is light, of a pale yellow colour, easily worked, and does not shrink or warp, used for picture frames, decking small boats, for making venetian blinds, sounding boards, palankeen pannels, gram measures, &c. This tree deserves notice, it is very commonly used in the Vizagapatam district, for the foundation of wells and other purposes, which require it to be submerged in water, where it is remarkably durable. Wight No. 13, Masulipatam.

78. *Gossypium acuminatum*. The Peruvian Cotton Plant, a biennial shrub, useless as timber. Hort. Gard. 8.

79. *Grewia tilioefolia*. Chadachey marum, *Tam.*—A considerable tree, wood soft, not known at Madras. Wight No. 86, Paulghaut 89.

80. *Grewia* Sp. Makes good walking sticks. The wood of *Grewia salvifolia* is also good for the same purpose, and the bark of many species yields good fibres. Hort. Gard. 44.

81. *Guaiacum officinale*. Lignum Vitæ. This shrub has been lately introduced, and is found to thrive remarkably well, readily flowering and fruiting. Its chief value is for medicinal purposes, but the wood, about 4 inches in diameter, is very hard and close grained, suited for turning. In time, a supply may be available. Hort. Gard. 9.

82. *Guatteria longifolia*. Thavatharoo, Asoka chettoo, *Tel.*—A very handsome erect growing tree, wood soft and useless. Bangalore 21.

83. *Guazuma tomentosa*. A tree, pretty common about Madras, evidently planted, the fruit is tubercled, about the size of a cherry, introduced by Dr. Anderson about 70 years ago. Hort. Gard. 85.

83½. *Hibiscus lampas*, Hort. Gard. 42.

84. *Hæmatoxylon Campechianum*, Logwood. This tree has been lately introduced, the largest as yet much resemble a fine hawthorn tree in habit and size. It grows readily and seeds abundantly, but it remains to be seen whether it will attain a large size in this country. It is used only as a dye, and the bark is astringent in a considerable degree. It is a promising tree and deserves attention. Hort. Gard. 71.

85. *Hura crepitans*. Sand box. A middle sized tree of rapid growth, the trunk is strongly armed, the wood light and useless. The seeds are poisonous. Hort. Gard. 80.

86. *Hydnocarpus inebrians*. Murravuttay *Tam.*—A large tree, little is known of the wood, the berry is used for poisoning fish. Wight No. 51, Tinnevely, Travancore 37.

88. *Inga dulcis*. Sweet Inga or Manilla Tamarind. Seema chinta *Tel.*—Coorkapooli maram *Tam.*—A most valuable hedge plant, is now used along the line of rail

way, the wood is hard. Isolated trees of 12 to 18 inches diameter are occasionally found, these resembles the hawthorn in general appearance. It is the *Pithecolobium dulce*, Benth.

The pulp of the fruit is eatable, the seed was brought from Manilla to Samulcottah, hence the name "Manilla tamarind." The Spaniards introduced the tree to the E. Indies from Mexico. Masulipatam.

89. *Inga xylocarpa*, Tangedu mara. Jamboo, *Hind.*—This tree grows to a large size, and is much valued for house building, on account of its strength and toughness. It is remarkable for its thick woody legume, and is the *Xylia dolabriformis* of Benih. Hyderabad.

90. *Jatropha multifida*. Coralplant. A garden shrub. Hort. Gard. 79.

91. *Jonesia asoca*. A highly ornamental garden tree, timber not available. Hort. Gard. 3.

92. *Kleinhovia hospita*. A garden shrub. Hort. Gard. 70.

93. *Kydia calycina*. A middle sized tree, pretty common along the Western Ghauts. Hort. Gard. 69.

94. *Lagerstræmia microcarpa*. Benteak. Ventakoo *Can.*—Cutch cutta marum. *Tam.* A tree of large size with a long straight stem, the timber is of ordinary character, easily worked and suited for purposes where strength and beauty are not required. Wight No. 20-118, Cannanore 26, Tinnevely 56, Coorg 2, Travancore 269, Paulghaut 49.

95. *Lawsonia inermis*. Henna. Mendee, *Hind.*—A hedge plant, resembling the English privet, the wood strong and suited for tool handles, tent pegs, &c., the leaves yield the dye used by the natives. Hort. Gard. 33.

96. *Malpighia puniceifolia*. Barbadoes cherry. An ornamental shrub introduced from the West Indies. Hort. Garden, 25.

97. *Mangifera indica*, Mango Tree, Maah marum *Tam.*—Mamadi chettoo *Tel.*—Mavena *Can.*—A tree of large growth, and generally diffused. The mature wood is dull grey, open, yet durable, if not exposed to wet, of the effect of which it is very sensitive. It is the cheapest wood procurable here, and used for packing cases, boarding, and rough work in general, Mr. Rohde says it holds a nail faster than any other wood known to him. Wight No. 39, Mysore 17, Bangalore 52, Hort. Garden 57, Cleghorn (Mysore.)

98. *Melia azadirach*. Margosa. Malay Vaimboo *Tam.*—Taruka vepa *Tel.*—A tree of moderate size and in some localities of large size. The mature wood is hard, durable and handsomely marked. A valuable oil is made from the seed. Wight No. 41, Bangalore 311, Palamcottah 125, 126.

99. *Mimusops Elengi*. Maghidam *Tam.*—Pogada mannoo *Tel.*—Moogali mara *Can.*—A tree of moderate size, cultivated for the oil obtained from its fragrant flowers. The wood is little known. Wight No. 40,

Mysore 23,33, Nellore 87, Travancore 209 Rajahmundry 54, Hort. Gard. 54.

100. *Mimusops hexandra*. Pala marum *Tam.*—Frith No. 3.

101. *Michelia Rheedii*, Sampanghy Marum. *Tam.* A large tree, the wood close grained and very handsomely marked in a mottled manner. It is, the Jury understand, being tried in Bombay for ship building purposes. A remarkably large specimen is exhibited by Captain Cunningham, its dimensions are $11\frac{1}{2}$ feet in length, $4\frac{1}{2}$ feet in breadth, and 3 inches in thickness, and is apparently derived from a tree of very great age. The ornamental character of the wood is well shown in a small tablet (No. 38,) contributed by Dr. Cleghorn. Mysore 8, Coorg 5, Travancore 299.

102. *Morinda citrifolia*, Noana marum, or Munja pavettay. *Tam.* Maddichettoo *Tel.*—A small tree of common occurrence, the wood and root much used for dyeing red, the wood is deep yellow, easily worked and used for common purposes. Wight No. 50,58, Travancore 162,287, Hyderabad.

103. *Nauclea Cadamba*. Cuddum *Hin.* Vella Cadamba *Tam.*—Rudrakshakamba *Tel.*—A noble tree, wood yellow, used for furniture. Travancore 292, Bengal 16.

104. *Nauclea cordifolia*. Munja cadamba. *Tam.*—Daduga, *Tel.*—A large tree growing abundantly in the mountainous districts of the Peninsula—wood yellow, rather close grained. It is used for common purposes, and easily worked, but is best suited for work which is sheltered, bedsteads, &c., being much affected by alternation of dry and wet weather. *N. parviflora*, (near cadamba) is also frequent in the Western Coast, and is valued for yielding flooring planks, packing boxes, &c. Wight No. 49, Travancore 66-223-288, Palamcottah 242, Bangalore 304.

105. *Parkia biglobosa*. A very elegant tree of large size, introduced from Africa, the legumes are filled with a farinaceous pulp, the wood is hard and promising, surrounded by an astringent bark. A watery extract has been prepared, but the value of which for tanning purposes has yet to be tested. A supply of timber is not yet procurable. Hort. garden 24.

106. *Odina Wodier*—Ooday marum *Tam.* Goompina, *Tel.* A large tree, native of mountainous districts, it is grown from cuttings, and planted in avenues, but it yields no shade in the hot weather, being without leaves till June. The wood is difficult to season, but when well seasoned, the central reddish portion is useful for many purposes. Wight No. 5.

107. *Oegle marmelos*, Boel *Hind.* Vilva marum *Tam.* Maredu, *Tel.* A thorny tree with ternate leaves, the astringent pulp of the fruit is a valuable remedy in Diarrhoea; the wood is hard, but from the great medicinal value of the tree, the timber is not at present available. Wight No. 119, Mysore 25, Bangalore 41, Canara 23, Hort. Garden 78.

108. *Pavetta indica*—Pavetty marum, *Tam.* An ornamental shrub 4 or 5 feet high with white flowers, timber very small. Hort. garden.

109. *Pimenta vulgaris*. The "Allspice" tree, introduced from the West Indies. Several large trees are at Madras, but the climate of the Carnatic does not seem to suit them. Hort. Garden 46.

110. *Poinciana regia*. A large tree with showy coloured flowers. Introduced from Madagascar, and still confined to gardens. The wood seems good. Hort. Garden 21.

111. *Pongamia glabra*—Poonga marum *Tam.* This large tree attaining a height of 40 to 50 feet, is very common in S. India, flourishing equally well in the arid plains of the Carnatic, and on the Sub alpine tracts of Mysore.

Oil is made from the seeds. Roxburgh says the wood is light, white and fit for a variety of purposes, here it is used chiefly for fuel. The boughs and leaves are extensively used as manure. Wight No. 78, Travancore, 388, Bangalore, 55.

112. *Premna tomentosa*—Kolcuttay Teak. *Tam.* A small tree. Wood hard and close grained, of a brownish yellow colour, well fitted for ornamental purposes. Wight No. 35, Travancore 354.

113. *Prosopis spicigera*—Parumbay, *Tam.* A thorny tree, not uncommon in the black cotton soils, attaining a large size in Mysore. Wood strong, hard, straight grained, and easily worked. The foliage of the tree and the character of the wood, closely resembles that of its congener *Acacia sundra*. Wight No. 84.

114. *Psidium pyrifera*—Guava tree, Coaya marum, *Tam.* Sebe mara, *Canarese*. The common Guava found every where in gardens, which probably found its way to India from S. America through the Portuguese. Wood small, but very hard, used by Dr. Hunter for wood engraving, and commonly for pegs, mallets, handles of tools, &c. Hort. Garden 29, Mysore, 33, Bangalore, 54, Masulipatam.

115. *Pterocarpus Indicus*, *Wall.* Padouk, *Burmese*. The "padouk" is a handsome tree with long waving branches and clusters of yellow flowers, which scent the air. It produces very fine timber, and may be considered one of our most valuable forest trees. This species also yields Gum Kino. Hort. Garden 55, Frith.

116. *Pterocarpus marsupium*—Vangay marum, *Tam.* Whonay, *Can.* Yeangasa, *Tel.* A large handsome tree, widely diffused, yielding one of the most abundant and useful timbers of S. India—when wet, it gives a yellow stain. Mr. Rohde states, that it is better suited for weather boards, exposed venetians, &c., than any other wood he has tried. It is heavier than teak, and more difficult to work. This tree yields the gum kino of commerce which is exported from Malabar. The timber is now being tried for sleepers on the Railway.

Wight No. 117, Canara 54, Tinnevely 60, Coorg 4, Paulghaut 36, Coimbatore 16.

117. *Pterocarpus santalinus*, Red Sanders, Rutta Sandanum. *Hind.* Sevapoo Sandanum. *Tam.* This tree which grows abundantly in the Naggary Hills, yields the "Red Sandal wood" of commerce. It is sold by weight as a dyewood, and forms a regular article of export. It takes a beautiful polish, but the high price of the wood for dyeing purposes, precludes its use as a timber. Wight No. 88, Travancore 262, Canara, Naggary Hills, Mysore. 56, Hort. Gardens, Hyderabad, Cleghorn, (Mysore.)

118. *Pterospermum Indicum*—Kyabooca. This wood is obtained from the knotty excrescences or burrs of *Pterospermum Indicum*? it is sawn off in slabs—2 to 4 feet long and 2 to 8 inches thick. It resembles the hue of the yew, is very hard and full of curls—the colour being reddish brown, varying to orange. It is very ornamental, and much esteemed in China, India and England, where it is used for making small boxes, writing desks and other fancy ornamental work. The wood is brought to Singapore by Eastern traders, and is sold by weight. Singapore.

119. *Rottlera tinctoria*—Cupela, *Hind.* Sarnakasary mara, Chendurapa chettoo, *Tel.* A large tree common in the Deccan and the Northern Circars. The red mealy powder which covers the capsules is used in Mysore to dye silk. Wood soft and inferior. Mysore, 16-26.

120. *Salmalia malabarica*—Red Cotton tree, Poola marum, *Tam.* Moollelavoo, *Can.* Booraga *Tel.* A large common tree, flowers of a beautiful red colour, the wood light, and spongy used by Moochees in their work, but very inferior. Wight No. 76, Bangalore 16, Tinnevely 34, Travancore 398, Masulipatam, Hort. Garden, Cleghorn, (Mysore.)

121. *Santalum Album*—Sandal wood, Shandanum, *Tam.* Gandaga mara, *Can.* This very valuable tree, yielding the sandal wood of commerce, is found in abundance in Coorg and Mysore, and sparingly in Canara. It is usually cut into billets, and disposed of by weight. The uses are well known. The scent is believed to be much modified by peculiarities of soil and elevation. Wight No. 94, Travancore 263, Mysore 1, Coorg 3, Masulipatam, Madras, Hort. Garden 75, Cleghorn, (Mysore.)

122. *Sapindus emarginatus*—Soap-nut tree, Poocheecottay, *Tam.* A tree met with about villages all over the country. The fruit used as indicated by the native name and sold in all bazaars. Wood white, only used for fuel. In many situations, this tree yields a more profitable return than any other fruit tree. Wight No. 75, Hort. Garden.

123. *Schmidelia serrata*. A straggling shrub, with ternate leaves. Timber very small. Hort. Garden 43.

124. *Semicarpus anacardium*—Marking-nut tree, Shayng cottay, *Tam.* Bhela, *Hind.* Jadi Chettoo,

Tel. This common tree is of no value as timber. A considerable quantity of the nuts are exported from the Deccan, and Mysore, as a mordant. The juice is so acrid, that wood cutters are unwilling to cut the tree. Wight No. 95, Mysore 39, Bangalore 1-8, Tinnevely 29, Travancore 403.

125. *Sethia Indica*—Thavadarum, *Tam.* When fully grown, it is still a small tree, the fruit yields an oil, and the wood is esteemed as a substitute for Sandal wood. Wight No. 92, Travancore 180, Tinnevely 31.

127. *Soyimida febrifuga*, Red wood, or Bastard Cedar, Shem Marum or Choar Kullie Marum, *Tam.*—*Soymeda*, *Tel.* A large tree, tolerably abundant, timber most durable and strong, yet light and easily worked, deserving of attention. Wight No. 1296, Travancore 261, Palamcottah 261, Penang 162, Cuddapah 174, China 171, Mergui 105-106, Moulmein 107.

128. *Spathodea adenophylla*. A small introduced tree. Hort. Garden 53.

129. *Spathodea* Sp. Hort. Garden 52.

130. *Sterculia foetida*. Peenary Marum, *Tam.*—Gurrapa Badum Chettoo, *Tel.* A large tree but chiefly found on the W. Coast and Mysore, where it is applied to a number of useful purposes. This is one of the trees which are believed to furnish the smaller "Poon spars," Hort. Garden 19.

131. *Sterculia guttata*. A large tree. Hort. Garden 20.

132. *Stereospermum suaveolens*, Padrie Marum, *Tam.*—Ooloonanthree Mara, *Can.* A middle sized tree with pinnate leaves, and paniced inflorescence, very fragrant wood (according to Wight,) strong and elastic, said to be fitted for making bows. Wight No. 63, Mysore 38.

133. *Strychnos nux vomica*, Nux Vomica Tree, Yetti Marum *Tam.*—Musidi *Tel.* This well known tree is small, wood white and very hard, used for plough shares. The poisonous fruits are the favorite food of the *Buceros Malabaricus* or Hornbill. Wight No. 128, Travancore 199, 207, Bangalore 43.

134. *Strychnos potatorum*, Clearing Nut tree, Taita Marum, *Tam.*—Judapa chettoo *Tel.* A larger tree than the above, the fruit is well known as possessing the property of clearing water; wood hard and serviceable, though of small size. Wight No. 98, Bangalore 313.

135. *Syzygium jambolanum*, Jamoon, *Hind.*—Nawel Marum, *Tam.*—Nœrala Mara, *Can.*—Neradi, *Tel.* A fine large tree of common occurrence, suited for avenues; the fruit small, and somewhat astringent, sold in the bazaars. The wood is much used for ordinary purposes, but is of little value. Travancore 361, Mysore 21, 22, 37, Masulipatam, Palamcottah 247, Bangalore 307, Hort. garden 45.

136. *Tamarindus indica*, Tamarind-tree, Poolia Marum *Tam.*—Chinta Chettoo, *Tel.*—Oonara Mara, *Can.* A large and very handsome tree, of slow growth; the wood hard, durable and fine veined, but apt to be faulty

in the Centre. The ornamental character of the wood is well shown in the handsome specimen contributed by Mr. Rohde. It is used in the manufacture of Oil and Sugar Mills, and is largely planted around villages for its fruit and shade. Wight No. 77, Mysore 55, Bangalore 7, Guntoor, Masulipatam, Palamcottah 67, 232, Hort. Garden 50.

137. *Tecoma Stans*. An ornamental garden Shrub. Hort. Garden 6.

138. *Tectona grandis*, Teak, *Eng.*—*Taek marum* *Tam.*—*Tek Chettoo*, *Tel.* A native of the mountainous parts of Malabar, and the country bordering the Godavery, the Moulmein and Rangoon forests. This well known and farfamed tree grows straight and lofty, with cross armed panicles of showy white flowers. It seems to require 80 years to attain perfection. The wood is very hard, but easily worked; it is soon seasoned, and being oily, does not injure iron; and shrinks little. It is probably the most durable timber known, hence its value in Ship-building. The Malabar teak is considered the best, and is always most valued in our Government dock yards. A valuable report by Dr. Falconer on the Teak forests of the Tenasserim Coast, was published lately among the selection of Records of the Bengal Government. The price of Teakwood at present is 3 Rs. per cubic foot, double the ordinary rate. It is matter of regret considering the vast importance of teak timber to England, as a maritime nation, that the preservation of the teak forests was so long disregarded. Wight No. 100, Mysore 2, Tinnevely 2, 9, 63, 27, Coorg 11, Rajahmundry, Paulghaut 3, 23, 30, Bangalore 4, Mangalore 15, Travancore 64, 70, 254, Penang 130, 165, Canara 55.

139. *Terminalia alata*, *Marudum marum*, *Tam.*—*Kooramarthi mara*, *Can.* A very large tree, used on the Western Coast for house building and making canoes. Wight No. 43, Bangalore 49, 312, Palamcottah 254, Mysore 48, Tinnevely 32, Paulghaut 8, Travancore 314.

140. *Terminalia belerica*, *Tanikoi* or *tandee marum*, *Cattoo cloopæ*, *Tam.*—*Tadi chettoo*, *Tel.* A very large tree with a straight trunk and spreading head; wood white and soft, but not much used. The flowers have an offensive smell. The kernel of the fruit is eaten by the natives. Wight No. 11-99, Mysore 27, 18, Tinnevely 47, Travancore 306, Cleghorn.

141. *Terminalia Berryii*, *Vella murda*, *Tam.* This tree also attains a large size, especially at the foot of the W. Ghauts, where it is used for canoes, &c. (Wight). Wight No. 111, Travancore 225, 320, Hort. Garden 64.

142. *Terminalia catappa*, *Natvadam cottay*, *Tam.*—*Badum*, *Tel.* A beautiful large tree, found in gardens, &c., the kernels are eaten and are palatable, the wood is also useful. Wight No. 54, Hort. Garden 63.

143. *Terminalia Chebula*, *Pilla murda* or *Kadookoy*,

Tam.—*Alali mara*, *Can.*—*Heerda*, *Duk.*—*Karaka chettoo*, *Tel.* A very large tree, fruit used by harness makers. The leaves are punctured by an insect, and hollow galls are developed, which are powerfully astringent, and answer well for making ink. They also yield chintz painters, and carpet weavers, their best and most durable yellow. (Roxb.) Wight No. 72, Mysore 30, Travancore 300, Bangalore 45.

144. *Terminalia glabra*, *Curry murda*, *Tam.* A large tree, wood dark coloured, very hard, heavy and strong, Dr. Wight speaks highly of this wood, and states that large beams are readily procurable at Coimbatore for house building purposes. It is very hard, heavy and durable under water. Wight No. 16, Travancore 78, 101, 383, Mysore 30, Paulghaut 21, Cleghorn.

145. *Thespesia populnea*, *Poorsungkai*, *Tam.*—*Gun-garani*, *Tel.* A tree much used for avenues, of quick growth, and yielding good shade. This generally grows from the cuttings, and although the timber is strong, hard and durable, but rarely to be met with good, owing to the trees rotting at the heart. It is procurable, fit for chairs, &c. The tree abounds in old gardens, and about all European Stations, thriving best near the sea. Wight No. 79, Mysore 9, Palamcottah 252, Hort. Garden 30.

146. *Thevetia nerifolia*. A garden shrub called the "Exile." The wood is worthless. Hort. Garden 17.

147. *Vachellia farnesiana*, *Jali mara*, *Can.*—*Veda vully*, *Tam.* An armed shrub, very common in Mysore and Deccan, exuding much gum like the babool, which it greatly resembles in its timber, the size is very small. Wight No. 109, Mysore 24, Cleghorn.

148. *Vatica robusta*, *Saul*, *Hind.* *Googilam*, *Tel.*—A wood in great repute, belonging to the *Dipterocarpeae*; it is most valuable for house and ship building, Vats for liquids, door frames, and the rails and battens of doors; it is not suited for planks, it twists, shrinks, and warps, whenever the surface is removed, even after many years seasoning. This wood is in general use for building purposes in the Ganjam and Vizagapatam Districts.

"From Colonel Baker's excellent experiments, it appears that, compared with Teak, its strength is about 1121 to 869. From Major H. Campbell's valuable experiments, unseasoned Saul broke with a weight of 1,308lbs., seasoned Saul with 1,319lbs., and teak wood with 1,091lbs. It is unquestionably the most useful known Indian timber for engineering purposes," (Jury Reports Great Exhibition.)

149. *Visenia umbellata*. A considerable tree of great beauty, with rose coloured flowers and velvety leaves; introduced from Sumatra, the seeds having been sent to the Horticultural Society's Garden, by Dr. Wallich. Hort. Garden 26.

150. *Vitex alata*. A small tree found in the Nag-gary Hills, leaves ternate, petioles winged. Hort. Garden 32.

151. *Vitex altissima*. A large tree of great beauty, when in flower, frequent on the slopes of the Western Ghats, reported to be fit for cabinet purposes. Wight No. 131, Travancore 338.

152. *Wrightia antidysenterica*. Veppaula, *Tam.*—Pála chettoo, *Tel.* A small tree of common occurrence in Mysore and the Hilly parts; its medicinal virtues are worthy of attention, but the wood is of little value. The bark was formerly in request under the name of *Conessi* and is still esteemed a valuable drug by the natives. It appears to have lost its value in commerce, from not being distinguished from the bark of *Wrightia tinctoria* which grows in the same places. Travancore, 65.

153. *Wrightia mollissima*. Introduced from the Naggary Hills; the yellow juice might be turned to account, but the timber is of no value. Hort. Garden 68.

154. *Wrightia tinctoria*. Palay marum, *Tam.*—A small tree, the leaves of which yield an inferior kind of Indigo. Wood white and close grained, said to be suited for Turnery. Wight No. 66, Travancore 784, Bangalore 305, Palamecottah 250, Penang 158.

155. *Zizyphus jujuba*. Yellanday marum, *Tam.*—Elanjee mara, *Can.*—Gooly mara, *Can.*—Bèr, *Hind.*—Rega, *Tel.* The wild Bèr tree, common almost every where; wood hard and useful, but of small size. It is used for making sandals. Wight No. 127, Mysore 14, Bangalore 37.

SECTION VIII.

ANIMAL SUBSTANCES.

SUB JURY.

THE HONORABLE WALTER ELLIOT, Esq.—*Chairman.*

W. E. UNDERWOOD, Esq.

ALEX. HUNTER, Esq. M. D.

H. CLEGHORN, Esq. M. D.—*Reporter.*

The subjects which fell under the consideration of the Jury in this section, are not so numerous as might have been expected.

The animal substance of most importance as a material for textile products is Wool, Export 79,072lbs. Rs. 8,559, of this an interesting series of specimens is exhibited from the table land of Mysore, by Mr. R. A. Fitzgibbon in charge of the Sheep Farm, Hargunhully.

Common black country wool.

Do. wool, half bred.

Do. wool, three-quarters bred.

Do. merino, $\frac{2}{3}$ bred.

Taking into consideration the Exhibitor's persevering endeavours to introduce the Merino breed of sheep, and that the samples transmitted present excellent qualities,

the Jury consider Mr. Fitzgibbon entitled to a 2d Class Medal.

Several other specimens have been sent, but there are only two Exhibitors whom the Jury would notice. viz. Rajagopauloo, Bangalore, who sends two sorts of prepared wool, and Mr. Bowden of Guntoor who transmits three sorts of wool, carefully pulled and scoured.

These wools manifest qualities of fibre which deserve Honorable Mention.

SILK. Export 1,666lbs. Rs. 6,569. This product is the most costly of all materials for textile purposes. Very fine samples are shown from Mysore, the produce of *Bombyx Mori* (silk worm). It is probable that the culture may be successfully carried on in the valleys of Neilgherries. Indeed, for some years past, experiments have been energetically carried on by the late Mr. Casamajor, and at present by Major Minchin: specimens of silk from Italian worms reared at Katy have been sent. On the Bombay side, the culture of silk under an Italian, M. Mutti did not succeed, and has been abandoned for want of success.

Silk reeled by the children at the Chittoor School was also exhibited. The Jury regret to learn that the breeding has been in some measure neglected since the death of Mr. Groves. The Jury understand that the culture of Silk has been much promoted, and is being skilfully carried out by Monsr. Perrotet, Pondicherry.

TUSSAH SILK.—Cocoons, from which this description of silk is obtained, were exhibited from several localities. They are formed by caterpillars of several species of moth, belonging to the genus *Saturnia*. That which is most commonly met with in Southern India, appears to be *S. Paphia*. The caterpillar feeds on the leaves of the Country Almond tree (*Terminalia catappa*) whence it is often called the almond moth. It is also found on the leaves of the Bèr tree, (*Zizyphus jujuba*), the Casuarina, &c. The cocoons are ingeniously attached to the twiggy branches of the Bèr, by a long stalk terminating in a ring, encircling the branch. In the thicker foliage of the Casuarina, the silk is woven among the leaves without the above provision. It does not appear, that silk in any quantity has been obtained from this source in the Madras Presidency. Considerable quantities of the small silk cloth worn by Brahmins at their meals are imported into the Northern Circars, from Cuttack. The only use to which the cocoons appear to be turned is that of a ligature for native matchlocks. They are cut spirally into long narrow bands, with which the barrels are tied to the stocks. Dr. Roxburgh, in the 7th vol. of the Linnean Transactions, has described the preparation of the Tussah silk of Bengal, which is derived from two different species of *Saturnia*. One called *bughy* by the natives of Beerbhoom, appears to be the same as our species, (*S. Paphia*), and is stated to

feed on the Ber tree and on the Asana (*Pentaptera glabra*). The other termed *jarroo* by the natives of the same province, is the *S. Cynthia*, and is domesticated. The caterpillars are fed on the leaves of the castor oil plant (*Ricinus*) whence it is called the Arrundy, or Arundi silk worm, but it also eats the leaves of the Bèr and Asana. Colonel Sykes has a paper in the 3d vol. Trans. Roy. As. Socy. Lond. on the cocoons of *S. Paphia* found by him in the Deckan under the designation of the *kaliscar* silk worm, which he states is met with on the Bèr tree, (*Pentaptera glabra*) Teak tree and common Mulberry. The Chinese Tussah is said to be obtained from *Saturnia Atlas*, which is also to be met with in Southern India.

Another species of *Saturnia* (*S. Selene*) the posterior wings of which are prolonged into a tail-like process is common in Southern India. The caterpillar may be observed, feeding in considerable numbers on the Odina Wodier, or Besharm tree in February and March. Its chrysalis is enveloped in a silky covering, so like that of *S. Paphia* that it would probably be found to yield a strong and useful thread.

It may be worth while to direct attention to the silk spun by several smaller specimens of *Bombyx* moths, found on different species of *Cassia*, *Acacia* and *Phyllanthus*. A gregarious caterpillar (a species of *Lasiocampus*) may be observed clustering in great numbers on the stem of the Guava, the Jamoon (*Syzygium jambolanum*), and probably other trees; the silky covering of these also seems deserving of examination.

Lieut. Colonel F. Cotton sent some of the cocoons gathered by him when exploring the Godavery.

HORNS and ANTLERS. Export No. 919839, cwt. 2189, Rs. 1,00,218, of these a great variety of handsome and illustrative specimens were exhibited. The collection of the Honorable W. Elliot merits the first place for the number and rarity of the specimens.

There are shown the dense Antlers of the "Samber" (*Cervus hippelephas*), of the "barking deer" (*Cervus muntjac*), of the "Axis" (*Cervus axis*), the Neilghai (*Damalis Rusa*) and other species of Indian Deer—also horns of the Indian Buffalo, Ox, and Antelopes were exhibited.

From the Cape of Good Hope, a Rhinoceros Horn, the heads of the Giraffe, and *Strepsiceros Capensis* with other specimens of horns and antlers, belonging to the same collection.

There are interesting consignments of these productions from different districts, but as the functions of the Jury found no exercise in regard to this section, they limit themselves to the above notice of Mr. Elliot's collection, which is by far the most valuable, which has been transmitted.

HAIRS AND BRISTLES.—Bristles from the wild Boar

and the Elephant, and quills of the Porcupine are exhibited.

FEATHERS AND DOWN.—Peacocks' feathers are exhibited from several collectorates, and the Down of the young Adjutant Crane (*Ciconia Argala*) and of other cranes, these are made into Ladies' Boas and Victorines. The Adjutant is very rarely found so far South, but a kindred species, the *Ciconia alba*, (Jerdon) is pretty common, of this the under tail coverts are collected and sold in considerable quantity. Many are procured at Trichoor in Malabar. With reference to writing Quills, the Jury have nothing to say, as there did not seem to be any feather worthy of notice.

ANIMAL OILS.

The following were exhibited :—

Oil made of Peacock's fat.....	Tinnevely.
Neat's foot Oil.....	Masulipatam.
Alligator's fat.....	Do.
Guana Oil, Mr. Bowden.....	Guntoor.

IVORY.—Export lbs. 4,310, Rs. 71507. Several specimens of fine Ivory were exhibited; the largest pair of Elephants tusks sent to the Exhibition, were a pair weighing 130 pounds, obtained from a wild Elephant killed in the Travancore forests. One tusk weighed 71 pounds, the other 67 pounds, and showed a fine white compact kind of ivory; of these two, one measured 6 feet 8 inches in length, and the other 6 feet 6 inches, the circumference at the base being 17 inches in each case.

It is a singular fact that the domestication of the Elephant is usually attended by deterioration of the length and quantity of the Ivory.

The Honorable Mr. Elliot exhibits the tusk of the Narwhal.

TORTOISE SHELL.—Export lbs. 308, Rs. 2,204. The epidermoid plates which overlap the back shell of the Marine Turtles (*Chelone*) were transmitted from Travancore, apparently fine plates. Another epidermal production, called Tortoise shell, from Madura and other inland localities was exhibited, but the specimens were of little value.

SHELLS.—A few shells are exhibited belonging to the Genera, *haliotis*, *turbo*, &c., which are useful in connection with the manufacture of mother of pearl buttons, likewise the *Chanks*, which the Hindoos use in their processions, the exportation of these is very great, chiefly to Calcutta, last year as follows. No. 15,15,495, Rs. 54,780.

CORALS.—A small number of Corals and Madreporae including the *Gorgonia* were exhibited, these serve for various purposes of ornament.

GLUE.—Of a superior-kind derived from the waste residue of animal tissues, which had served the operation of tanning at the Government Tannery, Hoonsoor, is an illustration of the inventive skill of man, and deserves Honorable Mention. An equally good sample has been received from Ootacamund, prepared by Mr. Brophy, from bones and remnants of animals which have served as food, this specimen also appears to the Jury worthy of Honorable Mention.

FISH MAWS.—Specimens of the dried air bladder of at least two species of fishes were exhibited, but they were not well cleaned, if they had been carefully treated they promise to yield Isinglass of a superior description. The export of this is considerable, and has been noticed in the Report of Class III.

BEES' WAX.—Export lbs. 297,609, Rs. 126,796, was exhibited from almost every District. The samples from Coorg and Travancore were considered the best.

JURY AWARDS.

2D CLASS MEDAL.

Progressive No.	Catalogue No.	Name of Exhibitor.	Object Rewarded.
		Mr. R. A. Fitzgibbon	Series of Wool.

HONORABLE MENTION.

Progressive No.	Catalogue No.	Names of Exhibitors.	Objects Rewarded.
		RajagopaulooBangalore	Specimens of prepared wool.
		Mr. Bowden - - -	Do. do.
		Govt. Tannery, Hoonsoor - - -	Glue, of a superior kind.
		Mr. Brophy - - -	Do. do.

CLASS V.

REPORT ON MACHINES FOR DIRECT USE, INCLUDING CARRIAGES, &c.

JURY.

MAJOR J. MAITLAND, *Artillery, Superintendent Gun Carriage Manufactory.*

G. B. BRUCE, Esq., *Chief Engineer, Madras Railway.*

MAJOR JENKINS, *Agent, Madras Railway.*

Lt. COL. J. T. SMITH, *Engineers, Mint Master, Madras Mint (Chairman.)*

MAJOR W. K. WORSTER, *Artillery, Superintendent of Roads and Acting Astronomer.*

R. KENNEDY, Esq., *Engineer, Madras Railway.*

ASSOCIATE.

LIEUT. H. P. HAWKES, *Sub Assistant Commissary General—Reporter.*

The manufacturing population of this country have hitherto been restricted to the application of manual power to the machines in use for the purposes of Industrial Art, and while their necessities have been thus supplied, and no extensive demand has arisen from without to call for more powerful aids to production, it can hardly excite surprise that this class should be so imperfectly represented.

Prejudice and other obstacles have also intervened to oppose a departure from long established custom.

It must be conceded, however, that rude as the mechanical contrivances of the natives appear, some of them are both simple in construction and effective in operation, and in their economical application are unsurpassed by the inventions of modern science. The common Picottah for instance, in simplicity of design and efficiency in action, remains without a substitute for the purpose to which it is applied.

Education and individual enterprise, it is hoped, may now gradually remove the barriers, which have hitherto retarded the introduction of modern appliances.

"A Force Pump" for raising heavy weights on the principle of Brahmah's Hydraulic press, a "Brahmah's Press," a "Force Pump" and "Common Pump," (Cl. v. c. Nos. 1, 2, 3 and 4.) made up in the Arsenal of Fort St. George—exhibited by Overseer W. H. Patterson are creditable illustrations of these well known machines.

"A Lever Spanner" (Cl. v. c. No. 5.) and "Gearing Hammer" (Cl. v. c. No. 7.) by the same exhibitor are very good specimens of workmanship, a "Lever spanner" (Cl. v. c. No. 6.) by supervisor S. Brookes of the Arsenal is also equally well executed.

The only object shown under the head of carriages is a model of a Travelling Coach on equirotal wheels (Cl. v. c. No. 10.) exhibited by the Inventor, Capt. G. Harvey, Mysore Commission, "the advantage in this vehicle over ordinary conveyances is said to consist in its turning in a space equal to its own length;" in its greater lightness, when compared with other carriages affording much less accommodation, and in its "fitness" for travelling over rough and uneven roads.

Concerning this model, the Jury observe that it is the only object in the class, which claims the merit of originality. It moreover exhibits considerable simplicity, as well as ingenuity in the arrangement of its parts. It has been in use for 8 or 10 years, and has been found to answer well for travelling or other carriages, and is therefore deserving of Honorable Mention.

A working model of a Windmill for raising water (Cl. v. No. 11.) contributed by Capt. McNeile, B. A., appears too complicated for general use.

CLASS V.

Honorable Mention.

Class.	No.	Name.	Object Rewarded.
V.		Harvey, Capt. G.	Travelling Coach.

CLASS VI.

MANUFACTURING MACHINES AND TOOLS.

JURY.

MAJOR J. MAITLAND, *Superintendent Gun Carriage Manufactory.*

G. B. BRUCE, Esq., *Chief Engineer, Madras Railway.*

MAJOR JENKINS, *Agent Madras Railway.*

LIEUT. COL. J. T. SMITH, *Madras Engineers, Mint Master, (Chairman.)*

E. KENNEDY, Esq., *Engineer, Madras Railway.*

MAJOR W. K. WORSTER, *Artillery, Honorable Company's Astronomer.*

ASSOCIATE.

LIEUT. H. P. HAWKES, *Sub-Assistant Commissary General, (Reporter.)*

The primitive state of the Mechanical Arts in this country, would naturally lead to the conclusion that in the application of Machinery to facilitate manual labor, the deficiencies in this class would be very apparent.

Such is doubtless true, of the portion exhibited by Native contributors, but on the other hand, that supplied by European Agency, manifests so decided a tendency towards the adoption of more modern improvements that the Jury cannot but view this collection as one possessing considerable interest.

New wants may lead the Manufacturer to more strenuous endeavours to assimilate his operations to those adopted by other and more advanced nations, but the introduction of improved Machinery *generally* must be attended with such cost as to preclude its use among the mass of the people.

The Native contributions in illustration of the Machines and Tools in general use, appear rude and imperfect, but it must be remembered that the Artizans of this country attain a high degree of excellence in various manufactures, and so far compel an acknowledgment of the fitness of their implements for the purposes for which they are designed.

On the other hand, however, many of the objects in this class, emanating from the subordinate Officers in the several Institutions or Departments under Government, with few exceptions, although exhibiting but little

novelty of design are of great excellence of workmanship. Their chief value consisting in the adaptation of European machines to native manufactures, amongst others, the machine for granulating gunpowder, displays considerable ingenuity, but must be much improved before it can be safely used for that purpose.

The advantages which have been reaped by those establishments, which have adopted the improved machinery of which this class contains many models, are doubtless great, both as regards a saving of money and in the superior excellence of the articles produced.

The improved Buffing mills, quick Tanning machines, &c. from Hoonsoor, may be mentioned as examples.

Of late also, on the Madras Railway, the Godavery Annicut, and other large engineering works, tools from England, or those made from English patterns, have been successfully introduced. With regard to the Railway more especially, the operations in connection with which are entirely new to this part of the country, all the implements supplied by the Company for workshops and Plate-laying are similar to those used for the same purposes in England. A very little practice on the part of the Natives enables them to use them successfully.

It is worthy of remark, however, that in all works executed by petty contractors, such as embankments and cuttings, the old established modes are entirely followed, owing doubtless to the cheapness of labour.

The difficulties which have been encountered by the Exhibitors, in preparing these illustrations of the application of machinery to practical purposes, and the manner in which they have been so successfully surmounted entitle the contributors to high commendation.

A complete Machine for the manufacture of Gold Thread (Class VI. No. 5) from Madura, exemplifies the art of wire drawing in India.

A working Model of a Weaving Loom (Class VI. No. 6.) deserves creditable notice for its excellence in execution and minuteness of detail.

Several sets of the *Tools in common use* by Potters, Carpenters, Iron Smith, Painters, Brass Smiths, Jewellers, Farriers, Masons and Druggists exhibited by His Excellency the Tondyman Rajah of Poodoocottah are interesting, as showing the extremely rude implements with which these trades are carried on.

A Mill for winnowing Sesamum seeds (Cl. VI. No. 29) exhibited by Monsieur Bulliard of Pondicherry is a very useful machine, and is said to have been used with great success in the Northern Circars in winnowing Gingeley seed and animal charcoal, the price of the present article however appears to be high.

A well constructed *Model of a quick Tanning machine* from Hoonsoor (Cl. VI. No. 39) exhibited by Staff Serjeant Gage through the Commissary General serves well to illustrate of the process. A Buffing mill also and other models by the same exhibitor deserve commendation. The Pearl Barley machine seems however to be slightly out of proportion in some of its parts and works stiffly. The Jury consider Staff Serjeant Gage entitled to "Honorable Mention."

The *Model of an addition to the Planing bench* (Class VI. No. 42) exhibited by Assist. Surgeon W. Hilbers of Hoonsoor is a very useful little contrivance.

A Model ($\frac{1}{2}$ th size) of a Still from Pondicherry (Class VI. No. 44.) is exhibited by Monsieur A. Bulliard. The exhibitor omits to remark if the machine or any part of it is of his own invention, but considered merely as a specimen of manufacture in India, the Jury are of opinion that on account of its good workmanship and general excellence it is worthy of a Prize Medal.

The following Models made at the Gun Carriage Manufactory are all neat and good specimens of workmanship, and as such are deserving of special mention.

A Model of an Oil Press (Lieut. Hawkes' pattern,) exhibited by the Military Board, is exceedingly well made, the Jurors would observe that this machine which is likely to become extensively useful, would be enhanced in value by having the two screws of a different pitch. The first pressure being given by the coarser screw to save time when the further application of the finer screw will complete the process.

A Break for crushing fibres, (full size) Cl. VI. No. 46) worked by means of a *treddle*, and said to be effective. The manner in which power can be applied either by foot or hand, or both combined, is well deserving of attention.

An Augur for boring square holes, also made at the Gun Carriage Manufactory and exhibited by Overseer Curran (Cl. VI. No. 47) is an excellent and useful little machine.

A Model of a Tilt Hammer, worked by hand, exhibited by Major Maitland, may be practically useful, the arrangement of the canes however might be slightly improved.

As an illustration of the general principle of saw Mills a rough *Model of a Circular Saw* with under and over cut was exhibited by Overseer Curran. A *Slide Rest* for a turning lathe, exhibited by the Madura Local Committee and made by Anakapen of Dindigul. Considering the very great difficulties attending the construction of a tool of this description with the simple implements in use amongst Natives, is deserving of infinite credit. The Jury accordingly award him a Prize Medal, or its equivalent Rupees fifty.

A Gunpowder granulating machine, exhibited by Sub-Conductor W. Manning of the Powder Mills, is an ingenious adaptation of known principles to the manufacture of Gunpowder and creditable, but the workmanship and arrangement is doubtless susceptible of considerable improvement.

CLASS VI.

PRIZE MEDAL.

Pro. No.	Catal. No.	Names of Exhibitors.	Object Rewarded.
CCXLIII	44	Bulliard, Monsieur.	Distilling apparatus
LXXXIII	7	Anakapen. . Rs. 50	Slide rest for turning lathe.

HONORABLE MENTION.

CCXXX	39	Gage, Staff Serjeant.	Model of tanning mill, &c., &c.
CCLIII	45	Gun Carriage Manufactory.	Model of Oil Press.
CCLIII	47	Curran, Overseer.	Augur for boring square holes.

H. P. HAWKES,

Reporter.

CLASS VII.

CIVIL ENGINEERING, ARCHITECTURAL AND BUILDING CONTRIVANCES.

JURY.

LIEUT. COL. J. T. SMITH, *Madras Engineers, Mint Master.*

LIEUT. COL. FABER, *Chief Engineer—Chairman.*

LIEUT. COL. F. A. REID, C. B., *Quarter Master General, Madras Army.*

MAJOR J. H. BELL, *Secretary Board of Revenue D. P. W.*

A. H. MACNAIR, Esq., *Engineer, Madras Railway.*

The objects for Exhibition in Class VII. to which the attention of the Jury has been directed, whilst by no means numerous, are far from being devoid of interest whether they be considered in respect to ingenuity of design or correctness and dexterity of modelling.

Of the eight or nine models exhibited, the Jury are of opinion that each entitles its exhibitor to a certain degree of credit.

The model of a *Mahomedan Dwelling House* transferred from the Paris Exhibition Committee (Class ex. No. 1) appears to be correctly though not very neatly executed.

Another model of a *Hindoo Dwelling House* made by Moorogapah Achary is finished with the greatest care and exhibits a most faithful picture of Native domestic economy. It admits of dissection in every part, and the fidelity, skill and ingenuity of the modeller are only rendered more conspicuous by the closest inspection. The retired inner rectangle, the stairs, giving access to the platform of the roof, the enclosed well for household consumption, the carved doorway, and the pyals in front, are all found to have been rendered with scrupulous accuracy and with great excellence of workmanship. The Jury accordingly award the exhibitor a second Class Medal.

A *Mortar Mill* for the incorporation of lime and sand as used in Public works at Pondicherry by Mr. Guerre, Head of the Engineer Department, is both effective and economical and in particular cases might probably be introduced with advantage into the Engineer's Department at Madras. The contrivance differs so slightly from the common pug mill used in preparing clay for the brick maker that the Jury do not attach to it the merit of originality.

Monsieur Carriol of Pondicherry exhibits a very near and exceedingly well joined model of a *Drawing Room Staircase* (Cl. VII. No. 4) concerning which the exhibitor observes that the opportunity of making in full size, a staircase similar to the one exhibited, has not yet been afforded me but two wooden staircases of very similar shape and on the same principles have been executed.

A faithful but somewhat rough model of a *Wooden House*, similar to those which are to be found on the Western Coast is shown from Travancore, in which the chief point to be noticed is the prodigal use of timber which is so abundant there.

Store Serjeant Carr exhibits a model of a *Coffer Dam* or water-tight enclosure within which the construction of Hydraulic works can be securely carried on, the features of novelty that it presents are—1st, Screw piles at intervals take the place of ordinary piles. 2ndly—There is a contrivance meant to preserve these in a vertical position and at the proper distance apart whilst being screwed into the ground; and 3rdly the intermediate planking is framed into doors which move up and down between the grooves of the screw piles.

As a model, this is a very interesting contribution, its simple inspection conveys considerable instruction to those not conversant with contrivances for working in water and for the Lecturer this coffer dam would be very useful enabling him to bring the matter home to his pupils in a much more satisfactory manner than by drawings or mere verbal explanation.

The Jury consider the exhibitor deserving of a second Class Medal.

It is not easy for those who have already seen Railways in full use and activity in England to estimate the feelings of mingled interest and curiosity with which the model of the first *Railway Terminus* to be built in the Madras Presidency has been inspected. The officers of the Railway Company have not only modelled on a large scale (94 in. to 1 ft.) this imposing edifice (already under construction) but the adjoining sheds, sidings, rails, &c. are also shown, the roofs of which are of a pattern hitherto unused in India.

The terminus consists of one front 329 feet long and 45½ feet high of the modern Ionic style of architecture.

Apart from the interest which this model commands as marking the commencement of a new localera, the Jury consider the execution of this work to be very creditable and deserving of a second Class Medal.

The details of the roof which is a combination of teak and iron and the architectural ornaments are executed with a fidelity and put together with a degree of accuracy and neatness which are not surpassed by any other model in the Exhibition, and which are most creditable to the workmen who were employed and to the talent by which they were directed.

The last model in this class is that of the proposed *Madras University* made by Mr. Williams, Cabinet maker.

This object possesses strong claims on the interest of all those whose lot is cast in a land, the character and condition of which is likely to be much influenced by the several Institutions for which accommodation is to be permanently provided in this large building. Of much greater actual dimensions than the *Railway terminus*; it is not modelled on so large a scale being only one-sixtieth of the full size. But although this has much increased the difficulty of a minute and at the same time an accurate representation of the ornamental details of the building, the Jury observe that the ingenuity of the constructor Mr. Williams has successfully overcome this and numerous other difficulties.

The tools for making the cornices, mouldings, &c. were the unassisted efforts of the intelligent native artisans by whom the model was made from the mere ground plan and elevation of the work.

The building represents moreover what has been considered the most suitable form for the construction of all public edifices in an inter-tropical climate. The objects to be secured in the construction of this edifice were, that each apartment should be lofty and well ventilated and have the protection of an ample corridor on each side.

By this construction little more than one-third of the covered area is available for use, the remaining two-thirds consisting of verandas and balconies tending to the comfort of the occupied rooms.

The work has four stories, a basement of 9 feet high intended for workshops for the native artificers connected with the School of Industrial Arts and Government Museum.

The ground floor and first story are apportioned almost equally amongst the three departments now gathered under one roof.

The Museum occupies.....	42722	} Square feet.
Industrial School.....	53553	
University.....	51835	
		148110 Square feet.

The eight rooms in the attic story having a clear height of 17 feet, will be inhabited by subordinate officials dwelling on the premises whilst they will also afford advantageous position for the large iron tanks which supplied by a steam force pump of 5 horse power placed in the basement story will admit of a water service being laid on to every portion of the building.

The estimated cost is Rupees 21,27,078-14-4. The Jury recognising the diligence of Mr. Williams in preparing so large a model in the space of a few weeks recommend him for a second Class Medal.

JURY AWARDS.

CLASS VII.

2D CLASS MEDAL.

Pro. No.	Catal. No.	Names of Makers.	Articles Rewarded.
CCLVIII	2	Mooroogapah Achary.....	Model of Hindoo Dwelling House.
	1	Store Serjt. Carr..	Model of Cofferdam.
CCXCVI	1	Madras Railway Company.....	Model of the first Railway Terminus.
CCXCVII	8	Mr. Williams	Model of proposed Madras University.

CLASS VIII.

NAVAL, ARCHITECTURAL AND MILITARY ENGINEERING, ORDNANCE, ARMOUR AND
ACCOUTREMENTS.

JURY.

Lieut. General J. S. FRASER, *Chairman.*

Major General F. BLUNDELL, C. B., *Commandant of Artillery.*

His Excellency Lieut. General the Honorable GEORGE ANSON, *Commander-in-Chief, Madras Army.*

Major W. K. WORSTER, *Barrack Master, Acting Honorable East India Company's Astronomer.*

Lieut. Colonel G. BALFOUR, C. B., *Member of the Military and Marine Boards.*

JAMES SHAW, Esq., *Surgeon Madras Army, Oculist.*

A. BLACKLOCK, Esq., *Professor of Surgery.*

H. D. E. DALRYMPLE, Esq., *Sheriff of Madras.*

Capt. BIDEN, *Master Attendant, Madras.*

SUB COMMITTEE.

Major Genl. F. BLUNDELL, C. B. }

Lieut. Colonel BALFOUR, C. B. }

Joint Reporters.

There was a general deficiency of Naval, Architectural, and Military Engines, and the following report almost exclusively relates to the Ordnance Arms and Armour.

The Armour and Arms exhibited although forming a very extensive collection, are on the whole of inferior quality; a fact which seems to show either that the long peace in Southern India has caused the superior kinds to disappear, or that weapons in general use in this country have been always of an ordinary and inferior quality. Some few of the weapons however, are of great value, and there are also curious forms of arms quite unusual in European warfare, though seemingly long known in this country.

A detailed report on the arms, &c., will be found appended; and it will therefore be sufficient here to describe the more interesting and valuable pieces.

HIS EXCELLENCY LIEUT. GENL. ANSON, EXHIBITOR.

Amongst those may be noticed a *Coat of Mail of Steel*, the whole of which is rivetted together, with the exception of the collar which is composed of small brass and steel rings, merely looped one into the other; the helmet is also of steel inlaid with gold, surrounded with a curtain of brass and steel rings, of a sufficient depth to cover the back of the neck.

Also two sets of *Plate Armour*, composed of steel of the best description and beautifully inlaid with gold; the helmets are also surrounded with a beautiful fringe

of steel and brass rings looped together, and the gauntlets fringed with gold lace. There is only one shield belonging to these two sets of plate armour, and that is composed of fine steel beautifully inlaid with gold.

There are amongst this collection a pair of *Two Edged Swords* from the North of India. The blade of one is beautifully wrought and inlaid with gold, and the other inlaid with silver; the scabbard of one is of soft wood covered with purple velvet and trimmed with gold lace, and that of the other is covered with embossed leather.

Two *Damascus Swords* may likewise be mentioned as they are of beautiful workmanship, the handle of one being of steel inlaid with gold, and that of the other of ivory mounted with steel inlaid with gold; the scabbards are both of wood, covered with embossed leather gilt, and the mountings are of steel inlaid with gold.

Amongst the *Daggers or Creeses*, there are a few deserving of remark. The handle of one dagger is all of steel, beautifully watered and inlaid with gold, the blade all fluted and chased; and the scabbard of wood covered with embossed leather and velvet.

An object of great interest was a *Sword of the Emperor Baber*, the blade of which is cut from the hilt to the tip nearly in the same manner as a common pit saw, and also divided in two for about 9 inches from the point, thus forming 2 swords from that length. The

handle is of wrought iron covered with silver, and the scabbard is of wood covered with canvas and quite plain.

HIS HIGHNESS THE RAJAH OF TANJORE, EXHIBITOR.

As it is quite unusual now in Europe to see horse armour, a set of *Plate Armour for a Horse* sent to the Madras Exhibition, attracted attention. This set of armour is composed of small plates of wrought iron, intermixed with small iron rings linked and rivetted together; the whole of the set is lined with cotton cloth padded, and appears to be of recent manufacture.

A *Shield made of the Hide of the Rhinoceros*, and beautifully studded with gems set in gold, was deserving of notice.

Two *Bows with Quivers and Arrows, &c.*, being weapons quite in disuse in Europe, were objects of much interest here; these are made of bamboo, gilt, and the quivers are of crimson velvet fringed with gold lace, and embroidered all over with gold; the arrows are of light bamboo, tipped with steel.

There are also three *Spears* deserving notice. The shafts are of wood, with the exception of about 18 inches from the bottom, which are of iron richly chased, and are covered with copper, curiously chased and perforated the whole length; the spear heads are of the best Indian steel, and the sockets are of iron welded to the steel, richly chased, and inlaid with silver.

Two *Necrara Cheekrums or Iron Discs* deserve notice as curious specimens of Indian weapons of war, more curious than useful. They are made to slip over the hand with a strap behind; in the centre is a steel knife projecting to the front, and round the edges are also placed a number of short knives.

A set of *Iron Claws* to fix on the fingers, are formed of separate iron rings made to fit each finger with a steel claw attached to each, and would prove most dangerous weapons in close quarters, but would be of no use in any other way.

A *Gopum or Sling*, is a curious specimen of ancient warfare weapons. It is made of red silk embroidered with gold; the stones belonging to the sling are fine white pebbles the size of a hen's egg.

A pair of *Steel Discs, Chirkhs or Quoits*, about 7 inches in diameter, made of the best steel the outer edge being very sharp attracted attention. These were formerly in much use amongst the Sikh soldiery; being thrown from the tip of the finger, after frequent revolutions to impart a momentum.

Nine *War Knives* must be noticed. Their blades are of very thin steel and in the shape of a bill hook; the handles are of ivory inlaid with brass.

Also a suit of *Steel Armour for an Elephant* made of the best steel plate intermixed with steel rings rivetted together. The whole of this suit is in excellent condition, and like the horse armour deserving attention.

Amongst the *Daggers* one was noticed with blade

quite plain, but the handle of thin silver very prettily chased; and the scabbard of crimson velvet, tipped with silver richly chased.

A *Spear with three points* is a very curious specimen of Indian manufacture, the centre point being all of steel; the socket is of wrought iron very richly chased, and the shaft of wood painted green.

The most numerous and varied collection of arms was that exhibited by His Highness the Rajah of Tanjore; and as it contained a greater variety of instruments of offence and defence, the Jury have thought it advisable to award a second Class Medal.

HIS EXCELLENCY THE RAJAH TONDAMAN, BR.,
EXHIBITOR.

The collection which approached nearest to that of Tanjore was the one exhibited by His Excellency the Tondaman Rajah, containing a considerable variety of weapons; and this the Jury considers deserving of honorable mention.

The collections exhibited by the Local Committee of Salem, by Messrs. Conolly, Ratliff and the Collector of South Arcot, are all deserving commendation; but the best assorted collections belonging to private Exhibitors are those of the Honorable W. Elliot, and His Excellency Lieutenant General Anson. That of the former gentleman is superior in variety and extent, whilst the Arms in Lieutenant General Anson's collection are superior in workmanship and evidently of considerable value; and these having moreover been collected in the North West Provinces, they afford better illustrations of the excellence of the weapons which the practice of War may be expected to produce. The Jury therefore award a 2d Class Medal each to the Honorable W. Elliot, and His Excellency Lieutenant General Anson.

The collection of Arms contributed by the Local Committee from Malabar, consists of a portion of the War knives obtained from the Mopillays of that Collectorate in their recent disarming. The knife, resembling a Bill hook, is well suited for a jungly tract like Malabar, and is doubtless a powerful weapon in the hands of a determined man in close action; but the interest they possess in the Exhibition is the fact of their removal from their owners, who it is hoped will now settle down to those quiet habits of life which an efficient government must exact from their subjects.

The *Arms from Hyderabad* are of much interest, from the circumstance that the steel of which the well known Damascus blades is formed, is manufactured within the Hyderabad Territories.

It is commonly supposed that the *Wootz*, or Indian steel, is prepared by breaking up the iron ore and throwing it into a charcoal furnace, (blown by bellows, worked by men) from whence the iron is at once obtained in a malleable state, and being cut into pieces of about one pound in weight, is converted into steel by

Putting it into a crucible with the dried branches and green leaves of various shrubs.

Captain Campbell however who devoted much time to investigating this branch of manufacture, considers that the first product from the ore is not iron but steel.

The natives of India consider that the different kinds of woods employed in the first reduction of the ore, as well as in the subsequent conversion of the iron into steel, have a decided effect in producing different qualities of iron and steel. The wootz or steel being allowed to cool in the crucible, the particles have sufficient time to arrange themselves and form crystals: whence arise those beautiful combinations which when forged into sword blades, produce the Damascus figure or "Jowher."

—
LIEUTENANT GENERAL FRASER, EXHIBITOR.

SMALL ARMS.

Under the head of *Small Arms* only one piece was exhibited, and that was a Rifle exhibited by General Fraser as taken from the Russians at Bomarsund; it was manufactured at Liege in Belgium, and shows the full excellence of the mechanical construction for which that great manufacturing town is celebrated. It has a strong but somewhat coarse and heavy appearance; and though not to be compared in finish to the English weapon, yet in all its parts it is in every respect a useful and complete weapon, in no way inferior to the English piece for the rough work of a campaign. The difference between that and the English two grooved rifles, is in the sight, which in the Russian piece is certainly a great improvement on that of the English rifle, being graduated and very easily shifted to any elevation; the other parts of the Rifle are the same as in the English pattern.

An ingenious mode of facilitating the loading of the piece was noticed; in order to prevent the ramrod falling out of the piping along the stock and barrel, there is a considerable degree of tightness in the loops whilst the ramrod is lodged; but to expedite the use of the ramrod, the leather bayonet or sword scabbard is supplied with a socket to receive the ramrod, from whence it is easily withdrawn in order to ram down the cartridge; an arrangement peculiarly deserving of attention. There was also noticed a useful lock-cover to protect the lock of the piece from wet, and attached to it is a leather nipple cover between the lock and nipple; thus effectually guarding from damp the part most liable to rust and corrode.

There is also a *Helmet* of the well-known pattern usually seen in all the drawings of the Russian Infantry, a neat, graceful, and warlike head-piece; well adapted for use, being light, yet ornamental, and sitting easily conveniently and closely upon the head. The double-headed Eagle is neatly stamped on a zinc plate, and with a large body of men, this when

well cleaned, must produce a pleasing and martial effect. The crest of the helmet is evidently intended to receive a plume, the socket being at present neatly covered by a zinc tube.

On the whole, if the Russian Infantry be equipped in the efficient manner that this *Rifle* and *Head-piece* would denote, more advanced and more civilized Nations will do well to take care that they are not outstripped by Russia in the efficiency of their Military Equipments.

MODELS OF ORDNANCE, ORDNANCE CARRIAGES, &c.

The Exhibition presents a considerable variety of models of *Ordnance Carriages* and *Pieces of Ordnance*; but the majority being modelled on the patterns in use in the Artilleries of Europe, already discussed in the Report of the Juries of the Grand Exhibition, it will be sufficient to notice those that have peculiarities of Indian construction.

These are chiefly models of Ordnance, and Ordnance Carriages, that either have been or now are in use with the Madras Artillery; they are constructed by scale, and show the successive alterations and improvements that have been introduced from time to time. All are extremely well turned out, and evidence much care and an amount of skill in workmanship which are highly creditable to the Artificers of the Gun Carriage Manufactory, and Artillery Depôt of Instruction.

The marked peculiarity of the Indian Carriages is their adaptation for movement by means of Bullocks; being provided with yokes and chains for teams of cattle of from 12 to 60 strong, yoked sometimes in pairs, and with larger teams in quadruple yokes, so as to diminish the length of the team, and admit of the power of cattle being applied with greater facility to the heavy weight to be moved.

Various arrangements are made for facilitating the movement of those heavy cumbersome pieces; such as carrying back the trace chain to the Rear Axle-tree of the Rear Carriage, having separate Trunnion Boxes for moving the Gun forward, so as to place the weight of the piece more equally between the two Axletrees of the Limber and carriage; and also the application of wheels of 6 feet diameter to the Rear Axle, in order to increase the power of overcoming obstacles.

The construction of the Madras Carriages differs in several respects from that of Carriages used in the Royal Artillery. One is, that the Pintle loop of the Light Field Carriages which unites the Carriage with the limber, is made moveable, revolving on a ball and socket let into the trail of the Carriage, thereby preventing danger and risk to the limber when the Gun Carriage upsets on uneven ground; and as there seems no difficulty in adapting this improvement to the existing Carriages of the Royal Artillery, it is deserving of notice, the only thing requisite being to ensure good

iron work, which is essential where the iron loops are subjected to sudden wrenches in passing over bad ground.

All the models of *Madras Gun Carriages, Ammunition Waggon, and Ammunition Carts*, exhibit a peculiarity of construction not noticed in the European Artillery Services in having brass instead of wooden naves. The difficulty experienced in procuring proper wood for the naves, and in ensuring due seasoning without having a large per-centage destroyed, has always been considered in India as a serious drawback to the efficiency of Carriages furnished with wooden naves, and the simple plan of brass naves, is therefore commended to attention. These brass naves are said to last even longer than the Carriages, being hardly ever known to require renewal; and were it not for the expense of transporting Metal from the out-stations, it is believed that the same brass naves might answer for two sets of Carriages; thus offering the great advantage of diminishing the number of articles to be carried on Field service with an Artillery Train.

The metal naves are usually of the same weight as the wooden ones, and allow of the spokes being easily taken out and replaced by means of adjusting bolts and screws; and the box for the axle being of iron, the wear and tear is but slight, and even when worn out, the metal boxes can easily be replaced: thus ensuring the easy revolving of the axle arm.

The next marked feature presented by these models, is that some of the Gun Carriages and mortar beds are made of wrought iron (not cast iron) instead of wood; a plan often advocated but rarely tried in the different Artillery services, although the use of wrought iron appears to offer many facilities for the application of iron to the Ordnance service, ensuring lightness combined with strength, facility of repair, portability, and diminution of materials to be carried in the field. There is also less exposure to injury in action from the enemy's shot, and greater facility of stowage in garrison, since a light field wrought iron Gun Carriage can be taken to pieces and packed away in a long narrow case.

The Jury observe one *Iron Carriage*, constructed for an 18 pounder gun, proposed by Lieut. Col. Anstruther, C. B. Both the piece and carriage are deserving of commendation; for although the piece has at first sight an awkward appearance from the trunnions being so near the muzzle yet this trifling eye sore is insignificant in comparison with the great advantage of preponderance of weight at the breech, obtained by throwing the balance of the gun so far forward. This piece was a 12 pdr. iron gun reamed up to an 18 pdr. calibre; it is stated to throw its shot with great accuracy owing to the much diminished windage allowed, and although reduced in length from 20 to 10 calibre, yet by reason of the great steadiness in firing resulting from the preponderance of weight at the breech, it carries a charge sufficient with its existing Windage to propel the projectile with

great velocity, thus ensuring a range nearly equal to that of the longer but far heavier 18 pdr. common gun. Both carriage and piece appear to be of a light and simple construction, easily handled and well adapted for batteries of position, and are therefore well deserving attention.

This carriage and gun have been tested both in travelling and in firing, and have been most favorably reported on in both respects by the Special Committee of Artillery Officers. Its advantages as respects weight will be seen by a comparison with a 12-pounder Carriage and Limber as below.

	LIEUT. COLONEL ANSTRUTHER.			COMMON.		
	18-Pdr. Gun.			12-Pdr. Gun.		
	Cwt.	Qrs.	Lbs.	Cwt.	Qrs.	Lbs.
Weights of Gun	24	2	14	33	0	0
„ of Carriage	14	2	14	18	0	0
„ of Limber	12	0	22	15	0	0
Total	51	1	22	66	0	0
or lbs.	5,762			7,392		

And it was found that 30 bullocks instead of 50 (the allotment for an 18-pdr. gun and carriage) were sufficient for its efficient movement, along a route considered the most difficult in the Madras Presidency, viz. from Madras to Cuddapah.

DIRECTOR ARTILLERY DEPOT OF INSTRUCTION, EXHIBITOR.

A model of a wrought Iron Light Field Carriage for a 9 pdr. brass gun—a wrought Iron Mortar Bed for a 5½-inch mortar—and a wrought Iron Carriage for an 8-inch Howitzer, are all deserving the attention of those interested in the construction of the pieces so essential for the operations of war.

SUPT. GUN CARRIAGE MANUFACTORY, EXHIBITOR.

A model of an Iron Mortar Bed of a pattern, lately introduced into the Madras Artillery Service, which combines solidity with lightness. The workmanship of this model, both as regards Mortar and bed, are of a high order.

DIRECTOR ARTILLERY DEPOT OF INSTRUCTION, EXHIBITOR.

A model of the Depression Carriage originally intended for the elevated Batteries on the Rocks of Gibraltar, deserves notice as being peculiarly well adapted for the Hill Forts of India; where it is often requisite to discharge pieces from a height, with a considerable depression of the muzzle. It also admits of a direct and easy recoil on a slide without risk of the piece being dismounted; and as this description of carriage may apparently be adapted for any

calibre, it is likely to be particularly useful for batteries in elevated positions.

The Jury also noticed the portability of the *Gun platform* in use with the Madras Artillery, which has recently been publicly condemned by a writer in the Quarterly Review for December 1854, Page 238 (in the following words) when writing on the operations carrying on against Sebastopol.

"The newly introduced *Madras Platform* for the Siege Guns proved a failure; not only was it impossible to traverse the Guns upon them, but they were soon broken by the recoil. By the end of the second day of the siege scarcely any remained entire; and the Engineers were compelled to substitute for them such planking as could be procured in the country."

It may be useful to give some details regarding the construction of this pattern of Platform thus stated to have failed in the Crimea, and to have thereby occasioned great injury to the Public Service, by stopping the fire of the batteries; and it will perhaps on explanation be admitted, that the failure may have arisen from other causes than defects in pattern or mode of construction.

The marked feature in this Platform is its portability, by reason of all unnecessary wood and Iron work being dispensed with. The wheels rest on two planks, and the Trail of the Carriage is guided in its recoil by an Iron guider passed through a Pintrail hole running in a groove on one plank, on which the Trail of the carriage recoils. The difficulties experienced in the use of these Platforms in the Crimea, probably arose from defective scantling in the wheel plank, and unsuitability in the kind of timber used.

Defective laying of the platforms may also have contributed to the failure; and the following remarks in Conolly's History of the Corps of Royal Sappers fully corroborates this opinion.

CONOLLY'S HISTORY OF THE CORPS OF ROYAL SAPPERS AND MINERS, PAGE 244, VOL. II.

"It was not long before the Madras traversing platform, considered to be the specific for a great siege, was shown to be a failure. From the hard and uneven bottom of the trench the platforms were, to save them from injury and their efficiency, laid upon sand-bags well tamped, but the violent and sudden action of the guns in their recoil shivered the platforms to pieces. A rude substitute was expeditiously furnished by tearing down some dilapidated wooden houses in the neighbourhood of the Camp, and resorting to the old expedient of sleepers and floors, the platforms, so prepared by the Sapper carpenters, were found to be far less liable to derangement, than the engineering exotic from Madras."

A great difference is understood to exist between the practice of the Royal and Indian Services, viz., that in

the Royal Army the Engineer Officers both construct the Batteries and lay the Platforms, whereas in the Indian service, the entire charge of the Platforms, as respects their custody, conveyance and use, rests with the Artillery themselves; whereby both men and officers are regularly trained in the laying of Platforms: a practice which commends itself as most useful in regard to so important a portion of equipment on which the efficiency and accuracy of fire mainly depend.

The Jury also noticed great care and finish in the construction of these Platforms; the bolts, screws, nuts, and planks, being all assimilated and carefully marked and numbered, so that even in the dark the articles required for laying the Platforms, may easily be found. Owing to the vast extent of country over which the ordnance of India has to travel, it will be admitted that it is of great importance to dispense with useless material in order to ensure lightness; and these considerations have doubtless led to the adoption of this kind of Platform for the Indian service, rather than Platforms of other patterns. No doubt this Platform could be improved upon, and made more perfect as far as respects stability; but only we believe at the cost of a considerable increase of weight, which in Indian marches of many hundreds of miles becomes a serious question for consideration; and in the Crimea where such great difficulties of transport have already been encountered as to prevent even a sufficient number of shot being brought up for the Pieces already in Battery, great weight of Platforms would be a serious and perhaps insurmountable obstacle. The failure of these Platforms in the Crimea, may therefore be attributed probably to defective application of the Madras Pattern. There may have been insufficient scantling to bear the weight of the Gun and Carriage mounted, and also defects in laying the Platform; judging from the remarks regarding the traversing.

The model of *Sick Carts* exhibited, may perhaps be well adapted for the transport of sick in India; but they appear to be very far inferior to the ambulances of the French Army, which afford so many conveniences for the movement of the sick Soldiers. The difference in the construction of the Indian sick carts may however be attributed to the different requirements of service in India, where Regiments march 600 or 800 miles; and even then the sick, lame, and those unfit for duty, must still accompany the corps. These sick carts may therefore be suitable for such long journeys, but for field operations so long as the British Army in the East is victorious, the ready and willing Dooly Bearers with Doolies, will always carry off the wounded from the Field of battle more promptly and comfortably than even the French ambulances.

The model of the *Field Medicine Chest*, is of a peculiarly neat construction, affording sufficient space for all the medicines required for some time; it admits of

easy access, and the lids when spread out, form a table for compounding medicines. It may be somewhat difficult of carriage except in the way at present planned, viz., by 4 beams with a pole projecting at the ends; but with the existing means of carriage in India, this medicine chest is well suited for the purpose intended.

GENERAL REMARKS.

Amongst the models exhibited there are none which can be considered deserving the award of medals; but the Jury think that honorable mention may be made of the models constructed at the Gun Carriage Manufactory and Artillery Depôt of Instruction; and accordingly recommend the Superintendent of the Gun Carriage Manufactory and the Director of the Artillery Depôt to receive honorable mention.

As noticed in the Grand Exhibition, so on this occasion, the Military implements and articles for war purposes are unusually few, as if the object of the exhibition, viz., to draw forth all those articles tending to advance civilization, were felt to be in opposition to the exhibition of articles employed in contravention of that repose and quiet so essential for the progress of science and knowledge; but it is to be hoped that in the exhibition of 1857, Departments and individuals may be induced to exhibit all kinds of Military implements whether of offence or defence, so necessary even in civilized communities for maintaining freedom from aggressive attacks on the part of less civilized communities. And in India especially, where such great changes have yet to be effected before the people can be brought to appreciate the advantages of peace and the consequent improvements in civilization and Arts, and where we are surrounded by numerous tribes of Asiatics who may at any moment be impelled on to plunder, it appears the more essential that the means of defence should not be omitted, any more than articles which whilst denoting progress, also point to the necessity of means of protection from enemies. We now furnish the following details of Armour exhibited.

DESCRIPTIVE CATALOGUE OF ARMS AND ARMOUR, THE PROPERTY OF LIEUT. GENERAL ANSON, COMMANDER IN CHIEF.

1 Coat of Mail, Steel.—The whole of this coat of Mail is rivetted together, with the exception of the collar which is composed of small brass and steel rings, merely looped one into the other; the Helmet of this is also steel, inlaid with gold, surmounted with a curtain of brass and steel rings of a sufficient depth to cover the back of the neck.

2 Sets of plate Armour.—These two sets of plate armour are beautifully inlaid with gold, and are composed of steel of the best description; the helmets are also surmounted with a beautiful fringe of steel and brass

rings looped together and the gauntlets are fringed with gold lace. There is only one shield belonging to these two sets of plate armour and that is composed of fine steel beautifully inlaid with gold.

2 Coats of Mail.—The whole of these two coats of mail are of Steel, they are both rivetted and welded together, and appear to have been made a number of years; the collars are of velvet dotted with small brass spangles.

1 Suit of Chain Armour.—This Suit of Armour is composed of brass and steel rings 3-16ths of an inch in diameter; linked together but not rivetted.

1 Steel Chain Headpiece.—This headpiece is composed of small rings 3-8ths of an inch in diameter, and all rivetted together; the top of it is of wrought iron tinned.

1 Pair of Two Edged Swords.—These pair of swords are from the South of India, the blade of one is beautifully wrought and inlaid with gold, and the other with silver; the scabbard of one is of soft wood covered with purple velvet and trimmed with gold lace, and the other is covered with embossed leather.

2 Damascus Swords.—These two Damascus swords are of beautiful workmanship, the handle of one is steel, inlaid with gold; and the other is of Ivory mounted with steel inlaid with gold; the scabbards are of wood, covered with embossed leather, gilt, and the mountings are of steel, inlaid with gold.

1 Battle-Axe.—The handle of this axe is composed of wrought iron covered with silver, beautifully chased and gilt; the axe itself is of Damascus manufacture, fluted and perforated; the sheath is of crimson velvet trimmed with gold.

5 Daggers.—These Daggers are of Damascus manufacture with Ivory handles; the blades are beautifully watered and the edges are bevelled off about $\frac{1}{4}$ inch in depth, and beautifully polished: the scabbards are of light wood covered with red and green velvet, tipped with gold.

2 Daggers.—These two Daggers are also of Damascus manufacture, the blades are watered and levelled at the edges, and along the back of them, near the handle, is a groove in which is placed a number of small shot. The handles are of Ivory, and the scabbards are of wood covered with green velvet, trimmed with gold.

1 Dagger.—The handle of this Dagger is beautifully inlaid with turquoise and rubies, and the scabbard is of green velvet, tipped with gilt copper, inlaid also with turquoise and rubies; the blade itself is of the best description.

1 Damascus Dagger.—The handle of this dagger is of steel, richly inlaid with gold; and the scabbard is of soft wood covered with crimson velvet, tipped with steel richly inlaid with gold.

3 Damascus Daggers fitting one into the other.—These Daggers are very curious pieces of workmanship,

two of them have steel case handles richly inlaid with gold, and the other is of Ivory. These three daggers fit one in to the other, so that when all together they have the appearance of one dagger only; the scabbard of the outer one is of wood covered with green velvet, tipped with silver.

1 *Dagger of Cashmere*.—The blade of this Dagger is inlaid with gold near the handle, and the handle is of blue quartz mounted with steel richly inlaid with gold; the scabbard is of purple velvet, tipped with silver.

2 *Small Daggers*.—The blades of these Daggers are quite plain and the handles are of yellow crystal; the scabbards are of purple velvet tipped with silver.

5 *Daggers or Creeses*.—The handles of these are all of steel, beautifully watered and inlaid with gold; the blades are all fluted and chased, and the scabbards are of wood covered with embossed leather and crimson velvet.

1 *Pair of Damascus Swords*.—The blades of these swords are in excellent condition, the handles are of Ivory, one mounted with steel and the other with brass; the scabbards are of soft wood, covered with embossed leather and mounted with steel and brass.

1 *Damascus Sword*.—The blade of this sword is beautifully watered, and the handle is of steel richly inlaid with gold; the scabbard is of wood covered with embossed leather tipped with brass.

1 *Peon's Sword*.—The blade of this sword is quite plain, but the handle is of steel beautifully inlaid with gold; the scabbard is of wood covered with invisible green velvet, tipped with gold.

1 *Sword of the Emperor Baber*.—The blade of this sword is cut from the hilt to the tip nearly in the same manner as a common pitsaw; it is also divided in two for about 9 inches from the point, so as to form 2 swords from that distance. The handle is of wrought iron covered with silver, and the scabbard is of wood covered with canvas and quite plain.

1 *Straight Sword*.—This sword has three flutes running along the blade; the handle is of wrought iron perforated and inlaid with silver, and the scabbard of soft wood covered with plain leather.

1 *Pair of Steel Gauntlets*.—This pair of gauntlets are chased, and appear to have been made many years since, as the inside of them is very much corroded.

ARMS BELONGING TO HIS HIGHNESS THE RAJAH OF TANJORE.

1 *Complete set of plate Armour for an Elephant*.—The whole of this set of Plate Armour is composed of iron plates intermixed with rings of the same material, the plates are rivetted, but the rings are only linked together.

1 *Set of Plate Armour for a horse*.—This set of Armour is composed of small plates of wrought Iron, intermixed with small iron rings linked and rivetted to-

gether; the whole of this set is lined with cotton cloth padded, and appears to be of recent manufacture.

2 *Sets of Iron Chain Armour*.—These sets of Armour are composed of small iron rings $\frac{3}{4}$ ths of an inch in diameter rivetted together. The turban of one of these suits is made of long strips of sheet iron rivetted and brazed together, and in front of the turban is a plate of iron which projects down as far as the mouth, (intended to protect the face from the cut of a sword) and this piece of iron is richly chased. The other head piece is made of plates of iron and small rings of the same material rivetted together.

1 *Set of Plate Armour*.—This set of Armour is of plate iron with the exception of the joints, which are of small iron rings rivetted together; the Helmet is of sheet iron studded with small brass buttons, and the gauntlets are of iron elegantly chased.

1 *Set of Iron chain armour, with Head piece*.—The whole of this suit is composed entirely of Iron rings rivetted together, the head piece is also made of Iron rings rivetted together and appears to have been made long ago.

1 *Gooptee or sword stick*.—The blade of this is two-edged, about 3 feet in length and quite plain; the handle is of ebony, and the stick also of ebony tipped with silver.

2 *Goopteas or sword sticks*.—The blade of one of these sticks is diamond shaped or four square, and the other two-edged; the handles are of carved wood, richly gilt, and the sticks of ebony tipped with silver.

1 *Gooptee or sword stick*.—This stick is only two feet in length, and the blade is four square; the handle is carved representing 2 parrots gilt, the stick of beech tipped with silver.

1 *Shield of Rhinoceros Hide*.—This shield is made of the hide of the Rhinoceros, beautifully studded with gems set in gold.

2 *Bows with quivers, arrows, &c.*—These bows are made of bamboo, "gilt, and the quivers of crimson velvet fringed with gold lace" and embroidered all over with gold; the arrows are of light Bamboo, tipped with steel.

1 *Pair of Gauntlets*.—This pair of Gauntlets is made of copper richly chased and perforated; they are also gilt and fringed with gold lace.

3 *Spears*.—The shafts of these spears are of wood, with the exception of about 18 inches from the bottom which is of iron richly chased; the shaft itself is covered with copper, curiously chased and perforated the whole length; the spear heads are of the best Indian steel, and the sockets are of Iron welded to the steel richly chased and inlaid with silver.

6 *Spears*.—The shafts of these spears are of bamboo, but the spear heads are of a very inferior material, be-

ing made of iron and steel combined together and quite soft, and are scarcely worth noticing.

1 *Spear*.—The head of this spear is of the best Indian Steel and is fluted all over; the socket is of iron very richly finished, but the shaft is only of bamboo.

1 *Spear*.—The shaft of this spear is about 14 feet in length; and at about 3 feet from the bottom is a large ornament decorated with silk tassels. The spear head is only of iron, and quite plain.

The shaft of this rocket is of bamboo about 12 feet in length; and the socket itself is of wrought iron weighing about 30 lbs. and fastened to the shaft with thongs of green hide.

4 *Straight fencing Swords*.—These swords are of excellent steel and fluted; the handles are of Iron inlaid with gold, and the scabbards of silver richly chased.

1 *Pair of Curved Swords*.—This pair of swords are quite plain, the handles are of wrought iron gilt, and the scabbards of silver chased.

2 *Puttahs or Basket hilted swords*.—These swords are two edged and about 3 feet 6 inches in length: perfectly straight and very thin. The steel is of the very best description, the hilts of wrought iron chased and gilt, and the scabbards of silver quite plain.

6 *Puttahs or Basket hilted swords*.—The blades of these are the same as the former, and the hilts of iron gilt; the scabbards being of red and green velvet fringed with gold lace.

1 *Bichoor or Dagger with 3 blades*.—The blades of this dagger are of Indian steel, and the handle of iron chased, representing 2 griffins' heads.

1 *Bichoor with 2 blades to be used by the Right hand*.—The blades of these are the same make as the former, but the handle is of copper.

1 *Bichoor with 2 blades to be used by the Left hand*.—The blades are of steel but very much worn; and the handle is of wrought iron curiously chased.

11 *Kuttars*.—The blades of these are all of steel quite plain; and the handles of wrought iron beautifully chased and perforated so as to resemble birds and fish.

5 *Kuttars or Daggers*.—The blades of these daggers are all fluted and very nicely finished; the handles of iron, chased and inlaid with gold.

1 *Kuttar of Berhampore*.

2 *Bhallaparasa or Battle-axes*.—The heads of these are of steel and the handles of wrought iron and quite plain.

6 *Bhallaparasa or Battle-axes*.—The whole of these axes are of steel, and the handles of iron curiously chased.

2 *Bhallaparasa or Battle-axes*.—The heads of these are of steel, and the handles of black wood and quite plain.

1 *Ankoose or Elephant drivers' weapon*.—The handle of this weapon is of wrought iron beautifully chased and inlaid with gold; it has a spear head and hook, both of which are richly chased and fluted.

6 *Ankoose or Elephant drivers' weapon*.—These weapons are of the same make as the former but not quite so large; and the handles of two are quite plain.

2 *Neeraracheekrum or Iron discs*.—These weapons are rather curious specimens of Indian war instruments; they are made to slip over the hand with a strap behind, in the centre is a steel knife projecting to the front, and round the edges are also placed a number of short knives. These discs are more curious than useful.

1 *Set of Iron claw Nails*.—This set is made to fix on the fingers; they are formed of separate iron rings made to fit each finger with a steel claw attached to each, and would prove most dangerous weapons in close quarters though of no use in any other way.

2 *Sets of Tigers claws*.—These set of claws are made to fit on the hand, and would prove rather disagreeable instruments to come in contact with.

5 *Shields of sorts*.—These are not very interesting, with the exception of one from Hyderabad. This shield is made of dark colored brass and is very nicely finished; in the centre are four brass bosses and a half moon. The other shields are all quite plain.

1 *Great Gingal*.—This gingal is about 10 feet in length and made of wrought iron, the stock being of Trincomallee wood and very coarsely finished. There is no lock, but it is intended to be fired with a slow match.

2 *Small Gingals*.—These 2 Gingals are of the same make as the former but only about 6 feet in length; the stocks are of common jungle wood. These are also made to be fired with the slow match.

1 *Carnatic Musket*.—The barrel of this musket is very old and appears to have been made very many years; the stock is of black wood ornamented with brass, it has a common flint lock, and the ramrod is of wrought iron.

6 *Spears*.—The heads of these spears are all made of Indian steel and the sockets of wrought iron; some of them are beautifully chased and inlaid with gold and silver, and the shafts of Trincomallee wood.

1 *set of Vazramootees*.—These are to be fixed on the knuckles when boxing, they are made of hard-woods and gilt.

1 *set of Vazramootees with steel spikes*.—This set is made of black wood, and along the back a row of steel spikes which would make a very dangerous wound if driven into the face.

5 *Rockets*.—These rockets are all of wrought iron, but the shafts are of bamboo. Two are decorated with flags of red cloth ornamented with gold, but the others are quite plain.

1 *Mardoo*.—This instrument is made of 2 deers' horns tipped with steel spikes; they are fastened together with the points projecting outwards, and there is a short dagger in the centre.

1 *Mardoo with Shield*.—This instrument is made in the same manner as the former, but in the centre is a small iron shield with a dagger attached.

1 *Mardoo*.—This mardoo is made of 2 deers' horns rivetted together, not tipped with steel like the former, but quite plain.

1 *Pair of Mugdars*.—These are nothing more than a large pair of clubs or dumb bells, fluted from top to bottom and very much resembling those used by recruits at drill.

1 *Gudgah*.—This is nothing more than a gilt stick with an iron handle plated with silver, and decorated with a lot of silk tassels.

1 *Gudgah*.—This gudgah is of bamboo painted green, with a handle of wood, gilt, and decorated with gold lace.

1 *Chilla*.—This instrument is nothing more than an iron club, the head is slightly curved, and surrounded with iron spikes.

Chilla in the form of a screw.—The shafts are of wrought iron very curiously worked, and the head consists of steel plates placed together in the form of a screw.

1 *Sangandha*.—This instrument is a long bar of wrought iron about 3 feet in length; the handle consists of 2 discs of wrought iron about 8 inches in diameter, with the rod running right through. It is intended as an instrument for exercise.

1 *Goda*.—This is an iron mace, the shaft being of iron about 2 feet in length; very curiously worked; and the head also chased.

1 *Gossum or sling*.—This curious specimen of ancient days is made of red silk embroidered with gold; the stones belonging to the sling are very nice white pebbles, the size of a hen's egg.

1 *Pair of Steel Quoits*.—This pair of quoits are about 7 inches in diameter and made of the best steel, the outer edge being very sharp. They are intended to be thrown from the tip of the finger.

1 *Pair ditto double edged*.—This pair are also of steel with the inner and outer edges both made sharp and are intended to be thrown or pitched from the hand, instead of the tip of the finger.

WAR KNIVES FROM CALICUT, BY H. CONOLLY, Esq.

9 *War knives*.—The blades of these knives are of very thin steel formed in the shape of a bill hook; and the handles of ivory inlaid with brass.

81 *War knives*.—The blades of these knives are the same make as the former, but the handles are of wood inlaid with brass.

ARMS AND ARMOUR, THE PROPERTY OF HIS HIGHNESS THE TONDIMAN RAJAH.

1 *Suit of Steel Armour for a Horse*.—This suit of steel armour is composed of small plates of steel intermixed with rings of the same metal, rivetted together.

1 *Suit of Steel Armour for an Elephant*.—This suit of armour is made of the best steel plate intermixed with steel rings rivetted together; the whole of this suit is in excellent condition.

1 *Dagger with gilt Handle*.—This dagger is made of steel of the best description, the handle of copper gilt, and the scabbard of red velvet tipped with silver.

1 *Dagger*.—The blade of this dagger is quite plain, but the handle is of thin silver very nicely chased. The scabbard of crimson velvet tipped with silver richly chased.

3 *Hog Spears*.—The heads of these spears are of steel, and the sockets of iron brazed at the spearhead and very nicely finished; the shafts of Trincomallee wood painted green.

1 *Spear with 3 points*.—This is a very curious specimen of Indian manufacture; the centre points are all of steel, and the socket of wrought iron very richly chased; the shaft being of wood painted green.

1 *Ankoose*.—This instrument is intended for the use of an Elephant driver; it is all made of iron excepting the point and hook which are of steel curiously chased.

1 *Long sword or Puttah*.—This sword is quite plain, but the handle is curiously carved.

JURY AWARDS.

CLASS VIII.

2ND CLASS MEDALS.

Pro. No.	Catal. No.	Names of Exhibitors.	Object rewarded.
LXX	56 to 233	H. H. the Rajah of Tanjore	Arms of Offence & Defence.
CXCI	362 to 440	Honorable Walter Elliot, Esq.	Do. do.
CCXXXIII	486 to 502	His Excellency Lieut. General Anson	Do. do.

HONORABLE MENTION.

CXV	275 to 300	His Highness the Tondiman Rajah	Arms of Offence and Defence.
CCLIII	455	Supt. of Gun Carriage Manufactory	Model of a Mortar.
CCVII	330 to 361	Director of Artillery Depot	Model of Gun Carriage.

(Signed) F. BLUNDELL, MAJOR GENL.

(„) G. BALFOUR, LT. COL.

CLASS IX.

REPORT ON AGRICULTURAL AND HORTICULTURAL MACHINES AND IMPLEMENTS.

JURY.

LIEUT. COLONEL J. T. SMITH, *Mint Master, Chairman.*LIEUT. COLONEL C. E. FABER, *Chief Engineer.*MAJOR J. H. BELL, *Secy. Revenue Board, D. P. W.*A. H. MCNAIR, Esq., *Civil Engineer Madras Railway.*

ASSOCIATE AND REPORTER.

H. P. HAWKES, Esq.

The objects in this Class contributed by native Exhibitors are without exception, the mere models of those rude implements of husbandry which have been used from time immemorial in the cultivation of the soil.

A few garden and farming tools exhibited by the European Subordinates in the Arsenal of Fort St. George are very creditable specimens of workmanship. His Excellency Rajah the Tondiman Bahadoor contributes a complete and interesting set of the Agricultural implements in general use.

From Mysore also, Captain Harvey forwards neatly executed models of similar objects.

A complete set of cutting Instruments employed in husbandry, comprising hatchets, sickles, axes, &c. &c. from the Salem Local Committee are of a much superior finish to those ordinarily procurable.

Amongst some well made models of ploughs, harrows, &c. &c. contributed by Captain Blagrove (Cl. IX No. 51) from Masulipatam is one of the common drill which although generally known seems to merit a short notice, and similar drill for sowing raggy is exhibited by Moonenpah Maistry. It consists of a long and heavy rake to which is fixed a beam and yoke for bullock draught. The teeth of this rake are made of hollow bamboos considerably bevelled off at the back to permit the escape of the seed into the drill which the teeth make in passing over the ground. These teeth are severally connected by long hollow bamboos with a large bowl or reservoir in which the seed to be sown is placed. The action of the machine is obvious, the bowl being filled, the seed

descends through these bamboo cylinders and makes its exit through the teeth of the machine into the drill prepared to receive it. The teeth thus act the double purpose of making the groove and depositing the seed.

The trowels, hoes, potatoe forks, &c. &c. of the usual European patterns, contributed by supervisor S. Brooks and Sub Conductor C. Smart are very well turned out and 2nd Class Medals are awarded for each of them.

JURY AWARDS.

CLASS IX.

2ND CLASS MEDALS.

CCLVII	52	Brooks, S. Supervisor..	Agricultural & Horticultural Imple-
	to		ments.
	63		
CCLVII	64	Smart, C. Sub-Cond..	Agricultural Imple-
	&		ments.
	65		

HONORABLE MENTION.

CCXX	Captain Blagrove....	Drill for sowing grain.
------	----------------------	-------------------------

(Signed) H. P. HAWKES,

Reporter.

CLASS X.

REPORT ON PHILOSOPHICAL, MUSICAL AND SURGICAL INSTRUMENTS.

JURY.

LIEUT. GENERAL J. S. FRASER, *Chairman.*JAMES SHAW, Esq., *Madras Army, H. E. I. Co.'s Oculist.*DR. A. BLACKLOCK, „ *Professor of Surgery.*CAPTAIN W. K. WORSTER, *Artillery, Reporter.*

In a country where science is but little cultivated, and the demand for Philosophical Instruments is so very limited, it can scarcely be expected that much inducement would be held out to Native Artificers to direct their attention to this branch of manufacture.

This Class is in consequence indifferently represented in the Exhibition. The specimens moreover, are by no means an average indication of skill. This may be attributed in a great degree to the productions being generally the work of artizans who have little access to good European models.

It is to be regretted, that the state of the art at Madras was not represented.

I.—*An abacus* for the blind (Class X. No. 1) for performing arithmetical operations invented by Mr. W. Cruickshanks, (who is himself blind) is very creditable to the ingenuity of the inventor.

II.—*Two Letter-balances* with “spring lifts” from Tanjore, exhibited by H. Forbes, Esq., (Cl. 4 and 5) are neat specimens of Native workmanship.

Other Balances for the same purpose, of rougher make were exhibited, but call for no particular notice.

An universal Sun-dial, made by Mootoosawmy of Tanjore (Cl. and No. 6), is the best production in the class, and is considered a very creditable display of skill. The usual form of this instrument has been preserved though the graduation is capable of improvement.

The Jury however, recognizing the difficulty attending the execution of an instrument of this description without adequate means, award the Exhibitor a 2nd Class Medal.

A Tourniquet for the cure of aneurism exhibited by Overseer Patterson, is a very creditable specimen of

work in steel, and although the principle of limited local pressure has long been recognised, and the usual form of the Instrument has not been departed from, the Jury consider the exhibitor is entitled to honorable mention.

A Cavalry Trumpet exhibited by Aurokeum Brass founder and instrument maker at Bangalore, is a highly creditable specimen of native workmanship and deserving of Honorable mention.

A complete collection of Native musical instruments both for a band and for accompanying the voice exhibited by His Excellency the Rajah Tondiman Bahadur are interesting.

JURY AWARDS.

CLASS X.

2D CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor.	Article Awarded.
LXVIII	216	Mootoosawmy of Tanjore.	An Universal Sun-dial.

HONORABLE MENTION.

LXIII	175	Mr. Cruickshanks	Abacus for the blind.
CCLVIII	2	Overseer Patterson ...	Tourniquet.
CCLXXIV	38	Aurokeum	Cavalry Trumpet.

CLASS XI.

MANUFACTURES IN COTTON.

AND

CLASS XVIII.

WOVEN, SPUN, FELTED AND LAID FABRICS, WHEN SHOWN AS SPECIMENS
OF PRINTING OR DYEING.

JURY.

W. E. UNDERWOOD, Esq., *Chairman and Reporter,*

W. U. ARBUTHNOT, Esq.,

B. LECOT, Esq.,

T. TAWSE, Esq.,

N. C. MOOROOGASEM Moodelly,

AZEEZ OOL MOOLK Bahadoor,

MAJOR GENERAL J. S. FRASER,

E. MALTRY, Esq.

MAJOR J. McDUGALL,

CAPTAIN G. B. ROBERTS,

The Cotton Manufactures of India are of ancient origin, they are mentioned by Herodotus, and the lightness and delicacy of the manufacture attained has not been exceeded even by the industry and skill of the West, but, the momentous discoveries of Arkwright and others, have enabled Great Britain to manufacture certain kinds of Cotton Piece Goods at a cheaper rate than is practicable even with the low rate of wages prevailing in India. For instance, the Export-trade of the Madras Presidency in Madapollams and Long Cloths has been annihilated by the British Manufacturer, and these goods laid down by him in all the Bazaars of India. The Export-trade of what were denominated Madapollams and Punjums for the 10 years from 1815-16 to 1824-25 was as follows.

	Bales	Value Rs.
1815-16	11,925	37,82,859
1816-17	10,243	33,53,243
1817-18	9,905	32,78,330
1818-19	7,715	24,00,543
1819-20	5,903	19,64,006
1820-21	5,149	16,81,551
1821-22	2,915	12,53,383

	Pieces
1822-23	541.. 53220..409,337
1823-24	„ .. 142,470..793,208
1824-25	„ .. 128,400..802,600

This description of Goods is not now made, and the three beautiful pieces of Punjum in the Exhibition, are highly interesting as specimens of that important manufacture which formerly was to be found in bales in the Bazaar and in the Custom House for shipment.

The same causes which contributes to so great a falling off in the Cotton Manufactures of this Presidency produce a like effect upon the yarns spun by hand, the change may be perceived by referring to cotton twist imported from the United Kingdom in the years from 1826 to 1830 compared with the last 10 years.

1826-27	13,296
1827-28	17,573
1828-29	96,517
1829-30	49,110
1830-31	10,549

Total...187,045

1844-45	1,178,648
1845-46	755,464
1846-47	953,477
1847-48	517,067
1848-49	375,250
1849-50	673,387
1850-51	786,544
1851-52	10,62,223
1852-53	10,16,703
1853-54	11,05,181

Total 84,23,944

It is worthy of remark that even the skill and capital of England has not been able to compete in a certain class of fabrics with the manufactures of this Presidency in the home market, or even to exclude them from the Foreign. This does not arise from any distaste upon the part of natives to wear articles of European manufacture, but consequent upon Europe not being able to supply a white or dyed article, usually worn by natives, as cheap as it can be manufactured in the country; proving that there are bounds even to the power loom, and that fabrics coarse in quality can still be made by the hand at a profit, for, after a fair trial, the weavers of Europe have given up competition in this description (Native Cloths) of fabrics finding their exportation to India not remunerative. It is generally supposed that the power looms of England have destroyed the export Trade of Madras but the annexed Table demonstrates that such is not really the case for though a certain description of Goods have ceased to be exported yet on the whole there is no very extraordinary difference in value between the Export of Cotton Piece Goods, in what were considered the palmy days of the Export Trade, compared with those of the last ten years.

Compared with statement at Para 1.

1844-45	3,841,982
1845-46	3,926,438
1846-47	4,86,921
1847-48	3,736,055
1848-49	2,843,425
1849-50	3,097,558
1850-51	2,942,874
1851-52	2,908,934
1852-53	3,521,516
1853-54	3,141,024

The Cotton Twist imported from the United Kingdom may in round numbers be taken at 400 bales per annum, each bale will make about 3000 yards of the native cloths usually worn which would give 12,000,000 twelve million yards annually manufactured, irrespective of goods made by yarn spun by the hand. The amount thus given is an estimate that approximates to the truth with sufficient accuracy to exhibit the great extent to which handloom weaving is still carried on in this Presidency.

The Cotton Piece Goods submitted for the consideration to the jury comprised only a portion of the varieties of this great staple of the Madras Presidency, some

however were very remarkable not only in quality and finish but also in the style in which they were got up; these latter remarks refer more particularly to the Cotton Manufactures of Pondicherry and Mangalore. The jury after careful examination with the Assistance of Native Associates accorded awards as follows.

The jury consider the Arnee muslin (white) exhibited by I. Gooroomoorthy Chetty to be an excellent specimen, fine in quality, soft to the touch, even in the thread, which is country made and of good color and texture, and award the exhibitor a 2d Class Medal.

The Arnee colored muslins for ladies dresses exhibited by the same manufacturer are deserving of commendation and are of a quality very far superior to that which is generally made for sale. They appear to have been manufactured expressly for the exhibition. The muslin next in quality was exhibited by Ruthnum Moodely and deserves commendation.

The Table cloths and Napkins from Pondicherry from the works of Monsieur R. Godfroy are numerous, very good in quality, varying in size from the ordinary table cloth to those of dimensions suited to public entertainments. The jury express their unqualified approbation of this Fabric, made with thread and wove, with machinery set up by the enterprising firm connected with this manufacture in this country. The design, now commonly called the Damask pattern, and imitated in various parts of this Presidency, was introduced at these works. The jury desire to bring this manufacture to the especial notice of the Committee of the Madras Exhibition and award a 1st Class Medal.

The Cotton Cloths exhibited from Nellore deserve marked commendation both as to variety and excellency in quality, the more so as they consist of manufactured Articles which find a ready sale in the markets of this Presidency. The Punjum Cloth, unbleached, is of excellent quality regularly wove throughout, fine in texture, very strong and such as would do credit to any European Manufactory.

The Cambric Muslin bleached and the Isree exhibited by Veerabomma Kristnama Chetty are of very superior quality and the Jury consider the Manufacturer entitled to a reward of a 2nd Class Medal.

Putchu Ramalinga Chetty has sent from Nellore Handkerchiefs (pocket) Jean Cambric Muslins, *watered*, (Rajabudar) and what is called unbleached Drill, but it is good Jean. These manufactures deserved unqualified approbation, especially the *watered* Cambric which is exceedingly well done, a 2nd Class Medal is awarded. The Cotton Fabrics of Nellore are most interesting, excellent in quality and of great variety from the coarsest material to that which is very superior, and deserve in the opinion of the Jury marked notice.

The Cotton Manufactures sent by the German Mission at Mangalore were very neatly got up, the Checks and Gingham were good but not equal to some exhibited, made in Madras. The Jury noticed especially a white fabric flowered, it being the only piece in the Ex-

hibition made with the Jacquard loom, and this loom the only one it is believed to be found in this Presidency. The Jury therefore consider it worthy of especial notice and award a 2nd Class Medal.

Conjetty Arjapah Chetty exhibits excellent unbleached Isree to which a prize of 50 Rupees is awarded.

The Blue Cloth made by the Societ's desguinees at Pondicherry is a manufacture of much interest, the thread is dyed wove and spun in the town and the dye excellent, the Jury award Honorable Mention.

To Polar Chetty for the finest quality of wove Table Cloths and Napkins in the Exhibition, made at Madras, the Jury award a 2nd Class Medal.

Also a 2nd Class Medal to Cassava Doss, for the best Trowser Cloth from Rajahmundry.

Also a 2nd Class Medal to P. Chengalroy Chetty for Gown Cloth.

Shot Diaper from Masulipatam (CXLII-455) so made that it was difficult to ascertain whether it was not shot with silk. After a most rigid examination it was ascertained to be a Cotton Fabric, excellent in quality and color, and being the only piece in the Exhibition the Jury consider it entitled to a 2d Class Medal.

Baloo Chetty manufactured some imitation English Check fit for children's dresses and gown pieces. They were of great variety, the quality very good the color tastefully distributed and the dyes excellent. Among them was a new violet dye, likely to be extensively used, the Jury award a 2d Class Medal.

The Chintzes from Masulipatam were of great variety as to color, size, quality of the dye and price, the whole collection the Jury consider is interesting, they are very well colored and the dyes good, on this ground and further that among them there is a Palempore by Aga Ismail of Masulipatam embroidered in gold of a chaste and elegant Pattern, the Jury award to the whole Honorable Mention.

To Coop Chund for Nankeen LXIII-151 the only specimen in the Exhibition, of good quality and color the Jury consider worthy of credit. It is from Tinnevely.

The best Muslins for Native apparel are exhibited from Hyderabad they are unequivocally the best, whether white or colored, for these the Jury award a second class Medal.

To Narsimoloo a 2d Class Medal for the best Native Cloth white with gold borders and silk fringe.

To Chengalroya Chetty for the best Towels from Cuddalore the Jury award a prize of Rupees 50.

Ajee Maundee Saib and Aga Ismail have each exhibited excellent Chintzes, in quality, and dye, from Masulipatam. The Jury consider the specimens equal and award a prize of Rupees 50 to each. The Jury consider it advisable to notice how largely the Cotton Manufactures contribute to the wealth and prosperity of this Presidency both from the sale in the Home market and the Export Trade in them. They therefore trust that the Committee will not deem they have been too lavish

in awarding Medals, especially as the number of Exhibitors was large and the goods filled a large space in the Exhibition. At a future Exhibition the Jury beg leave to suggest that prizes or Medals be not granted except for some new manufacture, or a very superior sample of the ordinary manufactures. The grant of the Medals and prizes, at this Exhibition, will probably lead to decidedly beneficial results, and induce a spirit of emulation which cannot fail to be highly advantageous to individuals and the country at large; tending as it generally does to the two main points which affect commerce, viz., excellence of quality and a diminution in price.

The undermentioned articles are worthy of Honorable Mention.

Goa Local Committee..... Stamped Dimity.
Paremcottiah Naidoo..... Ventapollam Neck Handkerchiefs.

Rev. W. Groney..... Damask.
Yullamparoo..... Handkerchief.
Basavalingum (Rajahmundry)... Penelope Canvass for Berlin wool work.

Baloo Chetty, (Cuddalore) ... Colored Doyleys.
Kotha Sooba Chetty, (Salem) .. Native Cloths.
Rajahmundry Local Committee. Woman's Cloth.
Moosany Lutchmen Chetty (Salem)..... Native Cloths.
Cuddapah Local Committee... Check Trowser Cloth.
Iyah Chetty, Guntoor.... Cottons of sorts.

The Madras Tariff exhibited a very complete collection of every sort of piece goods manufactured through the Presidency most of them of excellent quality, and when added to those in the Exhibition, will form a perfect representation of the Cotton manufactures of this Presidency. The Jury having carefully examined them, assisted by Native associates, deem the following worthy of special commendation.

The Arnee Muslin (No. 1) priced Rupees 122½ attracted much attention and praise. The fineness and delicacy of its texture are clear proofs of what the Native workman can achieve under adequate inducement.

No. 30 a counterpane of Coimbatore manufacture, is a pretty article, well and tastefully got up.

No. 31 Vizagapatam Isree; No. 32 Nellore white Percalah, and No. 63 Jyempettah Sooccy, are all specimens of accurate workmanship, evincing much pains and skill.

The Handkerchiefs, viz. No. 53, colored Madras; No. 58 red Sydapet; and No. 59 Ventapollam, were much admired for the harmony and richness of the colors, and the superiority of texture.

The woman's cloths of Tanjore and Madura manufacture, and men's head cloth, also from Madura, are good articles, and will compete with the production of any other Loom in the world.

In short the whole collection of Cotton piece goods is a very valuable and perfect representation of this branch of Industry.

JURY AWARDS.
CLASSES XI AND XVIII.

FIRST CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor	Object Rewarded.
CIV.	446 to 448	Godefroy, Monst.	Damask table linen &c. &c.

2ND CLASS MEDAL.

CCLIX	384 ..	Rajahmundry Local Committee..	52 punjum cloth.
CLXX	98....	I. Goooomoorthy Chetty	Arnee Muslin, white.
CXXIX	400 & 401 ..	V. Kristnama Chty.	Cambric muslin & bleached Isree.
CXXVIII	394 & 395 ..	Butcha Ramalinga Chetty	Jean and watered cambric.
	470	German Mission ..	Table cloths woven in the Jacquard loom.
		Palar Chetty	Table cloths and napkins.
		Cassava Doss	Rajmdry. trouser cloth.
LXXVII	330 to 344 & 432 ..	Chengalroy Chetty	Gown cloth and towels from S. Arcot.
CXLII	455 ..	Masulipatam Local Committee	Short diaper.
		Nawab Salar Jung Bahadoor	Hyderabad muslins.
CLXIX	314 ..	Narasimloo Chetty	Native cloth with gold border.

PECUNIARY AWARDS.

			Amount.
CXLII	176 to 179 ..	Ajee Manndee Saib	Rs 50
CXLII	27 ..	} Aga Ismail Saib	50
CCCXXXV	57 ..		50
		Conjetty Arjapa Chetty	50
			46 chintzes of sorts.
			36 chintzes of sorts & a gold flowered palampore
			Unblehd. Isree.

HONORABLE MENTION.

CXLVIII	1 ..	Ruthnum Moodely	Muslin.
LXIII	151 ..	Coopchund	Nankeen.
CXLII	2 & 3..	Pillarysethee Barthasaradee Naidoo	Palampores.
CXXXVI	7 to 21	} Rajamundry Local Committee	Chintzes of sorts
CI	53 to 56		
	24	Balakiroochna Parasoorama & Co.	Blue cloth from Pondicherry.
		Goa Local Committee ...	Stamped dimity.
	234 ..	Paremeottiah Naidoo	Ventapollum neckerchiefs.
	469 ..	Groney, Rev. W.	Damask napkins.
XC	345 ..	Basavalingum	Penelope canvas for Berlin work.
LXI	290 ..	KothaSoobaChetty	Native cloths.
LXI	291 to 294 ...	Moosany Luchmen Chetty	Native cloths.
CCXI	Cuddapah Local Committee	Trouser cloths.
CCLXXXIV	224 ..	Iyah Chitty.	Cottons of sorts.

CLASS XII.

WOOLLEN AND WORSTED MANUFACTURE.

JURY.

W. E. UNDERWOOD, Esq.—*Chairman and Reporter.*

H. A. MURRAY, Esq.

J. KELLIE, Esq.

VEERA PERMAL PILLAY.

SIRDAR JUNG BAHADOOR.

Very few specimens of Woollen Manufactures were laid before the Jury. The most remarkable were those from Hoonsoor comprising white and colored blankets of various textures made in the Native loom, some being imitation English Articles, they are a decided improvement upon the country cumbly, and are cheap in price. Among them was the description of blanket furnished to Invalids and time expired men proceeding to England. These are not manufactured for the European Troops being too thick, heavy and unsuited to the climate. English blankets are therefore provided instead; the comparative cost is as follows:

1 Hoonsoor Blanket.	1	12	0
1 Europe do. red	4	8	0
1 Do. do. white....	5	8	0

The Jury consider this manufacture worthy of encouragement. They deem it proper to observe, that means should be devised to improve the Manufacture especially as wool is abundant. It is desirable to diminish the quantity very considerably with a view to the manufacture of a thinner article. The Jury award a Second Class Medal to Captain Loudon.

The description of wool from which these were manufactured is of recent introduction. In the Mysore country "Sheep thrive well, but the wool is coarse, and little used except for the manufacture of Native Blankets. About 10 years ago, General Cubbon took charge of a flock from the Madras Government, which had been collected the year previously for the purpose of introducing Merino's wool into the country; but that flock was useless, it having been attacked with rotti. He then collected Ore at a farm about 60 Miles West of Bangalore, and imported 3 or 4 Rams annually from Sydney, these amalgamate so well with the country sheep, both in figure and size,

that in the 4th cross it is not possible to distinguish farm bred from the imported Ram. There are now about 6000 sheep in Mysore, with merino blood in them. Rams from the farm have been distributed to the Collectorates of North Arcot, Bellary, Salem and Coimbatore. During last year 25 Rams were sent to the Punjaub, by order of the Government of India. The wool has been very highly reported on by Messrs. Southey and Son, and several parcels have been sold in London as high as 1 shilling 6 pence per lb. while the country wool, and that imported from Bombay, averages only 4d. to 5d. per lb. There can be no doubt that when the Merino sheep is naturalized, wool will become a valuable article of Export. A mercantile firm in Bangalore, has recently exported the wool of the country to England, in considerable quantity, and has realized a very fair profit. Eventually the Merino will be produced as cheaply as ordinary wool." The quantity and value of wool annually exported is lb. 1,28413, Rupees 15,816.

A very large black cumbly from Kurnool was considered an excellent specimen closely woven, fine and soft in texture, and to this the Jury are disposed to award, as the best specimen of the ordinary woollen, manufacture of the country a second Class Medal.

A check Cumbly, from Chittledroog is deserving of honorable mention. The best specimen of woollens is to be found in the Tariff, being a blanket made of corded wool of excellent quality and reasonable in price.

The red cumbly of Mysore, was exhibited in this collection and is of good quality.

(Sd.) W. E. UNDERWOOD,
Reporter.

JURY AWARDS.

CLASS XII.

2D CLASS MEDALS.

Pro. No.	Catal. No.	Names of Exhibitors	Objects Rewarded.
CCXXX 12 to 16.		Captain Loudon...	Blankets.
XLIV 1.....		Captain Gill.	Black Cumbly.

HONORABLE MENTION.

CLXXIII	10.....	Captain Dobbs. ..	Check Cumbly.
---------	---------	-------------------	---------------

CLASS XIII.

SILK AND VELVET.

THE HONORABLE SIR CHRISTOPHER RAWLINSON, KT.

J. D. BOURDILLON, Esq.

W. E. COCHRANE, Esq.

HAJEE AGHA MAHOMED BAKIR NAMAZEE.

S. D. BIRCH, Esq.

T. PYCROFT, Esq., *Chairman*.

R. H. WILLIAMSON, Esq.

LUTCHMENARASOO Chettyar.

ASSOCIATE.

Lieut. J. NICHOLAS, *Reporter*.

The manufactured Silks sent to the Exhibition represented in a very partial degree the resources of the country in this useful as well as ornamental branch of Industry. It is to be regretted that the whole of the products in this class were not exhibited. The finest specimens of silk manufacture, namely, the Shawls of Bangalore and the silk carpets of Tanjore and elsewhere appear in other Classes and have very deservedly been awarded Medals. The Bangalore Shawls are very creditable from the harmony of colors and elegance of design. They have been much improved of late years both in quality of material and in beauty of pattern; white silk pocket handkerchiefs rivalling the China silk in softness and richness are also manufactured at Bangalore, these however have not been represented.

The rearing of silk worms is carried on in all parts of the Mysore country, and great improvement has taken place in the quality of the silk at Bangalore, owing to the establishment, under the Mysore Government, of a farm, where mulberry trees from China and other countries have been introduced and where greater attention has been paid to feeding the worms, &c. Still the state of the trade compared with that of the Bengal Presidency shows that much is yet to be done, in 1841 1,175,308 lbs. of raw and waste silk were exported from the East Indies and Ceylon, of which nearly the whole was from Bengal. The exports from the Madras Presidency were, in 1853-4, 10,478 lbs. of raw silk and 1688 pieces of piece goods. Where the rearing of silk worms is so general all over the country, it cannot be doubted that the exports might be largely increased, if the natives could be prevailed on to take more care in the culture of the worm, and in unwinding the silk from the cocoons.

In addition to the exports of this material a great quantity is used in the manufactures of

the country. The Native cloths owe their beauty in a great degree to the richness of the silk borders. These do not appear in this class, but amongst mixed fabrics, &c. and have been well represented. The satins, kincocks, &c. of Hyderabad are well adapted to Native costume, but hitherto little progress has been made in manufacturing articles for European costume, except the Bangalore articles. The silk of Tanjore and the lesser but elegant articles such as gimp, fringe, cords and tassels, braid for carriages, &c., which appear in the Madras Tariff are of every variety and of great excellence.

(Signed) J. NICHOLAS.

The Jury award 2nd Class Medals to the following:

Pro. No.	Catal. No.	Names of Exhibitors.	Objects Rewarded.
CCLXXXVIII	178	Mrs. James Fraser,	Silk scarfs. Figured satin.
CCLVII	87	Ganjam Hyderabad	

HONORABLE MENTION.

LXVII	5-6	Madras Tariff ...	Tanjore silks.
CXCVIII	38 to 42	Trichinopoly ...	Kincobs.
LXI	3	Botha SoobaChetty Salem	Nafermanee silk hand- kerchief.
CXV	81	Poodocottah	White Doo- vettie.
CXXXI	7 to 21	Hyderabad	Satins Nos. 47, 59, 84, 86.
CCLXXII	171	Sooboo Pillay	Benares laced kincob.
CXLV		Soojan Mul Lala...	Ditto ditto.

CLASS XIV.

MANUFACTURES FROM FLAX AND HEMP.

JURY.

THE HONORABLE SIR CHRISTOPHER RAWLINSON, Kt.

J. D. BOURDILLON, Esq.,

W. E. COCHRANE, Esq.,

COLONEL CAMERON, C. B. K. C. T. & S. AND K. C.

HAJEE AGHA MAHOMED BAKIR NAMAZEE,

S. D. BIRCH, Esq.,

T. PYCROFT, Esq.,

R. H. WILLIAMSON, Esq.,

LUTCHMENARASOO, Chettyar.

ASSOCIATES.

LIEUTENANT COLONEL PEARS, C. B., *Chairman.*

DR. ALEX HUNTER, *Reporter.*

Among the Manufactures from Flax, Hemp and their substitutes are a few novel and interesting fabrics some of which have been made expressly for this Exhibition. The finest of these are Cambric made from the fibres of the Yercum or *Calotropis gigantea* exhibited by Mr. Underwood. This cambric is of very fine quality and suited for pocket handkerchiefs or collars. A prize was awarded in another class to the maker of a ladies' embroidered handkerchief manufactured from yercum fibre, these specimens were sent to the Paris Exhibition. Mr. Underwood also exhibits a variety of yarns of different qualities made from the same substance and others from the Palay or *Cryptostegia grandiflora*. These are suited to the weaving of different qualities of cloths. The Palay seems to be a good substitute for flax as it is soft, pliant and susceptible of being split into the finest threads. The stalk contains a large percentage of fibre, besides yielding a milky juice which solidifies into a gum elastic of the nature of India rubber. This appears to be one of the most promising fibres brought to the notice of the Jury. Mr. Underwood also exhibits fibres of the *Agave Americana* in a number of different stages of preparation, as in dressed fibre, plain and colored yarns, cloth, and damask, checked, colored, and striped canvas, imitation horse hair cloth and tabaret, all made from the same fibres. The Jury award to Mr. Underwood a first class medal for the above interesting additions to the manufactures of India.

Dr. Riddell exhibits some good plain and penelope canvas, colored cloth, brushes, white and colored ladies' shoes made from the fibres of the *Agave Americana*. The canvas and ladies shoes are of excellent quality, and the cloth of brilliant colors. A second class medal is awarded for these contributions.

Some neat crochet cuffs and collars of the fibres of the *Agave* and *Marool* are exhibited in another class.

Linum Usitatissimum.—Several specimens of true Flax from the *Linum Usitatissimum* are exhibited from Tanjore, Ganjam and the Nizam's Territories but none of them are clean or of good quality all having been stained by rotting. This is to be regretted as the fibre is of good length and is said to be procurable in large quantities in Goomsoor and the Nizam's territories if previous notice be given to the cultivators.

Calotropis Gigantea.—Very fine dressed and corded Flax from the fibres of the Yercum or *Calotropis Gigantea* are exhibited by Mr. F. Crampton, Madras, and by the Madras School of Industrial Arts. The Cud-dapah Local Committee also contribute very clean white and strong fibres, thread and cloth from the same fibre.

Pala Chetty of Madras exhibits fine spun yarns and a good large bale of the fibre is exhibited from South Arcot. This appears to be a very good substitute for Flax and is abundant all over Southern India having been contributed from almost every district. It has been long known as one of the strongest fibres, but most of the specimens exhibited are dirty and coarse from careless preparation. It is used for bow-strings, traps and fishing lines, but the process for preparing it from the bark is either too tedious or too slovenly to permit of a large quantity being manufactured for export.

The ropes from Tanjore, Tranquebar, Masulipatam, Bangalore and Cocanada are all white and strong. As it can be made into the finest thread and cambric and would probably answer for making lace, it might be turned to more profitable account in these manufactures than in making coarse rope.

Ananassa Sativa.—Another good substitute for Flax appears to be the fibre of the Pine Apple formerly called Bromelia Ananas now *Ananassa sativa*, this is a fine white, strong fibre of considerable length, very silky and susceptible of being split into the finest threads: very fine specimens of this are exhibited by the Madras School of Arts as tow, Hackled Flax, and refuse for making string. Also as thread, string, and line, clean specimens of the fibre are also contributed from Cocanada, South Arcot, Tanjore, Dr. Riddell, Bolarum, and Dr. Nott, Tranquebar. This is the material from which the celebrated Pina cloth of Singapore and the Tenasserim Provinces, is made.

An embroidered handkerchief of this material and embroidered dresses are exhibited amongst the articles of the Madras Tariff.

Tylophora Asthmatica.—Another good substitute or flax is the Koorinja fibre of Tanjore prepared from the *Tylophora asthmatica*: this is of fine quality, white, strong and silky. The plant grows abundantly in Southern India, and is used medicinally—see Report, Class II. The specimen sent is small, but the Jury consider it deserving of Honorable Mention, as a new discovery.

Damia Extensa.—The Ootrum fibre of the Nizam's Territories appears to be another good substitute for flax. It is soft, white, silky, and strong, it can be procured in considerable quantities in Southern India, from the *Damia extensa*, a common creeper belonging to the *Asclepiadaceæ*. Capt. Meadows Taylor, exhibits good specimens of this and of six other fibres suited for cord-

age and weaving. The Jury award a 2nd Class Medal for these specimens.

The only other novelties in this class are samples of coarse yarn and colored cloth from the Northern Circars called Pedda Ankadu and Brahmamedhi, contributed by the Honorable W. Elliot. These cloths are worn by the Natives and appear to be strong and durable, but the plants from which they are obtained have not yet been identified.

JURY AWARDS.

CLASS XIV.

1ST CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
CCCXLV	97 to 100	W. E. Underwood, Esq.	Manufacture from the fibres of the Agave Americana.

2ND CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
CCCIX	83 to 86	Dr. Riddell	Plain and Penelope canvas, colored cloth, brushes, white & colored ladies' shoes, &c.
		Capt. Meadows Taylor	Prepared fibres of the Ootrum or <i>Damia Extensa</i> and six other plants.

HONORABLE MENTION.

CCCXV	235	Mr. Kohlhoff, Tanjore	Koorinja fibre or <i>Tylophora Asthmatica</i> .
-------	-----	-----------------------	---

ALEX. HUNTER,

Reporter.

CLASS XV.

MIXED FABRICS INCLUDING SHAWLS, BUT EXCLUSIVE OF WORSTED GOODS.

JURY.

THE HONORABLE SIR WILLIAM BURTON, KT., *Chairman.*

W. E. UNDERWOOD, Esq.

COLONEL G. POULET CAMERON, C.B., K.C.T. & S. & K.C. (*Reporter*)

J. KELLIE, Esq.

H. A. MURRAY, Esq.

VEERA PERMALL PILLAY.

SIRDAR JUNG BAHADOOR.

This Class, which includes within its limits the shawls of Cashmere, the Magnificent gold and silver Cloths of Tanjore, the much prized Silk shawls of Bangalore and a variety of other objects more or less valuable, contains many of those manufactures for which the East has been so long celebrated, and which are inseparably connected with the usual ideas of Eastern magnificence.

Cashmere Shawls.—The Cashmere Shawls are usually divided into three groups, the "Border Shawl," the Rizayee or shawl of the finest texture, and the ordinary Cashmere Shawl.

Each of these Classes, are found to be well represented in the Exhibition and in order to facilitate a fair comparison of the various articles exhibited, the standard of price has been adopted and the whole of the Cashmere Shawls have been sub-divided into the following sections.

Section 1. Comprising Cashmere Shawls of the three varieties priced 500 Rupees and upwards.

Section 2. Cashmere Shawls varying in price from Rs. 100 to Rs. 500.

Section 4. Cashmere Shawls and scarfs priced from 50 Rs. to Rs. 100.

Section 5. All Cashmere Shawls and Scarfs below Rs. 50.

In the first section many valuable shawls varying in price from 500 Rs. to 1000 Rs. and upwards, are exhibited. The sums demanded however appear to be considerably above the market price, and the Exhibitors would seem to have but little idea of the first maxim

in all commercial transactions which goes to prove that the tradesman best consults his own interests by producing the best article at the lowest remunerative price.

The objects more particularly meriting observation both from their superiority of workmanship and from the reasonable prices affixed are as follows.

A black border Shawl (CXLIH 58) elaborately worked showing but little more than twelve inches of unembroidered surface—in the centre, priced at Rs. 1050, and exhibited by Girdar Doss, Vullaba Doss: for this a first Class Medal is awarded.

A Red Shawl seven feet square of very fine texture (CCXX 120) priced at 700 Rs. and exhibited by H. Balamoccoonda Doss: for this is awarded a second Class Medal.

A Pair of White Rizayee Shawls (CXLIH 7) also exhibited by Girdar Doss and priced 1000 Rs.

And a White Rizayee Shawl of particularly fine texture (No. 490) from the Madras Tariff.

Section Two contains a large number of Shawls and Scarfs of all colours and qualities varying in price from Rs. 100 to 500.

Of these the two best in the estimation of the Jury are a *Scarf* valued at 425 Rupees, contributed by Girdar Doss and a *Shawl* priced 400 Rs. by H. Balamoccoonda Doss.

Amongst the richly embroidered Cashmere Shawls and scarfs contained in Section 3 the following exhibited by Girdar Doss Vullaba Doss deserve especial notice.

A pair of *Red Cashmere Shawls* richly embroidered with gold. A pair of *green Shawls* similarly worked, and a pair of *Cashmere Shawls* with rich Benares embroidery.

Balamoocoonda Doss exhibits also a pair of *very handsome Cashmere Shawls* with gold embroidered Benares work.

And Mahommed Salah Ebramjee contributes a pair of *Embroidered Shawls* the manufacture of Cashmere.

Of the numerous scarfs contained in Section 4, the jury give the preference to an *Orange Colored Scarf* valued at Rs. 100 exhibited by Balamoocoonda Doss.

Section 5. In this class the article most worthy of notice is a *Scarf* exhibited by Soojanmul Lallah and price 28 Rs. for which Honorable mention is awarded.

Two pieces of *very rich Silk* worked in imitation of the Cashmere shawl are exhibited by Girdar Doss (CXLII Nos. 52 and 53). These handsome and interesting fabrics are supposed to be the manufacture of the province of Gilhan in Persia on the borders of the Caspian Sea. The most extensive manufactures of this fabric are contained in the city of Resht the capital of the District. From the enormous expense attending their transit by land, whether by the route of Trebisond on the Black Sea, or the port of Bushire in the Persian Gulf, and the disturbed state of the countries through which they must necessarily pass, these manufactures are very rarely met with either in Europe or Asia, beyond the confines of the Northern Provinces of Persia.

From their value and singularity of workmanship they are well worthy of notice.

Bangalore Silk Shawls.—Two Bangalore *Silk Bed Quilts* exhibited by Moonshee Nunjapah (CLXXIV 147) Dondala Esmursan (CLXXIV 158) are good specimens of this description of native manufacture, and the jury would have assigned a prize to the first as being the superior article of the two, had not both been priced so much above their real value as to prevent their being brought into general use.

A *Bangalore Silk Shawl* by Moonshee Nunjapah (CLXXIV 153) weighing lbs. 2 B. 3 oz. 5½ dr. price 125 Rs. is the best woven fabric of this description and the jury award him a 2nd Class Medal.

Mixed Fabrics.—1 *Silk* interwoven with gold or silver or both.

2 *Muslin* do. do. do.

Section 1.—Several very beautiful articles of silk interwoven with gold and silver from all parts of India are exhibited. The most remarkable of these are *fine Magnificent Dresses* forwarded by His Highness the Rajah of Tanjore (LXVII) for which a 1st Class Medal is awarded.

In Section 2 which comprises chiefly the superior native cloths richly interwoven with the precious metals the best specimens exhibited are those from Benares and a rich cloth of crimson and gold, shown by H. Balamoocoonda Doss deserves especial notice.

Of the manufactures of this Presidency the preference is given to a *Crimson and Gold Cloth* from Madura, (251) exhibited by Narasimloo Chetty for which a 2nd Class Medal is awarded.

JURY AWARDS.

1ST CLASS MEDALS.

Pro. No.	Catal No.	Names of Exhibitors.	Objects Rewarded.
CXLIII	58	Girdar Doss Vullaba Doss.	Cashmere Shawl
LXVII	H. H. the Rajah of Tanjore	Richly laced fabrics.

2ND CLASS MEDALS.

Pro. No.	Catal No.	Names of Exhibitors.	Objects Rewarded.
CCXX	120	H. Balamoocoonda Doss	Red Cashmere Shawl.
CLXXIV	153	Moonshee Nunjapah.	Silk Shawl.
CLXIX	251	Narasimloo Chetty ..	Crimson and Gold fabric.

HONORABLE MENTION.

CXLV	68	Soojanmul Lallah ..	Scarf.
------	----	---------------------	--------

(Signed) P. PAULET CAMERON, Reporter.

CLASS XVI.

REPORT ON LEATHER, INCLUDING SADDLERY, AND HARNESS, SKINS, FUR, FEATHERS,
AND HAIR.

JURY.

HIS EXCELLENCY LIEUT. GENERAL THE HONORABLE GEORGE ANSON, *Chairman.*

SIR HENRY MONTGOMERY, BART.

W. A. MOREHEAD, ESQ.

LIEUT. GENERAL TULLOCH.

LIEUT. COLONEL A. McCALLY.

LIEUT. COLONEL J. HILL.

CAPTAIN A. H. HOPE.

C. V. CUNNIAH CHETTYAR.

ASSOCIATES.

H. D. E. DALRYMPLE, ESQ.

A. BLACKLOCK, ESQ.

} *Reporters.*

TANNED HIDES AND SKINS.

The Tanned hides and skins exhibited are nearly all of excellent quality and will bear comparison satisfactorily with the same kinds of leather prepared in Europe. They have been thoroughly saturated with the tanning materials, are free from animal odour, and their sections do not shew the white line between the outer and inner surface, indicative in bad leathers of a hasty and imperfect inhibition of the tan liquor. The collection comprises the tanned hides of the Bison, Sambre, Bullock, Horse, Cow, Sheep, Goat, Kid, Dog, and Iguana. The last is the only kind requiring any special mention here, as all the others are well known articles of trade and commerce. The Iguana skins which have been tanned and dyed black, or left of their natural color are thin, even, soft, tough, elastic and granular, or shagreen-like in external appearance. From the absence of gloss, the appearance of this leather is not much in its favour, but it bids fair to be a durable article for light slippers, and a good covering for the commoner kinds of instrument boxes, such as are still done over with shagreen.

Tanned and Colored Skins—The skins colored and uncolored for book-binding purposes and boot-linings, are generally even, soft and pliant, and very suitable for their intended uses. Some of these colored leathers are very brilliant.

Sheep and kid skins tanned white, are exhibited here in much perfection—none of the specimens are fine enough for the better kinds of gloves, but they are all as well-suited as European skins of the kind for the purpose of the Apothecary.

Parchment Skins—The parchment skins take ink very well, but are not in every respect satisfactory. Their texture is uneven, and they have an odour quite distinct enough to lead the Jury to infer that they would be very liable to putrefactive changes on the accession of damp weather.

Wash Leather—The skins prepared with oil, in imitation of chamois or wash leather, are all excellent specimens of the kind, so far as thickness, softness, pliancy and color, are concerned. In all these respects they will bear comparison with the European article. But has every one of these leathers is tainted with the odour of the Fish Oil employed in their preparation, they cannot be recommended for household purposes, such as cleaning plate, though they will be found very suitable for cleaning brasses and harness.

As Potass, Soda, and dry pure deodorizing air are abundant in this country, a very little additional care would ensure the production of a perfectly inodorous chamois leather.

Buff leather.—The Buff leathers for accoutrements are nearly all extremely good in quality and have an evenness and equality in thickness which must render

them very economical leathers for manufacturing purposes.

The best tanned leather from Buffalo, Bullock, and Cow hides, has been contributed by Colonel Sheriff and Lieut. and Qr. Mr. Grant from the Horse Artillery Tannery at Bangalore. They have also exhibited specimens of leather prepared from the Hog, Calf, Goat, and Sheep skins which are of unexceptionable quality. The Jury consider these gentlemen as deserving of a 2d Class Medal for the best tanned leather of all kinds.

Captain Loudon of Hoonsoor, exhibits leather of all descriptions, buff, black tanned &c. for these the Jury award a 2d Class Medal. A Somerset saddle exhibited in this Department is well worthy of attention. The leather and construction are good and the workmanship superior to that of any other specimen of Native Saddlery the Jury have ever seen, they accordingly recommend that a 2d Class Medal be awarded to the maker Peeragee of Bangalore.

The other specimens of Native horse trappings and accoutrements exhibited by H. H. The Rajah Tondaman, Bahadoor, are of good quality, creditable workmanship and worthy of Honorable Mention.

The Jury regret to find that in this Class, there is but a meagre display of Native Saddlery, horse furniture and manufactured articles in leather, but hope the prizes awarded will encourage future competition in this important branch of industry.

The Jury consider that the *skins tanned with the fur or hair on* by Mr. P. Bowden of Gunttoor are the best and recommend him for a 2d Class Medal. In addition to these Mr. Bowden exhibits excellent specimens of *Oil or Chamois leather*, sheep skins tanned white for Apothecaries use &c. &c. some *tanned Sheep and Goat skins* exhibited by Mr. Kohlhoff are deserving of Honorable mention.

The great majority of the skins with hair on having been prepared in a manner which is highly commendable, the Jury desire to make Honorable Mention of the other exhibitors in this Department, as a recognition of the general equality and excellence of their contributions. The Jury regret that they cannot

commend any of the feathers or dressed skins of birds as the articles exhibited are few and very inferior in quality when contrasted with those prepared in Bengal.

CLASS XVI.

2ND CLASS MEDALS.

Pro. No.	Catal. No.	Names of Exhibitors.	Objects Rewarded.
CLXXVIII	149 to 162	Colonel Sherriff and Lieut. Grant.....	Leather of sorts.
CLXXVIII	163	Peeragee	Saddle & bridle.
CCLXXIII	197 to 236	Mr. Bowden,	Leather of sorts.
CCXXX	227 to 262	Captain Loudon..	Leather of sorts.

HONORABLE MENTION.

XCIV	84 & 85	H. E. The Rajah Tondiman, Bahadoor - - -	Native Saddlery
LXV	21 & 22	Mr. Kohlhoff - -	Sheep and goat skins.
XXIII	6	Rajah of Kalastry	Collection of skins.
LXIII	10 to 20	Meeranjee Meah -	Skins.
CXXI	25 to 31	Nawab Salar Jung Bahadoor - - -	Skins raw and tanned.
LXXXV	43 to 50	J. Ratliff, Esq. - -	Skins raw and dressed.
CCV	117 to 126	H. H. the Maha Rajah of Cochin	Skins raw and tanned.
CXCI	127 to 134	Hon. W. Elliot Esq.	Skins.
.....	146	Captain Miller - -	Sambre and deer & cheeta skins
CCXXI	165 to 189	Travancore Local Committee - - -	Skins of sorts.
CCXXXII	192	H. V. Conolly, Esq.	Variegated Panther skins.
CXX	194 to 196	J. Rhode, Esq. - -	Skins.
CCXI	125 to 142	Cuddapah Local Committee - - -	Skins, &c.

(Signed) H. D. E. DALRYMPLE,
A. BLACKLOCK,
Associates Reporters.

CLASS XVII.

REPORT ON PAPER AND STATIONERY, PRINTING AND BOOK-BINDING.

JURY.

SIR HENRY C. MONTGOMERY, BART.—*Chairman and Reporter.*

W. A. MOREHEAD, Esq.

LIEUT. COLONEL McCALL Y.

LIEUT. COLONEL J. HILL.

CAPTAIN A. H. HOPE.

C. V. CUNNIAH CHETTYAR.

BOOK-BINDING.

Some very good specimens of Binding in morocco leather, calf, sheep's skin and cloth are exhibited by different parties : great improvements have lately been made in this department of industry, and the gilding, lettering and finish of some of the specimens are worthy of commendation.

The Jury award a 2nd Class Medal to the Wesleyan Mission Press of Bangalore, for the best specimens in leather and in cloth.

The Binding of the Books exhibited by the Christian Knowledge Society, the American Mission Press, Messrs. Pharos and Co., and the Revd. C. Aroolapen, is considered by the Jury to merit honorable mention.

Sealing Wax.—The Jury award the Prize to the Manufacture of Guntoor—that of Cuddapah being nearly equally good.

Paper.—The Jury pronounce the various specimens produced by C. V. Cunniah Chettyar to be very superior and award to that Gentleman the Prize.

The paper manufactured in the Cuddapah Jail is also very good, and the Jury desire to mention as likely to become a useful material, the paper made from the fibres of the Screw Pine, Pandanus odoratissimus, exhibited by W. E. Underwood, Esq.

The Jury being informed by Dr. Hunter, the Director of Arrangements, that the duty of awarding a Prize, for the best specimen of Type Printing is to be performed by a separate Jury, they do not enter into any examination of this subject.

JURY AWARDS.

CLASS XVII.

2ND CLASS MEDAL.

Prog. No.	Catal. No.	Name	Object Rewarded.
CXL	584 to 594	Wesleyan Mission Press of Bangalore.	Book binding in Morocco & Calf skin.
XLIII	—	C. V. Cunniah Chettyar.	Paper.

PECUNIARY AWARD.

Prog. No.	Catal. No.	Name of Exhibitor	Object Rewarded.
CXX	744	Guntoor Local Rs Committee for the Manufacturer	30 Sealing Wax.

JURY AWARDS.

HONORABLE MENTION.

Prog. No.	Catal. No.	Name of Exhibitor	Object Rewarded.
CXXIII	367 to 487	Christian Knowledge Society ..	Book binding.
CCIX	782 to 797	American Mission Press.	Do.
XI	34 to 98	Rev. C. Aroolapen.	Do.
		Messrs. Pharosah & Co.,	Do.
CCXI	798	Cuddapah Local Committee.....	Sealing Wax.
CCCXXXIX	—	W.E. Underwood, Esq.....	Paper from the fibre of the screw pine pandanus odoratissimus.

CLASS XIX.

TAPESTRY, INCLUDING CARPETS AND FLOOR CLOTHS, LACE AND EMBROIDERY, FANCY
AND INDUSTRIAL WORKS.

JURY.

THE RIGHT HONORABLE LORD HARRIS.

H. A. MURRAY, Esq.

THE HONORABLE SIR W. W. BURTON, Kt.

J. KELLIE, Esq.

W. E. UNDERWOOD, Esq.

VEERA PERMALL PILLAY.

SIRDAR JUNG BAHADOOR.

ASSOCIATE.

ALEX. HUNTER, Esq. M. D.—*Reporter.*

There is a large display of carpets and rugs in the exhibition, and the manufacture has been brought to considerable perfection in several parts of Southern India. There are four distinct branches, under which these contributions may be arranged.

1. The imitation axminster or close nap woven carpet.
2. The short velvet pile or tapestry carpet and woollen rug.
3. The long velvet pile or imitation Turkey carpet.
4. The silk or velvet pile carpet.

Axminster Carpet.—Some very good specimens of close nap carpets from Wurungul are exhibited by the Hyderabad Local Committee. The colors are clear and bright, but there is a sameness in the patterns. The carpets are strong, soft, and very close in the weaving, and the Jury consider the manufacturers Mahomed Hoossain (CXXX 239), and Peer Mahomed (CXXX 230) entitled to 2nd Class Medals.

Velvet Pile Carpets.—Some large and creditable specimens of this manufacture are exhibited from Ellore and Tanjore. The former are closely woven, bright, and harmonious in color, and the patterns more varied than those from any other locality. Some of the rugs from Tanjore, are also very tasteful. The Jury recommend a 2nd Class Medal to S. Nummiah Naidoo, for the Ellore carpets (CXLII 246) and Honorable Mention for the Tanjore rugs (LXVIII-227.)

The long velvet pile or Turkey carpet is but poorly imitated, the only exhibitors being Rajahgopaul of Bangalore and Gopaul Chetty of Trichinopoly. There is considerable variety and boldness in the patterns of these carpets, but the wool is dirty and coarsely dyed and the weaving loose. The carpets are cheap, but it is doubtful if they would wear well as the wool seems to be easily pulled out.

Silk Carpets.—Some very handsome specimens are contributed by the Tanjore and Hyderabad Local Committees, and His Highness the Rajah of Tanjore exhibits a very large silk carpet (No. 253) intended as a present for Her Majesty Queen Victoria. The colors are brilliant, the pile close and velvety, and the pattern harmonious. The Jury consider His Highness entitled to a 1st Class Medal.

Colored Matting.—The manufacture of matting from colored grass has long been carried on successfully in this Presidency, and those from Cochin, Paulghat, Tinnevely, and Wandiwash, have been in considerable demand; the two former on account of their brilliancy of colors, and fine quality, and the two latter from their extreme cheapness. Several species of grass appear to be employed for mats, some being broad, flat and soft, while others are round, fine and wiry; the mats of Cochin, Paulghat and the Western Coast are of the latter description, and are more durable in consequence. The chief defect in this manufacture was that the mats have hitherto been made in long strips which required to be

sewed together when a large surface of floor is to be covered. This defect was pointed out to the Local Committee of Cochin, who have contributed two large mats 12 feet \times 12 (CCV 115 and 116) each woven in a single piece of good pattern and harmonious colors. The Jury consider this an important improvement in the manufacture, and recommend a 2nd Class Medal to the exhibitor; and that the two large mats be purchased for addition to the collection intended for the India house.

The mats from Tanjore, Tinnevely and in the Tariff, are creditable.

Coir Matting.—Some good specimens of plain coir matting are exhibited from Malabar, and of colored red and black matting from Canara, the Jury recommend a prize of 20 Rs. to the maker of the former Mr. Haller, and a prize of 30 Rs. to the manufacturer of the latter.

A thick door mat made of Aloe fibres exhibited by the Coimbatore Local Committee, is deserving of attention, as a novel and useful manufacture, the Jury would point out that this substance is well suited to the manufacture of rugs and carpets, as it is cheap, strong and nearly white; it is exhibited in another class dyed of the most brilliant colors and manufactured into cloth, damask, and imitation horse hair cloth.

Crochet Net work and Lace.—(As the Jury did not feel competent to pronounce upon the relative merits of these contributions, it was resolved to invite Lady Montgomery, Mrs. Underwood and Mrs. Kellie as a Committee to assist in framing the report.)

Crochet.—The largest sample of Crochet is a counterpane for a four post bed (XLVII-1) worked by an Orphan girl of 12 years old, in Mrs. Addis' School at Coimbatore. The pattern is good and the work very creditable. A reward of 20 Rs. is recommended for this contribution. A great variety of neat crochet work is exhibited by the Mangalore German Mission School. A reward of 25 Rs. is recommended, and attention is drawn to the neat and attractive way in which the work is put up and carefully labelled for exhibition. Miss Hogg exhibits a variety of creditable crochet and Knitting from the Native Girl's School at John Pereira's and Miss Walton, a similar contribution from the Central Girl's School Madras. The finely knitted Children's stockings of this collection (CXXXVII-41) are considered worthy of Honorable Mention. Miss Urquhart and Miss Englefield have exhibited several neat specimens in the same class which have met with a ready sale.

Some good plain and useful under clothing was exhibited by the girls in the Female Orphan Asylum in Black Town, but this having been made to

order could not be left till the close of the exhibition. It is to be regretted that none of the fine work from the Ladies' Institution or the Military Female Asylum was exhibited.

Lace.—Some very fine thread lace is contributed by the Edeyengoody Mission School Tinnevely, (LXXXVIII. 11 to 22) and by the Nagercoil Mission School Travancore, (CCLIV. 160.) These are considered so nearly equal in merit that a second class medal is awarded for each. The patterns of both are varied and tasteful, but it is remarked that the prices are too high, being above those of European lace. The Cochin Local Committee exhibit some very creditable specimens of lace insertion and edging. There are no contributions of black lace. Miss Gregory exhibits some neat cuffs and collars made from the Fibres of the Aloe and Marool in imitation of lace.

Embroidery.—Under this head may be classed a variety of fancy articles of great merit particularly pocket handkerchiefs, and worked muslin dresses, and scarfs which show great taste in the patterns and beautiful finish. The pocket handkerchief in Pine apple and Yercum Fibre have been considered deserving of a 2nd Class Medal which was awarded in CL. XIV and a dress worked in feather stitch by Lingarajoo is commended. A white net scarf ornamented with Betel wings is also considered tasteful.

It is regretted that there are no scarfs of black net ornamented in this way. The worked Tussa silk dresses in the Tariff are indifferent.

Embroidery in Gold.—This department of the exhibition contains some of the most gorgeous and expensive manufactures for which India has been long celebrated. The taste and judgment evinced in the blending of brilliant colors and contrasting them with gold and silver on grounds of velvet, satin, silk, or muslin, proves that in this manufacture India stands unrivalled.

The Jury have selected as the most tasteful and best worked article in this class a velvet embroidered Rug made by Lingarajoo and they recommend a 1st Class Medal for this article which was ordered for the Paris Exhibition.

Some very gorgeous Shamianahs and Elephant saddle cloths are exhibited by Girder Doss, Vullaba Doss of Madras and others. The Jury consider the Shamianah from Bangalore (CCLXXIV. 186) as the most tasteful and deserving of a 2nd Class Medal.

One of the largest contributors of Gold embroidery on silk and muslin is Oodagheer Mahomed Saib, (CXLIV) and the Jury consider several of his manufactures so good as to entitle him to a 2nd Class Medal. Boojah Roy also exhibits some handsome embroidery in gold and silk for which a 2nd Class Medal is awarded.

Some excellent specimens of *Gold Lace, Cord Sashes and Sword Knots* are exhibited by the Madras Local Committee. These are considered deserving of Honorable mention.

The best specimens of *Embroidery in Silver* (Class XV) are exhibited by the Hyderabad Local Committee. Honorable mention is recommended for this manufacture. The *Gold and Silver Fancy Fringes of Hyderabad* are also deserving of Honorable mention. The fringes exhibited by other contributors are indifferent. Some small samples of *Solid Silver wire Fringes and Ornaments* exhibited by the Madura Local Committee, are deserving of notice but they are surpassed by the silver thread of Hyderabad.

CLASS XIX.

1st CLASS MEDALS.

Pro. No.	Catal. No.	Names of Exhibitors.	Objects Rewarded.
LXVII	29	H. H. the Rajah of Tanjore.	Silk carpet for presentation to H. M. Queen Victoria.
.....		Linga Rajoo.	Embroidered rug.

2ND CLASS MEDALS.

Pro. No.	Catal. No.	Names of Exhibitors.	Objects Rewarded.
CXXX	239	Mahomed Hoosain.	Wurrungul carpets
CXXX	230	Peer Mahommed. .	Do.
CXLII	246	S. Nummiah Naidoo.	Ellore carpets.
CCV	115 & 116	Cochin Local Committee.	Grass mats.
CXLIV	Oodagheer Mahd. Saib.	Embroidery.
.....	Boojah Row.	Embroidery.
LXXXVIII	11 to 22	Edeyengoody Mission School.	Lace.
CCLIV	160	Nagerecoil Mission School.	Lace.
CCLXXIV	186	{ Munjoo Shaw Shaca Row. . Chenanjee Row. Ausagee Row }	Embroidered shamanah.

HONORABLE MENTION.

LXVIII	227	H. Forbes, Esq. .	Tanjore rugs.
CXXXVII	41	Miss Walton.	Crochet stockings
CCLXXIX	188 to 194	Madras Local Committee.	Gold lace, &c.
.....	Hyderabad Local Committee. . .	Cloth of silver (Cl. xv).

PECUNIARY AWARDS.

.....	18	Mangalore German Mission. .	35 Crochet work.
XLVII	1	Miss Addis.	20 Crochet counterpane.
.....	Mr. Haller. . .	20 Coir matting.
			20 Do.

CLASS XX.

REPORT ON ARTICLES OF CLOTHING FOR IMMEDIATE PERSONAL OR DOMESTIC USE.

JURY.

LIEUT. GENERAL FRASER, *Chairman.*

E. MALTRY, Esq.

MAJOR MACDOUGALL.

LIEUT. H. P. HAWKES.

SALAR-OOL-MOOLK.

ASSOCIATES.

CAPTAIN R. ROBERTS.

LIEUT. J. NICHOLAS, *Reporter.*

The articles submitted for the inspection of this Jury are but few and trifling. The costume of the Natives of the country gives but little scope for the display of skill, or novelty of design. Among the wealthy and middle classes, each caste has its peculiar dress, which but seldom varies, and among the lower classes the garments in general use are of the simplest description, often nothing more than a cloth for the head and another for the body. Silk, cotton, and embroidered cloths for men and women are exhibited in great abundance and of excellent quality but they do not appear in this Class.

With respect to the working up of both Native and imported material for articles of (immediate) personal and domestic use, such as upper and under clothing, boots, shoes, hose, &c., for the European portion of the community, a large number of persons are employed. It is to be regretted that so few exhibitors have come forward to display articles of this description. There would probably have been no novelty in design, as the European fashions prevail, still specimens would have been interesting, as showing how correctly, cheaply and at the same time creditably, articles are imitated.

The *Boots exhibited from Hoonsoor*, as specimens of

what are usually supplied to the European Troops, are of very good material and workmanship. The *Ladies' Shoes from Hyderabad* are worthy of remark—chiefly on account of the material (aloe fibre) employed in their manufacture.

The *Guana-Skin Slippers* exhibited by Mr. Bowden, are well tanned, soft, and the workmanship creditable. They are said to be exceedingly durable. The *Cashmere Gloves and Socks* exhibit no novelty being of the description worn by the wealthy natives of Hyderabad and other parts.

The *Gloves and Hosiery from Canara* are fair specimens of this manufacture.

The introduction of stocking frames or machinery for the manufacture of hosiery would doubtless be very beneficial to this branch of trade. The preparation of kid skins is receiving some attention and it is to be hoped that ere long some steps may be taken towards introducing the manufacture of kid gloves.

JURY AWARDS.

NONE.

CLASS XXI.

REPORT ON CUTLERY AND EDGE TOOLS.

JURY.

MAJOR J. MAITLAND, *Artillery, (Chairman.)*CAPTAIN R. R. LITTLE, *Artillery.*

R. KENNEDY, Esq.

P. VEERARAGAVGOLOO CHETTYAR.

MAJOR W. K. WORSTER, *Artillery.*

ASSOCIATES.

LIEUT. H. P. HAWKES.

MR. WALLACE.

The rude and simple implements and tools, which ordinarily supply the wants of the natives of this country, the little requirement for cutting Instruments as articles for domestic use, and the cheap and abundant imports of the several articles included in this class, all tend most materially to depress the local manufacture; yet among the present contributions there are some samples deserving of notice. The Salem and Trichinopoly collections, for which prizes have been awarded, afford abundant evidence of the skill with which this description of manufacture can be carried on.

The knives exhibited No. 161 (or more strictly Daggers) from the Northern Division, though only incidentally coming under the notice of the Jury, cannot be passed over without a remark, both as to the great excellence displayed in the workmanship, and as to the beauty and delicacy of the damasked surfaces between the highly polished and keen edges of the blade. They exhibit in a high degree the proficiency of the operatives in that part of the Presidency, and offer a striking contrast to the rude and inferior implements around them. The latter however are not without interest both as indications of the industrial wants of the people, and the cheap and simple manner in which they can be supplied.

The articles of Cutlery exhibited by *Arnachellum Achary* (Cl. XXI Nos. 1 to 11) a well known Cutler at Salem are in every respect worthy of his long established reputation. As regards manufacture these articles may probably compete with those of Europe, though the prices are considered comparatively high.

The spear heads also (Cl. XXI No. 11) by the same maker, are neatly executed and the finish is far superior to articles of this description ordinarily obtainable in this country.

The Jury in order to mark their sense of this exhibitor's care and skill in production, propose that a First Class Medal should be awarded him.

A *Clasp Knife with style* forwarded by the Local Committee of Tinnevely (Cl. XXI No. 12) is only remarkable for its cheapness, and appears to resemble the rude productions in use amongst the peasantry of France.

The articles sent to the Exhibition from Austin (Cl. XXI No. 16 to 19 and 29) a cutler of Trichinopoly, altho' exhibiting considerable skill in manufacture, are inferior in workmanship to those from Salem. They are however much more moderately priced. The silver ornamental handled knives especially, are considered cheap and very good specimens of an art peculiarly Indian.

It has been pointed out to the Jury that there is a defect in the manufacture of all the blades of this exhibitor which no doubt could be easily remedied;—at the part where strength is most essential, a shoulder piece has been fitted (neatly enough) instead of being welded to the tong, which appears to be merely a continuation of the steel blade itself: it should be of iron to resist fracture. Irregularities of workmanship (though in no way affecting the utility of the knives) have also been brought out by too high a polish. Where perfection of surface is not essential, the work is usually "left in the grain" to hide defects, which it is not necessary in the ordinary course of manufacture to obliterate.

The Jury however consider the exhibitor is entitled to a 2nd Class Medal.

Rose Clippers, of the usual form, by supervisor Brookes are specimens of substantial workmanship.

Four Daggers or as they are called by the exhibitor *Knives of Sorts* "with damascened blades" from Masulipatam are excellent specimens of manufacture. The ivory handles being neatly finished.

Two Dirks of the same description as those above mentioned but more highly finished exhibited by A. Robertson, Esq. (Cl. XXI No. 26) are excellent specimens of workmanship.

JURY AWARDS.

CLASS XXI.

1ST CLASS MEDAL.

Prog. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
LIX	1 to 11	Arnachellum of Sa- lem	Cutlery.

2ND CLASS MEDAL.

Prog. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
CXCVIII	16 to 19	Austin of Trichi- nopoly	Cutlery.

CLASS XXII.

IRON AND GENERAL HARDWARE.

JURY.

MAJOR J. MAITLAND.

CAPTAIN R. R. LITTLE.

R. KENNEDY, Esq.

P. VEERARAGAVALOO CHETTYAR.

MAJOR WORSTER.

ASSOCIATE.

LIEUT. H. P. HAWKES, *Reporter*.

Manufactures in Brass, Copper, and Tutenague have long held a place amongst the most important of the Industrial Arts of India.

Articles formed of these metals assume the place of those which in more advanced countries are made of iron, tin, stoneware, or porcelain, and form a large proportion of the utensils used in Native domestic economy.

Brass and copper work may be divided into two Sections "*Cast and Hammered work*."

Articles which are cast in a mould admit of being turned in the lathe, and are susceptible of a high polish. They are however heavy, expensive, and liable to fracture. For these reasons, vessels made from sheet brass or of copper welded and beaten into shape with a hammer, are generally preferred. They are not however usually finished off so well, nor are they so regular in outline as those which are cast. This manufacture is perhaps more generally diffused throughout the country than most of the other Industrial Arts.

Judging from the specimens exhibited, the workmen of Tanjore are perhaps the best, but those of Tinnevely, Travancore, Madura and Chicacole, contribute specimens but little inferior in polish and finish.

The bells of Tanjore are excellent in tone, superior in finish, and very moderately priced. The Jury consider them worthy of Honorable Mention.

An excellent specimen of *casting in brass* is exhibited by J. Rohde, Esq. of Guntoor (cxv No. 67) a description of which is thus given by the Exhibitor.

"The casting is in loam, 5 days are allowed at 10 Rs. per mensem, for pickling (in tamarind leaf and water), scraping, filing, chasing, drilling, turning the cup and lastly annealing. The finished articles are then

boiled in *sowedoo* (or wood ashes) and water, to free them from all grease, then set up and kept moist by dabbing with corrosive sublimate 1 oz. dissolved in slightly diluted vinegar 1 pint, till the desired tint is obtained, which may take $\frac{1}{2}$ hour or 20 minutes, they are then plunged and well rinsed in clean water without friction and dried in sawdust. Blacklead moistened with spirits of turpentine is then applied with a brush as in blacking a stone, when polished the article is heated a little above what the hand can bear and lacquered with shell-lac varnish. The only nicety required is in getting the articles perfectly free from all grease, even finger marks, and in checking the bronzing at a proper period, if carried too far, it will scale off, if not far enough or irregularly the color after rinsing will be varied. If the annealing has been irregular, the same will appear."

For this specimen the Jury award a 2nd Class Medal.

Two Metallic Mirrors from Cochin (ccv 80) and some of a similar description from Travancore (ccxxi. 117) are considered worthy of Honorable Mention. Also hand cuffs with spring locks (cclviii 126) from *W. Patterson* of the Arsenal.

Specimens of Cast Iron Railings (xcvii 44) exhibited by Mr. DeClossets of Pondicherry are considered very superior specimens of workmanship and deserving of a 2nd Class Medal.

A series of Iron Cots, Chairs, Garden Seats, &c. (cii 48 to 53) from Mr. Bulliard of Pondicherry are the only specimens of this branch of hardware in the Exhibition. Most of these are very well made and all at reasonable prices. The Jury award a 2nd Class Medal.

The steel wire of Chinnapatam in Mysore, has long been known: a specimen exhibited by the Superintendent Bangalore Division is worthy of Honorable Mention.

JURY AWARDS.

CLASS XXII.

2ND CLASS MEDALS.

Pro. No.	Catal No.	Names of Exhibitors.	Objects Rewarded.
CXX	67	J. Rohde, Esq.	For wall shade bracket.
XCH	44	M. DeClosets.	For cast iron railings.
CII	48 to 53	Mr. Bulliard	Iron cots, &c.

HONORABLE MENTION.

CCV	80	H. H. the Maha Rajah of Cochin..	Metallic mirrors.
CCXXI	117	Travancore Local Committee	Do.
CCLVIII	126	W. Patterson	Hand cuffs.
CCLXXIV	132	Haines, Capt., Supt Bangalore Division	Wire steel.

(Signed) H. P. HAWKES, *Associate and Reporter.*

CLASS XXIII.

WORKING IN PRECIOUS METALS, JEWELRY AND ARTICLES OF VIRTU AND LUXURY,
NOT INCLUDED IN OTHER CLASSES.

JURY.

THE RIGHT HONORABLE LORD HARRIS, *Chairman and Reporter.*

HIS EXCELLENCY LIEUT. GENERAL THE HONORABLE GEORGE ANSON.

GENERAL J. S. FRASER.

W. A. MOREHEAD, Esq.

H. A. MURRAY, Esq.

W. E. UNDERWOOD, Esq.

J. B. NORTON, Esq.

Lt.-COL. McDONALD.

J. ARATHOON, Esq.

NANA THAKOOR.

VENCATACHELLA CHETTYAR.

HAJEE AGHA MAHOMED BAKHIR NAMAZEE.

The articles comprised in this Class were divided under seven heads.

1. Gold and Silver Plate.
2. Do. Filigree Work.
3. Do. Chased Work
4. Electro-plate.
5. Jewels.
6. Enamelling.
7. Inlaid work in Gold and Silver.

The specimens of silver plate exhibited were not very numerous. Neither were they remarkable for finish of workmanship or elegance of design.

Still they possessed sufficient merit to show that with encouragement this manufacture would attain a fair degree of perfection in Madras.

A 2nd Class Medal was awarded to Mr. Orr for a *Vase*, which excelled in originality of design and in workmanship.

Honorable Mention was given to *three Vases*, exhibited by Messrs. Scriven.

Also to *several Pieces of Plate* shown by Mr. Orr amongst which a *Goblet* with figures in relief was found deserving of credit.

Some *Silver Articles from Hyderabad* were considered worthy of commendation for the elegance of their forms.

There were two collections of *Silver Filigree work*. One from Travancore and Cochin, and the other

from Cuttack, exhibited by Messrs. Scriven and Co. Many of the samples of this beautiful manufacture were of very great merit. A 2nd Class Medal was awarded to the articles exhibited from Travancore.

Those from Cuttack were deemed worthy of Honorable mention.

In chased Jewelry there were but few articles. Some of these were curious as manifesting the taste peculiar to India—the workmanship was elaborate—and the tracing and design displayed in some of the bangles were graceful and original.

A 2nd Class Medal was awarded to Jugganad Butten of Madras for the best specimens.

Others from Travancore and Goa, were worthy of Honorable Mention.

4. The show in Electro-plate was very small—comprising only a few articles sent by Serjeant Wallace which were considered of creditable performance.

5. The collections of precious stones exhibited by Mr. Arathoon and Mrs. Taylor were, though not very numerous, of the choicest description and were well worthy of careful examination. Amongst these might be seen specimens of the finest quality of each sort of precious stone.

A 1st Class Medal was awarded to Mr. Arathoon. A 2nd Class Medal to Mrs. Taylor. Mention should also be made of two very rare and beautiful works of Art exhibited by Mrs. Taylor. The one, a large Cameo

with the head of Medusa carved on it and set in a bracelet, is both for the fineness and spirit of the cutting, and for the beauty of the pebble quite unique. The second Cleopatra carved on a large amethyst and set as a brooch is also remarkable.

There were several specimens of jewels set in the Native style which were curious, but none of them were worthy of distinction either for taste or for the value of the stones.

6. In enamelling a pair of Bracelets of curious and elegant workmanship from Jeypoor were alone worthy of mention: they were exhibited by Bala Mooconda Doss to whom a 2nd Class Medal was awarded.

7. The only articles of inlaid work were a few of the Beder ware from Hyderabad. A large vase belonging to General Fraser was greatly admired, and a 2nd Class Medal was awarded.

On the whole, the articles exhibited in this class were not (the precious stones, &c. of Mr. Arathoon and Mrs. Taylor excepted) either as numerous or as valuable as might have been expected.

The Jury was called on to give its opinion on the merits of some articles which had either been received at a late date, or had not come within the scope of any of the other classes.

Drawings and Paintings.—There were very few of these and none of particular merit with exception of the Etchings by Kasava Doss which were remarkable for the minuteness of detail with which they were finished and for the spirited manner with which prints, the subject of which were various English sports, had been copied. Class XXX No. CXLVI 597 to 599. A second Class Medal was awarded to him.

A water colour drawing by Mr. Just Gantz, exhibited by Dr. Kelly, was considered worthy of mention.

Some drawings of Arms and ancient Pottery from old Tombs by T. Chengulroy were considered deserving of Honorable Mention.

The paintings in oil by Mr. Fonceca were deserving of credit but were considered to require finish and taste.

Some photographs executed by Mr. Underwood and placed by him in the Exhibition, subsequently to the decision of the Jury to which these articles had been submitted, were superior specimens of the Art: and would, it is thought, have been entitled to a 2nd Class Medal, had they been submitted prior to the assembling of the Jury Class XXX.

A set of Lithographic Books with drawings in arabesque, published by Dr. Balfour, were remarkably good, and a 2nd Class Medal was awarded to the exhibitor.

A set of Tools and other articles in Iron and Steel by Churdriah of Vellore were of excellent manufacture apparently equal to European, a 2nd Class Medal was awarded to him.

JURY AWARDS.

CLASS XXIII.

1ST CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
CCLXIX	155 to 199	A. Arathoon, Esq.	Precious stones.

2ND CLASS MEDALS.

.....	Mr. P. Orr	Silver vase.
CCXXI	99 to 125	Travancore....	Silver filigree work
CCXXXVII	127	Jugganad Batten..	Chased jewelry and bangles.
CCLXIX	Mrs. Taylor	Precious stones.
CCLXX	Bala Mooconda Doss	A pair of enamelled bracelets.
.....	General Fraser ..	A large vase of Beder ware.
CXLVI	597 to 599	Kasava Doss	Drawings & etchings (Class xxx)
XLVII	Edw. Balfour, Esq.	Lithograph books in arabesque.
.....	Churdriah of Nellore	Iron and steel.

HONORABLE MENTION.

CLXXI	30	Messrs. Scriven ...	3 vases and silver filigree work from Cuttack.
CCXXI	99 to 125	Travancore & Goa.	Chased jewelry and bangles.
.....	Mr. Just Gantz ...	Water color drawing.
.....	T. Chengulroy ..	Drawings of arms and ancient pottery.
.....	W. E. Underwood, Esq.	Photographs.

CLASS XXIV.

GLASS.

JURY.

LT. COL. J. T. SMITH, *Chairman and Reporter.*

DR. A. HUNTER.

CAPTAIN RAWLINS.

CAPTAIN HITCHINS.

CAPTAIN LAKE.

ALLAN WILSON, ESQ.

This department of manufacture is but imperfectly represented, and the specimens exhibited from various parts of the Presidency prove that very little advance has been as yet made in acquiring a knowledge of it. This is the more to be regretted because India seems upon enquiry to possess no slight advantages for the manufacture of the best qualities of Glass. As is well known the basis of all glass is Silica and Alkali of which the former in the shape of common sand is to be met with almost every where, the latter is to be had cheaply and in abundance in most parts of Southern India. In the neighbourhood of Madras as well as in many other localities, the secondary materials also, indirectly essential to the manufacture of the best quality of glass, namely the fire clays used in the construction of the furnaces, are abundant and of very superior descriptions. Yet with all these advantages the natives do not appear to have advanced in the manufacture beyond the first and very rudest stages, and although it is one which if successfully prosecuted would probably meet with very extended encouragement, the manufacture of the commonest bottles has not yet been achieved.

With the exception of two little phials of doubtful origin, there is hardly a single specimen of glass sufficiently clean even for the purpose above referred to, and none of sufficient bulk, to indicate manufactures on a sufficiently large scale.

The chief defects of the native manufacture are the use of too large a quantity of alkali. In fact, in some cases, it is so much in excess that it might be tasted by applying the tongue to the article.

The fault now remarked upon is probably connected with, and caused by another, that of the material being melted at too low a temperature and in too small bulk,

and these again probably arise from the use of an improper furnace and an unsuitable kind of fuel.

The native furnace is usually a rude hole dug in the ground coated with ferruginous clay which tends to discolour the glass, and the heat is raised by the use of a bellows blast. Hence the temperature is confined to one point of the mass and is insufficiently diffused, while the body of metal under fusion being small, and the dome and sides above ground being thin, the heat is dissipated from them, and never attains body and elevation sufficient to admit of the mass settling and purifying itself, or of its being freed from air bubbles by the addition of the proper proportion of silica.

What is required, is the preparation of the glass in larger quantities at a time, and with this view larger and more carefully constructed furnaces, on the reverberating principle, to be heated by coal; after this, that the process should be attended to more scrupulously, and the materials mixed by weight, instead of being thrown together by measure, as is too commonly the case at present.

Country glass is usually made of Dhoby's earth a crude carb of soda with a mixture of a little potass and lime 60 to 70 parts, and yellowish white sand 30 to 40 parts composed of small fragments of quartz, felspar, iron and a trace of lime.

The good bottle glass of Europe is made of

Sand	58	} per cent
Sulphate of Soda.....	29	
Lime.....	11½	
Charcoal.....	1½	

Sulphate of soda only contains 45 per cent of alkali so that 29 parts contain 13, while the carbonate of soda obtained from dhoby's earth, if we may judge from a specimen exhibited in another section, contains be-

tween 30 and 40 per cent of alkali, according to which the alkali used by the Natives would be to that employed in Europe in the proportion of 23 to 13.

The substances generally used by the Natives in colouring glass are as follows:—

Iron, which gives green, brown and black shades.

Manganese, pink, purple, and black.

Copper, blue, green, and deep red.

Arsenic, white

Chromate of Iron,, a dull green.

All these materials are used in a very crude state, and the proportions measured in a most imperfect manner.

In endeavouring to select the most deserving amongst the few specimens laid before them, the Committee have experienced some difficulty in distinguishing the several contributions. They however have resolved to recommend to the General Committee that a prize of 10 Rupees should be given for the Bangles marked No. 103 in the exhibition consecutive list from Madura—that a prize of 10 Rupees be bestowed upon the contributor of the Bangles marked No. 10, and the glass cups—marked No. 11 from Nellore and further, that a prize of 25 Rupees should be bestowed upon the manufacture of the two white glass bottles mentioned in the beginning of this report, and which were sent from Hyderabad,* provided it be ascertained after a due enquiry that they were manufactured in this country.

* Note this has since been ascertained and the prize has been awarded.

JURY AWARDS.

CLASS XXIV.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
LXXXIII	103	Madura.	Prize Rs. 10 ... Bangles.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
LXXXV	9 to 13	Nellore Local Committee	Bangles and glass cups.
		Prize Rs. 10.	

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
CXXXI	14	Hyderabad ..	Prize Rs. 25. ... White glass bottles

CLASS XXV.

CERAMIC MANUFACTURES, CHINA PORCELAIN, EARTHENWARE, &c.

JURY.

LIEUT. COLONEL J. T. SMITH, *Chairman*.DR. A. HUNTER, *Reporter*.

CAPTAIN RAWLINS.

CAPTAIN HITCHINS.

CAPTAIN LAKE.

ALLAN WILSON, Esq.

There is a considerable display of Articles in this Class and the differences in their color and quality show that considerable efforts have been made to improve the manufacture and to perfect the glazing. The Art however may still be said to be in its infancy in India as no great perfection has been attained in any branch.

Earthenware or Common Pottery.—There are three distinct branches of this manufacture which though similar in their manipulation are different in their results. The most common kind is the red porous earthenware used for chatties and cooking vessels, the black used for similar purposes and the fine white which resembles some of the biscuit earthenware of Europe.

The red porous earthenware differs very materially in quality according to the locality from which the clay is selected—several of the specimens are made of a common coarse earthy loam which has very little tenacity, and yields a brittle kind of pottery neither susceptible of much finish nor of being glazed. Most of the Pottery of India is of this description, it is made on a curious principle which is unknown in other countries but which has probably been followed for many centuries in India. The vessels which are mostly of round form are thrown thick in the neck and upper parts or sides. They are cut off the wheel and left open in the bottom with vertical sides, they are then allowed to harden a little in the necks and as soon as they will bear to be handled the sides are thinned out by beating with a flat mallet upon a rounded stone or very hard round piece of wood held inside the vessel which is turned about and beaten till it is closed. This is a very tedious and unsatisfactory mode of working and the only recommendation is, that it makes a thin light vessel but at a great sacrifice of time; from 18 to 20 of these is a good day's work, while a skilful European thrower will turn out 800 in the same time. Good samples of this quality of earthenware are exhibited from Travancore,

they are made from a fine smooth Micaceous loam and the general forms are good though heavy. A finer description of this ware is exhibited from Hyderabad it is made from a tough smooth plastic clay and the articles are remarkable for elegance of form and extreme lightness of throwing. Some of the vessels have been ornamented with gold leaf and colored lac varnishes; others have been made in imitation of Bederie ware, some are painted white on a red ground; a few appear to have been glazed and colored with a soft lead glaze—On the whole this collection exhibits a marked improvement on the ordinary manufactures of this class; tasteful forms and light throwing being combined and a good effect having been produced with simple means. A prize of 50 Rupees is awarded.

The following Remarks upon the Pottery from Raichore sent to the Madras Exhibition, will be read with interest. There is but one family in Raichore which can make this description of pottery, they are christians long established here and the party to whom the amount of prize has been paid was by Rajah Chundulall presented (probably on account of his skill) with a small ruined hamlet in Mukta, and which has been continued to him by order of the Resident. A brother of his resides at the Beebee Chushma at the city, but the same quality of clay is not procurable there, and his work is stated to be inferior; much of what he sells in the city, gilt chillums &c., he receives from his brother here.

How far his account of the composition of the glaze used can be depended on I cannot say, he states that no lac is used except in fixing the gold leaf, the following is the account given by him.

24 Parts Moordar Sing or Litharge.

3 do Gar ke Pattur, a stone resembling white quartz common here.

1 Part Copper.

Sendoor or the red oxide of lead may be substituted for the Litharge.

The Gar ke puttur, should be well burnt, slaked in cold water and afterwards reduced to a fine powder and mixed with the Litharge. The copper is mixed with its weight of finely powdered sulphur and heated in a crucible till a green scale has formed on it, it is then finely powdered and mixed with the Gar ke puttur and Litharge. The whole is again heated and reduced to a fine powder once more.

A small quantity of this powder is well mixed with wheat starch and kneaded well for some time, water is then added and it is strained through a fine cloth, and the glaze is gently rubbed in with the hand, after which the pottery is baked.

(Signed) IVIE CAMPBELL, Captain,
Offg. Deputy Commissioner,
E. Dn. R. DOAB.

Raichore, 28th August 1855.

This process of glazing pottery is very similar to that practised in Italy, Germany and some parts of England where paving tiles, green flower pots and common red Earthenware, are manufactured. The Gar ke puttur is probably either white Felspar or Pegmatite a variety of granite very abundant in Southern India and composed of 3 parts Felspar and about 1 part of quartz. The clay which is employed is probably more refractory than the common red clays of India most of which begin to lose their shape or to become spongy at the temperature for melting such glazes. The above details are of considerable interest as they prove that the art of pottery is improving in Southern India.

Mr. Jaffrey exhibits some good serviceable flower pots of an ordinary pattern, but introducing a valuable horticultural improvement for supplying air to the roots of the plant.

Gunner T. Barton also exhibits some good specimens of jars and common pottery made at Bangalore, from a variety of tough colored clays.

Some good specimens of roofing and draining tiles. Flower pots, goglets and jars of common earthenware, are exhibited by Serjeant M. Chesterfield, of the Madras School of Arts.

Antique Pottery—The finest specimens of common earthenware are the ancient funereal, domestic and cooking vessels, dug out of the old Tombs in the districts of Coimbatore and South Arcot. This kind of pottery has been found in many parts of India in tombs usually arranged in circles, each tomb being built of 6 slabs of stone and occasionally surmounted by large mounds of loose stones and earth. They have been thought to resemble the Druidical tombs of England, and are supposed to be of great antiquity, there being no records of them extant.

The pottery usually consists of tall narrow cinerary urns of 18 or 20 inches in length, with three or four

clumsy feet, 4 inches in length, and of a variety of round oval and flattened vessels of different shapes and sizes, some having apparently been used for cooking and others as drinking vessels. The tall urns usually contain burnt human bones, teeth and ornaments of brass, or copper; they are made of a coarse clay, and have not been finished with care. Some of the flattened oval and rounded vessels are made of a fine dense clay that has been carefully prepared, the surfaces are variously ornamented with wavy or crossed lines of red and yellow carefully painted. The pottery appears also to have been smeared (it resembles the potterie antique vernissée et lustree figured by M. Brongniart.) There is great purity of form in most of the vessels which resemble the Etruscan in the precision of the curves and in the angles at which the different surfaces meet. The art of pottery appears to have deteriorated in India, since these samples were made and one branch of it is apparently lost viz, the smearing or thin glazing of the surface.

Black Earthenware.—This is a mere variety of the Red and in most instances it is the same kind of Pottery blackened by the simple process of damping or checking the fire when it is beginning to decline, and thus throwing a great deal of smoke amongst the wares when the heat is not sufficiently intense to burn it off. A few samples of this ware are exhibited from Madras. A better and stronger kind of black Earthenware is manufactured at Bangalore from a fine dense clay that contains both manganese and iron. This approaches the black stoneware of Egypt, and is strong and sonorous when struck; some good samples are also exhibited in the collection of colored Terra Cottas from the Madras School of Arts.

White Earthenware—Some light and elegant samples of goglets, butter pots and vases, are exhibited by the Arcot Local Committee. These are considered deserving of a 2nd Class Medal. This branch of the Art differs from the others in being conducted with more care and cleanliness, some attention being paid to the sifting of the materials and to the ornamenting and finishing of the articles. The material selected is a decaying white granite resembling the cornish stone of England or the grauen of Germany. This is carefully washed and decanted to free it from sand or impurities; it is then allowed to subside, the water is poured off and the soft clay is collected on a clean cloth and laid on a heap of white woodashes to dry; a small percentage of alkali is thus absorbed through the cloth and is incorporated through the mass by kneading. This clay or decayed white granite is the true kaolin or Porcelain earth of China and Europe. It is particularly abundant in India and occurs in beds of enormous extent and of every variety of color. It possesses the valuable qualities of combining with a large percentage of Silica, Felspar, Baryta or other stony bodies and of resisting the most intense heats, but in India it is employed alone and produces a soft brittle porous ware which is not

susceptible of being well glazed. Numerous attempts have been made to glaze this description of Pottery but the glaze crazes or cracks all over the surface and allows water to penetrate to the body. The reason is that the kaolins require flint, felspar, or stone to open them, and exposure to a long continued and steady heat before they are thoroughly burnt in the biscuit state. They also require a hard fritt or porcelain glaze, which cannot be prepared without expensive machinery, the firing also involves a great consumption of fuel as the heat must be kept up steadily for 40 or 60 hours. The Bangalore Local Committee exhibits some good specimens of white pottery which are deserving of Honorable mention. They are not so elegant in form nor so lightly thrown as the Pottery of Arcot.

The Goa Local Committee exhibits some light articles of good forms painted and coated with Lac varnish.

Stoneware.—The Madras School of Industrial Arts exhibits some creditable specimens of glazed stoneware of different colors of Drab, Brown, Grey, and Black, in the form of jars, butterpots, cooking vessels, &c.

Two very good copies of the Medici Vase in green glazed stoneware are contributed by the Pondicherry Local Committee. These are the largest specimens of colored glazing in the Exhibition. A 2nd Class Medal is awarded to the maker Ange de Babick.

JURY AWARDS.

CLASS XXV.

2ND CLASS MEDALS.

Prog. No.	Catal. No.	Names of Exhibitors.	Objects Rewarded.
XCVII	10	Ange de Babick of Pondicherry. . . .	Medici vases.
CCCXII	Arcot Local Committee	White & colored pottery.

PECUNIARY AWARDS.

LXXII	3	Hyderabad Local Committee. Raichore Manufactory. } Rs 50	Varnished, glazed and colored pottery.
-------	---	---	--

HONORABLE MENTION.

CLXXVII.	12	Bangalore Local Committee	White earthenware.
----------	----	-------------------------------------	--------------------

(Signed) ALEX. HUNTER, Reporter.

CLASS XXVI.

DECORATIVE FURNITURE AND UPHOLSTERY, INCLUDING LACQUERED GOODS.

JURY.

THE HONORABLE SIR WILLIAM BURTON, KT., (*Chairman.*)

W. U. ARBUTHNOT, Esq.

J. B. NORTON, Esq.

J. VANS AGNEW, Esq.

J. KELLIE, Esq.

ASSOCIATES.

LIEUT.-COL. W. P. MACDONALD, *Paymaster.*

MAJOR McDUGALL.

MR. J. SHAW.

A. HUNTER, Esq., M. D., *Reporter.*

The collection of articles submitted for the consideration of the Jurors in this Class, although somewhat limited, comprises some fine specimens of ornamental furniture.

The Natives of India have indeed been long celebrated for the great patience and fidelity with which they imitate the most elaborate details either of art or manufacture, but they are generally deficient in design, and the articles exhibited prove that much may still be done to infuse artistic taste and boldness of execution when the better principles of art are brought to bear upon this branch of industry.

CARVED FURNITURE.

The first specimen of ornamental furniture deserving of notice, is a richly-carved ebony flower stand, by Armoogum Achary of Madras. The design of this is good and the carving boldly but not equally executed, there is also a deficiency of taste in the arrangement of the ornaments, the pendants being too numerous and heavy, and the general design encumbered with too many repetitions of the same form. The joinery of the several pieces of which it is composed is also susceptible of improvement.

2. *A carved ebony screen*, made by Mooroogapah Achary also deserves remark, the perforated tracery is light and elegant, and the carving well finished but the mounting has a heavy appearance and the joinery is indifferent.

3. *A carved ebony oval screen on a carved pedestal*, by the same maker is more elegant in design, but possesses the same defects.

4. Messrs. Shaw and Co. exhibit a carved flower stand combining tasteful form with bold execution. The wood is a pale variety of rosewood, which gives a lighter appearance to the work than the more sombre ebony.

5. Mr. Deschamps contributes some very fine specimens of ornamental work in rosewood, perhaps the most elegant of these is a carved flower-stand, the property of J. Vans Agnew, Esq., tastefully designed and ornamented with Indian fruits and flowers, deeply carved and well finished.

6. A large rosewood flower stand executed for Lord Dalhousie is also an elegant piece of furniture. The figures, fruits and flowers are boldly designed and well executed, but the effect of the vase is detracted from by the addition of pendants.

7. A carved rosewood chair and two unfinished portions of a side-board by the same Exhibitor Mr. D. are deserving of commendation, on account of the freedom of design, the variety of ornament and the care bestowed in their finish; the convenience of the chair however is materially interfered with by the introduction of Palmtree ornaments which are inappropriately placed. As specimens of ornamental carving the portions of the side-board are the best in the Exhibition, the fruits and flowers being grouped with great taste,

and the reptiles being judiciously introduced. The taste, precision, and freedom with which Mr. Deschamp's ornamental furniture is executed, prove the great advantage which attends the combination of European taste and design with Native workmanship. Native workmen in fact have greatly benefited by Mr. Deschamp's models in this important branch of manufacture, and the Jury consider him deserving of a 1st Class Medal.

8. Messrs. Hider and Co. contribute two specimens of carving, one being the frame of a cheval glass in ebony, elaborate in execution, but faulty in design, the outline being stiff and formal. The fruits and flowers are well carved, but the animals are out of proportion. The other also is a frame for a large cheval glass of a more graceful outline. The general effect of which is spoiled by Cocoonut tree supports of an inappropriate character.

Vencatanarraina Pillay sends an Ivory Sofa and 12 Ivory chairs interesting as an application of this substance to useful purposes.

The Jury observe that there are very few contributions of ordinary Cabinet work or household furniture. The only article calling for special notice is a teakwood Office stand in the Elizabethan style with partitions for papers, drawers and shelves for Ledgers, &c., made by Mr. Deschamps. This is a useful and appropriate article of furniture and the wood is well selected.

A Buffalo horn music stool exhibited by the Honorable W. Elliot, Esq., and made at Vizagapatam from a design furnished by Mr. Deschamps is a good piece of furniture and deserves special commendation as a novel application of taste to a branch of manufacture that is gradually rising into importance.

No specimens of carved furniture are contributed from Mofussil stations although it is known that the manufacture has long been carried on at Trichinopoly and other localities with great success.

The following Tabular View of the woods used for furniture in Madras is contributed by Dr. Cleghorn.

COMMON FURNITURE.	CARVED AND ORNAMENTAL FURNITURE.
1 Chittagong wood.	1 Ebony.
2 Teak wood.	2 { Blackwood. or
3 Toon.	2 { East Indian Rose-
4 Jack.	2 { wood.
	3 Satin wood.
	5 Kiabooca wood.

1. The Chittagong wood (*Chickrassia tabularis*) is more used at Madras in the making of furniture than any other wood. It is light cheap and durable.

2. The Teak (*Tectonia grandis*) is probably the most durable of all timbers, it is very hard, and very heavy. It is extensively used for bullock trunks and for house and camp furniture, for which it is well adapted, as it does not split.

3. The Toon (*Cedrela toona*) resembles its congeners chittagong wood and mahogany and is very much used for furniture all over the Peninsula.

4. The Jackwood (*Artocarpus integrifolia*) is an excellent timber, at first yellow, but afterwards brown, when made into tables and well kept it attains a polish, little inferior to mahogany. In England it is used as well as satin wood for making backs of hair brushes, &c.

1. Black Ebony (*Diospyros Melanoxylon*). This well known and much admired wood lignum nigrum, non variegatum? is very hard, heavy, and susceptible of a high polish. It is seldom obtained of great size.

2. E. Indian Blackwood or Rosewood, is an excellent heavy wood, suited for the best furniture. It can be procured in large quantities, and of considerable size, the wood contains much oil, which is exhibited in Cl. IV (by the Ganjam Local Committee). In large panels it is liable to split.

3. Satin wood (*Swetenia Chloroxylon*) is hard in its character and when polished it is very beautiful and has a satiny lustre, it is much used for picture frames, rivalling the birds eye maple of America. It is occasionally used by cabinet makers for general furniture, but it is liable to split.

4. Sandalwood (*Santalum album*) is found in abundance in Mysore and Canara; it is chiefly remarkable for its agreeable fragrance, which is a preservative against insects. It is much used in making work boxes, walking sticks, penholders, and other small articles of fine ornament but cannot be procured of a large size.

5. Kiabooca wood (*Pterospermum Indicum*.) A handsome specimen of this ornamental wood is exhibited by Dr. Sanderson, it is imported from Singapore. It is beautifully mottled, of different tints, evidently produced by excrescences from the tree. The wood is chiefly used for inlaying or for making desks, snuff boxes, puzzles, &c.—these are exhibited by the Madras Local Committee.

LACQUERED WARE.

Some large and interesting specimens of this manufacture have been contributed by the Local Committee of Kurnool. The articles consist of Charpoys, Trays, an Almirah and several boxes.

These exhibit considerable proficiency in the execution and arrangement of the patterns, but there is too great a sameness of color with a preponderance of yellow. The joinery also admits of much improvement.

JURY AWARDS.

CLASS XXVI.

1ST CLASS MEDAL.

Prog. No.	Catal. No.	Name of Exhibitor	Object Rewarded.
CCXIV	Mr. Deschamps...	Carved furniture generally.

CLASS XXVII.

MANUFACTURES IN MINÉRAL SUBSTANCES USED FOR BUILDING OR DECORATION, AS IN
MARBLE, SLATE, PORPHYRIES, CEMENT, ARTIFICIAL STONES, &c.

JURY.

LIEUT. COLONEL J. T. SMITH, Engineers, *Chairman*.

DR. A. HUNTER, }
CAPTAIN RAWLINS, } *Joint Reporters.*

CAPTAIN HITCHENS.

CAPTAIN LAKE.

ALLAN WILSON, Esq.

This Class comprises subjects of great interest to the Architect and Builder, and it is to be regretted that the specimens exhibited are not more numerous nor generally of so important a character as might have been reasonably expected.

The Temples of Southern India are justly celebrated for their elaborate design; durability of material, and massiveness of construction. They are of an antiquity and magnitude which shew the great attention paid to the art of building in days of yore, and the laborious perseverance with which the natives (of this country) executed with simple means the most gigantic work in stone.

Many of the carvings in the Pagodas at Sadras, Sreeringum, Tripettee, Ellore, Tarputree, Humpee, and the ruins of Omrawattee in the Guntoor District, are of exceeding grace and spirit, while the beautifully executed photographs of sculptural antiquities at Hulabede, Belloor, and other localities exhibited by Captain Tripe and Doctors Neill and Pritchard, illustrate most interesting examples of the superior skill and artistic merit of those ages, and show that in oriental construction and decoration there has been of late years great retrogression.

The size of some of the stones used in those edifices is very remarkable, particularly when it is remembered that they were raised by manual labor unaided by the power of steam, and when the science of mechanics was but little known. In ancient history we read the most extravagant accounts of enormous stones and monolithic temples. The Latona on the Nile was hewn out of a solid rock, it weighed 5,000 tons and was conveyed to its present site. The Temple of Amasis was nearly as large and is said to have been brought a distance of 700 miles; while many others employed thou-

sands of people for several years to cut and deposit them in their assigned places.

At the seven Pagodas there are several monolithic temples and one of considerable size and beauty; its length is 49 feet, and height and breadth 25.

The gateway of Sreeringum near Trichinopoly is built of single blocks of granite, each upwards of 40 feet in length; and at Humpee there are stones weighing probably from 20 to 30 tons, which have evidently been raised to the height of at least 15 or 20 feet.

The articles under consideration may be classed under two heads:

1—Works in stone.

2—Manufactures in cements and clays.

WORKS IN STONE.

The stones in general use for building, and for decorative and domestic purposes are granite, marble, basalt, hornblende, angite, laterite, sandstone and steatite.

Granite.—Many of the temples of Southern India are constructed of this stone. Its preservation, and the sharpness of its carvings, testify to its great durability and the absence of wear and decay makes it difficult to determine from appearances, the age of many oriental buildings made of this substance.

The best granite quarries are at Bangalore, Sadras, Cuddapah, Vizagapatam and Bellary; and the different modes of quarrying by the action of fire, by wedges, or by gunpowder, are explained in "Captain Foord's valuable little practical treatise on building and road making."

The prices vary in different localities, according to the cost of labour and the hardness of the stone. There is a variety of greenstone resembling the whinstone of

Scotland which is much used for building and ornamental purposes in Madras; it occurs in many parts of Southern India and is known under the names of fire-stone and grey granite. It is hard and durable but more expensive than the granites, from the greater labor of quarrying and cutting the blocks; at Madras the cost of this stone is as follows:

Tank stones, from 3 to 600 lbs. R. 1-4-0 per ton.

In addition to the general use of this material for building and religious sculptures, the natives occasionally make domestic articles of it, such as round mill-stones, pestles and mortars, door-posts, lintels, &c. Ornamental granites of bright colors occur in several localities, those of Salem, Chittoor and Seringapatam are flesh colored, red, green, yellow and grey. Those of Arcot and Goodoowanchair are pure white. The Bellary and Bangalore sienites, are red, grey, and white, with the colors blended in about equal proportions.

The two last may perhaps be considered the most durable in India, some of the pale-grey granites and pegmatites or binary granites of Southern India contain a large proportion of felspar which leads to their decay. The carvings at Conjeveram, Trichenacoonum, Sadras and Chellumbrum, have lost a good deal of their sharpness from this cause, while those at Tarputree, Woon-timitta, Hera Toombal, and other places in the Ceded Districts are nearly as sharp as when first executed. In a few temples and Mahomedan tombs, the most richly cut pillars and ornaments are hewn out of basalt, augite, or basaltic hornblende. The best specimens of this kind of carving are at Vellore, Seerah, Tinnevely, Humpee, Adony, Dummul, and Anagherry. The carvings have often a polished surface resembling black marble, but they are so hard as to strike fire with steel. Samples of some of these granites are exhibited in Class I.

The Local Committee of Travancore have exhibited some fair specimens of workmanship in granite. A plate of about 18 inches in diameter is well chiselled, and a jewel box of a close grained grey colored stone is cut out of a solid block, and although not large or elaborately finished, is useful as being proof against fire.

There are some cups and other small articles forwarded by this Committee, which need no particular remark.

Marble.—The Marbles of this Presidency deserve prominent notice on account of their rare color, and fine quality. The specimens sent to the British Exhibition were favorably reported upon as indicative of a valuable material, well adapted to sculptural and ornamental purposes. At present the Indian Manufacture in this article is comparatively insignificant and chiefly confined to small miscellaneous articles for domestic use. It may be well worth the consideration of persons of capital and taste to endeavour to further de-

velop the resources of this Presidency as regards this beautiful stone, and to improve the practical means of obtaining it in greater size and perfection. Marble tables, pedestals, vases, baths, and fountains are particularly refreshing, and suitable to an oriental climate and possessing as this Presidency does such an abundance of the raw material, and where labour is comparatively cheap, it seems an anomaly that so much should be imported from foreign countries at a great cost, and of a quality not superior to some of the marbles found in India.

(See Report upon the Marbles of Southern India by E. G. Balfour, Esq., and the interesting and valuable collection of sculptures in marble from Aumrawatte in Guntoor, presented to the Museum by the Honorable Walter Elliot, Esq.)

Last year the purest white statuary marble and Alabaster were discovered in great quantities between Nagpore and Jubbulpore; and it is reported that very large slabs can be easily quarried there at a moderate price. The Rev. S. Hislop writes to say "that the cost of slabs of granular white marble from Korbadi 3 feet by 2 and 9 inches thick is Company's Rs. 2. As soon as the navigation of the Godavery is opened up, this marble and the sandstone and coal of the same locality with the alabaster, gypsum and dolomite of Jubbulpore, will probably become articles of export.

At Tinnevely also, there is an excellent description of white marble, but considered rather too hard for statuary purposes, and Guntoor and the Ceded districts abound with marbles of a great variety of colors being tints of grey yellow and red.

A Cup and Butter Pot of Bellary marble, exhibited by Lady Montgomery, have attracted deserved attention, and some *Egg Cups*, and other small domestic articles exhibited by Captain Applegath are equally worthy of commendation. The Natives of Bellary have improved in this useful branch of art, and the above articles are handsome specimens of taste, and industrial execution. The Jury are informed that the butter pots cost eight or nine, and the egg cups, two Rupees each. This is rather dear, and a drawback to their general use.

Models of machinery and household implements are sometimes beautifully carved in this material. It is a species of compact limestone often found accompanying lithographic slate, sandstone and dolomite. Its principal color is yellow, but between Ghooty and Apiapilly there are occasional strata of pink, red, grey, black, purple and a peculiar pale green; a tint considered very rare, and unknown in Europe. This is an encouraging fact, and it is to be hoped the natives will take advantage of it, to make known the commercial value of this excellent material, so that it may become more generally appreciated in the European and Indian markets.

Two large Circular Tables of shell marble from the

vicinity of Trichinopoly contributed by the Trichinopoly Local Committee are worthy of remark.

Captain Johnstone also exhibits some *rulers, table weights* and a *series of the Rough Marbles* from the same locality.

Laterite.—There are few specimens of this stone exhibited. It is much used on the Western Coast, and about Madras for building and road making, and when ground into clay and mixed with jaggery, it makes a good water proof cement for the roofs of houses.

The proportions for laterite road making at Madras are :

- 15 Laterite.
- $\frac{3}{4}$ Gravel.
- 2 Clay.
- $2\frac{1}{2}$ Sand.

which costs Rs. 2-2-1 per square of 100 feet.

Laterite makes a good hydraulic cement when ground up with the nodular concrete that occurs near Tondiarpett. The late Dr. McLeod examined many of the laterites of this Presidency and found them to consist of iron, manganese, silica, alumina, and lime with traces of magnesia soda and potass. They differ from the conglomerates of other countries in containing more manganese and ochrey clay.

Sandstone is met with in great variety and abundance. In the Tada and Poddelay talooks of Nellore there are excellent beds of white sandstone of superior working quality, similar to the freestone of Scotland, and an equally valuable building material. At Streepermatoor and at Verdachellum near Cuddalore, there are immense beds of another kind, used by the natives for rice mills and grindstones. At Sadras also there is one of the finest quarries in the Presidency; the grindstones made from which, are quite equal to those imported from England.

At Panumparae in the Tinnevely district there is a sort of "Bath stone" most valuable for building. A church has been constructed of this stone in the neighbourhood, and its color strikingly resembles in appearance that used in the old Cathedrals in England. It is of a fine hard grain, bears a smooth surface and is easily worked up. Its price is Rs. 0-1-8 for a piece 30 x 10 x 6 in the rough and for squaring and dressing another Rs. 0-1-8 is charged. A common country cart will carry 4 of these stones 10 miles for 8 annas=0-2-10 per ton per mile.

The Godavery annicut is built of a sharp grained sandstone of a bluish color and variable in hardness and durability; exposure appears to harden the surface of this stone probably from the lime which it contains. It is delivered on the work for rubble building, for about 8 annas per ton, and the cut stone for the flooring of the annicut, costs about $2\frac{1}{2}$ Rupees per square yard 1 foot in thickness.

The Kistna annicut is built of a coarser description of sandstone blended with gneiss and containing grey quartz and garnets of a light pinkish color, but not valuable. This rock occurs in large inclined strata lying loosely upon each other, it is easily quarried, and is a handsome building material, but being very brittle, it is not susceptible of a finely chiseled surface. The specific gravity of this stone is 157 lbs. per cubic foot, and it is delivered on the work for 8 annas per ton; somewhat cheaper than the Dowlaishwarum stone, considering the comparative rates of wages at the two places.

(*Note*.—The Gunpowder used for blasting this rock is made for about one anna per lb. Its proportions are 75 saltpetre, 15 charcoal, and 10 brimstone. These materials are first pounded separately very fine with a common wooden pestle and mortar, similar to those used by the natives for rice. The ingredients are then mixed and repounded for several hours until they are thoroughly incorporated. It is afterwards damped and hand rubbed till it granulates and hardens. The powder is then placed in the sun to dry, for a couple of days. The wastage is two per cent. It should be again exposed to the sun for a short time immediately before using. It will not keep well during wet weather, and of course is inferior to gunpowder made by English machinery—it only costs, however 1 anna, while that procured from the Arsenal is about 5 annas per lb. In large blasts of 3 and 400 lb. it took on an average 12 oz. for every ton of rock blown down, and its comparative strength with English powder is as 2 to 3. The charcoal is made of the *calotropis gigantea*, zillady or yerookum shrub, which grows wild near the coast. The milk edge, *euphorbia tirucalli* will do equally well, and so will the stalks of cholam or Indian corn.

The match costs 18 annas per 100 yards, to make which quantity, it takes the following ingredients :

Composition.	{ 1 lb. Twisted cotton thread.
	{ 1 lb. English rifle powder.
	{ 1 lb. Rosin.
	{ 1 oz. Grease.
	{ 1 oz. Bees' wax.
	{ $\frac{1}{2}$ oz. Lamp oil.

The powder is rolled in the thread by a simple little machine. The match is then covered with the composition which is boiled and applied hot; it will burn perfectly under water. Two men and a boy can make 300 yards per day.)

Steatites—are common and of all sorts and colors. At Kurnool and Salem and near Mysore there are very fine beautifully white soapstones, and near Chittoor there is a valuable description, (similar to the cornish serpentine) procurable in large blocks and suitable for many statuary and decorative purposes. There is a quarry of excellent potstone at the Nagerry Hills, which is likely to become a valuable addition to the

Madras trade. The stone is of fine grain, easily worked with the chisel and susceptible of a high polish; when oiled this stone resembles in a great degree black marble. There are some interesting specimens of manufacture in this material, which show a considerable advancement in design and execution.

N. F. Moorogasen Moodely, an influential gentleman at Madras, has exhibited some *Goglets and a Jar* for preserves. They are of superior workmanship and elegant in construction; but too expensive for general use. The Jury recommend a 2nd Class Medal to this gentleman, not so much to mark the intrinsic merit of the articles under consideration as to draw attention to the manufacture and the improvement already exhibited in this useful branch of domestic economy.

An *Inkstand and a Butter Cup* exhibited by Appavoo of Madras, deserve Honorable Mention.

There are also some specimens of *Carving in Potstone* from Bangalore, made of a softer quality of steatite and with some pretension to neatness and useful adaptation; while others exhibited by Beri Shamanah, Merchant of the same place, though inferior in execution, are extremely cheap.

Some *Articles exhibited by R. Ratliffe, Esq.*, and made at Chinnai in the Nellore district are mentioned on account of the excellent cement with which the joints are united. In trying to dis sever those of an ink bottle, the stone broke across the joint which remained perfect. This cement is made of pounded laterite and jaggery boiled together and applied hot; it stands the effect of boiling water and appears to be uninjured by time or climate.

2.—MANUFACTURES IN CLAYS.

In this group are exhibited bricks, tiles and cements.

Bricks.—No authentic information is extant regarding the early history of brick making in India. It is known that sun dried unburnt bricks of a very large size were formerly employed in building and these may still be seen in the basements of some of the old ruined Jain temples at Heera Toombal in the Ceded Districts, Anagherri in the Southern Maharatta country and in the walls of the mud Forts at Gudduk, Dummul and other localities. The bricks appear to have been usually $2\frac{1}{2}$ feet in length by 15 inches in breadth and 7 or 8 inches in thickness. The seams are apparent from the effect of the weather, but the bricks cannot be separated without breaking. The basement and a good deal of the interior of the solid Muntapums or Pyramidal towers of these Jain temples were built with unburnt bricks and the masonry and carved slabs, ornaments and pillars were built over this foundation of earth work. This accounts for the dilapidated condition of parts of these temples. In some of the old Forts in Southern India the lower part of the walls is built of unburnt bricks

and the upper part of hewn stones. The more modern Forts are chiefly constructed of mud embankments cased in large blocks of stone, very accurately fitted but not cemented with lime or mortar. In the ancient buildings of India, brick work does not appear to have been extensively employed; although in some of the temples we find the upper stories made of brick, while the lower ones are of stone. Bricks of a superior quality, and many times the present ordinary size, are often discovered in this country; and in the Northern Circars, South Arcot and other Districts excellent specimens have been found, which indicate that formerly they were made of a much larger size, and that great attention was paid to their manipulation and burning. The bricks made in Madras 30 or 40 years ago, are also larger and of better quality than those now manufactured. The mortar of this period is also good. The test of a good brick is its hardness, non absorption, and regular shape; and the larger it is the better, provided it possesses these qualities, and is well burnt. The weight required to crush a square inch of a well made English brick, varies from 1200 to 4500 lbs.; but half that weight will produce fracture. Its tensile strength is about 275 lbs., and it absorbs about a fifteenth of its weight of water. The best brick earth consists of 3 parts common clay and 1 sand or calcareous earth in powder. The London brick makers often use a mixture of 3 clay to 1 coal ashes, by which the bricks help to burn themselves, and less wood is consumed. It would be interesting to try the experiment with charcoal ashes in lieu of coal.

Tubular, or hollow bricks, have been lately used in England and are recommended to the consideration of the Indian public. In size they are $12 \times 6 \times 4$. They soon dry, take less fuel, and can be better burned than the ordinary solid brick, and they are 30 per cent. cheaper; exclusive of a considerable reduction for chunam, labour and cartage. They are particularly suitable in deltas near canals, rivers and on the coast, where the soil is often treacherous, and when lightness of foundation is required.

There are no means of correctly ascertaining the number of bricks annually made in this Presidency; but it cannot be less than 400 millions costing 11 lacs at the average price of 2-14-0 per 1000. In a manufacture for which there is so great a demand the smallest improvement is of great importance, a saving of even 4 annas per 1000 would amount to a considerable sum in the annual expenditure of Government.

Brick making at Madras is not conducted on any scientific or well arranged system, every one makes according to his fancy, and the durability and goodness of the materials seem to be lost sight of in the cheapness with which they can be delivered in the market. Little attention is paid to the selection of the earth, as cartage is expensive, and the bricks are usually made in the vicinity of the proposed building, without much

reference to the quality of the ingredients. The earth is seldom dug up and exposed to the atmosphere for any length of time before being used, and it is generally insufficiently kneaded and mixed with too much water. Bricks are burnt in clamps and there is a considerable waste in fuel and material. There are also great risks incurred in the Native mode of firing and covering the clamps. If a high wind comes on, the fuel is consumed too rapidly and the bricks are unequally burnt. If heavy rain falls during the firing, the fires are apt to be extinguished and the whole clamp of bricks, the labor, and the fuel may be lost, but the most serious objection is that the sides and roof of the clamp are not made thick enough to retain the heat, the roof or a part of it often falls in and in attempting to cover the holes again the walls are apt to give way and serious accidents not unfrequently occur to the workmen. A clamp containing a lac will produce.

1st sort	40,000.
2nd do.....	40,000.
3rd do.....	20,000.

The wastage is from 15 to 20 per cent., while in England it is not more than 2 or 3 on bricks double the size. There, the stocker is allowed 10 per 1000 for broken bricks, and a similar per centage for unburnt ones, which are replaced in the next kiln, and considered the burner's perquisite.

There is no reason why Indian made bricks should not be as good as English ones, for the temperature is more even, and the frost at home is one of the brick makers greatest enemies. The rains there are also more uncertain, no month can be safely depended on, whereas in this country the manufacture can be prosecuted for several consecutive months, without the slightest fear of interruption from the weather. Madras bricks usually absorb a fifth of their weight of water. They are coarsely made, brittle, unevenly shaped, of no fixed proportions, and far too small. The builder is often obliged to use many different sizes in the same structure, and uneven settlement and imperfect workmanship are the necessary consequences. It would be desirable to have some uniform standard established, and bricks of no other dimensions should be purchased for Government works. This would encourage the natives to make a larger and better article. It is from mistaken economy that the present small bricks have been so generally adopted. Their dimensions have decreased in proportion to the prices paid. The following extract from Captain Foord's book is most pertinent to the subject.

"The economy in using thick bricks will be seen by the following calculation, a brick measuring with its mortar joint $9 \times 4 \times 2\frac{1}{2}$ contains 91 cubic inches. Another measuring $9 \times 4\frac{1}{2} \times 3\frac{1}{2}$ contains 131 cubic

inches. A cubic foot will take 18 of the former and only 13 of the latter. Now a large annicut or bridge may contain 200,000 cubic feet of brickwork, and the difference on that quantity would be 10 lacs. But besides this, less chunam would be used as the mortar joints would be fewer, and again as a bricklayer can lay in a day as many thick bricks as he can thin ones, so a further saving would be effected by the use of the former. The chief points to be attended to in making good bricks are first to select as tough a clay or fine loam as can be found, dig and expose it to the weather for some time turning it every three or four days and wetting it with soft water occasionally if no rain falls. After standing for a fortnight it must be gathered into a heap, well soaked with water and trodden till it becomes stiff and uniform. It must not be too sloppy when put into the moulds, but should be firm like dough. Good bricks should be made on a flat board, they should bear to be lifted soon after being moulded, and they ought not to be exposed to the sun for two or three days as they will crack if dried too quickly. The bricks and paving materials made in the Madras School of Industrial Arts, are of excellent quality, and some of them equal to any produced in England. Great attention has been paid to the selection and tempering of the clays, and from the density and compactness of the bricks and the sharpness of their corners it is evident that they have been made upon good principles and more with a view to ensure quality than to attract attention from their cheapness. The firebricks have already been in great demand and have been found very refractory and durable. The arch wedge, pillar and key bricks, are deserving of notice from the variety of their shapes and their general good quality.

Roofing tiles of four different kinds. Paving and draining tiles are also deserving of notice as articles that would soon come into extensive use if they could be made on a large scale, and for moderate prices. They are interesting also from their having been made with machinery manufactured in this country by Mr. Dickson from drawings done in the School of Arts. The Jury would suggest that a second Class Medal be awarded to Serjt. M. Chesterfield, 2nd M. E. L. I. for the improvements in building-materials.

Gunner Barton is also awarded a 2nd Class Medal for his improved bricks and for the successful and practical manner in which he has manufactured them after the English mode. He is an experienced and intelligent professional brick-maker, and has been long engaged in the trade both at home and in this country, with equal credit to himself and advantage to the public service. The specimens exhibited by him are $9\frac{1}{2} \times 4\frac{3}{4} \times 2\frac{1}{4}$ in dimensions and intended for arch-building. They cost 5-12-0 per 1000 or rupees 7 delivered on the works, and are nearly twice the size of the ordinary Madras Brick.

Cements.—There are a good many contributions of Limes, Concretes, Septariæ, Dolomites, Magnesite Gypsum and other substances used in manufacturing Cements, and there seems to be an abundant supply of minerals of this class all over Southern India. The shell lime of Sooloorpett is too well known to require further notice except that it is far too pure a carbonate of lime to be used for out door plastering near the sea. The Kunkurs or Nodular limes are more durable though not so white. The Septariæ or Parker's cement stones, are very common in Southern India, though the beds are not extensive; they accompany the strata of blue and white Potters' clay and kaolin that are so common in this Presidency. The best hydraulic septariæ occur at Awady near Madras, Bangalore and Chingleput. A very fine natural Hydraulic cement occurs on the banks of the Godavery and has been extensively used in the construction of the Godavery and Kistna Anicuts. A very good Hydraulic Limestone occurs along with the blue slate of Cuddapah—and the Dolomites of the Ceded Districts and the Northern Circars make good cements. The magnesite of Salem, Bangalore, and Vizianagram, would probably improve the qualities of some of the other Limestones in certain proportions, as it acquires great hardness of surface but is deficient in adhesiveness. Numerous experiments have been tried with this mineral which certainly possesses some good hydraulic properties but has disappointed the expectations at first formed of its usefulness.

Gypsums.—Extensive beds of crystalline and fibrous Gypsum and Selenite occur near Ennore, the Red Hills, Ootatoor, Tiagar, Madura, Bangalore, Masulipatam, Hyderabad, and other localities. These are not put to any use except in the vicinity of Madras. The substance can be purchased in most bazaars in India under the names of *kulnar* and *kurpoora silasit* and is used in small doses as a medicine, but the Natives do not appear to be acquainted with the uses of this mineral in taking casts, plastering and house decoration, or in manufacturing Keene's cement. The finest specimens of selenite are contributed by the Local Committee of Bangalore and of Fibrous Gypsum by J. Ricketts, Esq. from Ootatoor. An interesting series of the applications of this substance to useful, educational and decorative

purposes is contributed by the Madras School of Industrial Arts.

Some specimens of artificial hydraulic cement prepared by Mr. Carriot of Pondicherry are considered worthy of Honorable Mention as the manufacture has been carried on for some time on an extensive scale. The artificial blocks or betons however, and the large bottle of this cement forwarded by the Local Committee of Pondicherry with a report upon its employment have not satisfied the Jury. On examining the blocks it was found that they were very soft and pulverulent, and on trying a series of experiments with the cement it was found to be very slightly hydraulic and deficient in cohesiveness. Balls and cakes of the lime having acquired very little solidity after 72 hours' immersion in pure or brackish water; rough and smooth surfaces of brick having been very feebly cemented by it and thin strata having fallen off the surfaces of bricks.

JURY AWARDS.

CLASS XXVII.

2ND CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
CXLVII	13-14	N. C. Moorogasen Moodelly. . . .	Goggles and a Jar made of Naggery potstone.
CCCV	22	M. Chesterfield . . .	Improved building and roofing materials.
CCCV	..	T. Barton	Building materials.

HONORABLE MENTION.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
XCVI	74	Mr. Carriot of Pondicherry	Artificial hydraulic cement.
LXXXV	4	Appavoo	Inkstand and butter cup of Soapstone.

CLASS XXVIII.

MANUFACTURES FROM ANIMAL AND VEGETABLE SUBSTANCES, NOT BEING WOVEN OR FELTED, OR INCLUDED IN OTHER SECTIONS.

JURY.

SIR HENRY C. MONTGOMERY, BART.—*Chairman.*

W. A. MOREHEAD, Esq.

LIEUT. GENERAL TULLOCH.

COLONEL J. MCCALLY.

LIEUT. COLONEL J. HILL.

CAPTAIN A. H. HOPE.

C. V. CUNNIAH CHETTYAR.

ASSOCIATE.

ALEX. HUNTER, Esq.—*Reporter.*

MANUFACTURES IN IVORY.

A very interesting and complete series of carvings in Ivory, is exhibited by His Highness the Rajah of Travancore. It comprises many of the common animals, reptiles, fruits and flowers of the country which are carved with taste and carefully finished. There is a good deal of grace and spirit in the action of the animals, some of which are in natural attitudes particularly the bull and cow, the two deers, the cheeta and the rabbit. Of the reptiles, the frog and lizard are well represented and a pair of paper cutters with ornamental handles are particularly deserving of notice, one for the judicious adaptation of a common garden flower to the design, and the other of a lizard in a spirited attitude. The fruits and flowers are well represented and the whole series evinces a perception of the natural beauties of the objects represented. The Jury recommend a 2nd Class Medal for the series.

Messrs. Scriven and Co. also exhibit a series of animals carved in ivory of a small size, but these have been spoiled by the injudicious application of color.

Some walking sticks carved in ivory are exhibited, but they are not finished with taste. The Jury regret to find so meagre a display of manufactures in this Class.

JURY AWARDS.

CLASS XXVIII.

2ND CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor.	Object Rewarded.
CCXXI	16 to 64	H. H. the Rajah of Travancore.	Series of carvings in ivory.

(Signed) ALEX. HUNTER,

Reporter.

CLASS XXIX.

MISCELLANEOUS MANUFACTURES AND SMALL WARES.

JURY.

E. LECOT, Esq.—*Chairman.*

W. H. CRAKE, Esq.

LIEUT. GENERAL P. E. CRAIGIE, C. B.

H. A. MURRAY, Esq.

EDWARD BALFOUR, Esq.

N. C. MOOROGASEN MOODELIAR.—*Reporter.*

ASSOCIATE.

H. STANBOROUGH, Esq.

Of the collection of articles submitted for the consideration of the Jurors in this Class, the following deserve notice.

Perfumery.—An interesting series of perfumery was exhibited as part of the articles of the Madras Tariff, purchased by Government for transmission to the Museum at the East India House; another series consisting of lavender water, eau de cologne and essence of rose manufactured by the late Mr. Gay, and a third collection by the Local Committee of Cuddapah.

The perfumery comprised among the articles of the Madras Tariff, consisting of various descriptions of attar generally used by the natives of India, appears to be of excellent quality, some of the scents are however rather powerful, and better suited to Native than European tastes. They exhibit much skill on the part of the manufacturer to whom the Jury recommend a reward of 50 Rupees.

The next specimens of perfumery examined by the Jurors, were those manufactured by the late Mr. Gay. The lavender water, eau de cologne, and essence of rose, are not equal to the same description of articles manufactured in Europe, yet being the only specimens of such articles in the exhibition, the Jury think the manufacture worthy of encouragement and award a 2nd Class Medal.

Wax Candles.—Various descriptions of wax candles were exhibited and examined. Those sent by the Cochin Sircar were excellent, and the Jury consider the manufacturer deserving of a 2nd Class Medal.

Lac ware.—A series of lacware from Hyderabad consisting of bracelets, chains, neck ornaments, pin-cushions, purses, and other ornaments exhibited through Dr. Smith (No. 30 to 45) deserve creditable mention. They are excellent of their kind, and well finished.

Bead ware.—Of the articles brought to the notice of the Jury under this head, the following are deserving of remark.

Specimens of beadware exhibited by a native lady Munnul Cody Ummal (No. 105 to 112 and 147 to 153) and similar articles from Miss Locker.

Fans.—The fans exhibited are numerous and made of a variety of materials. Those of peacocks' feathers exhibited by the Travancore Local Committee excel in beauty and workmanship. The Jury consider the manufacturer of these fans deserving of Honorable Mention. The fans purchased and exhibited by the Local Committee of Rajahmundry and Tinnevely, are next in excellence to those of Travancore, and deserving of commendation.

Walking Sticks.—A walking stick exhibited by His Excellency the Rajah Tondiman Bahadoor of Poodocottah, is a very elaborate and ingenious piece of workmanship. It contains a gold watch and chain, a gold snuff box, spaces for paper, pens, ink, &c.; the skill and ingenuity displayed by the maker of the stick, deserve in the opinion of the Jury the Prize of a 2nd Class Medal.

Gilding.—Amongst the articles laid before the Jury, the gilding executed by Lutchmiah Rajoo, No. 120 to 122, are good specimens of their kind, and deserve a 2nd Class Medal.

Soap.—Several samples of soap were exhibited and carefully examined by our associate Mr. Stanborough. The best appears to be a cake of castor oil soap, exhibited by Dr. G. W. Flynn, which the Jury think deserving of a 2nd Class Medal. It would have been more satisfactory however if Mr. Flynn had exhibited a larger quantity, stating the price per lb., it would then admit of consideration in a commercial point of view.

JURY AWARDS.

CLASS XXIX.

2ND CLASS MEDALS.

Pro. No.	Catal. No.	Names of Exhibitors.	Objects Rewarded.
CCV	87	H. H. the M. Rajah of Cochin	Wax candles and peacock's feather fans.
CKV	50	H. E. the Tondiman Bahadoor...	Walking stick.
.....	Mr. W. Gay ..	Perfumery.
CCXIX	114 to 116	Lutchmiah Rajoo..	Gilding.
Class II.	86 to 87	Dr. G. W. Flynn..	Soap (Cl. II.)

HONORABLE MENTION.

CXXXI	27 to 40	Hyderabad Local Committee	Lac ware.
CKLVII	99 to 106	Munnul Cody Um-mal	Bead ware.
CCXXXIV	117 to 123	Miss Locker	Bead ware.
		Rajahmundry Local Committee..	Fans.
LXIII	19 to 23	Tinnevelly Local Committee	Fans.
CKLII	68 to 69	Masulipatam Local Committee	Condapillay toys.

PECUNIARY AWARD.

Madras Tariff..	Seelar Sahib	Rs. 50	Attars, &c. &c.
-----------------	--------------	--------	-----------------

(Sd.) N. C. MOOROGASEN MOODELLIAR,
Reporter.

CLASS XXX.

FINE ARTS, INCLUDING ALSO COINS, BOOKS, &c.

THE RIGHT HON'BLE LORD HARRIS.
 HIS EXCELLENCY LT. GENERAL THE HON'BLE G. ANSON.
 THE HON'BLE WALTER ELLIOT, ESQ.
 ROBERT ORR CAMPBELL, ESQ.
 NANA THAKOOR.
 T. G. CLARKE, ESQ.
 CAPT. J. W. HAY.
 A. HUNTER, ESQ. M. D.
 CAPT. CUNNINGHAM.
 THE HON'BLE SIR W. W. BURTON, KT.
 H. A. MURRAY, ESQ.

SUB JURY.

PHOTOGRAPHY ARCHITECTURAL ANTIQUITIES AND LANDSCAPES.

THE RIGHT HONORABLE LORD HARRIS,—*President*.
 GENERAL J. S. FRASER.
 THE HONORABLE W. ELLIOT, ESQ.
 CAPTAIN OGILVIE.
 NANA THAKOOR.
 T. G. CLARKE, ESQ.
 CAPTAIN J. W. HAY.
 H. A. MURRAY, ESQ.
 A. HUNTER, ESQ. M. D. —*Reporter*.

The collection of Photographs is very large and interesting comprising views of Antiquities, Landscapes, Architecture, Trees, Modern Buildings, groups of figures, illustrations of native costume and portraits.

The best series of photographic views on paper is exhibited by Captain Tripe, 12th M. N.I., it consists of 68 large pictures, 21 inches by 14, taken from the Jain temples and ruins at Hullabede and Bellore in Mysore. The majority of these are clear, sharp, and well defined in the details, proving that great care has been taken to obtain the correct chemical focus. The half tints and reflected lights are also well brought out, a few of the views are sombre and heavy, but this has been caused by the dark shadows cast by parts of the massive buildings. As studies for the artist, the antiquary or the engraver these are invaluable; as regards the design of the buildings themselves however, there is a sameness in the style of the ornaments, and so great a repetition of long horizontal lines and of complicated details that the eye is fatigued with minutiae and seeks for more quiet flat surfaces to set

off the exuberance of ornament. We would notice the following as being particularly deserving of attention, Nos. 2-6-8 and 12 views of the temple at Bellore and Nos. 22-26 and 34 from the same temple.

No. 35. The great bull in the temple of Siva, in this the half tints are beautifully delicate.

No. 37. Side view of the Mundapum with the small bull No. 32 principal entrance to the temple with guardian figures, No. 40 a figure of Ganesa No. 54 a picturesque Sule mundapum with good foreground—No. 57 Agatharswara pagoda with a banian tree growing from the top. Captain Tripe also exhibits some good landscapes of which the best are No. 63, the over-turned lingum of Hullabede taken from the platform of the temple. No. 9, distant view of the temple from across the tank No. 65, bridge, and No. 64 large tank near the ruins. These views are very Indian in their character and picturesquely selected. Two careful ground plans of the position and measurements of the temples at Bellore and Hullabede accompany the photographs. The Jury are of opinion that Captain Tripe is entitled

to a first Class Medal, and they recommend that the whole series be purchased for transmission to the Honorable Court of Directors.

Dr. Neill of the 1st Regiment Light Cavalry also exhibits a good series of views of the same temples nearly equal in merit to the former, but not so numerous; amongst these may be mentioned the interior of the Court of the pagoda at Bellore No. 5, principal pagoda near Hullabede, No. 7 ruined pagoda near Hullabede, in this the sky is a little too dark and the clouds rather harsh and artificial. The view of the celebrated Hill of Mavana Bellagole with the gigantic statue on the top 60 feet high is very characteristic. Dr. Neill also exhibits good views of St. Andrew's Church, and the Light house at Madras, with a few characteristic landscapes, the best of which are a cocoanut and betel garden with jungle. A dead tree in a landscape, bund of a tank and a large banian tree. The Jury recommend a 2nd Class Medal for this collection.

Dr. Pritchard exhibits some good views on a smaller scale of the pagoda at Woontimettah. The old palace and some tombs at Golcondah and Hyderabad. The Jury consider these worthy of honorable mention—as very fair specimens of the paper process.

Mr. Underwood exhibits some small views taken on glass by the collodion Process, but one or two of them are solarised, the view of the barracks in the Fort is well focused.

Dr. Scott also exhibits some small views on paper of the Cathedral, the Cenotaph, the Munro statue and St. Andrews Church; they appear to have been taken with an indifferent lens.

Portraits.—There is a great collection of photographic portraits, consisting of single figures, groups, costumes and three-quarter lengths, the majority of these are negative pictures printed on paper from positives taken on glass by the collodion process. The Jury consider that the most artistic series as regards proportion of the figure, general position of the sitters, focusing and clearness of printing, is that exhibited by Mr. Cochrane CLIX 529. This collection however is not free from faults, and one of these appears to be that too strong a light surrounds the heads, and there is deficiency of shadow throughout the pictures. Several of them have faded since the Exhibition opened; from the hyposulphite having been but imperfectly washed out. The positives on glass by this exhibitor are very dark from the film of collodion being too thin to give solidity to the lights. The Jury recommend a first Class Medal for this series.

Captain Greenlaw exhibits a great variety of head size portraits, half lengths, and groups, many of which have been carefully focused and exhibit the half tints and delicate shades which give rotundity to the figures, but several have been spoilt by being left too long in the hyposulphite solution; the attitudes however are good and the proportions artistic. Some of the groups contain from 8 to 11 figures well arranged

though not all in focus. Capt. Greenlaw exhibits a very good clear positive upon glass with delicate half tints and well focused features, but the dress and back ground are a little flat. The Jury recommend a 2nd class medal for Capt. Greenlaw's groups. Mr. Underwood contributes a great variety of portraits in different styles positive, negative, and colored portraits. Among these are some good negatives printed on paper, but the effect of a few is spoilt by the light being too strong at the lower part of the figure, giving the outlines of the chair and dress a cut out appearance; one or two are also spoilt by being in bad proportion to the frames some of which are oval, others square or too much rounded at the corners. The Jury consider this collection worthy of honorable mention. Dr. A. J. Scott exhibits a large and varied collection of negative portraits, taken by the collodion process and printed on paper, several of the likenesses are striking and the positions of some of the figures good, but the proportions are not artistic, too much of the lower part of the figure being shown and the head being in general too high and out of focus. The Jury would remark that the contrasts of light and shade are too strong, the half tints having been lost from too short an exposure in the camera. The attitudes also of the figures are susceptible of much improvement. The native costumes exhibited by Dr. Scott form the best part of this large and varied collection they are on a larger scale than the others and in more artistic proportions, but they appear to have been taken with an inferior lens they are deserving however of honorable mention. Mr. Lafond exhibits some creditable portraits but they are deficient in half tints and too strong in the lights and shades.

Mr. Holt exhibits some portraits taken at Mysore but they are on too large a scale for the size of the camera which appears to have been a small indifferent instrument. They are not focused with sufficient accuracy and most of them have been left too long in the hyposulphite solution. The four positives on glass by the same exhibitor are very dark and the attitudes are stiff and unartistic.

Coins.—An interesting series of Coins is contributed from nearly all parts of the Presidency, it embraces both ancient and modern current and uncurrent coins of India and other neighbouring countries.

The largest contributors are His Highness the Rajah of Tanjore, the Salem Local Committee, the Hyderabad Local Committee, His Highness the Rajah of Travancore, the Madura Local Committee, the Hon'ble W. Elliot, Senior Apothecary A. Harris, and the Local Committee of North Arcot. A few coins were also transferred from the duplicates left with the Paris Exhibition Committee, and others were procured from Masulipatam, Pondicherry and South Arcot. The most valuable collections were those sent by their Highnesses the Rajahs of Tanjore and Travancore. Among the latter was a most interesting series of old

Roman gold and silver coins that had been accidentally dug up in this country. Those who are interested in this subject will find a complete list of the Coins in the printed Catalogue, and the majority of the Coins have been purchased for deposit in the Government Museum at Madras.

Works of Art.

H. Sawmy of Madras, exhibits some very creditable specimens of Portrait carving in wood and Ivory. The best of these are two profile busts of children, one in Ebony and the other in Ivory, and a bust of Moliere in Ebony. Mrs. Monckton exhibits a very tasteful *Chess table* painted on wood, each alternate square being filled with a landscape Vignette and the border being composed of larger vignettes.

The Jury award a 2nd Class Medal for this Artistic and elaborate work of Art.

Diagrams.

Two very good series of Botanical Diagrams and 7 Vols of original Botanical plates are exhibited by Dr. Cleghorn, these have been executed under his superintendence from living plants by Native Artists, Govindoo and P. Moorogasen. The Jury award Honorable Mention for these useful colored plates.

Dr. Blacklock exhibits a diagram illustrative of type printing on a large scale upon cloth from wooden blocks. This is one of a series of class Diagrams used in the Medical College.

Pith Models.

The Trichinopoly Local Committee exhibit a large collection of figures and Architectural Models, carved in the Pith of the Typha. The attitudes of the figures are stiff but the draperies are characteristic. The figures introduced into the model of the Trichinopoly Fort are out of proportion being far too large for the scale of the buildings.

Modelled Figures and Fruits.

Mootosawmy Potten of Cuddalore, exhibits a large series of the Fruits of this country modelled in Chunam and colored in imitation of Nature: also well finished figures of a Native Rajah and of a Peon, executed in the same material. These are considered very creditable specimens of modelling and a Prize of Rs. 20 is awarded.

Drawings and Paintings.

There were very few of these and none of particular merit, with the exception of the etchings by Kasava Doss, which were remarkable for the minuteness of detail with which they were finished and for the spirited manner with which prints, the subject of which were various English sports, had been copied. A 2nd Class Medal was awarded to him.

A water-colour drawing by Mr. Just Gantz, exhibited by Mr. Kellie, was considered worthy of mention.

Some drawings of Arms and ancient Pottery from old Tombs by T. Chengulroy, were considered deserving of Honorable Mention.

The paintings in oil by Mr. Fonceca, were deserving of credit, but were considered to require finish and taste.

LITHOGRAPHS.

A set of *Lithographed Books with drawings*, published by Dr. Balfour, were remarkably good: a 2nd Class Medal was awarded to the Exhibitor.

PHOTOGRAPHY.

Some photographs executed by Mr. Underwood, and placed by him in the Exhibition, subsequently to the decision of the Jury, to which these articles had been submitted were superior specimens of the art, and would, it is thought, have been entitled to a 2nd Class Medal, had they been submitted prior to the assembling of the Jury in Class XXX.

BOOKS.

Of the English Works exhibited, Mr. Baynes' compilations of the Civil and Criminal Law of this Presidency, a classified compendium of the Circular Orders of the Court of Sudder Udalt, and Hints on Medical Jurisprudence by the same author, and Colonel Smith's Pamphlet on Mint Affairs, appear to be deserving of special notice.

DR. BALFOUR's *Barometrical Sections of the Madras Presidency*, and his *Statistical Maps of the World in English, Telugu, Tamil and Hindustani*, are also very useful works.

The English, Telugu and Tamil readers published by the School Book Society, are useful works and well adapted for elementary schools. They supply in some measure the want which has long been felt of Elementary School Books, in which the illustrations and allusions have reference to objects familiar to the Native mind.

An edition of the Tamil Cural, by the Revd. Mr. Drew, and published by the same Society, is a useful work.

The Madras Tract and Book Society have exhibited a set of English and Vernacular Almanacs, remarkably well got up, containing a great deal of useful information and extremely cheap.

A Hindoostanee Calendar, for a period of 55 years, exhibited by Shaik Bundaghee of Poodoopet, Madras was considered deserving of notice.

An elementary Geography being a Tamil translation of a work by Lieut. Col. Browne, published by the same society is deserving of notice.

The Upayukat Grandha Karana Sabha, a society of Hindoo young men, most of them past scholars of the Madras University, have exhibited several very useful Elementary School Books. Of these a Tamil exposition of a portion of Robertson's History of America, by Viziarunga Moodelly, a brief History of India in Telugu, by Thenathialoo Naidoo, and a Tamil and Telugu Arithmetic by Vencatacharry and Sadagapacharry, are deserving of special notice.

The Revd. W. Taylor contributes some useful Elementary School Books in Tamil, and others on Geography and Astronomy in English.

The *Christian Knowledge Society* have exhibited copies of Mr. C. P. Brown's Telugu and English, and English and Telugu Dictionaries, one of the most important contributions that have yet been made to the study of the vernacular languages.

In Canarese, two very useful Dictionaries have been contributed by the Revd. J. Garrett, of the Wesleyan Mission at Bangalore.

An edition of the Bagavat Gita, in Sanscrit, Canarese and English, edited by Mr. Garrett, is a valuable contribution to the study of Oriental Literature.

A very good translation in the same language (Canarese) of the adventures of Robinson Crusoe, has been exhibited by Kristnasawmy Iyengar of Bangalore.

The German Mission at Mangalore, have contributed a number of useful works in Canarese and Tulu.

The only Malayalam Works that call for special mention are the Dictionaries by the Revd. Mr. Baily, and the Grammar by the Revd. Mr. Peet.

The Report upon the Books was written by A. J. Arbuthnot, Esq.

SUB JURY.

CARVINGS IN SANDAL WOOD, EBONY, IVORY, STONE METALS AND INLAID WOODS.

HIS EXCELLENCY LIEUT.-GENERAL THE HONORABLE GEORGE ANSON,—*Chairman of Sub Jury.*

R. O. CAMPBELL, Esq.

A. HUNTER, Esq., M. D.—*Reporter.*

ASSOCIATES.

CAPTAIN OGILVIE.

DR. CLEGHORN.

LIEUT. HAWKES.

The box exhibited by Mrs. Wilkieson, is undoubtedly the best specimen of the sandal wood carving. The figures and ornaments are taken from the sculptures in the celebrated temple of Hullabede in Mysore, they are boldly and deeply cut and well finished. The work was executed under the direction of Captain Cunningham of the Mysore Commission, and was carved by a native of Soorub, from careful drawings prepared expressly for the purpose. The jury are of opinion that the Exhibitor of this box is entitled to a second Class Medal.

Some very creditable specimens of carved sandal wood are exhibited by the Bangalore Local Committee, of these the most deserving of notice are two large and two small boxes carefully finished and varied in the design; but not so bold in relief as the box from Soorub.

The Bangalore Local Committee also exhibit two rosewood carved boxes very similar in design to those made of sandal wood. The ornaments are all floriated without figures and are clearly cut, but the general effect of the work is spoilt by the deep ground work being dotted instead of being left flat.

The Canara Local Committee contributes a well carved sandal wood chess table, a model of a Hindoo car, and some neatly finished boxes, one of which is inlaid with ivory and metal.

Mrs. James Fraser exhibits, two card cases and a work box carved at Ganjam. These though not so deeply cut as some of the other carvings in sandal wood are deserving of notice, as being from a district where the manufacture has been recently introduced.

Some well carved sandal wood chowries are exhibited by Lady Montgomery, and the Madras Local Committee. Mr. Meppen contributes sandal wood bracelets and crochet needle holders made near Cuddoor in Mysore, and Mrs. Bourdillon a box containing sandal wood knitting pins and silk winders.

The jury would remark that the art of carving in sandal wood though creditable to the Natives of India, as evincing care and laborious industry owes its chief value to the quaintness of the designs and the elaborate nature of the work. As a branch of the fine arts it can hardly be ranked under the head of carving, as many of the specimens are little more than ornamental surfaces showing much of the plain rectangle in the leading forms and little originality of invention.

The Art is still susceptible of great improvement.

Some neatly finished writing books, card cases and inkstands of sandal wood, inlaid with Ivory, Ebony, and Metal, were contributed by Mr. G. Leonard of Chica-cole, shortly after the Jury had assembled to draw up their report. These are interesting specimens of an Indian manufacture, for which there is an increasing demand. Bombay has hitherto been the chief market for this manufacture, but it is now carried on at Chica-cole, Hyderabad, and Vizagapatam.

Some creditable specimens of inlaid fancy woods are exhibited by the Travancore Local Committee; the best of these are a lady's workstand with silk winders, and a backgammon board.

A carved cocoanut cup mounted in silver exhibited by the same Committee is deserving of notice.

Sculptures in Stone.—Captain Harvey of the Mysore Commission, exhibits two very spirited sculptures in *Potstone*, executed by a Native from drawings made on the stone by Captain Harvey and finished under his directions. The subject of one is taken from a design in the London Art Journal, Joshua commanding the sun and moon to stand still. The spirit and action of the figures are well represented, and the chiselling is good the relief given by bold undercutting is also worthy of commendation. The other sculpture is copied from one of the groups on the Temple of Hullabede. A 2nd Class Medal is awarded for these.

Sculptures in Metal.—It is to be regretted that there is a very poor display of sculptures in metal.

The Tinnevely Local Committee exhibit six small copper images of deities intended as paper weights. They are copied from the stone sculptures on the pillars of the Kistnapooram Temple. The chiselling and finish of the surface are careful, but as works of Art, they give a very insignificant idea of the bronze and metal workmanship of Southern India. This branch of Art, has greatly deteriorated during the last few centu-

ries and the only application of it, to decorative or useful purposes, is to be found in the handles of bells, and small paper weights, but the designs of these are stiff, grotesque and formal without any pretensions to beauty, the subjects being constant repetitions of a few of the favourite Hindoo deities in uneasy and constrained attitudes. This is the more to be regretted as the Natives of India have long been celebrated for the casting and chasing of Metals.

Lieutenant Shuldham exhibits a number of Burmese images in Metal and Alabaster, but these are in stiff attitudes and do not evince any taste or originality of design.

JURY AWARDS.

CLASS XXX.

1ST CLASS MEDALS.

Pro. No.	Catal.No.	Names of Exhibitors.	Objects Rewarded.
CCXCVIII	621	Captain Tripe....	Photographic views of the temples of Hullabede and Belloor.
CLIX	629	W.E.Cochrane, Esq.	Collection of Photographic portraits.

2ND CLASS MEDALS.

Pro. No.	Catal.No.	Names of Exhibitors.	Objects Rewarded.
LVII	27	Mrs. Wilkieson.	Carved Sandal wood box.
CLXXII	549	Capt. G. Harvey.	Carvings in stone.

2ND CLASS MEDALS.

Pro. No.	Catal.No.	Names of Exhibitors.	Objects Rewarded.
CCXLVIII	622	Dr. Neill	Landscape and Architectural views.
CCCHII	Capt. Greenlaw ..	Groups of figures.
CCCHII	Mrs. Monckton ..	Chess table painted on wood.
CXLVI	598	Casava Doss ...	Etchings on walking stick and bamboo boxes.

HONORABLE MENTION.

CCCHII	Dr. Pritchard ..	Good Photographic views of Mahomedan and Rajpoot Tombs, and Pagoda at Woon-timettah.
CCXCIX	628	W. E. Underwood, Esquire	Variety of Photographic portraits
CCCHII	Dr. Scott	Native Costumes.
CCCHII	Goyindoo	Botanical drawings
CCCHII	P. Moorogasen ..	Ditto.
CCCHII	T. Chengulroy ..	Drawings of arms and ancient pottery.

PECUNIARY AWARD.

CCXXXIV	683-4	Mootosawmy Potten, Cuddalore, Rupees 20.	Modelled figures and fruits.
---------	-------	---	------------------------------

(Signed) ALEX. HUNTER, *Reporter.*

TABLE I		TABLE II	
1877	1878	1877	1878
1879	1880	1879	1880
1881	1882	1881	1882
1883	1884	1883	1884
1885	1886	1885	1886
1887	1888	1887	1888
1889	1890	1889	1890
1891	1892	1891	1892
1893	1894	1893	1894
1895	1896	1895	1896
1897	1898	1897	1898
1899	1900	1899	1900
1901	1902	1901	1902
1903	1904	1903	1904
1905	1906	1905	1906
1907	1908	1907	1908
1909	1910	1909	1910
1911	1912	1911	1912
1913	1914	1913	1914
1915	1916	1915	1916
1917	1918	1917	1918
1919	1920	1919	1920
1921	1922	1921	1922
1923	1924	1923	1924
1925	1926	1925	1926
1927	1928	1927	1928
1929	1930	1929	1930
1931	1932	1931	1932
1933	1934	1933	1934
1935	1936	1935	1936
1937	1938	1937	1938
1939	1940	1939	1940
1941	1942	1941	1942
1943	1944	1943	1944
1945	1946	1945	1946
1947	1948	1947	1948
1949	1950	1949	1950
1951	1952	1951	1952
1953	1954	1953	1954
1955	1956	1955	1956
1957	1958	1957	1958
1959	1960	1959	1960
1961	1962	1961	1962
1963	1964	1963	1964
1965	1966	1965	1966
1967	1968	1967	1968
1969	1970	1969	1970
1971	1972	1971	1972
1973	1974	1973	1974
1975	1976	1975	1976
1977	1978	1977	1978
1979	1980	1979	1980
1981	1982	1981	1982
1983	1984	1983	1984
1985	1986	1985	1986
1987	1988	1987	1988
1989	1990	1989	1990
1991	1992	1991	1992
1993	1994	1993	1994
1995	1996	1995	1996
1997	1998	1997	1998
1999	2000	1999	2000
2001	2002	2001	2002
2003	2004	2003	2004
2005	2006	2005	2006
2007	2008	2007	2008
2009	2010	2009	2010
2011	2012	2011	2012
2013	2014	2013	2014
2015	2016	2015	2016
2017	2018	2017	2018
2019	2020	2019	2020
2021	2022	2021	2022
2023	2024	2023	2024
2025	2026	2025	2026
2027	2028	2027	2028
2029	2030	2029	2030
2031	2032	2031	2032
2033	2034	2033	2034
2035	2036	2035	2036
2037	2038	2037	2038
2039	2040	2039	2040
2041	2042	2041	2042
2043	2044	2043	2044
2045	2046	2045	2046
2047	2048	2047	2048
2049	2050	2049	2050
2051	2052	2051	2052
2053	2054	2053	2054
2055	2056	2055	2056
2057	2058	2057	2058
2059	2060	2059	2060
2061	2062	2061	2062
2063	2064	2063	2064
2065	2066	2065	2066
2067	2068	2067	2068
2069	2070	2069	2070
2071	2072	2071	2072
2073	2074	2073	2074
2075	2076	2075	2076
2077	2078	2077	2078
2079	2080	2079	2080
2081	2082	2081	2082
2083	2084	2083	2084
2085	2086	2085	2086
2087	2088	2087	2088
2089	2090	2089	2090
2091	2092	2091	2092
2093	2094	2093	2094
2095	2096	2095	2096
2097	2098	2097	2098
2099	2100	2099	2100
2101	2102	2101	2102
2103	2104	2103	2104
2105	2106	2105	2106
2107	2108	2107	2108
2109	2110	2109	2110
2111	2112	2111	2112
2113	2114	2113	2114
2115	2116	2115	2116
2117	2118	2117	2118
2119	2120	2119	2120
2121	2122	2121	2122
2123	2124	2123	2124
2125	2126	2125	2126
2127	2128	2127	2128
2129	2130	2129	2130
2131	2132	2131	2132
2133	2134	2133	2134
2135	2136	2135	2136
2137	2138	2137	2138
2139	2140	2139	2140
2141	2142	2141	2142
2143	2144	2143	2144
2145	2146	2145	2146
2147	2148	2147	2148
2149	2150	2149	2150
2151	2152	2151	2152
2153	2154	2153	2154
2155	2156	2155	2156
2157	2158	2157	2158
2159	2160	2159	2160
2161	2162	2161	2162
2163	2164	2163	2164
2165	2166	2165	2166
2167	2168	2167	2168
2169	2170	2169	2170
2171	2172	2171	2172
2173	2174	2173	2174
2175	2176	2175	2176
2177	2178	2177	2178
2179	2180	2179	2180
2181	2182	2181	2182
2183	2184	2183	2184
2185	2186	2185	2186
2187	2188	2187	2188
2189	2190	2189	2190
2191	2192	2191	2192
2193	2194	2193	2194
2195	2196	2195	2196
2197	2198	2197	2198
2199	2200	2199	2200
2201	2202	2201	2202
2203	2204	2203	2204
2205	2206	2205	2206
2207	2208	2207	2208
2209	2210	2209	2210
2211	2212	2211	2212
2213	2214	2213	2214
2215	2216	2215	2216
2217	2218	2217	2218
2219	2220	2219	2220
2221	2222	2221	2222
2223	2224	2223	2224
2225	2226	2225	2226
2227	2228	2227	2228
2229	2230	2229	2230
2231	2232	2231	2232
2233	2234	2233	2234
2235	2236	2235	2236
2237	2238	2237	2238
2239	2240	2239	2240
2241	2242	2241	2242
2243	2244	2243	2244
2245	2246	2245	2246
2247	2248	2247	2248
2249	2250	2249	2250
2251	2252	2251	2252
2253	2254	2253	2254
2255	2256	2255	2256
2257	2258	2257	2258
2259	2260	2259	2260
2261	2262	2261	2262
2263	2264	2263	2264
2265	2266	2265	2266
2267	2268	2267	2268
2269	2270	2269	2270
2271	2272	2271	2272
2273	2274	2273	2274
2275	2276	2275	2276
2277	2278	2277	2278
2279	2280	2279	2280
2281	2282	2281	2282
2283	2284	2283	2284
2285	2286	2285	2286
2287	2288	2287	2288
2289	2290	2289	2290
2291	2292	2291	2292
2293	2294	2293	2294
2295	2296	2295	2296
2297	2298	2297	2298
2299	2300	2299	2300
2301	2302	2301	2302
2303	2304	2303	2304
2305	2306	2305	2306
2307	2308	2307	2308
2309	2310	2309	2310
2311	2312	2311	2312
2313	2314	2313	2314
2315	2316	2315	2316
2317	2318	2317	2318
2319	2320	2319	2320
2321	2322	2321	2322
2323	2324	2323	2324
2325	2326	2325	2326
2327	2328	2327	2328
2329	2330	2329	2330
2331	2332	2331	2332
2333	2334	2333	2334
2335	2336	2335	2336
2337	2338	2337	2338
2339	2340	2339	2340
2341	2342	2341	2342
2343	2344	2343	2344
2345	2346	2345	2346
2347	2348	2347	2348
2349	2350	2349	2350
2351	2352	2351	2352
2353	2354	2353	2354
2355	2356	2355	2356
2357	2358	2357	2358
2359	2360	2359	2360
2361	2362	2361	2362
2363	2364	2363	2364
2365	2366	2365	2366
2367	2368	2367	2368
2369	2370	2369	2370
2371	2372	2371	2372
2373	2374	2373	2374
2375	2376	2375	2376
2377	2378	2377	2378
2379	2380	2379	2380
2381	2382	2381	2382
2383	2384	2383	2384
2385	2386	2385	2386
2387	2388	2387	2388
2389	2390	2389	2390
2391	2392	2391	2392
2393	2394	2393	2394
2395	2396	2395	2396
2397	2398	2397	2398
2399	2400	2399	2400
2401	2402	2401	2402
2403	2404	2403	2404
2405	2406	2405	2406
2407	2408	2407	2408
2409	2410	2409	2410
2411	2412	2411	2412
2413	2414	2413	2414
2415	2416	2415	2416
2417	2418	2417	2418
2419	2420	2419	2420
2421	2422	2421	2422
2423	2424	2423	2424
2425	2426	2425	2426
2427	2428	2427	2428
2429	2430	2429	2430
2431	2432	2431	2432
2433	2434	2433	2434
2435	2436	2435	2436
2437	2438	2437	2438
2439	2440	2439	2440
2441	2442	2441	2442
2443	2444	2443	2444
2445	2446	2445	2446
2447	2448	2447	2448
2449	2450	2449	2450
2451	2452	2451	2452
2453	2454	2453	2454
2455	2456	2455	2456
2457	2458	2457	2458
2459	2460	2459	2460
2461	2462	2461	2462
2463	2464	2463	2464
2465	2466	2465	2466
2467	2468	2467	2468
2469	2470	2469	2470
2471	2472	2471	2472
2473	2474	2473	2474
2475	2476	2475	2476
2477	2478	2477	2478
2479	2480	2479	2480
2481	2482	2481	2482
2483	2484	2483	2484
2485	2486	2485	2

Madras Exhibition of Raw Products, Arts,
and Manufactures of Southern India,

1857.

REPORTS

BY

THE JURIES

ON

THE SUBJECTS IN THE THIRTY CLASSES INTO WHICH
THE EXHIBITION WAS DIVIDED.



MADRAS:

Printed for the General Committee of the Madras Exhibition,

BY L. C. GRAVES, AT THE SCOTTISH PRESS, POPHAM'S BROADWAY.

1858.

Exhibition of Arts,
and Manufactures of Southern India,

1887.

REPORTS

THE JURIES

THE SUBJECTS IN THE THIRTY CLASSES INTO WHICH
THE EXHIBITION WAS DIVIDED.



MADRAS:

Printed for the General Committee of the Madras Exhibition,
at the Press of the Government of Madras.

1888.

The Right Honorable the Governor of Madras in Council, in Extract Minutes of Consultation, dated 15th August 1855, appointed an Exhibition of the Raw Materials, of the Machinery and Manufactures, and of the Sculptures, Models and the Plastic Art, of the Madras Presidency and the neighbouring States, to be held in the Banqueting Hall, Madras, 2nd February, 1857; and, in order to make generally known the wishes of Government regarding it, and to draw up a scheme of all the minor and subsidiary arrangements for carrying it out, nominated the following gentlemen to form a Committee.

President.

The Right Honorable LORD HARRIS, Governor of Fort St. George.

Members.

W. A. MOREHEAD, Esq.,
W. U. ARBUTHNOT, Esq.
A. HUNTER, Esq., M.D.
EDWARD BALFOUR, Esq., *Secretary.*
H. F. C. CLEGHORN, Esq., M.D.
H. A. MURRAY, Esq.
Captain J. W. HAY,
Major J. MAITLAND,

The Honorable WALTER ELLIOT, Esq.
The Honorable Sir H. C. MONTGOMERY, Bart.
FINDLAY ANDERSON, Esq.
Lieut. Colonel PEARS, C.B.
Lieut. Colonel BALFOUR, C.B.
Lieut. Colonel F. C. COTTON.
BINNY KEY, Esq.

AND

Captain W. S. JACOB.

By order.

EDWARD BALFOUR,

Secretary.

GENERAL COMMITTEE.

President.

THE RIGHT HONORABLE LORD HARRIS.

Members.

W. A. MOREHEAD, Esq.
W. U. ARBUTHNOT, Esq.
A. HUNTER, Esq., M.D.
EDWARD BALFOUR, Esq., *Secretary.*
H. F. C. CLEGHORN, Esq., M.D.
H. A. MURRAY, Esq.
CAPTAIN J. W. HAY.
MAJOR J. MAITLAND.
THE HONORABLE W. ELLIOT, Esq.
THE HONORABLE SIR H. C. MONTGOMERY, BART.
FINDLAY ANDERSON, Esq.
LIEUT. COL. T. T. PEARS, C.B.
LIEUT. COL. G. BALFOUR, C.B.
LIEUT. COL. F. C. COTTON.
BINNY KEY, Esq.
CAPTAIN W. S. JACOB.

EXECUTIVE COMMITTEE.

Chairman.

THE RIGHT HONORABLE LORD HARRIS.

Members.

A. HUNTER, Esq., M.D., *Director of Arrangements.*
EDWARD BALFOUR, Esq., *Secretary.*
H. A. MURRAY, Esq.
CAPTAIN J. W. HAY.
THE HONORABLE W. ELLIOT, Esq.
THE HONORABLE SIR H. C. MONTGOMERY, BART.
LIEUT. COL. G. BALFOUR, C.B.

SUB-COMMITTEES.

For Raw Products.

THE HONORABLE WALTER ELLIOT, Esq., *Chairman.*
W. A. MOREHEAD, Esq.
H. F. C. CLEGHORN, Esq., M.D., *Secretary.*
LIEUT. COL. G. BALFOUR, C.B.
BINNY KEY, Esq.
LIEUT. COL. F. C. COTTON,

For Machinery, Manufactures, Sculptures, Models and the Plastic Art.

W. U. ARBUTHNOT, Esq., *Chairman.*
A. HUNTER, Esq., M.D., *Secretary.*
FINDLAY ANDERSON, Esq.
MAJOR J. MAITLAND.
LIEUT. COL. T. T. PEARS, C.B.
CAPTAIN W. S. JACOB.

FINANCIAL SUB-COMMITTEE.

LIEUT. COL. T. T. PEARS, C.B.
LIEUT. COL. G. BALFOUR, C.B.

RECEIVING OFFICER.

MAJOR P. T. SNOW.

EXTRACT FROM THE RULES.

JURIES.

Juries will be composed of those Members of the General Committee forming the two Sub-Committees with such other Gentlemen as may hereafter be nominated.

The examination of the Articles exhibited and the decision with respect to the rewards to be given will be confided to the Juries.

The Jurors for the first 11 Classes will be nominated by the Sub-Committee for Raw Materials, and for the last 19 Classes by the Sub-Committee for Arts and Manufactures.

The General Committee will allot the Jurors amongst the various Classes, and will fix the General Rules which will serve as the basis for their operations.

Rewards will not be granted until after they have been revised by the Executive Committee.

Each Jury will be at liberty to call to its assistance, any persons acquainted with the Articles submitted to it for examination. These additional members or associates will only take part in the labours of the Jury as regards the particular object for which their services are required, they will only be entitled to take part in the discussion and not to vote.

The Juries will associate with themselves such residents of this place as may give them assistance as Sub-Reporters.

Such Exhibitors as have been appointed Jurors or Associates, will be held ineligible to receive a reward, for the particular class in which they have acted.

With a view of facilitating the labours of the Jurors, there be added to each Jury list a statement of the prizes which may be awarded by them in their class and the Jurors can also recommend the award of Medals when they consider such expedient.

Articles admitted after the commencement of the Juries labours, not allowed to compete for prizes.

REWARDS.

It is the intention of the General Committee that excellence should be rewarded in whatever form it is presented, and not to give inducements to the distinctions of a merely individual competition.

An ample fund has been allotted for money Prizes.

Two Classes of Medals will, also, be provided, to be awarded in such cases as may appear desirable.

The money prizes will be awarded with reference to the commercial character of the products and the Medals for excellence.

The two classes of Medals are intended to distinguish the respective characters of subjects and not as first and second in degree for the same class of subjects.

Articles from all countries will be admitted to the Madras Exhibition to be held in the beginning of 1857, and be allowed to compete for prizes; but, with a view to promote the good of this country, it is hereby notified that money prizes, medals, &c. will only be given for Articles capable of being applied in the Arts and Manufactures of India or calculated to be of use to its people.

Those manufactures consisting exclusively of native material, in all its stages, will receive the highest rewards.

For those products manufactured from imported materials smaller prizes will be given.

In the department of Raw Materials and Produce, prizes will be allotted upon a consideration of the value and importance, in a commercial point of view, of the article, and the superior excellence of the particular specimens exhibited: in the case of prepared materials coming under this head of the Exhibition, the Juries will take into account the novelty and importance of the prepared product and the superior skill and ingenuity manifested in the process of preparation.

In the department of Machinery, the Prizes will have reference to novelty in the invention, superiority in the execution, increased efficiency or increased economy, in the use of the Article exhibited.

The importance in a social or other point of view, of the purposes to which the Article is to be applied, will also be taken into consideration, as will, also, the amount of the difficulties overcome in bringing the invention to perfection.

Those Articles of Manufacture will be rewarded which fulfil in the highest degree the following conditions, viz., increased usefulness, such as permanency in dyes, improved forms and arrangements in articles of utility, &c., superior quality or superior skill in workmanship: new use of known materials, use of new materials, new combinations of materials as in Metals and Pottery: beauty of design in form or colour, or both, with reference to utility, cheapness relatively to excellence of production.

In the Department of Sculpture, Models and the Plastic Art, the rewards will have reference to the beauty and originality of the specimens exhibited, to improvements in the processes of production; to the applications of Art to Manufactures; and, in the case of Models, to the interests attaching to the subject they present.

DEPARTMENT OF JURIES.

LIST OF JURORS AND ASSOCIATE JURORS.

CLASS I.

Mining, Quarrying, Metallurgical Operations and Mineral Products.

A. Hunter, Esq., M.D.
A. J. Scott, Esq., M.D.
J. G. Shaw, Esq.,
Major W. S. Jacob.
W. Burrell, Esq., Reporter.

CLASS II.

Chemical and Pharmaceutical Processes and Products generally.

J. E. Mayer, Esq.
A. J. Scott, Esq., M.D.
A. Lorimer, Esq., M.D.
Major W. S. Jacob.
H. F. C. Cleghorn, Esq., M.D.
J. Tawse, Esq.,
J. G. Shaw, Esq.,
J. Urquhart, Esq., M.D.
Dr. W. Flynn, G.M.M.C. Reporter.
Dr. Jesudasan, G.M.M.C.
J. L. Paul, Esq., M.D., Reporter.

CLASS III.

Substances used for Food.

Lieutenant Colonel A. McCally.
Colonel F. A. Reid, C.B.
H. A. Murray, Esq.
J. Binny Key, Esq.
Lieutenant Colonel G. Talbot.
R. Burgass, Esq.
Major H. J. Nicholls.
W. Evans, Esq., M.D.
J. E. Mayer, Esq., Reporter.
J. Goldingham, Esq.
A. T. Jaffrey, Esq.

CLASS IV.

Vegetable and Animal Substances, chiefly used in Manufactures, as Implements or for Ornaments.

ALSO

CLASS XIV.

Manufactures from Flax and Hemp.

ALSO

CLASS XXVIII.

Manufactures from Animal and Vegetable Substances not being woven or felted, or included in other Sections.

The Honorable Sir H. C. Montgomery, Bart.
The Honorable W. Elliot, Esq.
W. E. Underwood, Esq.
Lieutenant Colonel G. Balfour, C.B.
H. F. C. Cleghorn, Esq. M.D.
Colonel F. A. Reid, C.B.
A. Hunter, Esq., M.D.
Lieutenant Colonel T. T. Pears, C.B.
J. D. Sim, Esq.
Colonel Æ. Shirriff.
Major J. Maitland.

Colonel W. H. Budd.
Lieutenant Colonel A. McCally.
Colonel P. Hamond, Reporter.
Major G. Simpson.
Captain W. C. Baker.
Captain C. Biden.
W. E. Cochrane, Esq.
J. Binny Key, Esq.
W. Arbuthnot, Esq.
J. L. Lushington, Esq.
J. T. Maclagan, Esq.
A. T. Jaffrey, Esq.
Lieutenant Mitchell, Reporter.
T. Peachey, Esq., Reporter.
Dr. W. Flynn, G.M.M.C.
W. B. Wright, Esq.
G. Williams, Esq.
N. C. Moorogason Moodeliar.
C. V. Conniah Chettiar.
C. Runganada Shastree.
Sub-Conductor Briggs, Reporter.
W. B. Liddell, Esq.
Captain Hawkes.

Associates.

R. O. Campbell, Esq.
J. D. Sim, Esq.
W. B. Liddell, Esq.
W. Sim, Esq.
P. Veerapermall Pillay.
A. Hunter, Esq. M.D.
Lieut. H. P. Hawkes.
Lieut. Beddome.

SECTION I.

Gums and Resins.

Sub-Jury.

Lieutenant H. P. Hawkes, Reporter.
Dr. W. Flynn, G.M.M.C.
H. F. C. Cleghorn, Esq. M.D.

SECTION II.

Oils.

Sub-Jury.

Dr. G. W. Flynn, G.M.M.C. Reporter.
Lieutenant H. P. Hawkes.
H. F. C. Cleghorn, Esq. M.D.

SECTION III.

Dyes and Colours.

Sub-Jury.

J. T. Maclagan, Esq. Reporter.
The Honorable W. Elliot, Esq.

Associates on Indigo.

R. O. Campbell, Esq.
J. D. Sim, Esq.
W. B. Liddell, Esq.
W. Sim, Esq.
P. Veerapermall, Pillay.

SECTION IV.

Tanning Materials.

Sub-Jury.

The Honorable Walter Elliot, Esq., *Chairman.*
J. Rohde, Esq., *Reporter.*

SECTION V.

Vegetable Substances, Fibres.

Sub-Jury.

Colonel Reid, *Reporter.*

J. D. Sim, Esq.

J. Brecks, Esq.

Captain Hawkes.

Associate.

A. Hunter, Esq. M.D.

SECTION VI.

Timber and Ornamental Woods.

Sub-Jury.

The Honorable W. Elliot, Esq., *Chairman.*

Lieutenant Colonel Pears, C.B., *Reporter.*

G. W. B. Wright, Esq.

J. Williams, Esq.

Major Maitland.

Associates.

Lieutenant H. P. Hawkes.

Lieutenant Beddome.

SECTION VII.

Animal Substances.

Sub-Jury.

The Honorable W. Elliot, Esq.

Lieutenant Mitchell, *Reporter.*

B.—MACHINERY.

CLASS V.

Machines for direct use, including Carriages and
Railway and Naval Mechanism.

Lieutenant Colonel T. T. Pears, C.B.

Major J. Maitland.

Major Jenkins.

Lieutenant Colonel F. C. Cotton.

R. Kennedy, Esq.

Major W. K. Worster.

W. B. Wright, Esq., *Reporter.*

Major W. S. Jacob.

J. J. Franklin, Esq.

Captain C. Biden.

Colonel A. Cotton, *Reporter.*

CLASS VI.

Manufacturing Machines and Tools.

Lieutenant Colonel F. C. Cotton.

Major G. W. Simpson.

Major J. Maitland.

W. B. Wright, Esq.

R. Kennedy, Esq.

Colonel A. Cotton.

Colonel P. Hamond.

Captain W. C. Baker.

General F. Blundell, C.B.

Mr. Commissary W. Curran, *Reporter.*

CLASS VII.

Civil Engineering, Architectural and Building Con-
trivances.

Colonel C. E. Faber.

Captain G. C. Collyer.

Captain H. W. Rawlins.

Major A. C. Silver.

Lieutenant P. P. O'Connell, *Reporter.*

Major W. S. Jacob.

B. McMaster, Esq.

Colonel A. Cotton.

Lieutenant Colonel F. C. Cotton.

A. Beatie, Esq.

CLASS VIII.

Naval, Architectural and Military Engineer-
ing, Ordnance, Armour, and Accoutrements.

His Excellency General Sir P. Grant, K.C.B.

Major General Craigie, C.B.

Colonel P. Hamond, *Reporter.*

Lieutenant Colonel G. Balfour, C.B., *Reporter.*

H. D. E. Dalrymple, Esq.

Colonel F. A. Reid, C.B.

Colonel F. P. Haines.

Captain W. C. Baker, *Reporter.*

Lieutenant Colonel G. Talbot.

Major G. Rowlandson.

Major F. H. Scott.

Captain C. Biden.

Colonel Æ. Shirreff.

W. Eaton, Esq.

J. J. Franklin, Esq.

Lieutenant Colonel C. A. Denison.

Lieutenant Colonel C. A. Browne.

CLASS IX.

Agricultural and Horticultural Machines and
Implements.

Colonel F. A. Reid, C.B.

G. S. Hooper, Esq.

H. F. C. Cleghorn, Esq. M.D.

A. J. Arbuthnot, Esq.

Captain C. H. Drury, *Reporter.*

R. Kennedy, Esq.

F. Orme, Esq.

Lieutenant Colonel H. Colbeck.

CLASS X.

Philosophical Instruments and Processes de-
pending upon their use, Musical, Horologi-
cal and Surgical Instruments.

Lieutenant Colonel A. McCally.

Major W. K. Worster.

Major W. S. Jacob, *Reporter.*

A. Blacklock, Esq.

W. J. vanSomeren, Esq. M.D., *Reporter.*

Dr. W. Flynn, G.M.M.C.

B. Cunliffe, Esq.

Captain J. W. Hay.

Lieutenant Colonel G. Talbot.

P. Orr, Esq.

H. W. Porteous, Esq.

C.—MANUFACTURES.**CLASS XI.****Textile Fabrics, and Cotton Manufactures.**

W. E. Underwood, Esq.
W. U. Arbuthnot, Esq.
 E. Lecot, Esq.
 Major J. Macdougall, *Reporter.*
 R. O. Campbell, Esq.
 H. Crake, Esq.
 W. Boyton, Esq.
 R. W. Norfor, Esq.
 T. L. Shand, Esq.
 N. C. Moorogasen Moodelly.
 Azeez Ool Moolk Bahadoor.
 H. Talput, Esq.
 J. Broomhall, Esq.

CLASS XII.**Woollen and Worsted.**

Lieutenant Colonel A. McCally.
Captain J. W. Hay.
 J. Kellie, Esq.
 J. T. MacLagan, Esq.
 W. R. Arbuthnot, Esq.
 P. Veerapermal Pillay.
 Sirdar Jung Bahadoor.
 Hajee Aga Mahomed Bakir Sherazee Nemazee.
 Major Nicholls, *Reporter.*

CLASS XIII.**Silk and Velvet.**

The Honorable Sir C. Rawlinson, Kt.
H. A. Murray, Esq.
 W. E. Cochrane, Esq.
 Colonel J. L. Stephenson.
 Major A. C. Silver.
 C. Lutchmenarasoo Chettiar.
 R. W. Norfor, Esq.
 J. Binny Key, Esq.
 Hajee Aga Mahomed Bakir Sherazee Nemazee.
 J. Broomhall, Esq.
 J. Deschamps, Esq.

CLASS XIV.**Manufactures from Flax and Hemp.**

The Honorable Sir H. C. Montgomery, Bart.
The Honorable Walter Elliot, Esq.
 W. E. Underwood, Esq.
 Lieutenant Colonel G. Balfour, C.B.
H. F. C. Cleghorn, Esq., M.D.
 Colonel F. A. Reid, C.B.
A. Hunter, Esq., M.D.
 Lieutenant Colonel T. T. Pears, C.B.
 J. D. Sim, Esq.
 Colonel A. Shirreff.
 Major J. Maitland.
 Lieutenant Colonel W. H. Budd.
 Lieutenant Colonel A. McCally.
 Colonel P. Hamond, *Reporter.*
 Major G. Simpson.
 Captain W. C. Baker.
 Captain C. Biden.
 W. E. Cochrane, Esq.
 J. Binny Key, Esq.

W. Arbuthnot, Esq.
 J. L. Lushington, Esq.
 J. T. MacLagan, Esq.
 A. T. Jaffrey, Esq.
 E. Beaumont, Esq.
 Lieutenant Mitchell, *Reporter.*
 T. Peachey, Esq., *Reporter.*
 Dr. W. Flynn, G.M.M.C.
 W. B. Wright Esq.
 G. Williams, Esq.
 N. C. Moorogasen Moodeliar.
 C. V. Conniah Chettiar.
 C. Runganada Shastree.
 Sub-Conductor Briggs, *Reporter.*
 W. B. Liddell, Esq.
 Captain Hawkes.

CLASS XV.**Mixed Fabrics including Shawls, but exclusive of Worsted Goods.**

The Right Honorable Lord Harris.
 M. Gallois Montbrun.
 J. Kellie, Esq.
 S. D. Birch, Esq.
 W. E. Underwood, Esq.
 R. O. Campbell, Esq., *Reporter.*
 J. Tawse, Esq., *Reporter.*
 Major Stewart.
 P. Veerapermal Pillay.
 Sirdar Jung Bahadoor.
 Hajee Aga Mahomed Bakir Sherazee Nemazee.

CLASS XVI.**Leather including Saddlery and Harness, Skins, Fur, Feathers and Hair.**

His Excellency Lieutenant General Sir P. Grant, K.C.B.
 Lieutenant Colonel W. G. Woods.
The Honorable Sir H. C. Montgomery, Bart.
 Captain T. Thompson.
 Captain R. W. Raikes.
 Lieutenant Colonel J. Hill.
 S. D. Birch, Esq.
 Captain A. H. Hope.
 Colonel A. Shirreff.
 Major G. Briggs.
 Major G. Simpson, *Reporter.*
 Lieutenant Colonel Budd, *Reporter.*
 Major McQueen.

CLASS XVII.**Paper and Stationery, Printing and Book-binding.**

The Honorable Sir H. C. Montgomery, Bart.
 C. F. Chamier, Esq.
 W. Evans, Esq., M.D.
 P. R. Hunt, Esq.
 W. R. Arbuthnot, Esq.
 Soobroyaloo Naidoo.
 Rev. P. Percival, *Reporter.*
 Rev. T. Brotherton.
 H. Smith, Esq.
 H. Fortey, Esq., M.A.
 Jayarama Chettiar.

CLASS XVIII.

Woven, Spun, Felted and laid Fabrics when shewn
as specimens of Printing or Dyeing.

J. Binny Key, Esq.
Major J. Jenkins.
W. E. Cochrane, Esq.
E. Lecot, Esq.
Captain W. R. Newlyn.
N. C. Moorogasen Moodeliar.
Sirdar Jung Bahadoor.
R. Barclay, Esq.
H. Talput, Esq., *Reporter*.

CLASS XIX.

Tapestry including Carpets and Floor Cloths, Lace
and Embroidery, Fancy and Industrial Work.

The Right Honorable Lord Harris.
M. Gallois Montbrun.
H. A. Murray, Esq., Reporter.
Findlay Anderson, Esq.
J. B. Norton, Esq.
J. Kellie, Esq.
J. Rohde, Esq.
Colonel M. Carthew.
P. Veerapermall Pillay.
Salar Ool Moolk Bahadoor.
W. E. Cochrane, Esq.
Madar Ool Oomrah Bahadoor.
Hajee Aga Mohamed Bakir Sherazee Nemazee.
A. Cole, Esq.

CLASS XX.

Articles of Clothing for Immediate Personal or
Domestic use.

Colonel F. A. Reid, C.B.
F. J. Lushington, Esq.
Major H. J. Nicholls.
T. G. Clarke, Esq.
Major J. Macdougall, *Reporter*.
Captain J. W. Hay.
Major J. Jenkins.

D.—METALLIC VITREOUS AND CERAMIC MANUFACTURES.

CLASS XXI.

Cutlery and Edge Tools.

Major J. Maitland.
Major J. Macdougall.
Captain J. W. Hay.
Captain W. C. Baker.
A. Blacklock, Esq., M.D.
R. Kennedy, Esq.
J. Urquhart, Esq., M.D.
W. B. Wright, Esq.
J. Rohde, Esq., *Reporter*.
Major G. W. Simpson.
Colonel P. Hamond.
A. Lowe, Esq.
Lieutenant Colonel G. Balfour, C.B.
Lieutenant Colonel T. T. Pears, C.B.
A. Hunter, Esq., M.D.
H. F. C. Cleghorn, Esq., M.D.

Lieutenant Colonel F. C. Cotton.
General F. Blundell, C.B.
Mr. Commissary W. Curran.
Mr. J. C. Paterson.

CLASS XXII.

Iron and General Hardware,

Major J. Macdougall.
Captain W. C. Baker.
A. Blacklock, Esq.
R. Kennedy, Esq.
J. Urquhart, Esq., M.D.
W. B. Wright, Esq.
John Rohde, Esq.
Major G. W. Simpson.
Colonel P. Hamond.
A. Lowe, Esq.
Lieutenant Colonel G. Balfour, C.B., Reporter.
Lieutenant Colonel T. T. Pears, C.B., Reporter.
A. Hunter, Esq., M.D.
H. F. C. Cleghorn, Esq., M.D.
Lieutenant Colonel F. C. Cotton.
Mr. Commissary W. Curran.
Mr. J. C. Paterson.

CLASS XXIII.

Working in precious Metals in their imitations,
Jewelry and all Articles of Virtue and Luxury,
not included in other Classes.

The Right Honorable Lord Harris, Reporter.
M. Gallois Montbrun.
The Honorable Walter Elliot, Esq.
Findlay Anderson, Esq.
Lieutenant Colonel F. C. Cotton.
J. B. Norton, Esq.
Lieutenant Colonel W. P. Macdonald.
J. Arathoon, Esq.
G. J. Shaw, Esq., M.D.
Nana Thakoor.
H. A. Murray, Esq.
Hajee Aga Mahomed Bakir Sherazee Nemazee.
A. Cole, Esq.
R. W. Norfor, Esq.

CLASS XXIV.

Glass.

Major J. Maitland.
Lieutenant Colonel C. A. Denison.
Major W. K. Worster.
Captain H. W. Rawlins.
The Honorable A. E. Harris.

CLASS XXV.

Ceramic Manufactures, China, Porcelain, Earthenware, &c.

W. U. Arbuthnot, Esq.
B. Cunliffe, Esq.
Captain H. W. Rawlins, *Reporter*.
R. O. Campbell, Esq.
Captain G. C. Collyer.

E.—MISCELLANEOUS MANUFACTURES.**CLASS XXVI.**

Decorative Furniture and Upholstery, including Paper Hangings, Papier Mache, and Japanned Goods.

W. U. Arbuthnot, Esq.
J. B. Norton, Esq.
J. Kellie, Esq.
J. Binny Key, Esq.
Major J. Macdougall.
The Honorable Walter Elliot, Esq.
A. Cole, Esq.
Lieutenant Colonel G. Talbot, Reporter.

CLASS XXVII.

Manufactures in Mineral Substances used for Building or Decoration, as in Marble, Slate, Propyries, Cement, Artificial Stones, &c.

Lieut. Colonel T. T. Pears, C.B.
Lieutenant Colonel W. H. Atkinson.
Captain H. W. Rawlins.
Major A. C. Silver, Reporter.
Captain P. O'Connell.
Colonel C. E. Faber.
Major W. S. Jacob.
Colonel A. Cotton.
A. Beatie, Esq.
B. MacMaster, Esq.

CLASS XXVIII.

Manufactures from Animal and Vegetable Substances not being Woven or Felted or included in other Sections.

The Honorable Sir H. C. Montgomery, Bart.
The Honorable Walter Elliot, Esq.
W. E. Underwood, Esq.
Lieutenant Colonel G. Balfour, C.B.
H. F. C. Cleghorn, Esq. M.D.
Colonel F. A. Reid, C.B.
A. Hunter, Esq., M.D.
Lieutenant Colonel T. T. Pears, C.B.
J. D. Sim, Esq.
Colonel Æ. Shirreff.
Major J. Maitland.
Lieutenant Colonel W. H. Budd.
Lieutenant Colonel A. McCally.
Colonel P. Hamond, Reporter.
Major G. Simpson.
Captain W. C. Baker.
Captain C. Biden.
W. E. Cochrane, Esq.
J. Binny Key, Esq.
W. Arbuthnot, Esq.
J. L. Lushington, Esq.
J. T. MacLagan, Esq.
A. T. Jaffrey, Esq.
E. Beaumont, Esq.
Lieutenant Mitchell, Reporter.
T. Peachey, Esq. Reporter.
Dr. W. Flynn, G.M.M.C.
W. B. Wright, Esq.
G. Williams, Esq.

N. C. Moorogasen Moodeliar.
C. V. Conniah Chettiar.
C. Runganada Shastree.
Sub-Conductor Briggs, Reporter.
W. B. Liddell, Esq.
Captain Hawkes.

CLASS XXIX.

Miscellaneous Manufactures and Small Wares.

Major General P. E. Craigie, C. B.
H. A. Murray, Esq.
R. W. Norfor, Esq. Reporter.
E. Lecot, Esq.
W. H. Crake, Esq.
Sirdar Jung Bahadoor.
C. V. Cuniah Chettiar.
B. Cardozo, Esq.
Lieutenant Mitchell.
G. B. Shaw, Esq.
J. W. Mayer, Esq.
Findlay Anderson, Esq.

F.—FINE ARTS, INCLUDING ALSO COINS, BOOKS, ETC.**CLASS XXX.**

The Right Honorable Lord Harris.
M. Gallois Montbrun.
His Excellency General Sir P. Grant, K. C. B.
The Honorable Walter Elliot, Esq., Reporter.
R. O. Campbell, Esq.
W. E. Underwood, Esq.
G. Ellis, Esq., Reporter.
Findlay Anderson, Esq.
S. D. Birch, Esq.
Edvard Balfour, Esq.
H. W. Porteous, Esq.
Captain J. W. Hay.
Colonel Haines.
J. P. Nash, Esq. M. D.
A. Cole, Esq., Reporter.
J. W. Brecks, Esq.
R. H. Powys, Esq.
J. G. Garrett, Esq.

Paintings, Drawings, Photographs and Engravings.

SUB-JURY.

Findlay Anderson, Esq.
S. D. Birch, Esq.
J. W. Brecks, Esq.
Captain J. W. Hay.
A. Cole, Esq. Reporter.

Bronzes, Marble, Alabaster, and Parian Statuettes, Plaster Casts, &c.

SUB-JURY.

G. Ellis, Esq.
Captain Hay.

Associate and Reporter.

A. Hunter, Esq., M.D.

MEMBERS OF THE LOCAL COMMITTEES.

- Arcot, Northern Division.*—C Whittingham, Esq., A. S. Mathison, Esq.
- Arcot, Southern Division.*—S. N. Ward, Esq., A. Hall, Esq., E. R. McDonell, Esq., J. Pugh, Esq., M. Rungacharloo, Mootoosawmy Moodeliar, Veejaya Ragavooloo Chetty.
- Bellary.*—C Pelly, Esq., P. Irvine, Esq., Superintending Surgeon Eyre, Garrison Surgeon Lovell, Captain Greenlaw, Captain Travers, Captain Fasken, Lieutenant Fisher, Mr. F. Abraham. Narrainsawmy Naidoo.
- Canara.*—W. Fisher, Esq., D. Mayne Esq., J. D. Robinson, Esq., E. D. Binny, Esq., J. R. Kindersley, Esq., J. Brett, Esq., M.D.
- Chingleput.*—W. Dowdeswell, Esq., C. J. Shubrick, Esq., Asst. Surgeon J. Ratton, Armoogum Moodely, Rajahgopal Iyengar, and Lieutenant Moberly, Engineers.
- Cochin.*—Shungra Warriar, Dewan, J. S. Vernede, Esq., and J. S. A. Kohlhoff, Esq.
- Coimbatore.*—E. B. Thomas, Esq., T. B. Roupell, Esq., M. J. Walhouse, Esq., G. Mackay, Esq., M.D., and Dr. Aitken.
- Cuddapah.*—W. Elliot, Esq., M. Murray, Esq., Major Cotton, A. Wederburn, Esq., W. Blair, Esq., Capt. Devereux, Captain Day, Lieut. Hemery, Lieut. Hawkes, J. Peterkin, Esq., M.D., Rev. J. Clay, W. J. Saalfelt, Esq., and M. Palacondeah.
- Ganjam.*—W. Knox, Esq., E. B. Ford, Esq., R. Davidson, Esq., C. Vally, Esq., F. J. V. Minchin, Esq., and F. J. Windus, Esq.
- Goa.*—Jose Antonio D'Olivera, Major Cauded, Jose Moura's Gareer Batha, Captain Joageum, Manuel deMello Mendonea, the First Assistant Secretary to Government, Mr. Phelipe, Nere Xavier, and the Officer of the Secretary's office, Eugeneo Justmiano and Pereira Nunes.
- Guntoor.*—H. Newill, Esq., E. Story, Esq., F. Fletcher, Esq., Moolavee Abool, Iyash Goolam Mahomed, Yuba Naklee Saib, and B. Coopooram Puntooloo.
- Hyderabad.*—G. A. Bushby, Esq., F. N. Maltby, Esq., Captain A. Thornhill, G. Smith, Esq., M.D., Secretary.
- Kurnool.*—Capt. J. G. Russel, Capt. Nelson, Col. Dudgeon, Rev. Mr. Johnston, Dr. Rogers, Ressaldar Hyder Khan, Mondojee Goolam Mohee Deen Khan Br. Goolam Khader Khan Br., Shair Allee Khan Br., Sholam Khan, and Lieut H.L. Grove, Secretary.
- Madras.*—W. E. Underwood, Esq., Chairman, A. J. Byard, Esq., B. Cardozo, Esq., R. O. Campbell, Esq., B. Cunliffe, Esq., Dr. G. W. Flynn, Itimud ood Dawlah Br., E. Lecot, Esq., N. C. Moorooogas Moodeliar, Mr. J. B. Pharoah, Captain A. C. Silver, J. T. MacLagan Esq., Secretary, John Arathoon Esq., Hajee Aga Mahomed Bakir, A. Alwar Chettiar, C. V. Cuniah Chettiar, Nanah Tauker, R. W. Norfor, Esq. and Hajee Patcha saib.
- Madura.*—R. D. Parker, Esq., H. D. Phillips, Esq., G. Fischer, Esq., J. R. Cockerell, Esq., Marshall, Esq., Colebrook, Esq., Mr. Fletcher, Head Seristadar, Naib Seristadar, Seristadar of Session Court.
- Madura District, Dindigul.*—B. Pauncefote, Esq., C. Scott, Esq., Assistant Civil Engineer, Seristadar Sub-Division.
- Ramnad.*—Mr. Langley, Mr. Boalth.
- Malabar.*—T. Clarke, Esq., H. D. Cook, Esq.
- Masulipatam.*—Brigadier T. M. Cameron, J. J. Cotton, Esq., J. Fraser, Esq., W. Forrester, Esq., Captain Gunthorpe, Major Arrow, Lieutenant R. A. Moore, Secretary. A. Sashiah Garoo, G. Ramiah Garoo, S. Nummiah Naidoo, P. Parthasarathee Naidoo, Aga Ismael Saib, Hajee Mundee Saib, M. Venkataruthnum Pillay, C. Seetiah Naidoo, P. Kristnamah Naidoo.
- Mysore.*—Major Miller, Rev. J. Garrett, J. Western, Esq., Dr. Kirkpatrick, Lieut. H. P. Hawkes, Mr. Black, Kistnasawmy Iyengar.
- Nagpore.*—R. S. Ellis, Esq., W. W. Heude, Esq., M.D. Captain L. Holland, Rev. S. Hislop.
- Nellore.*—F. B. Elton, Esq., F. H. Crozier, Esq., Lieut. Mullins, H. Young, Esq., V. Ramiah.
- Ootacamond.*—Genl. Kennett, Lieut. Colonel G. P. Cameron, C.B., J. Ouchterlony, Esq., A. Lascelles, Esq., W. G. McIvor, Esq., Cockburn, Esq., Dr. J. Maitland, Dr. C. D. Currie, Major General L. W. Watson, D. Ross, Esq., Captain A. Campbell. Dr. Mackey.
- Palghat.*—G. L. Morris, Esq., Lieut. Col. W. Yarde, Captain J. Keating, Surgeon J. B. Stevens, D. Parker, Esq., J. J. Tomlinson, Esq.
- Pondicherry.*—Mon. M. Montbrun, C. DeNozaille, E. Lippman, De Querret Carriol, Lepine, L. Aroqueasawmy Moodeliar, Soobroya Pillay, Gnanapragasa Naick.
- Rajahmandry.*—R. R. Cotton, Esq., A. Purvis, Esq., W. Robinson, Esq., Captain F. H. Rundall, J. L. Ranking, Esq., G. H. Faulkner, Esq., Pelly, Esq., and G. Wylie, Esq.
- Salem.*—H. A. Brett, Esq., C. W. Reade, Esq., Mr. Marrett, Mr. Gordon, Mr. Beattie, Mr. J. Fischer, Mr. Richardson, Mr. Morrison, Iyloo Naidoo, Arnachellum Achary, Ramasawmy.
- Tanjore.*—J. W. Cherry, Esq., W. M. Cadell, Esq., G. L. Morris, Esq., G. T. Beauchamp, Esq., L. C. Innes, Esq., J. M. Joseph, Esq., M.D. W. Kohlhoff, Esq., Hurry Row, Reddy Row. Goondapah, Head Seristadar, Kistna Row. Deputy Seristadar, Lutchmen Row, Deputy Seristadar, Davagee Row, Since Tevim, Appasawmy Vaudayum, Chokapah Moodely.
- Tinnevely.*—C. J. Bird, Esq., C. H. Woodgate, Esq., Jugga Veera Rama Yettapah Naick Cottelinga Sathoo Royer, Coopchand, Tarachund, Meeranjee Meerah, Vasoodavoo, Balaram.
- Travancore.*—Lieut. C. R. N. Faunce. Captain Drury, Dr. J. E. Waring, T. A. Browne, Esq., T. Madava Row, P. Ramen Menoven, C. Sawmy-nada Moodelly.
- Trichinopoly.*—J. Bird, Esq., T. J. P. Harris, Esq., Colonel Wahab, Captain Russell, Captain Ford, Captain Cadell, Surgeon A. C. B. Neill, M.D.
- Vicagapatam.*—His Highness the Rajah of Vizianagram. J. Goldingham, Esq., P. B. Smollett, Esq., T. J. Knox, Esq., J. H. Blackwell, Esq., Major General A. Tulloch, C.B., Lieutenant Colonel C. M. Maclean, Mr. Marden, Rev. Mr. Griffiths, M.A., Superintending Surgeon F. Cooper.

COMMITTEE AWARDS.

SPECIAL MEDALS OF THE FIRST CLASS.

FOR RANKS.

His Excellency Governor-General of French Possessions
in India.
His Highness the Nabob of Bunaganapillay.
His Highness the Nizam of Dekkan.
Nabob Salar Jung Bahadoor.
His Highness the Rajah of Cochin.
His Highness the Maha Rajah of Travancore.
His Excellency Tondiman Rajah Bahadoor.
General M. Cubbon, Commissioner of Mysore.
General W. Cullen, Commissioner of Travancore and
Cochin.
The Zemindar of Vizianagram.
Colonel Davidson, Resident of Hyderabad.

FOR COLLECTIONS.

Bellary Local Committee.
M. Murray, Esq.
Travancore Local Committee.

FOR SERVICES.

R. Hurry Row.
Major P. T. Snow.
Hyderabad Local Committee.
Dr. Brandis.
Pondicherry Local Committee.
J. T. MacLagan, Esq.

MEDALS OF THE SECOND CLASS.

FOR REPORTS.

A. Hunter Esq., M.D.
J. E. Mayer, Esq.
Lieut. H. P. Hawkes.
Major G. W. Y. Simpson.
R. Kennedy, Esq.
W. G. McIvor, Esq.
Dr. J. Ratton.
G. Smith, Esq., M.D.
J. T. MacLagan, Esq.
G. W. Maxwell, Esq., M.D.
M. G. Montbrun.
Captain H. Drury.
G. Chenganah Sastry.
S. B. Kistnasamy Iyengar.

FOR COLLECTIONS.

Nabob Salar Jung Bahadoor.
Captain Meadows Taylor.
Lientenant H. P. Hawkes.
Dr. Jesudasen, N. S.
Dr. F. Appavoo, N. S.
Mr. Bassano.
Mr. Pedre Proboo.
Kristna Chettiar.
Armooga Conar.

FOR SERVICES.

Nellore Local Committee.
A. T. Jaffrey, Esq.
Lieutenant Beddome.
Captain Dance.
B. Budriah.

JURY AWARDS.

CLASS I.

Mining, Quarrying, Metallurgical Operations, and Mineral Products.

1st CLASS MEDAL.

Progressive Number.	Names of Exhibitors.	Object rewarded.
8800	Edward Balfour, Esq.....	Mineral Substances.

2nd CLASS MEDALS.

846 to 891	H. H. The Rajah of Vizianagram,..... G. Smith, Esq., M. D.....	Ores of Manganese. Series of Ores of Iron and Steel.
------------	---	---

CLASS III.

Substances used for Food.

HONORABLE MENTION.

9063	Major Maitland,.....	For grain.
------	----------------------	------------

CLASS IV.

Vegetable and Animal Substances, chiefly used in Manufactures, as Implements or for Ornaments.

SECTION 1.

Gums and Resins.

2nd CLASS MEDALS.

5979 to 5989 2320	Madras Chamber of Commerce,..... M. Thwaites, Esq., of Ceylon,.....	For a series of Resins, &c. Doona Dammer.
----------------------	--	--

HONORABLE MENTION.

8405	Claud H. Brown, Esq.,.....	For a series of lac Resins.
	E. B. Thomas, Esq.,.....	Vateria Resins.
7427	Mr. Pedro Proboo,.....	A series of white Dammer.
2844 to 2850	Mr. Bassano,.....	Pynee Varnish and botanical specimen.
160	Mr. Apothecary Hufiton,.....	For Dikkamly.
	Rev. Mr. Johnson,.....	Xanthoxylon triphyllum Resin.
5223	Armooga Moodely,.....	Cashew Gum.
	E. J. Waring Esq.,.....	For information given.

JURY AWARDS.

SECTION II.

Oils.

2ND CLASS MEDALS.

Progressive Number.	Names of Exhibitors.	Object rewarded.
4550 to 4095 5099 to 5110	Hurry Row of Tanjore..... W. D. Kohlhoff, Esq.....	Series of Oils. Do.

HONORABLE MENTION.

2025-2053 } 2055 }	Bellary Commissariat.....	{ For best samples of Cocoanut, Gingeli and Safflower seed oil.
	G. Simth, Esq. M.D.....	{ For good sample of Castor and seed and for Rousa oil.
2074	H. Young, Esq., Nellore.....	{ For excellent samples of several oils.
7012 & 7013	Mr. Pedro Proboo.....	{ For best sample of Piney Tallow and Gamboge butter.

SECTION III.

Dyes and Colours.

2ND CLASS MEDALS.

8548	F. Appavoo Pillay, N. S.,	Collection of dyes.
8405	C. H. Brown, Esq.....	{ Specimens of lac, lac dye, Shell lac, and seed lac.

HONORABLE MENTION.

4743	G. Fischer, Esq. of Salem,.....	Dyes.
------	---------------------------------	-------

SECTION V.

Vegetable Substances, Fibres.

2ND CLASS MEDALS.

4261	R. Hurry Row,	Fibre of the Agave.
1734	E. Ahobul Row,	Do.
6857	Messrs. Fischer and Co.....	Janapan Nar.

SECTION VI.

Timber and Ornamental Woods.

1ST CLASS MEDAL.

121 to 194	Monsieur H. de Querret, Sous Engineer Pondicherry.....	Collection of woods.
------------	---	----------------------

JURY AWARDS.

xv

2ND CLASS MEDALS.

Progressive Number.	Names of Exhibitors.	Object rewarded.
272 to 374 3004 to 3037	Kristniah Chettiar—Palghat Kristniah, Maramut Superintendent Coim- batore.....	Collection of woods. Do.

HONORABLE MENTION.

2696 to 2756 1239 to 1270 6269 to 8296	W. Robinson, Esq., Acting Collector of Malabar..... R. D. Parker, Esq., Collector of Madura. Mr. McIvor, Superintendent Botanical Gar- dens, Ootacamund.....	Collection of woods. Do. Do.
--	--	------------------------------------

SECTION VII.

Animal Substances.

2ND CLASS MEDAL.

813	Mr. J. C. Fitzgerald of Chingleput.....	Merino Wool.
-----	---	--------------

HONORABLE MENTION.

	Government Sheep Farm, Mysore... ..	For Wools.
--	-------------------------------------	------------

CLASS V.

Machines for direct use, including Carriages and Railway and Naval Mechanism.

2ND CLASS MEDALS.

8767 3804 & 3805	P. Orr, Esq.,..... F. L. Moncrieff, Esq.,.....	Self-Acting Punka. Crane and Crabs, &c.
---------------------	---	--

HONORABLE MENTION.

7388 5029 7929	W. B. Wright, Esq., R. Kennedy, Esq., H. Smith, Esq.,	Self-Acting Punka. Do. do. American Printing Press.
----------------------	---	---

CLASS VI.

Manufacturing Machines and Tools.

1st CLASS MEDALS.

9311 9074 & 75	Captain Campbell,..... C. V. Cunniah Chettiar,.....	Campbell Hammer. For Machines.
-------------------	--	-----------------------------------

JURY AWARDS.

2ND CLASS MEDALS.

Progressive Number.	Names of Exhibitors.	Object rewarded.
	W. B. Wright, Esq., Sub-Conductor Gage,.....	For aid in working Machines. For Mills.

CLASS VII.

Civil Engineering, Architectural and Building Contrivances.

2ND CLASS MEDALS.

	Colonel A. Cotton.....	Wooden Suspension Bridge.
	Mr. Overseer Lever.....	Pump for clearing foundation by low-lifts.
	J. H. Dopping, Esq., C. Engr.....	Dopping's Shutter.

HONORABLE MENTION.

	Captain Farewell.....	Model of Kistna Anicut.
	W. Cadell, Esq.....	Model of South branch of lower Cole-roon Anicut.

CLASS VIII.

Naval, Architectural and Military Engineering, Ordnance, Armour, and Accoutrements.

2D CLASS MEDALS.

8474 to 8547	The Right Honorable Lord Harris,	For a valuable collection of arms of all descriptions consisting of weapons in quality superior to the description commonly found out of the possession of public Institutions.
9967	The Honorable W. Elliot Esq.,.....	For a collection of arms of great variety.
5033 to 5015	R. Burgass Esq.,.....	For a collection of arms of various countries
9311	Capt. Campbell,.....	For his models of carriage and Tilting Hammer.

HONORABLE MENTION.

56 to 72	From Kurnool,.....	Collection of arms.
----------	--------------------	---------------------

CLASS X.

Philosophical Instruments and Processes depending upon their use, Musical, Horological and Surgical Instruments.

1st CLASS MEDAL.

	Major W. K. Worster.....	For the invention of a Micrometer.
--	--------------------------	------------------------------------

JURY AWARDS.

xvii

HONORABLE MENTION.

Pro gressive Number.	Names of Exhibitors.	Object rewarded.
6611	Hyderabad.....	Universal Sun-Dial.

CLASS XI.

Textile Fabries and Cotton Manufactures.

2ND CLASS MEDALS.

7871 Entered in the catalogue by mistake as Marool fibre.	W. E. Underwood, Esq.	Table cloth.
8391	Pitchica Ramalingum Chetty,.....	Cotton cloth, Rs. 26.
8400	Do. do.	Jean, Rs. 10.

HONORABLE MENTION.

2392	Gooroo Pariah,.....	Punjam cloth, Rs. 100.
218 to 241	Pondicherry,.....	Table cloth and Napkins, &c.
8009	Name unknown,.....	Towels.
9140	Mr. P. Martin,.....	Trowser cloth.
7145	German Mission,.....	Table cloth.
8015	Chingleput Jail,.....	Blue dyed Trowser cloth.

CLASS XII.

Woollen and Worsted.

2ND CLASS MEDALS.

	Tahsildar of Koodlagee Talook,.....	Cumbly.
	Manufacturer of the worsted embroidered shawl,.....	Shawl.

CLASS XIII.

Silk and Velvet.

1ST CLASS MEDALS.

6228 and 6469 5175	W. E. Underwood, Esq.....	Pina Silk.
	Hyderabad,.....	Silks.
	Tanjore,.....	Dress piece.

2ND CLASS MEDAL.

6088 and 6472	Hyderabad,.....	Silks.
---------------	-----------------	--------

HONORABLE MENTION.

Progressive Number.	Names of Exhibitors.	Object rewarded.
6078	Hyderabad,.....	Silks.
6081	Do.	Do.
6064	Do.	Do.
6404	Do.	Satin.
4673	Tanjore,.....	Silk.
4677	Do.	Do.
5170	Do.	Do.
4234	Mysore,.....	Do.
4236	Do.	Do.
4751	Madura Parangody,.....	Silk Handkerchiefs.

CLASS XIV.

Manufactures from Flax and Hemp.

1st CLASS MEDALS.

6731	Captain Barrow.....	Fibres, &c.
	Dr. Riddell.....	Do.
	W. E. Underwood, Esq.....	Best fine fabrics.
	Secundrabad.....	Rope.

2ND CLASS MEDALS.

4668 to 4696	R. Hurry Row,.....	Fine Fabrics.
2369—2370	L. Paupiah.....	Very excellent gunnies.

CLASS XV.

Mixed Fabrics including Shawls, but exclusive of Worsted Goods.

2ND CLASS MEDALS.

4223	Naikjee Sookaram.....	Silk Shawl.
9087	Miss Tatham.....	Embroidered Silk Shawl.
778	Moonasee.....	Woman's cloth, silk and gold.

HONORABLE MENTION.

3217	Koday Tooljee.....	Silk shawl.
4216	Do.	Silk red quilt.
4218	Dondala Esorsee.....	do.
4222	Naikjee Sookaram.....	do.
4224	Meckjee Mungapah.....	do.
6338	Salar Jung Bahadoor.....	Mens and woman's cloth.
6601	Hyderabad Local Committee.....	do.
6023 }	Hyderabad Local Committee... ..	Saree or woman's cloth.
6103 }		
2007	G. Narrappah.....	do. with Lace border,

CLASS XVI.

Leather including Saddlery and Harness, Skins, Fur, Feathers, and Hair.

1ST CLASS MEDAL.

Progressive Number.	Names of Exhibitors.	Object rewarded.
	Superintendent of Hoonsoor Pits,	Tanned skins.

2ND CLASS MEDALS.

9287	Bombadier J. Coglan,	Tanned Buffalo and Bullock Hides.
8473	T. Taylor, Esq., of the Body Gaurd... ..	Military Saddle.

HONORABLE MENTION.

8564	Mr. Crowe,	Tanned Leather. &c.
6732	Dr. Francis Day,	Describing several processes of Bird preserving.

CLASS XVII.

Paper and Stationery, Printing and Book Binding.

1ST CLASS MEDAL.

8650 to 8654	American Mission Press,	Specimens of Printing and Binding.
--------------	--------------------------------	------------------------------------

CLASS XIX.

Tapestry including Carpets and Floor Cloths, Lac and Embroidery,
Fancy and Industrial Works.

1ST CLASS MEDALS.

4205	Kristniah, Mysore,	Elephant jhools.
4262	Lutchmen Row, do.	do.
4195	Thunnagee Row, do.	Shameansah.
9089	W. E. Underwood, Esq.	Piece of gold Embroidery.
6690	Resident of Hyderabad,	Work in Crimson and Gold,
1573	Tanjore Local Committee,	Carpets. &c.
4114—4115	S. Nummiah,	Worsted Carpets.

2ND CLASS MEDALS.

4202	Venkojee Row,	Palankeen cover.
5173	Tanjore Local Committee,	Carpets, &c.

MONEY PRIZES.

9043	Military Female Orphan Asylum, 25 0 0	Child's jacksonet &c.
4262	Mrs. Sewell's School at Bangalore, 20 0 0	Collar, &c.
7405	Native Female Central School Madras 15 0 0	Collar, Lace, &c.

JURY AWARDS.

HONORABLE MENTION.

Progressive Number.	Names of Exhibitors.	Objected rewarded.
	Jewesses of Cochin.....	Quilted Basinette cover.

CLASS XXI.

Cutlery and Edge Tools.

2ND CLASS MEDALS.

7361 5238 & 5239 66 to 86	W. B. Wright, Esq..... Vellore Arsenal for maker,..... Arnachellum Ausary,.....	For Smiths Tools &c. For Vices. Knives &c.
---------------------------------	---	--

CLASS XXII.

Iron and general Hardware.

2ND CLASS MEDALS.

4982	Overseer Lee of the Grand Arsenal, Fort St. George..... Serjeant Chalk, Gun Carriage Department,	For locks. Do.
------	--	-------------------

HONORABLE MENTION.

5374 to 5577 7352 to 7387	Grand Arsenal of Fort St. George,..... Locomotive Department and Workshops of the Madras Railway,.....	General excellence in variety of articles [exhibited.
4778	Gun Carriage Manufactory,.....	"
	Dowlaiswarum Foundry and Workshops,	"
8729 to 8755	Artillery Depôt of Instruction,.....	"
	Arsenal of Bangalore,.....	"
5194	Arsenal of Vellore,.....	"
258	M. Bulliard of Pondicherry,.....	Metallic cloth.
258	M. Godefroy do.	"
4966	Sub Condr. Skinner,.....	For general superiority of workmanship.
4969	Serjeant Hayes,.....	"

CLASS XXIII.

Working in precious Metals, Jewelry, and Articles of Virtue and Luxury, not included in other Classes.

1ST CLASS MEDAL.

8757	Messrs. Orr and Co.,.....	Silver Vase.
------	---------------------------	--------------

JURY AWARDS.

xxi

2ND CLASS MEDALS.

Progressive Number.	Names of Exhibitors.	Object rewarded.
6827	Messrs. Lowe and Co.,...	A centre piece for a table representing a fountain with large pieces of coral lying at its base.
	J. Western, Esq.,.....	Native lamp in silver, &c.

CLASS XXV.

Ceramic Manufactures, China, Porcelain, Earthen-ware, &c.

2ND CLASS MEDALS.

5005	Serjeant M. Chesterfield,.....	For considerable improvement in the Manufacture and Glazing of Pottery.
5064	Honorable W. Elliot, Esq.,.....	Strongest and best glazed Native Pottery.
	Mohomed Gouse Shereef,.....	Best Native manufacture in Madras Presidency.

HONORABLE MENTION.

Lieut. Puckle,.....	Best collection of Raw Materials.
Raichore,.....	General improvement in Pottery.
Armooga Woodyar,.....	Do. do.

CLASS XXVI.

Decorative Furniture and Upholstery, including Lacquered Goods.

2ND CLASS MEDALS.

7792 to 7806 1 to 3	Lady Rawlinson.....	Carved Lotus flower stand.
	J. Deschamp, Esq.,.....	For the number and variety of articles.
	Nabob of Banaganapilly.....	Lacquered Ware.

CLASS XXVII.

Manufactures in Mineral Substances used for Building or Decoration, as in Marble, Slate, Porphyries, Cement, Artificial Stones, &c.

1ST CLASS MEDAL.

7444 to 7471	A. Hunter, Esq, M.D.....	For improved Building Material.
--------------	--------------------------	---------------------------------

JURY AWARDS.

2ND CLASS MEDALS.

Progressive Number.	Names of Exhibitors	Object rewarded.
2338 to 2343	H. Newill, Esq., Guntoor... ..	For Marbles.
2541—2639	M. Murray, Esq., Cuddapah,.....	Do.
261 to 263	M. Carriol, Pondicherry,.....	For Hydraulic Lime.
	Lieut. James Puckle, Executive Engineer Dept. P. W. Mysore.....	For the discovery of good roofing slates and whet slates near Banga- lore and for the display of ornamen- tal Porphyries and granites from the vicinity of Seringapatam and Mysore by the same contributor.

CLASS XXVIII.

Manufactures from Animal and Vegetable Substances not being woven or felted or included in other Sections.

2ND CLASS MEDALS.

8801 ?	Sedashoo of Vizagapatam.....	Folding backgammon board and other materials.
	Maker of.....	Sandal wood box and paper weight.
5117	Carver of.....	Pith figure of Rajah of Tanjore.
6845	Carver of.....	Pith group of three native gentlemen
3561 to 3564	Carver of.....	Ivory Snake and four paper cutters.

CLASS XXIX.

Miscellaneous Manufactures and Small Wares.

1st CLASS MEDAL.

8801 to 8839	Sedashia.....	Ivory and Horn Ware.
--------------	---------------	----------------------

2d CLASS MEDALS.

3682 to 3981	Veerasawmy Naick.....	Pith Work.
	T. Kistnah Row for the maker.....	Do.

CLASS XXX.

Paintings, Drawings, Photographs and Engravings.

1st CLASS MEDALS.

9077	George Latham, Esq.....	Excellent Architectural Drawings.
	Captain Tripe,.....	Series of Callotypes.
	Captain Greenlaw,.....	do. do.
	Dr. Scott,.....	Photographs.
	Mrs. Col. J. R. Brown,.....	Series of drawings.
	Dr. Murray,.....	Photographs.
	Capt. Simpson,.....	Series of Views.
	Dr. Neill,.....	Photographs.
	J. Mitchell, Esq.....	Do.
	Major Mayne,.....	Do.
	Dr. Mantell,.....	Do.
	J. Rowe, Esq.,.....	Do.

HONORABLE MENTION.

Progressive Number.	Names of Exhibitors.	Object rewarded.
	Right Honorable Lord Harris,.....	Delhi Pictures.
	E. Maltby, Esq,	Photographs.
	Col. Denison,.....	Portrait of a Lady.

CLASS XXX.

Bronzes, Marble, Alabaster and Parian Statuettes, Plaster Casts, &c.

2ND CLASS MEDAL.

7620	Messrs. Griffiths and Co.....	Ornamental Flower Vases.
------	-------------------------------	--------------------------

HUNTER'S REPORT

Name of animal	Sex and age	Where taken
Cynomys	Male, adult	In the bush, near the river
Cynomys	Female, adult	In the bush, near the river
Cynomys	Male, adult	In the bush, near the river

CLASS I.

REPORT ON MINING, QUARRYING, METALLURGICAL OPERATIONS AND MINERAL PRODUCTS.

JURY.

W. BURRELL, Esq., *Superintending Surgeon, Centre Division, Chairman, and Joint Reporter.*

G. J. SHAW, Esq., M. D., *Assistant Assay Master, Madras Mint.*

A. J. SCOTT, Esq., M. D., *Assistant Assay Master.*

ALEX. HUNTER, Esq., M. D., *Director Madras School of Industrial Arts, Joint Reporter.*

Associates.

HONORABLE WALTER ELLIOT, Esq., *Member of Council.*

B. CUNLIFFE, Esq., *Collector of Land Customs.*

J. MITCHELL, Esq., *Lieut. and Adjut. 1st Native Vet. Battalion.*

THE display of Mineral products is very large and contains many interesting and important collections of Raw materials, some of which are likely to prove of economic value. The marked improvement in the collections from several districts is very striking, and contrasts favorably with the contributions to the Exhibition of 1855. The care and attention bestowed upon the numbering and packing of the minerals from some districts, and the neat way in which others have been put up, are worthy of notice; amongst the largest collections are those from Hyderabad, Cuddapah, Bellary and Guntoor. The Minerals from Travancore, Pondicherry and Vizianagrum have been carefully named and neatly fitted up in boxes. Lieut. Puckle and Mr. Addis also send good collections from Bangalore. An interesting series of the Minerals collected on the first exploration of the Godavery under Lieut. Haig is contributed by Dr. Jackson, and similar series of the minerals from the first 60 miles of Railway cuttings from Madras towards Amoor are contributed by Mr. MacNair, Mr. Macmaster and Mr. Allan Wilson. These are of value as contributing exact local information regarding the mineral products of two recently explored tracts of country, and the Jury would point out the necessity for further careful investigations of this kind, wherever cuttings are made. It should however always be borne in mind by contributors, that there are two distinct characters in which minerals must be viewed, their economic, and scientific characters; for the former, correct labelling, with a statement as to quantity and facility of working on the spot, or carriage to the locality required may be sufficient, for the latter, when intended as merely Geological specimens, the accompanying rocks should be given, the position

with regard to strike and dip of the rock, if raised from the horizontal, and the extent of the formation. The most interesting collections in an economic point of view are the Grinding, Polishing and Sharpening materials exhibited by Surgeon E. G. Balfour, and the collections from Hyderabad and Kurnool, the latter of which, though not large, consists almost entirely of substances useful in Manufactures. The most important Scientific collections are, the series of fossils of the green sand formations from Ootatoor by Mr. Rickets, a similar large collection of fossils of the same formation from Seedrapett, Vurdoor and Trivacarey by Mr. Arthur Hall, and the Gypsums, fossil woods, and limestone series from the Madras School of Arts. In order to facilitate the labors of the Jury, it was proposed, that the collection of minerals, which is very large and interesting, should be considered under different heads, as Metals, Alkaline and Earthy Minerals, Gems, Minerals useful in manufactures, Fossils.

METALS.

Gold.—Many districts in this Presidency are known to yield Gold, but not in such quantities as to prove remunerative, and only in small grains mixed with black sand, or in the dark red mud of nullahs. Two specimens are contributed by Lieut. Puckle from the vicinity of Bangalore, one in a matrix of dark blue quartz, and another in black sand, a sufficient quantity was procured to make a ring. A large, rough, coarse ruby, nearly two inches in length, exhibited by Mr. Lecot, has also some gold embedded in its substance. The gem is a curious and rare one, but full of flaws.

Silver.—A rich ore of silver or Argentiferous

Galena is exhibited from Martaban by Dr. Brandis. It is a peculiar looking Galena, being granular, or in minute crystals, with silver passing through it in thready veins. This ore has been carefully assayed by Dr. Scott: it contains about 80 per cent of silver lead. The quantity of silver was found to vary in the portion examined from 70 to 300 ounces in the ton of ore. It is impossible therefore to say what its commercial value may be, unless an average sample were obtained, but if the ore exists in any quantity and of the same quality as that examined, it is a most valuable one, and would be well worth working by Pattenson's mode for separating the silver, as the process proves remunerative where only 7 ounces of silver can be obtained from a ton of metal. This is the ore that is probably referred to by the Rev. Francis Mason, A. M., in his publication on the natural productions of Burmah.

LEAD CONTAINING SILVER.

The limestone of the Burmese Provinces probably contains large quantities of lead. In the valley of the Salwen, there is a rich vein of argentiferous galena, which is reported to appear on the surface. A specimen that Dr. Morton sent to England for analysis, was said to be a very valuable Mineral, and destined to make a fortune for some one. Professor Mitchell in the certificate that he furnished Dr. Morton of the analysis, says: It contains

Lead,	Lime,	} Carbonic Acid.
Sulphur,	Magnesia,	
Silver,	Iron,	
Gold, (traces)	Silica.	

It is a sulphuret of lead or galena. The quantity of lead and silver appears to be considerable, but there was not sufficient of the mineral to estimate either." The ore is seen in the limestone precisely as galena is found in the limestone of the Mississippi, one of the richest known deposits of lead in the world. Mr. O'Reiley states that the carbonate of lead exists near the head waters of the Hoimgdaran. The Galena of Jungunraz pilly near Cuddapah, of which a fine specimen was shown at the Exhibition of 1855, has only been procured in small quantities through Capt. Hemery; it has been examined by Dr. Scott.

Copper.—The display of Copper ores is very inferior to the collection made for the Great Exhibition in London of 1851. The ore is exhibited however from some new localities, but not in any great quantity. The green and liver colored oxides have been sent from Kurnool, Cuddapah and Nellore. The specimens sent from the Copper Mountain Bellary as rich liver colored Copper ore, have been carefully tested and do not contain a trace of Copper. They are rich Iron ores (Hæmatitic.)

ANTIMONY.

Sulphuret of Antimony or Soorma of good quality is exhibited from Vizianagrum. The substances sent

as Soorma from Kurnool and Hyderabad are Galena or Sulphuret of Lead. Dr. Scott intimates that he has frequently tested the Soormas of the Bazaar and found that they do not contain Antimony but that they usually consist of Iron ores or Galena.

MANGANESE.

This metal occurs very abundantly in the Madras Presidency. Some very large samples of the silicated sesquioxide are exhibited by His Highness the Rajah of Vizianagrum, who contributes two tons in blocks weighing from 2 cwt. to 3 cwt. each. The Metal was carefully examined by Dr. Scott, who reported upon the contributions sent to the Exhibition of 1855 as containing from 53 to 54 per cent of metallic manganese. The substance is well suited for glazing Pottery, along with Galena, and Felspar. A great variety of pleasing colors can be imparted to the glaze by varying the proportions of the Manganese: thus, in small quantities it gives a yellow color, in large, brown, then a blood red, purple or black, as the proportion of Manganese is increased. It has also the property of hardening the glaze, so as to resist vinegar and weak Acids: concentrated mineral Acids however will corrode it. Specimens of Pottery glazed with this substance and of the colors above mentioned are exhibited in Class XXV. Experiments have also been tried with some of the ores of Manganese, which seem well suited for the manufacture of Chlorine and Chloride of lime. Manganese is used in small quantities by the Natives in giving purple, brown, and black colors to glass for Bangles. The Jury would recommend a 2d Class Medal to His Highness the Rajah of Vizianagrum for the fine samples of this ore exhibited, viz. Two Tons. Large samples have also been shipped to England for Report as to its applicability to manufacturing purposes. Some good samples of the same ore are forwarded from Kurnool, and Toomkoo in Mysore.

PEROXIDE OF MANGANESE.

This substance which occurs in the form of a compact black stone, with a smutty brown or black powder on the surface, is of more value than the preceding, being largely employed in manufacturing purposes. Good but small samples have been forwarded by the Bellary Local Committee from Soon-door, and from Roodrar in the Coilecoontlah Talook, Cuddapah: Also from Bimlipatam.

A specimen from the latter locality examined by Dr. Scott contains about 30 per cent of peroxide, which, although impure, would certainly be of some commercial value. Another specimen from Bellary was also found to contain a good deal of the Peroxide.

Brown wad and brown fibrous Manganese have been exhibited from the Red Hills, Bangalore and Cuddapah. It is to be regretted that the umber and other ores of Manganese which occur at the

he other and give the aspect of reducing the silicated lead
 ore of iron

Neilgherries are not contributed. Many of the Iron ores and Iron sands exhibited, contain Manganese, and the good quality of some of the Indian steel can be attributed to this admixture.

GALENA OR SULPHURET OF LEAD.

A rich ore of this kind from Martaban containing silver has already been noticed. Another locality from which Galena is exhibited is the Dhone Talook Kurnool, from which Galena in very large blocks has been obtained; one piece measured about 18 inches in diameter and weighed upwards of 3 Cwt. This ore was carefully tested by Dr. Scott some years ago, and was then found to contain from 53 to 70 per cent. of lead but no silver; some of the last consignments are found to be rich in silver: see Appendix. It was also tried at the Mint and yields a large per centage of Lead. It has been used for some years at the School of Arts for glazing Pottery, and answers well for that purpose, though it is found to succeed better when reduced to the form of minium, and then ground with Felspar and an Alkali. The raw galena only answers for the softest and commonest glazes, and the per centage of impurities mixed with this description, varies so considerably, that it has been found safer to reduce it from the state of Sulphuret to that of an oxide before applying it to the wares. Much of the Pottery from the School of Arts has been glazed with this Galena in different states. Galena is also known to occur at the Neilgherries and in two parts of the Cuddapah District. A good sample is exhibited amongst the Chemical substances, from Hyderabad, as Soorma; but this appears to have been purchased in the Bazaar.

CHROME ORE.

Very good samples of the Chromate of Iron are exhibited from Salem, Vizianagrum and Bangalore; but as yet nothing has been done to turn this mineral to useful account on a large scale in India, from the want of proper appliances. The great consumption of this substance in Europe is in the manufacture of Bichromate of Potass for dyes, the chromates of Lead for painting, and chromic acid for coloring Pottery, Porcelain and glass. The mineral was carefully tested some years ago, and a few ounces of the Bichromate of Potass and the yellow and orange Chromates of Lead were made in the School of Arts. The supply of Chrome Ore in Salem is said to be abundant, but the raw material will not pay the expense of freight, though the Chromates of Potass and Lead might be brought into use in dyeing and painting, if carefully manufactured in India. The Chrome ores used in England are obtained from the Shetland islands and Styria, where they are abundant. The quantity required for manufacturing purposes is not very large; hence the raw ores of India could never be brought into the English market so as to prove remunerative.

IRON ORES.

One of the richest departments of the Exhibition is the ores of iron and steel. Almost every district in the Presidency contributes specimens, and the collections from some localities are very extensive and varied; those from Cuddapah, Hyderabad, Bellary and Coimbatore are particularly deserving of notice. Large collections are also sent by Capt. Puckle and Mr. Addis from Bangalore, but the quality of the ores is not rich at that station. The principal ores of the Cuddapah district are the red, brown, and purple Hæmatites, which yield iron of excellent quality and very malleable. Some of the magnetic iron ores of the same district are particularly rich in iron, and a few of them contain traces of manganese. We would particularly notice amongst the Hæmatites those from Chemoor and Poolevendalah; the latter is magnetic although earthy and dull red in the fracture and bright red in the streak. The steel grey and granular iron ores from Chitwail, Camalapoor, and Goorumcondah are all rich in the metal and more or less magnetic. The yellow ochre and rusty ores of the Muddenpully Talook are said to yield good malleable iron. The steel grey iron sand of Comarole and Yendapully in the Doopaud Talook are highly magnetic and contain a little manganese.

The micaceous iron ore and iron glance of the Doopaud Talook are also rich in the metal.

The most prevalent iron ores of the Hyderabad territories seem to be the rusty brown, red, and yellow ochres; the iron or steel sands with manganese, and the specular or glance Ores: none of the latter however are magnetic. The red hæmatites marked Nos. 1 and 15 in the list are both rich in the metal. The rusty and yellow ores marked Nos. 2, 5, 9 and 13 are also of good quality. The steel grey ore No. 17-2 is of fine quality and the specular iron No. 4 is particularly rich in the metal, but not magnetic. The jaspersy clay iron stone No. 6 is very like the clay iron stone exhibited amongst the coal measures from Burdwan and Scotland; it also appears to be associated with other minerals that accompany coal. The black, brown, and red Cellular iron ores are abundant in this collection, and a great deal of attention appears to have been bestowed on the minerals of this District and on the iron ores in particular. The Jury would recommend a 2nd class medal to Dr. Smith for the series of ores of iron and steel which were very carefully put up and numbered.

The Bellary District yields a variety of Iron ores, some of which are very rich in the metal and several of them associated with manganese. The prevailing ores of iron of this District are the black and grey Band Iron, alternating with sandstone; liver colored Hæmatite (which has been repeatedly sent to Madras as Copper Ore) and Red Jaspersy Clay Iron stones. Some of the samples of Band Iron in sandstone are exceedingly like those thrown out of the Coal bags on the beach at Madras and vulgarly known in England as the pins and binders. They

now all over the world to the great operators

are also associated in the same district and in the vicinity of Kurnool and Gooty with Magnesian Limestone, Grits, conglomerates, Aluminous shale. Fine Clay and Black Dolomite, minerals which usually accompany Coal; but the Fossils which are the surest indications have still to be sought for. The jury are much pleased to find attention drawn to this point by Capt. Collyer of the Engineers, who has remarked the coincidence, and has sent samples of minerals from the Dhone Talook, Kurnool, and from the vicinity of Soondoor near Bellary, with a request that the minerals may be submitted to Mr. Wall the Government Coal and Mineral Viewer, who might be requested to visit the localities from whence the minerals have been procured.

See Report upon the minerals from Kurnool and Soondoor, which were submitted to the Jury and tested.

The Iron Ores sent by the Coimbatore Local Committee are of very fine quality, being particularly rich in the metal and the most highly magnetic in the Exhibition.

A Sub-Committee of the Jury carefully examined all the ores of Iron with the blow pipe, as to their magnetic properties, and the following was the result of these examinations.

Magnetic Iron Glance of fine quality occurs in Coimbatore, Salem, Cuddapah and Vellore.

Magnetic Hematites in Cuddapah.

Magnetic Iron sand also in Cuddapah; none of the Iron sands of other districts magnetic.

Magnetic rusty Ochery Iron Ore at Palaveram and Hyderabad. None of the other Iron Ores of Hyderabad magnetic. No magnetic Iron Ores from Bellary, Masulipatam, Bangalore, Mysore, or other districts. Manganese detected in the Iron Ores of Hyderabad, Kurnool, Bellary, the Bababooden Hills, Mysore and Vizianagerum.

Meteoric Iron, or aerolites, are exhibited from Mysore and Pondicherry.

Micaceous Iron Ores of good quality from Cuddapah and Vizianagerum. Brown hematite and Reddle from the Red Hills, Bellary and Hyderabad. Common Iron Pyrites or Soornamooky stone is exhibited in Magnesian Limestone from Kurnool, Cuddapah and Gooty. Radiated Pyrites in large pieces in black marble from Nundial and near Cuddapah. This is an important substance, and if procurable in large quantities, it might be used for the manufacture of sulphur, sulphuric acid, yellow and Red Ochres or polishing powder.

Iron Pyrites is also exhibited in small quantities in Aluminous shale from near Bangalore; when it is found in large quantities in this Matrix, or if the Alum state be of a dark olive green with the sulphuret of Iron diffused through it, Alum may be prepared from it. For the process of preparing this substance, as followed in the Punjaub, see Report upon Alkaline and Earthy minerals.

REPORT UPON MINERALS SENT FROM KURNOOL, BY CAPT. COLLYER.

SUBMITTED TO JURY IN CLASS I.
FOR EXAMINATION,

No. 1. *a.* Compact grey Magnesian Limestone, effervesces feebly with acid, calcines to a whitish color and is hydraulic.

No. 1. *b.* Yellowish grey silicious Magnesian Limestone, with Dendritic Manganese. Does not effervesce with acid. This is a whetstone and a hydraulic Lime.

No. 1. *c.* Dolomite or Blackish Magnesian Limestone; Hydraulic, burns to a white, showing that carbon is the coloring material.

No. 1. *d.* Grey slate and dolomite. Fossils should be sought for in this stratum.

No. 2. *a.* Sandstones and Grits. The grey and black coloring matter is Plumbago or Carburet of Iron.

No. 2. *b.* Dark grey conglomerates with grains of Plumbago. It is not possible to determine the strata to which these belong without having fossils. The Plumbago remains unaltered by great heat.

No. 3. Galena or sulphuret of Lead with Felspar and sulphate of Baryta. Some of this is very rich in Lead containing from 53 to 70 per cent of Lead. This is the ore already described under the head of galena it has been practically examined by Mr. Wall and used for some years at the School of Arts for glazing Pottery. It is a very rich ore of lead and the last consignments contain silver.

No. 4. Clay slate tinged with Iron. This resembles Alum slate colored by Pyrites; but on being tested, it is found not to contain sulphur.

No. 5. *a.* Quartz Pebbles.

b. Felspar Do. and

c. Felspar with brown spar or sulphate of Baryta.

d. Porphyry composed of all three.

MINERALS FROM SOONDOOR, BELLARY, DISTRICT, SENT BY CAPT. COLLYER.

1. *a.* Jaspersy Clay Iron stone.

1. *b.* Sandstone with Iron ore. This is rich in Iron and resembles the Band Iron ore of England.

2. Grey and brown stalactitic Manganese, chiefly sesquioxide.

3. Iron Ore, Manganese and quartz.

4. Botryoidal sesquioxide and Peroxide of Manganese.

5. Red and yellow Clay Ironstone.

6. Jaspersy Clay Ironstone. This borders on Transition formations and is often accompanied by Fossils.

7. *a.* Wrought Iron.

7. *b.* Yellowish aluminous shale.

8. Red Aluminous shale and Ochrey sandstone.

9. Bastard Fire Clay and Band Iron. The for-

mer resembles the *Clunch* of the Coal formations, the latter the *Pins*.

10. Polier slate or Tripoli. This is not true Tripoli: it has been examined under the Microscope and does not contain any indications of Diatomaceae. Another fragment from the same locality sent by the Bellary Local Committee had all the appearance of containing vegetable matter in a Fossil state; it was carefully examined under the Microscope by Mr. Mitchell and Mr. Western, but no organic structure could be detected. The substance appears to be colored Koalin, or Porcelain Earth, accidentally striated in curved veins resembling Fossil wood.

11. Grey Iron Ore with a little Manganese.

12. White and red Quartz pebbles.

13. Yellow and brown bad or Manganese and iron, useful in coloring pottery.

14. Transition sandstone.

15. Transition Slate.

Fossils sometimes occur in the sandstones resting upon this slate.

It is impossible to determine the age of these formations without fossils.

The accompanying illustrated circulars on the Fossils of the New Red sandstone, Magnesian limestone, Carboniferous, Old Red sandstone and Silurian Strata may be of use in prosecuting further enquiries in the District.

See the end of the Report on Class I.

ALKALINE AND EARTHY MINERALS.

Southern India is particularly rich in this class of Mineral products, the origin of which seems to be the decaying granites of the country. The most common form of Alkali, is the Dhobee's Earth, a whitish grey, sandy efflorescence, which often covers miles of country where decayed white granite forms the surface soil; the earth contains from 13 to 25 per cent of Crude carbonate of soda and begins to accumulate in the dry weather immediately after the rains, it can be scraped off the surface to the depth of two or three inches, and by repeated boiling and the addition of a little quick lime, the alkali is obtained of considerable strength. With a little care very clean Carbonate of Soda can be obtained, fit for the manufacture of Toilet soap, white glass, and glazes for pottery. The crude earth in different states is exhibited from almost every district. The best samples of the prepared earth are exhibited by Bauloo Moodelly, who has frequently furnished it in large quantities for manufacturing purposes. The Nellore, Cuddapah, Masulipatam and Chingleput Districts yield this earth in great quantities, and repeated attempts have been made to prepare from it Barilla for exportation, and very fair specimens have been exported at different times, but the moderate price of the Carbonate of Soda of England prepared from Sea salt will always prevent this from being a remunerative article of export. The colored frits for Bangle glass, exhibited in another Class, have lately however become an article of export from this presidency.

Nitrate of Soda.—Samples of this Salt are exhibited from Bellary and Hyderabad where, it seems to form a natural efflorescence. Its chief use is as a substitute for saltpetre for the Manufacture of Nitric and other acids and chemical substances. It is too deliquescent for making gunpowder, though it answers well for some descriptions of fireworks. The samples exhibited are indifferent.

Muriate of Soda, mineral salt of very fair quality is exhibited from Bangalore, Bellary and Hyderabad, and is known to occur also in the Guntoor and Nellore Districts and to be almost invariably accompanied by some interesting minerals; viz., Gypsum, magnesian limestone, sandstone, sulphur, red and brown iron ores, and alum slate. As most of these minerals have come in from the Districts that produce the mineral salt, it would be worth while to direct further search to be made in the vicinity for the sulphur and alum slate, both of which are valuable products. Sulphur is exhibited from several Districts associated with the above and other combinations. Alum slate is also exhibited from the Cuddapah District, Vellore and the Neilgherries, but the accompanying minerals have not been forwarded. It is of great importance that the minerals associated with Rock Salt and Gypsum should always be recorded or collected, as Fossils of some kind or other almost invariably occur in the vicinity, and these are the best and safest guides for determining the relative ages of the accompanying strata. The following interesting description of the Salt Range in the Punjab, by Dr. Jameson, will show the importance of this class of formations.

Salt Range, from the Eastern base of the Suliman Mountains to the River Jhelum in the Punjab. Lat $32^{\circ} 30'$ — $33^{\circ} 20'$.

The rocks in this part of the range are, (first) Magnesian Limestone, 2, New Red Sandstone 3. Fossiliferous sandstone, 4, Red Clay and sandstone containing Coal and Mineral Sulphur, Rock Salt, Gypsum, brown and red Iron ore and Alum slate. The lower beds contain no organic remains but the upper abound in them. The Iron ore is a red or brown Hematite, so rich that in many places the needle of the compass becomes quite useless even at a considerable distance from the rocks, owing to their being highly magnetic, from the quantity of iron which they contain. The sandstone abounds with the exuviae of enormous animals, either Sauroians or Sauroid fishes.

The Hills at Kala Bagh contain great quantities of Aluminous slate, from which Alum is obtained at various manufactories in that town. The slate, well sprinkled with water, is laid in alternate strata with wood, until the pile reaches a height of 25 to 30 feet; it is then lighted and the combustion continued for about twelve hours, in which time the color of the slate is converted from greyish black to dark red. This change of color indicating that the process has been carried to a sufficient extent, the mass is thrown into a tank holding as much water

as it is computed the Alum is competent to saturate. After three days the water, which becomes of a dark red color is drawn off, mixed with a due proportion of potash and boiled down. The residuum on cooling becoming a solid mass of Alum.

A very interesting series of salts, consisting chiefly of the Muriate and carbonate of soda from the Loonar Lake in the Hyderabad territories, is exhibited by Dr. George Smith, Residency Surgeon, Hyderabad. These have already been carefully examined by Professor Mayer and reported upon at some length in Vol. 1, New series of the Madras Journal of Literature and Science. The following is a condensed epitome of the Report and of the chemical composition of the salts.

No. 1. Dulla.

This is a Carbonate of Soda with a faint trace of Muriate of Soda and about 2 per cent of impurities.

No. 2. Nimmuck Dulla.

Is nearly pure Muriate of Soda.

No. 3. Khuppul.

Is carbonate of Soda, with water and about 2 per cent of impurities.

No. 4. Puppre.

Is nearly pure Carbonate of Soda.

No. 5. Madkhar.—This is an impure salt containing Carbonate of Soda,..... 27

Clay and sand,..... 30, water about 17.

Common Salt,..... 25

No. 6. Bhooskee.

This is also a crude impure substance,

containing Neutral Carb. of Soda. 26

Insoluble matter chiefly sand and Clay, 58

Water, 15

Common Salt, 2

No. 7. Travertin.

This contains Carb. of Lime,.... 78

Carbonate of Magnesia, 4

Insoluble matter with Oxide of Iron &c. 9

Chloride of Sodium, 2

Water, 3

The Natron lake of Loonar occurs in the Circar of Meinker Soubah of Berar, about 45 miles N. W. of Hingolie, in Lat 20 N. It is about 510 feet below the level of the surrounding ground, in a kind of Crater of 5 miles in circumference; the lake being about 3 miles in circumference and surrounded by luxuriant vegetation; springs of clear soft water occur close to the lake, which has evidently been extending its bounds lately, as numerous dead trees are standing within its margin, and a bowrie of sweet water, protected by a wall, is now completely surrounded by the water of the lake. An intolerable stench of sulphuretted hydrogen is emitted by the lake during the heat of the day, and its waters prove destructive to animal and vegetable life, though flocks of Duck and Teal dot the surface of its waters. There are two saline springs near the centre of the Lake, and about $\frac{1}{2}$ a mile apart. These never become dry. It is supposed that the muriate of Soda from this source, coming in contact with the

carbonate of Lime which abounds in the vicinity causes the deposition of the carbonate of Soda or Natron Salt in a greater or less state of purity. The depth of the lake near the salt springs varies from 6 feet during the hot months to 12 or 14 feet during the rains. The salt is raised by divers, who bring it up in their hands. It is much prized and finds a ready sale in both Berars, Nagpore, Candesh, and Poonah, to which places it is carried in Bamboo baskets and retailed by dealers. The Lake has not been regularly worked since 1836, in which year 2,136 candies of the different salts were raised, valued at Rs. 60,081. In 1853 Major Johnston raised 35 candies, valued at Rs. 1,461-4-0.

Some suggestions have been proposed for increasing the productiveness and revenue of the lake. These are contrivances for preventing the flushing of the Lake with water, supplied by the main feeder, and by several streams from the surrounding water shed, such as bunds and channels.

Means for raising the salt with facility, and in due quantity, such as dredging machines.

Means for procuring the salts in greater purity, such as evaporating pans.

Means for procuring and preserving the salt raised, such as sheds, store rooms &c. with careful supervision by trustworthy Government officials.

The points to which the attention of the Exhibition Committee is solicited are:—

a. What is the exact Chemical composition of the salts?

This has been satisfactorily answered by Dr. Mayer.

b. What is their commercial value as now sent?


The commercial value of salts for exportation depends upon their purity and clean or white appearance: those marked No. 1, 3 and 4 might all be used in the manufactures of soap, glass, and glazes for pottery. They could not be exported profitably, as the carbonate of soda can now be so economically prepared in England from Sea salt, by Leblanc's process. The probability is, that, if the Natron or Barilla were more highly refined and crystallized, it might be used in India for the manufacture of plate glass, and for the better kinds of crown and window glass. Barilla sells for 8-6 to 9 shillings per cwt. fit for soap making, the qualities used for plate glass and for dyes are much more valuable.

c. Are the suggestions alluded to as under consideration correct in their general principles?

The only questionable one appears to be the first, as it is doubtful whether it would be possible or desirable to prevent the flushing of the lake with fresh water.


2. The only effectual means of raising the salt with facility and in large quantity would be by a dredging machine, worked by a crank handle and coolie labor, or by a steam engine. The cost of a suitable steam engine would be £550 to £600 and of a dredging machine to work in 8 to 12 feet of water £1,400 to £1,500.

3. The best means for procuring the salts in greater purity, would be to subject them to two boilings; first with pure soft water in an oblong evaporating pan, 12 to 15 feet long, 6 feet broad, and 1 foot deep, built of hard fired bricks made from a tough clay;




Evaporating pan.

from this pan the concentrated solution should be run out through woollen bags filled with sand and charcoal, and all covered with a layer of straw, into wooden tubs or long wooden troughs to crystalize, taking care to leave the dregs in the pan. The second boiling should be conducted with distilled water, in the same way as the saltpetre is purified at the Gunpowder Mills. A large copper still and condenser



Copper Still and Condenser.


would require to be erected, and a succession of boilers and crystallizing tubs, or, what would be better, a series of large stone ware evaporating pans arranged in long sheds, with a flue for heated air from the furnace of the copper still, passing under each pan, and terminating in a chimney.—Thus (See illustration.)



Stone ware evaporating pans.

The common native Pottery of the country would not answer for evaporating pans, as it is corroded by alkaline salts.

4. The best means for protecting and preserving the salt raised, would be in store rooms built of brick and chunam, with the floor raised a few feet above the ground and paved with dense well fired bricks. An earthen floor contaminates the salts, and there is much loss from this cause. The best way of separating the salts from each other is by repeated crystallizations, or in an evaporating pan of the following description, which allows impurities to fall and the more readily crystalizable salts to be drawn off. See illustration.



Copper evaporating pan for separating salts.

EARTHY MINERALS.

The most abundant of this class is the Limestones, Marbles, Dolomites and Kunkurs, which will be noticed under the class of Building Materials.

Sulphate of Lime or Gypsum is contributed from a good many Districts. The best qualities are from Ootatoor near Trichinopoly, the Chingleput District, Sadras, Ennore, the Red Hills, Nellore, Masulipatam and Bangalore. The only new localities for this mineral are Sadras, the Red Hills, and Nellore. It is now known to occur very abundantly in this Presidency in two forms, the Fibrous and Crystalline Gypsums both free from Carbonate of Lime, and well suited for the Manufacture of Plaster of Paris, for moulds, busts, statues or ornaments. It occurs chiefly in the green sand or lower cretaceous formations, and is almost invariably accompanied by Fossils. The Fibrous Gypsum of Bangalore, Tiagur and Nellore, are the thickest and best. It is not yet known in what strata these occur, as the accompanying Fossils have not yet been traced and the natives seem averse to show the localities for this mineral, in those districts though rewards of 20 Rupees have been offered for this information.

Sulphate of Baryta or heavy Spar of very fine quality is exhibited from several Districts; the best samples are from Kurnool, Sidhout, Cumbum, and Nellore. Yellowish qualities are exhibited from Ootatoor and Masulipatam; the former amongst Gypsum formations and Fossils, the latter interspersed with Gypsum. The chief uses of this substance are for making Stoneware, Porcelain, and Chemical wares, and as a flux for smelting Iron Ores. Hitherto it does not appear to have been put to any use in India.

Satin Spar, or fibrous Carbonate of Lime of very good quality is exhibited from the Hyderabad territories; it was mistaken for Fibrous Gypsum, and on being tested was found to be associated with that substance and with a rarer mineral, Arragonite, which contains the sulphate of strontian, much used in Europe for giving a red color to fire-works. The Satinspar is chiefly used for large ornamental beads and brooches.

Cube spar or Crystalline Carbonate of Lime, of good quality, is exhibited from Nellore, Kurnool and Cuddapah. It is used in thin plates for mounting Microscopic objects and as a source of very pure Lime.

Rhomb spar or Dolomite spar is also exhibited from Cuddapah.

GEMS.

The display of Gems and precious stones is very meagre, and, as usual, the samples contributed are very small and worthless; the valuable or large pieces having been all picked out. There is enough, however, to prove that this Presidency, produces stones of this class, and that, if carefully sought for, good specimens may be found. Diamond conglomerates, sandstones, and earths are contributed from Cuddapah, Kurnool and Hyderabad; and it is known that good diamonds are found in these and other Districts, but none have been sent on this occasion. A model in Lead of a very large diamond is exhibited from Hyderabad, this measures $2\frac{1}{2}$ inches in length by $1\frac{3}{8}$ inches in breadth and $\frac{7}{8}$ ths of an inch in thickness, in the rough state. The Gem was found in the mud wall of a native house and was purchased for His Highness the Nizam; a small portion of the Gem had been broken off one end before it was offered for sale.

A rough ruby of nearly two inches in length is exhibited by Mr. Lecot, amongst the precious stones. It contains some specks of Gold, but is of inferior quality and full of flaws.

Some small fragments of Sapphire and of Spinel, the matrix in which it occurs, are exhibited from Masulipatam.

Several Emeralds and other precious stones, as Ruby, Sapphire, Diamond and Turquoise, are exhibited in a cut state in another Class, but these appear to be imported stones.

A number of imitation Gems made from English Crystal and Flint glass variously colored are exhibited from Hyderabad.

Garnets, Carbuncles and Ruby Garnets of very good quality, are exhibited from Nellore, Masulipatam and Bazewarah; but they are not nearly so large, as the Garnets from Mysore and Cuddoor shown at the Exhibition of 1855.

A good specimen of Aquamarine, or Beryl, is contributed by Lient. Puckle from Mysore: other samples of long reed like crystals are forwarded by the Nellore Local Committee; small pieces of Amethyst, Tourmaline, Rock crystal, Agate and Cornelian are exhibited from Masulipatam.

Schorl in large crystals is exhibited from Bangalore, Nellore and Vizianagrum.

MINERAL SUBSTANCES USEFUL IN MANUFACTURES.

One of the most important contributions in Class I, is the large and complete series of grinding, sharpening and polishing materials, exhibited by Surgeon E. G. Balfour, from the Museum. These were carefully examined by the Jury, along with a voluminous printed Report prepared for distribution amongst the Ordnance, Commissariat and Engineer Officers. The Jury are of opinion that very many of the substances are of excellent quality, that several of them might be judiciously introduced as substitutes for similar articles now procured from Europe, and that India is so well supplied with Minerals of this Class, that a large and remunerative trade in some of them might be carried on, if steps were taken to give publicity to the valuable mass of information collected, and means adopted for distributing and bringing to notice some of the articles for which high prices are given in Europe.

The most striking features in this collection are the abundance of the materials, their general diffusion throughout the Presidency and the infinite varieties of their quality.

It will be necessary to consider them for the sake of order and brevity under the heads of Sandstones, Hones, and Polishing substances.

SANDSTONES.

These occur of different qualities, from the coarsest soft grit, to the hardest Freestone, the most compact snakestone, and the toughest Chert. The sandstones appear to be the most universally diffused rocks in Southern India; occurring in sixteen different Districts, and often in beds or strata of enormous extent, as in the South Arcot, Nellore, Cuddapah, Bellary, Mysore and Nagpore Districts. The Native carpenters, blacksmiths and shoemakers have long been acquainted with the good qualities of the Grindstones of Southern India, and they are accustomed to give good prices for some of them. European workmen are also in the habit of using country stones for sharpening their tools.

The best coarse Grindstones are those from Verdachellum in South Arcot, Tripputty, and Ootramaloor in Chingleput, Kurse Mungalum near Vellore,

Woontimetta and Chellamacoore in the Cuddapah District, and Podelay and Woodiagherry in Nellore.

A soft sandstone suited for Filters occurs at Rajahmundry, and hard gritty kinds, like the Bhurstone of France in the Peddaredapully Talook of Nellore and near Gooty. Some of the sandstones of the Guntoor, Bellary, Madura and Mysore Districts are very similar to those used as Grindstones and Flour Mill-stones in England. The best dry Whetstones are those of Nuggur, Mator Hill in Guntoor, Tripputty, Arnee and Needacherla in Bellary.

Fine grained sandstones of a sharp cutting quality occur at Gootemokoda and Dyda in Guntoor, at Chellumacoore and Chettywarrepully in Cuddapah and in the Podelay Talook and Woodiagherry Hill in Nellore.

A stone resembling the Ayrstone, or Snakestone, occurs at Koopookonda, 8 miles west of Vinacondah in Guntoor.

Good substitutes for Turkey stone, occur at Cuddapah, Woontimetta, Chellumacoore and Humpsagur; and varieties of Green and Grey granular Felspar, at Seringapatam, Nellore, and on the banks of the Godavery. The latter are well suited for putting a fine edge on razors and gravers.

Soft sandstones resembling Bathstone and Tripoli abound near Nellore, Bellary, Cuddapah and Hurryhur.

Very fine silicious and Magnesian Earths, such as Rottenstone, Alkaline Loam and Armenian Bole, occur near Soondoor, Bangalore and Cuddapah.

Hones, silicious and slaty Limestones of every quality, accompany the extensive Beds of Lithographic Marble near Kurnool, Guntoor, Bellary, Datchapilly and Gooty.

Chert or Hornstone suited for paving Flint and Porcelain Mills, occurs in large quantities at Baulapilly near Arcot, Naggery and Woodiagherry Hill in Nellore.

CORUNDUM AND EMERY.

These Minerals which are considered valuable on account of their hardness, which approaches that of the diamond, appear to be very abundant in the Madras Presidency. There are samples of Corundum in this collection from about 28 different localities. The best qualities are the moderate sized picked Crystals from Guntoor, Hyderabad, Coimbatore, Nuggur, and Salem. Some varieties, particularly the tabular shaped Crystals, appear to be much associated with Lime and Fibrolite, and are frequently accompanied in those localities by more valuable Minerals, as the ruby, sapphire, spinel, beryl and garnet. Emery frequently accompanies the Corundum, the best samples are from Salem, Nuggur and Nellore. A fine specimen of tabular Emery has lately been discovered at Caligherry Hill, Nellore.

The following Epitome of the list of sandstones grinding and polishing substances procurable in the Madras Presidency, will give some idea of the extent and value of the collection; the best marked samples alone having been noticed, whilst the others are omitted, because the information regarding them is too vague from the small size or indeterminate quality of the specimens.

As there is much valuable information in the reports, and Surgeon Balfour has taken the trouble of collecting the most useful practical papers, bearing on the same subject, the Jury recommend a first Class Medal for this series.

EPITOME

Of list of Grinding, Sharpening and Polishing Materials used by Blacksmiths, Silversmiths, Jewelers, Stone cutters, Marble and stone Masons.

Europe Grindstones } Reddish hair brown, with dark
used in the Arsenal, Madras,..... } spots, coarse and fine brownish
grey, coarse and fine Do. with
metallic streaks.

Mr. Law, Sculptor. Sandstone tinged red, used for cutting marble.

Mr. Ostheider, do. Brown fine grained do. used for cutting marble.

Mr. Cranston, Shoe-maker,..... } Purplish, hard, Silicious, do. used
as a dry whetstone.

Arsenal and Medical Stores..... } Bluish grey ragstone containing
lime, used dry by Chucklers and
for sharpening laboratory
knives.

Marble Polishers... Ayrstone grit, snake grit.

Stone Cutters Eunore grit, a nodular, bluish
gritty limestone from the bed of
the Pulicat Marine Lagoon.

Arsenal..... Black Turkey oilstones, contain-
ing much lime, fine grained
Do. from Tarputtry.

Barber's Stone,..... Black limestone used for sharpen-
ing razors.

*Sharpening stones used by native saddlers, shoemakers,
Horse-shoers, cutters &c.*

Basalt,..... Called Sanakul from Chelput,
five days journey from Madras
near Trinamullay, used by shoe-
makers.

Basalt,..... From near Streepermatoor, used
by saddlers for sharpening
awls and knives.

Hornblende Rock... (Greenstone) used by Horse-
shoers as a whet for sharpen-
ing the large Hoof Cutter.

Green Quartzose } From Vellore, used formerly by
sandstone..... } Horse-shoers but now replaced
by sills of Corundum and Lac.

Red Quartzose } Do. Do.
sandstone..... }

Yellow Quartzose } From Woodiagherry used former-
sandstone..... } ly for giving a first edge to
swords, daggers and imple-
ments, hard, rough and well
suited for grindstones.

Red fine grained } Very good.
sandstone..... }

Reddish yellow and } Formerly used by Horse-shoers.
white Quartz..... }

Rolled Fragments } Red and yellow, used by shoe-
of Binary granite. } makers.

Fine grained Red } Formerly used by Horse-shoers.
Quartzose sand- }
stone..... }

Fine grained nodule } Used by saddlers, who say they
of reddish Quartz- } do not know its origin.
ose..... }

Porphyritic grey } Used by shoe-makers.
granite..... }

Hones..... Purchased in the Bazaar, proba-
bly from Nellore, Cuddapah or
Guntoor.

English Grit..... Fine grained, used by stone Ma-
sons.

Rolled masses of } Sold in the Bazaars as Corundum
Granites..... } and Emery.

Irregularly crystal- } Sent by the Commissary General
lized granites... } as Emery: said to be procura-
ble at Calastry, near Naggery,
Naglapoorum and the sur-
rounding Hills.

Steel Filings..... Used by stone cutters for the
first process of rubbing down.

Pumice of Europe.

Sand paper.

Crocus, Country,.... A red Carbonate of Iron.

Washed Emery.

Crocus.

Putty Powder or Oxide of Tin.

Rotten stone.

Tripoli.

Rouge or Red per-carbonate of Iron, imported for
polishing Jewellery.

*Materials from the provinces of the Madras Presidency
suited for grinding, polishing and sharpening.*

GRINDSTONES.

North Arcot..... From Kurse Mungalum near Vel-
lore, a stone called Muddy Sa-
gapoo Culloo, Brown Steati-
tite sandstone.

from Baulapilly near Arcot, Grey
Chert for paving Porcelain
Mills.

from Chumbakum-droog, Quartz-
ose Rock suited for paving
Porcelain Mills.

North Arcot contd...	from Trichoor brownish sandstone, from Muddoor, Arnee, Bluish grey sandstone suited for Grindstones.	Madura.....	from Vurdeputty and Passumallee, Granitic, coarse grained grindstones.
	from Tripputty and Kurkumbady, Yellow red and purplish sandstones.	Moulmein.....	from Tan-goon-gee, Thum-litan-dan (Mountain), Gungo and Amherst Hills, yellowish sandstones fit for Grindstones.
South Arcot.....	from Verdachellum and Sadras, sandstones of good quality.	Mysore.....	from Nuggur good Grindstones called Sanekull and finer Whetstones.
Bellary.....	from Nedacherla, sharp grained and fine grained sandstone.	Nagpore.....	from 10 miles west of Kamptee, soft sandstones suited for dry whetstones.
	from river near Bellary, silicious sandstones.		from 6 miles east of Kamptee, finer grained varieties.
	from Hospet Chetty-warrepully and Humpsagar, Hones of various qualities.	Nellore.....	from the Podelay, Panoor and Pedda-Redda-pully Talooks, red, yellow, purple, brown and grey sandstones.
Chingleput.....	Cootharam pallum near Conjevaram, Coarse Grit.		from Pullaybootoo, fine grained sandstones.
	from Ootramaloor, Red Grit.	Rajahmundry.....	Soft sandstones suited for filters and Grindstones.
	<i>Sandstones suited for Grinding purposes.</i>	Singapore.....	from the mouth of the river, a good sandstone.
Cuddapah.....	From Chellamacoar, Greyish brown schistose granular sandstone.		
	from near Cuddapah, Bluish grey compact Magnesian lime, suited for fine sharpening stones, from Woontimitta fine grained schistose. Sandstone, suited for a Ragstone.		
Ganjam.....	from Chitterpoor and Nengam, liver brown granular sandstones. These are very sharp in the grain.		
	from Ganjam, Reddish white granular sandstones.		
Guntoor.....	from Palnaud, purple and lilac slaty sandstones fine in grain. Honestones, black limestones, lithographic marbles.		
	from Gootemookoola and Dyda, Hones from Koopookoonda 8 miles west of Vinacondah, below the signal pond, Rough sandstone glistening with Mica.		
	from Mator Hill, schistose ragstone.		
Hyderabad.....	from Ellichpoor and Kotah, sandstones with Fossils.		
Kurnool.....	Sandstones Hones and Lithographic marble, abundant, and of every quality and size.		

CORUNDUM

is found at Guntoor, Hyderabad, Salem, Mysore, Gram (45 Miles N. W. of Seringapatam) Nuggur, French Rocks, Burkunemilly and Yedkunkal, Kulkaire in the Division of Churajapatam, Norluk in Narsipoor, Deysam, Carbunpully, Appianhully, Nulapardy, Mundium in Astragam, Cuddor; in Salem at Namaul, Viralamoodoo, Cholasigammy, Carasel, Aupore, Mallapollye, Gopaul Chetty pollium, Teelanegerry, Coundapaddy and with Rubies at Salem.

Naggery Hills, clove brown with iron Garnets and Cochineal red Garnets, Yala-negery and Coundapaddy in Salem. It is also found at Travancore, of a green color, and accompanied by Aqua marine.

Amongst the Minerals useful in Manufactures are Clays, Kaolins and Porcelain Materials which will be noticed in Class XXV, along with the articles manufactured from them.



ALEX. HUNTER, M. D.

REWARD OF 50 RUPEES,

FOR BLUE MOUNTAIN LIMESTONE.

CIRCULAR No. 1.

Mountain Limestone, containing black carbonaceous matter, fossil shells and corals has been found in considerable quantity and in very large blocks in and about Madras; the old grindstones at the Bakery are of one kind, the large mill stones formerly used in the St. Thome Tannery are of another, and several mill stones at Chintandrapett and Royapooram are of the same Limestone. The native stone cutters are acquainted with it, and say that it occurs at Tritteny, Muddoor, and Attipacherry near Naggery; the tombstones at Sadras, 200 years old, are also said to be of the same stone. Steps have been taken to verify this statement. One variety is of a brownish grey color and contains numerous fragments of fossil coral. The other which is more abundant, is of a dark grey color with patches of black here and there, and numerous fossil shells, and pieces of coral throughout its substance; when broken, the stone emits a strong unpleasant, sulphureous smell. It is a compact rather hard stone, that rings when struck with iron: the broken surface is uneven and has a shining grey appearance with whitish spots here and there; when rubbed smooth with sand and water, these spots are found to be composed of fossil shells of which the most distinct are here represented.



No. 7.

No. 7 is a piece of the limestone rubbed smooth showing a Spirifer and portions of Encrinites. The limestone is of considerable interest as it usually accompanies beds of coal, dark colored sandstones and conglomerates lying upon it, while it rests upon granite. The strata at the borders of coal formations usually have a slight inclination or dip, and the granite, mountain limestone and dark sandstone frequently crop out of the ground. Above the coal, pale grey, yellow and pink sandstones occur, often

in beds of great thickness accompanied by whitish clay, lime, ironstone in balls or seams and soft slaty shales of white or greenish colors. All these strata have been found occurring together in the Chingleput District. A stone resembling the old red sandstone occurs at the Red Hills and extensive beds of pale colored sandstones in great abundance along the base of the Naggery Hills, towards Arnee in one direction and by Tripasore towards Curcumbaddy in another; the same kinds of stone resembling the new red sandstone pass through the Chingleput District to the south, reappearing at several places between Ootramaloor and Verdachellum where they acquire considerable thickness. Fossil trees, impressions of *Zamia* a variety of


Tree fern and other interesting organic remains have lately been found in the same tract of country. Pale coloured sandstones also appear in large and extensive beds in the Nellore District; in some localities they are of a white color like the Freestone on the borders of the coal formations in England and Scotland. The mountain limestone probably occurs in the vicinity of some of these beds of sandstone. A reward of 50 Rupees will be given to any one who will produce a bandy load of the stone in fragments and will show where it is quarried. Samples of the stone have been largely distributed through the Chingleput, Nellore, and South Arcot Districts and others may be had on application at the School of Arts. A. H.

REWARD OF 50 RUPEES.
FOR BLUE MOUNTAIN LIMESTONE.

CIRCULAR No. 2.


In December last or about two months ago an illustrated Circular was issued offering a reward of 50 Rupees to any person who could tell where the large grindstones (composed of Fossil Mountain Limestone), that had been in use at the old Bakery in Madras or the Tannery at St. Thomé, had been quarried; the conditions being that a bandy load of the stone in fragments should be produced and the locality shown. Pieces of the limestone were freely distributed with the Circular and we have to return our best thanks to 43 different persons who have kindly forwarded samples of stones in reply. The object of issuing these illustrated Circulars is to try to attract attention to the Fossil remains of India with the view of determining the relative ages of the strata producing them and to obtain if possible some indications of Coal. The Limestone in question is full of Fossils bordering upon, but below the Coal series—the accompanying illustrations represent a few of the best marked Fossils which have been engraved from the polished pieces of Limestone now arranged in the Madras Exhibition along with the various stones received in reply to the Circular.

The first 7 illustrations have already appeared.



No. 7.—Piece of Limestone polished showing side view of a *Spirifer* and portions of *Encrinurites*.


Within the last month one of the grindstones has been considerably worn down, and a few more Fossils have become apparent, the best marked of these are:—



No. 8.—*Cyathophyllum Caespitosum*, a Fossil coral of an extinct genus.



No. 9.—Portions of a *Cyathocrinites*, or *Hypanthocrinites*.



No. 10.—A Fossil bearing some resemblance to the *Lituites Cornu Arietis* here figured or to



No. 11, *Euomphalus pentangulatus*.

These species, which all belong to the Carboniferous or Mountain Limestone, have been detected on one of the Millstones which is of a brownish yellow color and which has evidently been quarried at some other locality than the rest, as the stone is softer, of a different color, and does not emit a sulphureous smell like the others when rubbed. One of the largest grindstones, which is about 6 feet in diameter by 14 inches in thickness and composed of a harder blue mountain limestone with fewer and smaller fossils, has also been carefully polished and examined. It contains numerous fragments of the stems of *Encrinites* with a few specimens of No. 12. *Spirifer glaber*, a bivalve shell now extinct, and No. 13—*Productus* or (*Leptaena*) also extinct and belonging to the Mountain Limestone series. Along with these are patches of black carbonaceous matter and brown sulphuret of Iron.



No. 12.

Spirifer Glaber.



No. 13.

Productus or *Leptaena*.



It will not be necessary to particularize all the specimens that have been received, as many of them are not limestone, though they bear a strong outward resemblance to the specimens distributed.

Good limestones have been received from thirteen different localities ; of these the most promising are the following, which are arranged in a tabular form, to show the accompanying indications, with remarks upon their relative importance.

Minerals forwarded.	District.	Name of Contributor.	Accompanying strata.	REMARKS.
Black Carbonaceous Limestone conglomerate.	Kondopalpaud near Gooty.	Major Bisset.	Sandstone conglomerates, Pitchstone, Black-band Ironstone and Bitumen.	The Limestone burns white. The Sandstone resembles Old Red Sandstone: the Bitumen is of good quality.
Grey Magnesian Limestone.	Gooty.	Major Bisset.	Contains Iron Pyrites and is accompanied by Sandstone.	This Limestone often accompanies new Red Sandstone and is rich in Sulphurets of Iron, Copper and Lead.
Blue Mountain Limestone.	Cuddapah.	Capt. Hemery.	Sandstones and slates.	Without Fossil remains.
Black Mountain Limestone.	Nundial, Cuddapah.	Rev. E. Porter.	Sandstones and slates rich in Iron Pyrites.	This Limestone burns white. Fossil remains occur in the vicinity.
Grey Slaty Limestone.	Near Cuddapah.	M. Murray, Esq.	Sandstones, slates and Lime.	This is procurable in large slabs at a cheap rate.
Grey Cherty Limestone.	Near Cuddapah.	M. Murray, Esq.	Sandstones, Chert and Jaspers Ironstone with Conglomerates.	Fossile woods and other organic remains accompany this Limestone.
Dark Grey Limestone.	2 miles W. of Vurdoor in S. Arcot.	Arthur Hall Esq.	Conglomerates and Sandstones.	Fossil Bacculites and Gypsum Fossils apparently above new Red Sandstone.
Grey Magnesian Limestone.	Seedrapett, South Arcot.	Arthur Hall, Esq.	Sandstone and gravel with numerous Fossils of the Greensand formation resting on thick beds of Sandstone.	This is a Hydraulic Limestone which appears to extend over a considerable tract of country.
Yellow Magnesian Limestone.	Ootatoor, near Trichinopoly.	E. T. Ricketts, Esq.	Sandstone Gypsum, Sulphate of Baryta, Jaspers clay Ironstone with Fossils of the Greensand formation.	Remains of bones of Gigantic Saurians occur in this locality, and a slaty kind of coal was found in the District by the late T. Boileau, Esq., of the Civil Service.
Grey Fossil Limestone.	Trichinopoly.	Capt. Wilkieson.	Accompanying strata not forwarded.	This appears to be full of Fossil shells of the Cretaceous formations.
Black and grey Chert with impressions apparently fossil.	Naggery Hills, Chingleput.	Cooly Rugven	White, Red and Yellow Sandstones and Conglomerates.	These beds of Sandstone are of some thickness, resembling the new Red Sandstone.
Grey Limestone encrusted by a Fossil.	Red Hills near Madras.	Cooly Bungun	Jaspers Clay Iron stone, balls of Gypsum, Fossil bacculite, Do. Favosite, Coarse Red Sandstone, Pitchstone and Laterite with balls of Chert.	The strata seem to be much disturbed: Sandstones and chert resemble the old Red Sandstone formations. The Fossils and Gypsum are lying in detached pieces.
Fragment of Coal with Pitchstone and Sandstones.	Caligherry, Nellore.	G. Powell, Esq., & Lieut. Mullins.	Conglomerates coarse gritty and fine Sandstones, Fossil-wood, Laterite and Pitchstone.	A piece of similar coal was found in this district in 1851 by the late D. White, Esq.
Black Sandstone.	Oodiagherry, Nellore.	F. Crozier, Esq.	Chert, white and yellow Sandstones with Iron ore and polishing slate or Tripoli.	These Sandstones are of great extent and resemble those from Chingleput and Naggery.

Minerals forwarded.	District.	Name of contributor.	Accompanying strata.	REMARKS.
Grey compact Limestone.	Mysore, Sircy.	Mr. Sylk, and Col. Green.	Strata not forwarded.	This resembles the limestone that occurs above Coal in England.
Grey compact Limestone.	From Coal Districts near Manchester in England.	Maj. Maitland	Strata not forwarded, probably resembling the next series.	This Limestone is much used in smelting Iron ores and for building.
Fossils shales and Limestones from the Coal formations.	Fifeshire Scotland and Newcastle in England.	Rev. A. Campbell.	Lime, Iron, sandstone and Coal.	Very useful for reference.
Fossils shales, Sandstones, Lime and Iron from Coal formations.	Near Dalkeith and Edinburgh.	Alex. Hunter.	Sandstone Conglomerates, Iron, Lime and grey slate.	Do. do.

In addition to the above, there have been numerous contributions chiefly of greenstone, potstone, granite and chert, bearing a faint resemblance to the limestone in appearance, but on being tested with acid they did not effervesce. A few of them were forwarded by particular request in order to verify some statements that had been made to Mr. Ostheider by the native stone cutters, who asserted that the limestones were abundant at Muddoor, Tritenny, and Attipacherry. The stones which have been procured from these localities all resemble the limestone, but are hard silicious greenstone or a fine grained augite. A variety of potstone from Nag-gery bears some resemblance to the stone. It was also asserted that the old carved Tombstones at Sadras and Pulicat were of this limestone and that they were probably all imported from Holland, but Mr. Wall has inspected the Tombstones in Sadras and they are of a hard silicious greenstone. This has been further corroborated by Mr. Shubrick, who has forwarded samples of the greenstone from the quarries at Warragadam and Adialcherry, where the Tombstones were cut. The Tombstones at Pulicat have also been examined by Lieutenant Sankey of the Engineers, who reports that they are of a hard silicious greenstone, like the ordinary firestone of Madras, and that there has been a large manufactory of Tombstones in the vicinity, where there are several unfinished stones bearing old dates intended for parties at Masulipatam and other localities.

The most promising results from this enquiry are the grey limestone from the South Arcot District, about 85 miles from Madras. The limestone is hard, compact and full of fossils, but it belongs to a formation more recent than coal, while the mountain limestone distributed is of the carboniferous period with Silurian fossils, and will probably be found resting on old red sandstone amongst decaying granites.

The Black Dolomitic Limestone Conglomerate, with sandstones and Bitumen from Gooty, are also interesting, and the black, grey, and blue limestone from other Districts are important, as furnishing Magnesian limestones rich in metallic sulphurets and possessed more or less of Hydraulic properties. The coal from the Nellore District appears to be a stray surface piece, or it may have been accidentally left there many years ago by some Europeans who worked some of the copper ores under Captain Ouchterlony. The pitchstone with conglomerates, sandstones and fossil-woods from the same locality would indicate that the coal may occur in the vicinity. Several other substances strongly resembling coal have also been forwarded from Nellore, but they occur embedded in primitive formations where coal is not found. Instructions have been sent to Lieutenant Mullins and Mr. Powell to make further search amongst the sandstones, conglomerates and fossil woods and to other parties to look in the direction away from granites and crystalline primitive rocks, where coal does not occur. The reward of 50 Rupees still remains unclaimed and it is strange that no clue can be obtained to the locality where the stones used in the old Bakery at Madras, or the old Tannery at St. Thomé, were quarried and from which the Fossils engraved in this Circular have been collected. Parties desirous of obtaining samples of the above limestone are requested to apply at the Madras School of Industrial Arts. The specimens which have been received in reply to the previous Illustrated Circular may be seen amongst the minerals at the Exhibition. Illustrated instructions are being prepared to guide parties in their search for coal and will be printed shortly.

ALEX. HUNTER.

MADRAS, 27th February 1857.

ASSOCIATES.

Honorable Walter Elliott, Esq.
 Brooke Cunliff, Esq.
 Alex. Hunter, Esq. M. D., *Reporter*.

FOSSILS.

A very large and varied collection of Fossils is contributed from several Districts. This is an interesting and important fact, which proves that Exhibitions may be made subservient to useful purposes, if properly conducted.

In the Exhibition of 1855 there was only one Fossil, viz. an Ammonite embedded in Jaspersy Clay Iron stone, from the Gypsum formations at Ootatoor.

A few illustrated Circulars on the subject of Fossils were printed and widely distributed through the Presidency, calling attention to the subject of Fossil remains as the safest guides for determining the relative age of strata. The results of these enquiries have proved most encouraging, 2 Cart loads of Fossils having been received from Ootatoor, and about 3 Cart loads from other places. Steps have been taken to continue these enquiries in a systematic and continuous form. The series of illustrated circulars in the Appendix of the Jury reports have been printed with the view of illustrating some of the most interesting Fossils in the Exhibition, and communicating the information that is best suited to guide enquirers in their search for Fossil remains. The largest series of Fossils in the Exhibition is contributed by F. Ricketts Esq., Executive Officer Dept. Public Works Ootatoor. This collection contains Gigantic Ammonites, Nautilites, Belemnites, Bacculites and several other chambered and bivalve shells from the Greensand or Mussel-chalk formations, one of the lowest of the Cretaceous group. The accompanying Strata being Fibrous Gypsum and Selenite, Fibrous Sulphate of Baryta, Yellow sandstone slightly Magnesian and Hydraulic, with Jaspersy and Ochery Clay Iron stones. The bed of Gypsum was discovered 7 or 8 years ago by Major Lawford and has been used in large quantities in Madras for making Plaster of Paris moulds. The locality has been frequently visited lately by Mr. Ricketts and others, who report the great profusion of Organic remains in the vicinity, particularly of rounded and oval balls of different sizes from 8 or 10 inches in diameter down to one or two. On examination these prove to be coprolites or Fossil dung of huge reptiles, and they are accompanied by bones of a large size. The locality was visited some months ago by Mr. Adolphe Schlagintweit of the Government Magnetic Survey, who discovered a piece of the Femur, (a Condyle apparently,) of a huge saurian reptile, since then two large teeth have been met with at Ootatoor, bearing a strong resemblance to those of the *Megalosaurus* figured in the XXIII Vol. of the Geological Society's transactions, and a

portion of bone from the same locality appears to be the Angle of the left lower jaw of some large Saurian (some doubts are entertained about the teeth). See illustrations.

The most abundant of the Fossils seem to be Ammonites, Nautilites, Belemnites and a large species of *Mytilus* or Mussel. For further particulars see Catalogue Raisonné of Class I, prepared by Lieutenant Hawkes. Another large series of Fossils of the same period of formation is contributed by Arthur Hall Esq. from Vurdoor, Seedrapett and Trivacarey, in the vicinity of Cuddalore. In this collection the Ammonites are plentiful, and a few Nautilites occur; but the Belemnites and *Mytilus* are absent, Bacculites are very abundant and are found embedded on the surface of a compact blue Limestone; a very large species of *Arca* and a number of spiral and bivalve shells; *Echini* and *Nucleolites* are also plentiful at Seedrapett. The accompanying Minerals are soft yellow Sandstone, Red Marl, and grey Limestone, with here and there crystals of Gypsum. Among the Fossils are *Spatangus*, a species of Crab and the Molar tooth of an Elephant, with large blocks of silicified Fossil wood from Trivacarey. For further particulars, see list.

An interesting enquiry was set on foot upwards of two years ago, with the view of ascertaining the localities where two kinds of Mountain Limestone that seem to be plentiful in Madras were quarried. There are a number of grindstones in use in Madras and its vicinity that vary in size from $2\frac{1}{2}$ to $5\frac{1}{2}$ feet. On close examination they are found to be composed some of Blue and others of brownish grey Mountain Limestone, containing numerous Silurian Fossils. The following illustrated circulars were printed and widely distributed offering a reward of Rs. 50 to any one who could tell the locality where they were quarried. Several interesting Limestones were received in reply, and Minerals were forwarded by forty six different parties, but as yet the locality of the particular Limestones required, has not been traced. The best Limestones are a grey Limestone from Vurdoor in the South Arcot District with Fossil Bacculites. A Crystalline grey Limestone from the Red Hills with a portion of a large Ammonite and a Favosite and Bacculite found in the vicinity and a grey Limestone from Sircy without Fossils, contributed by Col. Green, several other (7 or 8) grey and black Limestones have been contributed from different districts, the most interesting of these are dark, Magnesian Limestones, Dolomites, Dolomitic Conglomerates and black Marbles from Cuddapah, Kondoopalpaud near Gooty, Nundial, Dhone near Kurnool and Goodepau, Nerdicherla, Booragul, and Tarputree in the Bellary District. These appear to belong to the same large deposit of Magnesian Limestones that traverse the Ceded Districts, and the valley of the Kistna, from Kaladgee to the Guntoor and Masulipatam Districts. In

some places they are reported to be accompanied by Fossils, and in almost all by Sandstones, shales and conglomerates.

Fossilwoods, black chert, and fossiliferous looking nodules have been sent with black and grey magnesian Limestones from the Cuddapah District, and shells are reported to have been found with the Dolomitic conglomerates near Ghooty, but none have been sent to Madras. Some recent concretionary Limes encrusting leaves and roots were forwarded by Major Bissett from Kondopalpaud, along with Stallactites, Stalagmites, and Bitumen. The black Marbles and dark Dolomites from the Ceded Districts were all tested and found to contain more or less Magnesia, and on being calcined, they all burned to a pure white, except one from Nundial, containing much Iron Pyrites. This shows that the coloring matter of the limestones is Carbonaceous. Some printed Circulars with illustrations of the Fossils of the Magnesian Limestones, new and old red Sandstones, and Carboniferous Strata are nearly ready for distribution in the Districts from which the Dolomites and black conglomerates and Marbles have been received and it has been proposed that Mr. Wall should visit these districts with the view of searching for Coal. (Mr. Wall has been ordered by Government to proceed to Kurnool to examine the Argentiferous lead ores of the District.) Some interest has been excited by the distribution of illustrated circulars throughout the country and search is still being made for Mountain Limestone. Capt. Wilkieson of the Engineers reports that a Tombstone to the memory of Hildebrand Gordon Oakes, Esq., of the Bombay Civil Service who died at Ootacamund in 1831 is carved in Mountain Limestone full of fossils exactly like those in the printed-Circular distributed, but whence it was obtained has not been ascertained.

Lieut. J. R. Magrath, Artillery, contributes some interesting fossils from Prome. These belong to tertiary formations and are accompanied by the following strata; coarse and fine yellow sandstones, fibrous Limestone, Magnesian clay and Jaspersy Clay Ironstone. The fossils consist of silicified wood, both endogenous and exogenous, a few small portions of bone and black bituminous wood, with the following shells embedded in a mixture of hardened Lime, Clay and Sand. *Ostrea*, *Venus*, *Turritella*, *Cardium*, *Pleurotomaria*, *Murex*, *Vermetus*, *Turbinolia*, *Brissus*, *Pecten*, *Conus*, *Cardium*, *Arca*, *Cardita* and *Trochus* nearly allied to some existing species.

The Honorable Walter Elliot contributes a sample of compact grey limestone from the caves opposite Moulmein. A few shells can be detected in the Limestone a section of a *Natica* and of a bivalve are apparent. A number of Fossiliferous substances of recent origin are contributed from various quarters; among these are the enamelled scales of some fish found on the parade ground at Trichinopoly by Capt. Russell. These vary in size from half an inch

to an inch and a half, they are composed of two plates meeting at an angle like a V the outer surface is covered with enamelled white tubercles. The inner surfaces are cancellated like bone. Doubtless these are the bony plates of silurides or cat fish, many species of which abound in the Cauvery and all fresh waters of Southern India. Mrs. Crisp exhibits some petrified reed like grass collected by Sir Stamford Raffles in Sumatra. The School of Arts exhibits some petrified hay, straw, and roots with Fossil *Ostrea*, *Cardium*, and other shells belonging to the recent Tertiary formations, contributed by Mr. Frere from Nuggur Parkur in Scinde. There are a number of septaria and balls of lime of different forms from various districts. Capt. Puckle exhibits three varieties from Bangalore, two resembling the Fossil dung of Animals and the third a hollow ball of dark blue Hydraulic Lime, along with these is also forwarded what appears to be half of the dorsal vertebra of some large animal. Further search is being made for more organic remains in the neighbourhood of Bangalore. The Revd. A. Campbell exhibits a fine collection of fossils from the Coal Formations in Fife and a few from Burdie House near Edinburgh.

The School of Arts exhibits fossils from the Coal formations at Newcastle and near Dalkeith, with the accompanying strata, also the strata accompanying Coal from Burdwan, the bituminous wood and Gypsum Fossils of Perambore and a large series of Gypsum fossils of apparently recent origin found from Madras to Ennore.

Mr. Lawford exhibits similar Gypsum fossils with bituminous wood and alluvial Pumice from Sadras.

The Madras School of Arts exhibits a large series of Gypsum formations from 23 different localities; also a few fossils with balls of Crystalline Gypsum, dark red sandstones, and greyish Lime from the Red Hills: amongst these are a *Bacculite* and a *Favosite* in Jaspersy Clay Ironstone.

ALEX. HUNTER, M. D.
Reporter.

RESULTS OF THE EXAMINATION OF SPECIMENS OF GALENA FROM THE MADRAS EXHIBITION.

No. 1. Said to be from Martaban.

This was a small hand specimen, and the amount of silver it contained was found to vary in different portions of it, the per centage of lead being about 75. In the first trial the silver was found to amount to about 70 ounces to the ton of ore; but in the second to not less than 300 ounces in the ton, or a little less than 1 per cent.

No. 2. Said to be from Kurnool.

The examination of the first specimen of this ore proved it to contain upwards of 1 per cent of silver, or 374 ounces in the ton, the quantity of lead and silver together being only 45 per cent which was occasioned by there being a considerable quantity of gangue disseminated through the portion examined.

Another specimen, which was given to me by Colonel Cotton and also said to be from Kurnool, was found to contain 175 oz. 3 dwts. in the ton.

Some years ago I examined a specimen of the Kurnool Galena and found it to be free of silver; and I have been consequently, until the present time, under the impression that it contained none. But the examination of the specimens in this year's Exhibition reveals the fact that at least some portions are very rich in the precious metal and this accords with the recent researches of Malagah and Durochet who have found that when Sulphide of Silver is associated with the Sulphides of other metals, it is *always* unequally distributed. It would appear therefore from the above facts that it would be quite impossible to calculate, with any approach to accuracy, from the examination of any given specimen, what would be the average yield of silver in a silver lead mine, until it is actually worked for the separation of that metal, considering however that nearly one half of the silver now in circulation in Great Britain is recovered from silver lead ores similar to the above, and seeing that it is found to be advantageous to separate the precious metal where it exists to the extent of only 6 ounces in the ton, it becomes evident that these ores must be of great value, provided they can be found in sufficient quantity. From recent information obtained from Kurnool it would appear that the Galena there occurs abundantly in all probability; therefore it would prove to be highly remunerative to work this mine, both for the lead and silver contained in the ores.

ILLUSTRATED CIRCULARS DISTRIBUTED.

PRÁCTICAL GEOLOGY.

No. I.

GRANITES AND PRIMITIVE ROCKS.

THE oldest rocks on the surface of the globe are granites and the substances of which they are composed, viz., Felspar, Quartz, Mica, and Hornblende. These are all classed as primitive or plutonian rocks, and they bear distinct evidence of having been formed in the interior of the earth from which they have been upheaved at different periods. Until 50 years ago it was considered that granites and primitive rocks were all about the same age and that they were invariably the oldest rocks to be met with, but further researches have proved that in the same range of hills granites of very different qualities and of two or three distinct periods can be detected bursting through each other.

If we compare the earliest records we possess of the creation, viz., those so simply and sublimely detailed in the first chapter of our Bible, with the actual facts as they may be observed in almost any district of Southern India, we find a beautiful harmony and consistency pervading the whole system of creation, and the elements of our globe are arranged according to such laws, that a description of the

minerals and the various succession of strata as they occur in one region, will serve with very trifling alterations as a guide for the study of Geology in any part of the world. A few trifling differences do occur amongst the minerals, as for instance one being replaced by another, but the characters of these will be found similar though the elements differ. In the succession of strata too, the order is the same, though there may be apparent gaps or omissions, yet the consistent uniformity which is found pervading the works of creation is so beautiful and so apparent when closely investigated, that all can be proved to be order and symmetry which appears to the casual observer to be confusion and accident.

We cannot prove incontestibly where, or amongst what formations, the earth had a beginning, but we can detect the relative ages at which mountain chains were upheaved, and when organic beings were first formed. We can show the transmutations of the older large crystalline into the finer crystalline and then into the metamorphic or granular, sandy and slaty rocks; with the numerous subsequent changes of which the proofs are more palpably apparent. It can easily be proved that the earth's surface has been remodelled again and again, that mountain chains have been raised or sunk, burst through and overturned in various ways, valleys filled up and then re-excavated; that sea and land have encroached upon each other and frequently changed places, yet through all these revolutions, records are left of a creative Power that ordered and arranged the succession of strata in such a manner as to fit the earth and the seas for sustaining particular forms of animal and vegetable life, and proofs may be found in almost every region of the globe that various successions of strata have occurred, each bearing an impression of the Creator's wisdom, either in the regular arrangement of the constituent elements, or in the vestiges of some animated existence which, though different from the forms now to be met with, bear sufficient resemblance in some characters, to admit of their being referred to their proper place in the scale of creation.

In the first period of the earth's formation the surface of the ground seems to have been level or nearly so, and this can be better proved in India than in most other countries, for we have immense tracts of bare uncultivated land, the component parts of which can be easily examined in water courses, nullahs, or in sinking wells. This level country differs very materially in its characters according to its position; thus, on extensive plains at a distance from hills it is sandy, earthy, or covered with rich soil or loam, but none of these are the old or primitive formations. The first elements of the globe appear to have been Felspar, Quartz, Mica and Hornblende (with small quantities of Lime and other substances). These are the constituents of granite and of primitive rocks, but in many parts of the world we find them on the low or undulating country at or near the

base of granite hills.* The same primitive or elementary rocks will be found running through the whole granite range and through several succeeding strata, but assuming different forms and usually becoming finer or smaller in grain till, on arriving at the secondary and tertiary formations, we find their particles so minute that they can only be detected by the agency of a magnifying glass, or so much altered in composition that the aid of Chemistry is requisite to determine the presence of the same chemical elements.

In the first verse of the first chapter of Genesis it is simply recorded, that "in the beginning God created the heaven and the earth," and in the second "the earth was without form and void and darkness was upon the face of the deep." It is commonly supposed that the mountains are the oldest parts of our globe, but if we examine almost any range carefully, we find the debris of older mountains at their base, and these appear to have been formed on the grandest scale with their constituent parts in the largest masses or crystals, each succeeding upheaval being composed of similar or other rocks of a finer grain and usually in smaller crystals. Now if we examine the level or low undulating country near the foot of granite hills, we find the elementary rocks composing granite, usually in huge masses, but more or less decayed and frequently covered by a thin stratum of soil. The Felspar in beds of 8 to 10 feet in thickness, Quartz in similar masses either hard and clear or in an opaque soft powder, Mica and Hornblende in smaller proportions but decayed and crumbly. This appears to be granite in its earliest form, though we cannot say whether it now occupies the position in which it was created or has been over-thrown from some previous mountain range. Bursting through this we find masses of granite in large or small crystals and more or less decayed on the surface according to the proportions of Felspar or Mica contained in the rock. There is a beautiful provision of nature for causing the decay of granites so as to lead to the formation of soil, clay, loam and sand. The Felspar, which forms nearly two-thirds of granite rocks, contains Potass, an Alkaline substance with a strong attraction for moisture or water. After a shower or a heavy night's dew, the moisture

is taken up by the Felspar and conveyed into the substance of the rock, a portion of the potass being dissolved out. After a time the remaining constituents of the Felspar, viz., the Silica and Alumina become crumbly and gradually fall into powder, called Kaolin or porcelain earth, or are washed into clay and soil. Quartz, which is the hardest part of granite, is also the least liable to change, it forms about one third of the whole constituents, and is the source from which much of the sand on the surface of the globe is derived. Mica the soft shining scaly part of granite is very liable to decay from constant damp; it passes into a greasy or soapy earth or loam.


As it may interest our readers to know the localities where some of the facts here detailed can be observed, we may mention that the elements of granite on a gigantic scale but in a state of decay occur on the banks of the Adyar river, near the Marmalong bridge, on the plains to the N. W. of Palaveram, at the base of the hills near Arcot, in most of the nullahs about Bangalore, and at the base of the hills in the Chingleput and Salem Districts. Bursting through these old granites we find the hard, durable, and equally crystalline varieties which form most of the present mountain ranges in Southern India; by reference to the accompanying table, the names, constituents and general characters of these granites will be seen at a glance. It is not possible to determine accurately their age, as the class of rocks we are now considering do not contain any remains of organised substances, and they appear to have been upheaved previous to the creation of vegetables or animals; all we can say is that those granites or rocks which have burst through others, are more recent than the rocks which have been burst through. The last kinds of granite which appear to have been formed are very small and almost granular in their composition, bordering upon the metamorphic and transition rocks which will next be described. Attempts have been made to divide granites and plutonian rocks into primitive, secondary and tertiary, in the same way as succeeding strata, but we have not sufficiently precise data for this arrangement.

* With the view of simplifying the study of Geology, we propose keeping the descriptions of the characters, chemical composition, geological position and general remarks upon rocks and minerals with their illustrations, separate and arranged in a tabular form for the convenience of reference.

The minerals which enter into the composition of granites are —


FELSPAR, QUARTZ, MICA AND HORNBLLENDE.

Felspar presents the following characters, it is rarely found in crystals, but usually in irregular masses that break into oblique four-sided prisms, usually dull on the ends but with a glistening appearance on one or both opposite sides, the fractures are straight and parallel, one of them oblique, the surfaces glisten more on the broad flat planes than on the sides. The form of the crystals is usually oblique, four-sided prisms, or rhombs bevelled at the extremities. It occurs of all colors, is softer than quartz, can be marked with steel, but scratches glass; it is frangible, rather heavy. Specific gravity 2.567. It melts into a semi-transparent enamel under a strong blast heat. This is the basis of porcelain and of fine glazes for table wares.




Felspar.

Constituent parts.	
Silica,	66
Alumina,	17
Lime,	1
Potass,	13
Oxide of Iron,	1
Water,	2




Crystals of Felspar.

Quartz occurs both massive and in crystals of all sizes and of a great variety of colors. It breaks into tabular, cubical, pyramidal, and conical masses; usually shining or glistening on the surface; the fracture is conchoidal in one direction, coarse and splintery in the others; occasionally it has a parallel fibrous fracture; but the surfaces are most frequently triangular on one side. This and the conchoidal fracture with the shining or translucent appearance, distinguish it from felspar. It crystallizes in hexagonal pyramids, is harder than felspar, cannot be scratched by steel, becomes opaque when heated but does not melt without addition. Specific gravity 2.650. It is nearly pure silica. Is much used in the bodies of Pottery and in making enamel and glass.




Quartz.




Crystals of Quartz.

Mica occurs usually in thin tabular plates or scales, resembling glass; it is rarely crystallized in four or six-sided short prisms or long six-sided pyramids.



Mica.



Crystals of Mica.

Constituent parts.	
Silica,.....	47.00
Alumina,.....	22.00
Oxide of Iron,.....	15.50
Oxide of Manganese,	1.75
Potass,.....	13.50
Loss by heating,.....	0.25


It is easily split into thin laminæ and melts before the blow-pipe into a greyish spongy glass; it is

soft, pliant and easily scratched, it splits easily in one direction; its colors are white, yellow, brown and black. Specific gravity 2.654.

Hornblende occurs most frequently in small dark colored grains or crystals



Hornblende.



Crystals of Hornblende.

Constituent parts.

Silica,.....	42.24
Alumina,.....	13.62
Lime,.....	12.24
Magnesia,.....	13.74
Oxide of Iron,.....	14.59
Protoxide of Manganese,...	0.33
Water and loss,...	2.94

embedded in other rocks, the form of the crystals is usually very oblique, foursided prisms often found in pairs, rarely it occurs in six-sided prisms. It also forms large masses of a greenish black or dark-brown color, greenish grey in the streak; it is semi-hard and breaks into long quadrangular pieces, the fracture is shining coarse and granular; it is rather brittle and melts into a greyish black glass before the blowpipe. Specific gravity 3.202.

TABLE OF GRANITES.

Varieties.	Constituents.	Localities.	REMARKS.
Common Granite.	Felspar, Quartz, Mica, Hornblende.	Bangalore, Vizianagram, Naggery.	Elements. Silica, Alumina, Magnesia, Lime, Soda, Potass and Iron.
Porphyritic Granite.	Felspar in large Crystals, Quartz and Mica or Hornblende.	Hyderabad, Bangalore, Seringapatam	This is an ornamental rock well suited for pedestals and slabs.
Gneiss or Stratified Granite.	Felspar, Quartz, Mica with specks of Hornblende.	Bangalore, Bellary.	Much used as a building stone and as posts for the Electric Telegraph.
Graphic or Laminar Granite.	Felspar and Quartz in Laminæ.	Cuddapah, Ootacamund.	A rare form of Granite.
Syenitic Granite.	Quartz, Felspar and Hornblende.	Bellary, Cuddapah, Chingleput, Hyderabad.	Some varieties ornamental, a useful building rock.
Talcose Granite, or Protogine of the French.	Felspar, Quartz and Tale.	Nellore, Salem.	Too irregular in hardness to be of much use.
Schorly Granite.	Schorl, Felspar, Quartz and Mica.	Vizianagram, Mysore, Nellore.	A brittle splintery Granite.
Eurite or fine granular Granite.	Felspar, Quartz and Mica.	Bangalore, Chingleput.	A compact durable rock like sandstone.
Pegmatite or Binary Granite.	Quartz and Felspar.	Arcot, Chingleput, Bangalore.	Much used in Pottery and in Glazes.

Granites are often found in a state of decay in the localities in which they have been first formed; various causes lead to this change, thus Felspar is acted upon by moisture and by alternations of temperature; Mica is acted upon by moisture; Quartz by Lime in solution, the silicic acid of the Quartz having a great tendency to combine with the Lime. Carbonic acid generated in the earth or taken down by rain assists materially in dissolving the Lime contained in the Felspar, and other portions of crystalline lime that are frequently associated with granites. The frequent changes in the Electric condition of the atmosphere and of the earth act upon all the constituents of granite, but more particularly upon the Hornblende which contains the oxide of iron in considerable proportion: this and the Alumina of both the Felspar and Hornblende swell

with moisture and contract on drying, but the most extraordinary change that occurs in old granites and which has not yet been accounted for, is Quartz passing into an opaque soft pulverulent mass. Lyell and others attempt to explain it by the evolution of Carbonic acid gas from under ground, but it appears to be more probably due to the Electricity of the earth. Felspar in decaying forms Kaolin or Porcelain earth. Quartz is little liable to decay, but occasionally passes into a substance resembling Tripoli, but a pure silicious powder without organization. Mica decays into a yellow, brown, or green soapy earth, and Hornblende into a brownish powdery loam. These must not be confounded with the Schists and Transition formations which will be noticed in Part 2.

PRACTICAL GEOLOGY.

PART II.

SILURIAN SERIES OF ROCKS AND FOSSILS.

Resting upon the Crystalline Granites and Igneous or Volcanic rocks we find a series of strata formerly called Transition, but now called Silurian, and consisting chiefly of slates, sandstones and shales. This group is divided into the Lower Silurian consisting of dark red or purple calcareous flag stones, in which are found remains of small fishes of the shark tribe, several genera of the remarkable group of Trilobites, as Fig. 1. *Paradoxides spinulosus* Fig. 2. *Trinucleus pongerardi*, some worms as Fig. 3. *Nereites cambriensis*, some sea weeds, a number of chambered shells resembling the Nautilus, as Fig. 4. *Lituites cornuarietis*, some univalve and bivalve shells, several Echinoderms (Star fishes &c.) and some of the two principal groups of Coral Animals as Fig. 5.—*Hemicosmites pyriformis*. Up to this period, the other kinds of fishes, and all quadrupeds and reptiles, and a large proportion of the best known and abundantly represented generic forms of the invertebrated animals, have not been detected.




Fig. 1. *Paradoxides spinulosus*,




Fig. 2. *Trinucleus pongerardi*.


Fig. 3, *Nereites Cambriensis*.Fig. 4, *Lituities Cornuarietis*.Fig. 5, *Hemicosmites Pyriformis*.

Fig. 6, Do.

The Trilobites, Figs. 1 and 2, were singular crustacea living in the ancient seas in great numbers, and capable it would seem of either floating with their backs downwards from the surface of shallow water, or burying themselves in mud at the bottom. Some of the Marine worms differ but slightly from those still found on sea shores. Many extensive tracts occupied with Lower Silurian rocks have hitherto yielded no fossils whatever: in other cases organic remains are rare, but there are many districts where they are abundant. The modifications and metamorphoses of the Lower Silurian rocks are often very considerable, Clays having been converted into Slates, Limestones into Marble, and Sands into Quartz rock. In the crevices are numerous veins often filled with metals and not unfrequently metallic sulphurets, containing a marked proportion of gold. The slates, sandstones and shales of the Bellary, Cuddapah, Nundial and Mysore districts ought to be carefully searched for Fossils of the Lower silurian group.

THE UPPER SILURIAN SERIES.

This consists chiefly of Tilestones or finely laminated reddish and greenish sandstones and shales, which usually rest upon micaceous Sandstone, argillaceous Lime, and Shale, to which the name of the Ludlow group is given in England. These rest upon concretionary or Mountain Limestone and argillaceous Shale called, the Wenlock group. The Limestones of the series are loaded with clayey matter and the shales are very calcareous, so that the whole may be regarded as an impure mud deposit, which has since undergone change. The characteristic Fossils of the upper Silurian rocks are Trilobites of the genus *Calymene*, Fig. 7. Corals of a peculiar kind, *Cyathophyllum Coespitosum*, Fig 8, and some interesting radiated animals called Encrinites, of the genera *Hypanthocrinites* and *Dimerocrinites*, Fig 9. besides univalve shells of the genera *Leptaena*, Fig 12, and *Pentamerus* Fig 13. The remains of fishes are rare in the Silurian rocks, but they have been found in some localities in considerable abundance. No indications of reptiles have yet been met with in this group, and this agrees beautifully with the Mosaic account of the creation detailed from the 20th to the 23^d verse of the first chapter of Genesis; it is probable that the

fifth period, or day, corresponds with the creation of the Primitive formations as far as the end of the next series the Devonian or old Red sandstone, in which no remains of air breathing animals have yet been discovered. The silurian strata attain in some places to a great thickness, the upper beds being occasionally 8,000 to 9,000 feet, and the lower, with the associated Slates and Greenstones or Traprocks, 15,000 feet.



Fig. 7, Calymene.




Fig. 8, Cyathophyllum Coespitosum.



Fig. 9, Hypanthocrinites & Dimerocrinites.



Fig. 10. Lingula.



Fig. 12, Leptæna.



Fig. 11, Lingula.



Fig. 13, Pentamerus.




1.
*Scale of
Holopterychus*



2.
*Head-bone of Cephalaspis
and Scales.*



3.
*Eggs of gastropodous
mollusk.*



4.
*Fucoids and Eggs
of mollusk*



5.
Spawn of Natica.



6.
Pterichthys.

*Fossils of the
Old Red Sandstone.*

PRACTICAL GEOLOGY.


PART III.

THE OLD RED SANDSTONE SERIES.

Immediately above the Silurian strata we find a series consisting chiefly of dark red or purple sandstone, conglomerate, and shale with few fossils. The upper part of this formation, when it crops out of the ground, is frequently a coarse quartzose conglomerate, resting upon finer grained chocolate red and green sandstone and marl, under these are layers of red and green argillaceous spotted marls, with irregular courses of impure concretionary limestone, called sometimes cornstone. Fossils are extremely rare in the clays and sandstones in which the red oxide of iron prevails, but the remains of fishes of the genera *Cephalaspis* and *Onchus* have been found in the cornstone. The old red sandstone sometimes rests upon the granite rocks without the intervention of the Silurian strata, occasionally the two are blended so as to be distinguished with difficulty. The red and mottled marls occasionally contain the remains of gigantic fish of the genus *Holoptychius*. The scales of this fish are occasionally from two to three inches in size. One of them is figured in the accompanying plate. Immediately under the conglomerates there are occasionally found remains of a curious kind of fish called the Bucklerhead or *Cephalaspis*, and in the sandstones or paving stones, which form the next strata, the remains of marine plants or fucoids abound; these fucoids are occasionally interspersed with the eggs of Gasteropodous Mollusks, bearing a great resemblance to the spawn of living species of *Natica*, often seen deposited in recent layers of sand. Under the beds of dark red shale and sandstone are sometimes found slaty grey sandstones, containing the remains of ganoid fish of the genera *Pterichthys* or winged fish, *Coccosteus*, *Cheiracanthus*, &c., characterised by having bony enamelled scales and wing like appendages. The name of Devonian is sometimes given to the old red sandstone formations, as they abound in Devonshire.

There are considerable differences in this series of formations in different countries: thus they occasionally consist of sandy, muddy, and slaty beds, resting on Silurian strata, and containing corals, shells and trilobites. At other times of vast masses of rolled materials consisting of quartz, pebbles, gravel, and sandstone, resting upon granite and intersected by occasional bands containing the remains of fishes. The coarse sandy and gritty strata seldom contain fossil remains. Occasionally the strata consist of chlorite or roofing slates alternating with hard quartzose slates, sandstones and blue lime. The fish of this period seem all to have been odd and uncouth, with a bony outward framework. The accompanying,

Fig. 1,—*Pterichthys Cornutus*, shows the large size of these bony plates. The jaws were provided with sharp pointed teeth, the head inclosed in a cartilaginous box coated with enamel, the scales on the body are so disproportionately large that they do not exceed six in number between the head and tail. These fishes probably swam rapidly and inhabited deep seas, but they were of small size and few genera of them have yet been detected; similar tribes of



Pterichthys Cornutus.

larger size, and more powerful, appeared towards the close of this period. Among the corals we find the genera *Favosites* and *Cyathophyllum* on the one hand common to the Mountain limestone, and on the other to the Silurian; Fig. 2.—*Auropora serpens* is also common. In regard to the shells, all the brachiopodous genera as *Terebratula*, *Orthis*, *Spirifer*, *Atrypa*, and *Productus*, which, are found in the mountain limestone, occur together with those of the Silurian system, except *Pentamerus*.—*Leptaena lepis* Fig. 3. is one of this class.



Fig. 2, *Auropora serpens*.



Fig. 3, *Leptaena lepis*.

Among the Cephalopoda we find Fig. 4.—Clymenia, also Belerophon and Orthoceras as in the Silurian and Carboniferous groups, Fig. 5.—Turbo subcostatus. Fig. 6.—Pentremitea and Fig. 7.—Conularia Ornata also belong to the old Red Sandstone. Up to this period there are no indications of land plants or animals.




Fig. 4, Clymenia.




Fig. 5, Turbo subcostatus.



Fig. 6, Pentremitea.




Fig. 7, Conularia Ornata.

PRACTICAL GEOLOGY.

PART IV.

MOUNTAIN LIMESTONE.

This is also called Carboniferous Limestone, as it is usually associated with the Coal measures, or alternates with the shales and sandstone of the lower part of the Coal, while it rests upon the old Red Sandstone or Silurian strata. The line of demarcation between these strata is by no means distinct, and they often pass into each other, or are nearly lost by the excess of one or other formation. Thus the old Red Sandstone is sometimes wanting and the Mountain Limestone rests on Silurian strata; or these may be deficient and the red Sandstone will be found resting on the granite.

The Mountain Limestone is often rich in Fossil remains, though occasionally it is destitute of them. Corals are the most abundant, and these are often of a large size.

Crinoidea are also abundant, as Fig. 1, Encrinital stems, and Fig. 2, Cyathocrinites and Hypanthocrinites, already figured, in the upper Silurian series.



Fig. 1, Encrinital stems.





Fig. 2, Cyathocrinites.





Among the Brachiopoda are *Spirifer Hystericus* Fig. 3. and the extinct genus *Leptaena* now called *Productus*. Of the spiral univalve shells the extinct genus *Euomphalus* is also common; this differs from the nautilus in having no siphuncle or perforation between the divisions.

Fig. 3, *Spirifer Hystericus*.

There are several univalve and bivalve shells of existing genera as *Turritella*, *Buccinum*, *Patella*, *Isocardia*, *Nucula* and *Pecten*. Fig. 4. *Fusulina cylindrica* is of frequent occurrence in the Mountain Limestone.

Fig. 4, *Fusulina Cylindrica*.

Of the class Cephalopoda the *Orthoceratite*, Fig. 5, a Siphuncled and chambered shell like a straight Nautilus is abundant. The genera, *Goniatites*, Fig. 6, and *Bellerophon*, Fig. 7, are also abundant, and are not found in strata of later date. The shell of the latter, *B. costatus*, is without chambers and resembles the living Argonaut: of the same class is the *Nautilus Koninchii*, Fig. 8. Of the Class of Trilobites a small circular species *Limulus rotundus*, Fig. 9, is not uncommon. The *Chonetes Dalmaniana* Fig. 10. is also confined to this formation. As yet we do not come to the remains of any land plants or air breathing animals, though the next series the Carboniferous or Coal bearing abounds with vegetable life.

Fig. 5, *Orthoceratite*.Fig. 6, *Goniatites*.Fig. 7, *Bellerophon*.Fig. 8, *Nautilus Koninchii*.Fig. 9, *Limulus Rotundus*.Fig. 10, *Chonetes Dalmaniana*.

The Mountain Limestone sometimes acquires a thickness of from 2 to 3,000 feet. Those varieties that do not contain Fossil remains often abound in Sulphurets of Iron, Lead and Copper. The Localities in this Presidency where this formation is likely to occur are the Naggery range of Hills and parts of the Nellore and Cuddapah Districts.

PRACTICAL GEOLOGY.

PART V.

THE COAL FORMATIONS OR CARBONIFEROUS STRATA.

Of all Geological formations this is perhaps the most interesting and important to man whether we consider the value of the Coal, the Iron, Lime and Fireclays which they produce, or the peculiarity of the fossil remains which differ most materially from those of the other formations and consist chiefly of Tree Ferns, gigantic Arborescent reeds, and Club mosses.

Some geologists divide the Carboniferous strata into three sections. The uppermost of which the coal measures consists of shale, sandstone, and grit, interspersed with coal in seams. The next section is millstone grit a coarse quartzose sandstone passing into conglomerate and usually devoid of coal. The lowest section is the Mountain or Carboniferous Limestone already described, as containing marine shells and corals but no coal. This division of the Carboniferous group appears however to be more suited to the Geology of England than to that of most other countries, as the Millstone grit and the Mountain Limestone seldom attain the thickness that we find them acquiring in parts of Great Britain. One peculiarity of the Coal measures is the regular parallel succession of strata of sandstone, shale, coal and clay, with occasional bands of Iron and Lime, the two latter are not invariably met with, but each seam of coal is covered by sandstone and shale while it rests upon a bed of clay; in some districts as many as 200 alternate strata of various thickness have been counted, but when so numerous the seams of coal amongst them are seldom of any great thickness.

The number of Carboniferous fossil plants already described amounts to upwards of 500 species; many of these are ferns, some of which and of the Coniferæ bear a striking resemblance to species now existing; the other fossils of this class are very unlike existing genera or species.

Among the ferns are *Pecopteris* Fig. 1, and *Sphenopteris* Fig. 2, *a. b.* which resemble ordinary European Ferns in size and in the general appearance of the fronds. Others like Fig. 3, *Caulopteris*, were large and arborescent with scars or cicatrices left after the fall of the fronds.

(See Copper Plate Illustration.)

FERNS OF THE COAL FORMATIONS.

Another form of fossil, very abundant in the Coal formations, is the *Lepidodendron* Fig. 4, a tree Fern with delicate diamond shaped tracery on the stem and elegant luxuriant waving fronds. These Ferns attained a height of 40 to 60 feet and belong to the family of *Lycopodiums*, the largest of which now living seldom attains a greater length than 3 feet.

The accompanying illustrations Figs 5 and 6 show the characters of the stem and fronds of the genus





Fig. 4. *Lepidodendron*.



Lepidodendron Fig. 5. Fig. 6.



1.
Pecopteris.



2.
Sphenopteris.



3.
Caulopteris.




6.
Bark natural size



4.
Lepidodendron.




5.
Bark & leaves of D.



8.
Calamite




7.
Lepidostrobilus.



9.
Calamite.



10.
Asterophyllites




11.
Sigillaria.



12.
Stigmara.


Fossil Ferns
of the
Coal formations.




Lepidodendron and Fig 7 the general appearance of the Tree fern. Along with these are frequently found elongated bodies called fossil cones, Fig. 7 *a.* to which the name of *Lepidostrobus* has been applied: these are considered to be the fruit of the *Lepidodendron*. Another family nearly allied to the living *Equisetites* but attaining to a much more gigantic size is the *Calamites* (Fig. 8, and 9, of copper plate illustration;) some of which differ from the common recent horse tail in having jointed stems and a thin cuticle which, when removed as in Fig. 9, shows a pattern differing from the striped external appearance of the Fossil. The *calamites* of the coal, sometimes acquired the height of small trees. Another form of Tree fern nearly allied to the last is the *Calamodendron*,



Fig 7. Tree Fern.

Fig. 7, *a.* *Lepidostrobus*.Fig. 8, *Calamite*.

and an elegant genus, the *Asterophyllites*, Fig. 10, which, from its pith and medullary rays, appears to have been a dicotyledonous plant. A large portion of the trees of this period belong to the extinct genus *Sigilaria*, the bark of which is marked with cicatrices resembling the stamps of seals, Figs. 11 and 12—hence the name; they had long linear leaves and an internal organization resembling the *Cycadæ*; they attained a height of from 30 to 70 feet. Their roots which present a different appearance were long known under the name of *Stigmariæ* and supposed to be a different plant. Fig 13 represents the *Stigmaria ficoides* about $\frac{1}{4}$ th the natural size. Fig. 14, *Sphenophyllum dentatum* is an elegant plant of the Coal formations. The Fossil trees of these formations all belong to the

Fig. 13, *Stigmaria Ficoides*.Fig. 14, *Sphenophyllum dentatum*.

Class of *Endogens* or *Monocotyledons* and to the *Acrogens* or *Cryptogamous Tree Ferns*. The entire absence of *Exogens* or *Dicotyledons* the common Trees now living is remarkable.

PRACTICAL GEOLOGY.

PART VI.

THE PERMIAN OR MAGNESIAN LIMESTONE GROUP.

The term Permian is derived from Perm a district in Russia where the strata are more largely developed than elsewhere. The Magnesian Limestones of this group vary much in color, character and general appearance. The upper strata are frequently of a pale grey, pink, yellow or white color, either crystalline or concretionary. These are followed by a compact non-crystalline limestone, varying in color from yellowish grey to brown or black. These usually rest upon layers of brecciated amygdaloidal or plumpudding looking limestone of grey or reddish brown colors. Under these are compact grey flinty looking Limestones called Dolomites which frequently pass into a flinty slate or a coarse Marly slate. The lowest stratum of the series is generally Magnesian sandstone of different colors, dark, red, purple, or black. Various Fossil remains occur in these strata, but the whole Permian series is less prolific in fossils than the new red sandstones which occur above and the coal measures which are usually found immediately below the Magnesian Limestones. There are two satisfactory reasons to account for the comparative paucity of fossils; one is, that the upper parts of the strata often contain metallic sulphurets as those of Lead, Iron, and Copper which prove injurious to animal life, and Magnesia in large quantities is equally destructive of vegetable life. The fossils which occur in the upper pale colored crystalline or concretionary strata are shells of the genera *Schizodus* and *Mytilus* Nos. 1, 2 and 3. The succeeding compact non-crystalline Limestones which usually contain sulphurets of metals and the brecciated strata are almost destitute of fossils. The next strata which consist of compact slaty limestones and dark Dolomites contain a few fossil corals like the accompanying. Nos. 4 and 5 *Fenestella* and shells of the genera *Productus* No. 6 and *Spirifer* No. 7. The Marl slates usually contain the remains of fish of the genera *Palæoniscus*, Fig. 8, *Pygopterus*, *Acrolepis* &c. nearly all characterized by having Heterocercal or unequally lobed tails. There is a great variety in the scales of the Fish found in these Marl Slates. Magnified representations of some of them are shown, Figs. 11 to 17. In the Dolomitic conglomerates there are frequently found broken pieces of bones and teeth of large reptiles of the genera *Thecodontosaurus* and *Palæosaurus*. These teeth, Nos. 9 and 10, are conical in form, compressed, and with finely serrated edges. The inferior sandstones which separate the Marly Slates and Magnesian Limestones from the coal formations

are usually rich in fossil plants nearly allied to those of the true Carboniferous Series as Cycadeae and Coniferae of the Araucarian division, one of these, No. 18, *Noeggerathia*, is here figured; it is supposed to be allied to Cycas a Tree Fern.

As regards the economic uses of these Limestones the upper strata may be considered as the great depositories of some of our most useful Metals, as Copper, Lead, Silver, Zinc, and Iron pyrites. The compact non Crystalline Limestones are found to be suited for Lithographic purposes and sharpening stones. The coarser varieties for paving and building purposes, while the greater part of the limestones and sandstones are suitable for building purposes, and are found to be very durable, while those containing above 20 per cent of magnesia and the dark Dolomites, yield excellent Hydraulic mortar, that sets under water and does not suffer from exposure to sea air. Magnesian Limestones are known to occur over a large extent of country in the Cuddapah, Kurnool, Bellary and Guntur districts, from which they extend across the country to Kaludgee, Hurryhur and the Southern Maharatta Districts. The upper strata as above described, have, in the Cuddapah and Kurnool Districts, been found to be rich in Lead, Silver, and Iron Pyrites, with here and there traces of Copper and Zinc. Lithographic and sharpening stones are also plentiful and several of the Limes and Dolomites have been tested and found to be possessed of excellent hydraulic properties, but as yet few of the Fossils of the series have been found in this Presidency. Black Limestones, Dolomites and Plumpudding like stones have however been found at Koondopalpaud near Gooty, Cuddapah, Tarpur, Nundial and Dhone near Kurnool, and at Godepaud, Nerdicherla and Booragul in Bellary. All these Limestones, except the one from Nundial, owe their color to Carbonaceous matter, and burn to a white, hence the presumption is that they may rest on the true Coal formations, as they do in most other countries; but in order to determine this, Fossils must be found. A reward of 10 Rs. will be given to any one who produces any of the above fossils in Magnesian Limestones or Sandstones in the Madras Presidency, and a reward of 50 Rs. to any one who produces fossils of the true Carboniferous series and will show the locality where they were found. The specimens to be sent to the Madras School of Arts, Vepery.



1.
Schizodus




2.
hinge of D.



3.
Mytilus



4.
D. Magnified



5.
Fenestella Reliiformes




6.
Productus



7.
Spirifer



9.
*Tooth of
Paleosaurus*



8.
Paleoniscus



10.
*Tooth of
Thecodontosaurus*




11.



12.

*Scales of
Paleoniscus
magnified.*



15.



16.
Calceanthus



18.

*Fossils of the
Permian or Magnesian group*



13.



14.

*Scales of
Pygopterus*



17.

*Scale of
Acrolepis*

PRACTICAL GEOLOGY.

PART VII.

NEW RED SANDSTONE SERIES.

Resting upon the Magnesian Limestone or Permian series, we find a succession of strata sometimes of great thickness, and composed chiefly of sandstones, grey shales and red or yellow loams. This has also been called the Poikilitic or variegated strata, from their exhibiting spots and streaks of light blue, green and buff color in a red base. In some countries, as Germany and Southern India, these strata are much more developed than in others. They have been subdivided into three classes.

1. The saliferous or Keuper of the Germans, consisting of Gypsum, Land salt, shales, and sandstones.

2. The Muschelkalk, a limestone frequently containing Magnesia, and full of large and small fossil shells of the Mussel genus, from which it derives its name (this stratum is wholly wanting in England).

3rd. Sandstone and quartz conglomerate or Roestone, the Buntersandstein of the Germans.

The name of Trias or triple group has been applied to the New Red sandstone of Germany, as it there presents the above three well marked divisions. The saliferous or Keuper, consists chiefly of beds of sandstone with thin strata of Gypsum, Land or Rock salt, red marble, and grey slate clay. It contains the remains of reptiles as the Labyrinthodon Fig. 1. The remains of Turtles. The detached teeth of placoid fish and scales of the genera Saurichthys and Gyrolepis. The plants consist of ferns, Cycadeæ and Coniferæ with a few Equisetaceæ and doubtful Monocotyledons.

The Muschelkalk consists of yellow and grey compact Limestone without Belemnites or Ammonites which are plentiful in the incumbent strata but a genus allied to the ammonite called Ceratite Fig. 2, which has only small denticulations and not the large foliated sutures of the Ammonite. Among the Bivalve shells are the Posidonia Minuta, Fig. 3. and Avicula socialis Fig. 4, which range through the whole series of Keuper, Muschelkalk and Bunter sandstein. The heads and stems of the Lily Encrinure Fig 5, are also met with. The starfishes or Uraster Fig 6, are also peculiar and some of the univalve Shells as Lottia lineata Fig. 7, or the Triassic limpet and bivalve shells as Myophoria lineata Fig. 8. These are sufficiently distinct to be easily recognised.




Fig. 1, Labyrinthodon.


Fig. 2.
Ceratite.Fig. 3.
Posidonia minuta.Fig. 4.
Avicula socialis.

Fig. 5, Lily Encrinure.




Fig. 6, Uraster or starfish.




Fig. 7, Lottia lineata.



Fig. 8, Myophoria lineata.

Among the zoophytes the *Stellispongia variabilis* Fig. 9, and a few other species are plentiful.

The Bunter sandstein consists of various colored sandstones, dolomites and red clays with occasionally beds of calcareous pisolite or roestone: the plants are coniferae of the extinct genus *Voltzia* Fig. 10, Cycadeae and Ferns; the foot prints of the *Labyrinthodon* are also found on the upper surface of these beds. The lower strata do not contain many Fossils and they pass into the Magnesian Limestone or Permian series.

In the New red sandstone of England there occurs a dark colored stratum known as the bone bed, and containing the remains of Saurians and the teeth of Fish of the genera *Hybodus*, Fig 11 and 12 *Acrodus*, *Gyrolepis* and *Saurichthys*, spines of the *Hybodus* called *Icthyodorulites* Fig. 13 are also common. The sandstones below these strata are often destitute of Fossils to a considerable thickness. In Great Britain the lower part of the series or what corresponds to the Bunter Sandstein attains often a thickness of 600 feet and consists of red and green shales, and red sandstones, resting upon thick beds of white quartzose Sandstone in which are occasionally found the trunks of silicified Trees. These are in fact the quarries from which much of the building stone called freestone is obtained. This is the first or earliest formation in which we find the remains of air breathing animals and corresponds probably with the beginning of the sixth day of the Mosaic account in the 24th verse of the 1st Chapter of Genesis. We have already seen that the remains of fish and crustaceans inhabiting the seas are plentiful amongst strata of older date.



Fig. 9, *Stellispongia variabilis*.



Fig. 10, *Voltzia*.



Fig. 11, Teeth of *Hybodus*.



Fig. 12, Teeth of *Acrodus*.



Fig. 13, *Icthyodorulites*.

The Madras Presidency abounds with sandstones, many of which present the general characters and outward appearance of these belonging to the New Red sandstone formations, but their relative age has not in many instances been determined from the absence of Fossil remains. If we except the remains of Fossil Trees found in a few of the sandstone quarries in Great Britain, this series of strata will be found to be nearly destitute of Fossils, which are chiefly found in the layers of Marl, clay slate or calcareous lime which intersect the strata of sandstone. Attempts have been made by Benza, Newbold and other geologists to establish a new class out of the Diamond sandstones so abundant in the Guntoor, Masulipatam, Hyderabad and the Ceded Districts, but the probability is, that if the strata below them and particularly the limestones were carefully searched, Fossils would be found, from which the relative age of these sandstones might be determined; the existence of Diamonds in these strata proves that carbonaceous matter in some form occurs below them, and as a few of the sandstones are very compact, and bear a close resemblance to those of the New Red sandstone series, it is not improbable that coal might be found under them: another fact which strengthens this belief, is, that the same districts which yield the Diamond sandstones are those in which Magnesian Limestones which usually rest upon coal are so plentiful. Variegated sandstones resembling the Saliferous or Keuper occur plentifully in the Cuddapah, Mysore, Bellary, and south Arcot Districts where they are usually accompanied by Gypsum and land salt. An extensive bed of the Muschelchalk with some of the fossils above described occurs at

Ootatoor and a stratum resembling the bone bed between this and Trichinopoly. A black slaty substance resembling Parrot Coal was found between Ootatoor and Vellum by the late J. T. Boileau Esp. and was sent to the London Exhibition of 1851. Sandstone and Quartz conglomerates resembling the New Red sandstone, Millstone grit, and roestone occur in the Cuddapah, Bellary and Kurnool Districts, where further search for fossils should be made. The great object aimed at in publishing these illustrated articles on Practical Geology was to try to induce parties to make a proper search for coal in the Madras Presidency. The above series which describe and illustrate the fossils and strata nearest to the coal, have been prepared with the view of communicating information on this subject.

ALEX. HUNTER,
Reporter.

CLASS III.

REPORT ON SUBSTANCES USED FOR FOOD.

Lieutenant Colonel A. McCALLY.

Colonel F. A. REID, C. B.

H. A. MURRAY, Esq.

J. BINNY KEY, Esq.

Lieutenant Colonel G. TALBOT.

R. BURGASS, Esq.

Major H. J. NICHOLLS.

W. EVANS, Esq., M. D.

J. E. MAYER, Esq., *Reporter*.

J. GOLDINGHAM, Esq.

A. T. JAFFREY, Esq.

The execution of the duties confided to the Jury appointed for Class III was in the outset considerably retarded by the absence of any Catalogue, except that, drawn up for Districts, which it was found could afford but little assistance. Two Meetings were held, but from the cause named, together with the difficulty of finding the sample which were placed, some here, and some there, the Jury were compelled to relinquish further attempts until a Class Catalogue could be procured, or until some order, that would permit of viewing all the samples of one kind together, could be determined on. After an interval of more than a month, seeing that it had been resolved to close the Exhibition, the President and the Reporter, who had at the last meeting of this Jury, been requested to prepare a rough report, determined to do what was in their power. They met at the Hall and employed several days in arranging with their own hands and in counting, comparing, and valuing every sample of Grain in Ear, in Husk, and in the prepared state—the same labour was gone through with the Pulses, the starches, the sugars, Jaggies and syrups, with the Coffee, Wines &c. In forming their judgment, especially with respect to the Rice and Paddy—the Sub Jury were assisted materially by two Native Grain Dealers, who attended at the request of Colonel McCally, and by Native Surgeon Appavoo, Assistant to the Professor of Botany in the Madras Medical College. In deciding on the quality of Rice, it was evident that the Native Dealers attached a superior quality and value to the smaller and whiter varieties; but whether fashion and Eastern ideas of high caste and what is fit for high caste, may not have had more weight in these valuations, than any real superiority in these varieties of rice, remains to be decided. As a means of repairing animal

tissue, the value of Rice, as well as of all other grains when considered as food will depend on the percentage amount of albuminous matter present: the question is therefore, whether the smaller varieties of rice contain a higher percentage of albuminous matter than the larger kinds. That fashion or a peculiar education of the palate gives a fictitious preference to one kind of grain over another is clear from the well ascertained fact, that rice is esteemed in India and other parts of Asia more highly than Wheat, Cumboo, Cholum, Ragee, &c yet as will be seen hereafter every one of these grains contains a larger percentage of strictly nutritious matter, i. e. matter capable of repairing the animal tissues.

The Tabular form of exhibiting results being the most concise, as well as in many cases, where comparison is required, the best, a series of Tables, has been drawn out. The first of these, shews merely, the names of the different kinds of food affording substances, with the number of samples under each name. The positive information conveyed by this table is therefore very limited. Not so however, the negative; as it proves at a glance that the innumerable host of European Fish meat and Fowl, whether potted, pickled, smoked, salted, dried, or preserved fresh, with all the soups and bouillies, cheeses &c. are not included in the Indian or Hindoo category of substances employed as Food: neither milk, butter nor eggs find place in this list. In a word there is nothing to be found belonging to the animal kingdom—all here is derived from the vegetable, or primary, division of organized nature—so aptly designated by Liebig, as the living workshop, in which the food of animals is prepared, and in which unorganized mineral substances, are converted into parts of living organisms.

TABLE No. 1.

ARTICLES.	No. of specimens	REMARKS.
Grains,	1,014	* Thus it appears that nearly 1,400 samples of vegetable substances, more or less generally employed as Food, have come under the observation of the Jury appointed to report on this class.
Starches,	74	
Sugars,	66	
Spices, &c.,	171	
Substances employed in forming Drinks, such as Coffee, Tea, Cocoa,	33	
Intoxicating Drugs,	16	
Do. Liquors,	16	
* Grand Total...	1,390	

TABLE No. 2.

Showing varieties under each heading.

Table No. 2 shews not merely names and numbers in gross, but varieties under each name, and the numbers of these varieties that go to make up the Total shewn in Table No. 1.

CEREALS.	Varie- ties.	PULSES.	Varie- ties.
Paddy (<i>Oryza sativa</i> ,)	525	Cassia Bark	2
Wheat (<i>Triticum</i> ,)	25	„ Buds	1
Barley. <i>Hordeum vulgare</i> ,	1	Cloves	8
Maize, <i>Zea-Mays</i> ,	28	Cardamoms	14
Great Millet or Cholum (<i>Sorghum vulgare</i> ,)	56	Coriander	14
Andropogon or black Cholum,	3	Chillies	9
Tenay or Italian Millet <i>P. Italicum</i> ,	21	Black Pepper	12
Sawmay (<i>Panicum miliare</i> ,)	25	White Pepper	5
Caday-canny or Little Millet,	8	Betel leaf	1
Pil-arisee or Little Millet,	13	„ Nut	22
Varagoo or Little Millet (<i>Primiliaceum</i> ,)	30	Ginger	9
Raggy Eleusive Coracana,	28	Turmeric	3
Cumboo-Spiked (Millet <i>P. Spicata</i> ,)	26	Fenugreek	12
Bamboorico (<i>Bambusa</i> ,)	3	Cummin-seed	10
Grass-corn,	1	Dholl-Toovaray <i>Cajanus Indicus</i> ,	35
SUBSTANCES USED TO MAKE DRINKS.		Oolundoo or Mash. (<i>Phaseolus radiatus</i> ,)	16
Coffee,	31	Green gram or moong (<i>Phaseolus mungo</i> ,)	33
Tea,	1	Gram-Coolthi (<i>Dolichos uniflorus</i> ,)	24
Cocoa,	1	Mussoor (<i>Ervum lens</i> ,)	2
Intoxicating Drugs &c.		Wild Gram,	15
Tobacco,	14	Peas (<i>Pisum Sativum</i> ,)	7
Ganjah.	2	Bengal Gram (<i>Cicer arietinum</i> ,)	30
Wine and Spirit,	6	Buller (<i>Lablab vulgaris</i> ,)	20
Spirituous drinks	7	Caramany (<i>Lablab cultratum</i> ,)	29
Vinegar	3	Beans,	7
Spices, Condiments &c.		Raj-Jeera (<i>Amarantus</i> ,)	3
Nutmegs	10	Starches.	
Cinnamon	6	East Indian Arrowroots,	3
		32 Tapioca,	1
		West Indian Arrowroots,	2
		Other Samples,	21
			27

TABLE No. 4.

Shewing the number of Samples of Paddy grown in the different Districts named below.

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise with remarks by the General Committee.
Bellary, ...	2	Local Committee,...	{ Stated to be 1st and 2nd sort. The Local Committee report that various sorts of Paddy are abundantly cultivated in this District.	
Chingleput, ...	51 & 31	Rungacharloo and others ...	{ Some fine and some inferior specimens. Manuary sumba best.	
Coimbatore, ...	1	Kistniah ...	{ The specimen exhibited is Bamboo paddy.	
Hyderabad, ...	13	Captain Taylor, ..	All good—the best is red Paddy.	
Madras, ...	5	Ramasawmy Chetty,	The best is kada Calthaim.	
Tinnevelly, ...	10 & 1	Vatudavoo & others,	{ All of good quality—the best Anny Comboo.	
Malabar, ...	8	{ Inferior quality.—Rajamunny, is said to be the best.	
Do. ...	12	Mr. B... ..		
Do. ...	2	Do,		
Masulipatam,...	12 & 2	Local Committee,	All good—the best is Ragavoloo Paddy.	
Pooddoocottah,	4	Tondiman Rajah,	All inferior.	
Tanjore, ...	190	Hurry Row, ...	{ Of all the samples, which are generally very good, that called venthia sumba is regarded as the best: it is considered most agreeable to the taste. As a whole, this collection surpasses all the others.	
Travancore, ...	65 & 22	Local Committee,	{ Of all these, Seeraga sumba is the best—it is said to be of delicate flavor. This collection ranks second.	
Paulghaut,...	44	Nellicherry Seevaram	{ Rajahnum Paddy, said to be very delicious in flavor, as a whole about equal to the quality of Travancore.	
Mysore, ...	12	Kistnasawmy, ...	All good—best Yalacki Raj.	
Kurnool, ...	2	Ordinary quality.	
Cuddapah, ...	20	M. Murray Esq. ...	All good, best is Pashanum.	
Pondicherry, ...	16	{ Combaoo Sumba is the finest: all excellent specimens and accompanied by a lucid Report.	
	525			

TABLE No. 5.

Showing the number of Specimens of Rice grown in the different Districts, named below.

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise with remarks by the General Committee.
Hyderabad, ...	34	Captain Taylor. ...	Ordinary Rice. Do. Ordinary quality. { 5 ordinary, and one Telakharh zooloo best. { So damaged not easy to give a judgment. { 19 Bottles and 71 Bags. In bottles Sceraga Sumba best. In Bags Saday Sumba best. As a whole very superior. Jeerah best. No. 1511 best (very fine.) Ordinary Rice. { Said to be the finest in the collection as a single specimen. Superfine quality.	
Coimbatore, ...	1	Kistniah. ...		
Madras, ...	11	Ramasawmy Chetty.		
Travancore, ...	12	Local Committee ...		
Cuddapah, ...	6	M. Murray, Esq. ...		
America, ...	1	Madras C. of Commerce.		
Tanjore, Rice.	90	Hurry Row, ...		
Mangalore, ...	12	Pedro Proboo. ...		
Bellary, ...	2		
Kurnool, ...	5		
Salem, ...	1		
Vizianagrum, ...	1		
	174			

TABLE No. 6.

Showing separately the number of samples of each variety of grain or pulse received from the several Districts named below. This Table differs from No. 7, inasmuch as that shows only the total number of every description of grains and pulses received from any locality—this shows, under one head, how many samples of that kind were received from each locality.

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise with remarks by the General Committee.
Bellary, ...	2	Local Committee ...	One of these is of excellent quality the other inferior.	
Coimbatore, ...	1	Kistniah ...	Of good quality	
Hyderabad, ...	1 & 10	Capt. Taylor...	Of various qualities.	
Bangalore and Bengal, ... { Wheat	2	Ramasawmy Chetty.	Of apparently average quality.	
Masulipatam, ...	1	Local Committee ...	Of fine quality.	
Cuddapah, ...	2	M. Murray, Esq. ...	Of average quality.	
Shevaroy Hills, ...	1	Chinniah Moodely...	Do.	

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise with remarks by the General Committee.
Kurnool,...	2	...	Of fair quality.	
Bangalore,...	1	...	Of average quality.	
Travancore,...	1	General Cullen	Do.	
	24			
Bellary ...	1	Local Committee	Of average quality	
Coimbatore...	1	Kistniah...	Do.	
Hyderabad...	6	Capt. Taylor	Of various qualities	
Madras...	1	Ramasawmy Chetty,	Of ordinary quality	
Masulipatam...	2	Local Committee	Of fair quality	
Poodocottah...	1	...	Of average quality	
Tinnevelly...	1	...	Of good quality	
Tanjore...	6	Hurry Row	Yellow, white, and black; one American, very fine	
Pegu. ...	1	Dr. Brandis	Average quality	
Vizianagrum	2	Rajah of Vizianagrum	Of fair quality	
Cuddapah...	1	...	Do.	
Hyderabad...	1	...	Of ordinary quality	
Kurnool...	1	...	Do	
Pondicherry...	1	Local Committee	Of average quality	
Chingleput...	2	Runga charloo	Do.	
Madras...	1	Major Maitland	The finest specimen in the collection	
	29			
Neilgherries	1	Mr. McIvor.	A good specimen	
	1			
Bellary, ...	3	Local Committee, ..	Fair quality	
Chingleput, ...	6	Different contributors	{ 5 of different qualities, and one very fine specimen	
Coimbatore, ...	1	Kistniah,	Ordinary sample	
Hyderabad,...	18	Capt. T.	Various qualities	
Madras, ...	1	Mr. Haydon,	{ One sample with 9 spikelets springing from one axis	
Masulipatam,	3	Local Committee, ...	Good	
Vizianagrum,...	1	Rajah of Vizianagrum	Ordinary quality	
Tanjore ...	2	Hurry Row,	Good quality.	
Madras, ...	1	Ramasawmy Chetty,	Ordinary quality.	
Cuddapah, ...	2	M. Murray, Esq. ...	Fine quality	
Hyderabad, ...	3	Capt. T.	Ordinary quality	
Kurnool, ...	2	...	Do.	
Mangalore, ...	2	Pedro Proboo, ...	Fair quality	
Hyderabad,...	4	Capt. T	Various qualities	
Pondicherry, ...	4	P. Appavoo Moodly,	Do.	
Bangalore, ..	2	...	Ordinary quality	

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise with remarks by the General Committee.
Travancore,	1	Local Committee, ...	Ordinary quality	
	56			
Poodoocottah,	1	Rajah Tondiman, ...	Fair quality	
Tinnevely,	1	Mera Soobooroyen, ...	Do.	
Pondicherry,	1	M. Pereotet, ...	Good quality	
	3			
Bellary,	1	Local Committee, ...	Ordinary quality	
Chingleput,	3	Different contributors	Fair quality	
Coimbatore,	1	Kistnaiah, ...	Ordinary quality	
Poodoocottah,	1	Rajah Tondiman, ...	Fair quality	
Tanjore,	2	Hurry Row, ...	Good quality	
Pondicherry,	1	Appavoo Moodly, ...	Inferior quality	
Hyderabad,	3	Capt. T. ...	Various qualities	
Cuddapah,	1	M. Murray Esq., ...	Fair quality	
Mangalore,	4	Pedro Praboo, ...	Fair quality	
Kurnool,	1	Ordinary quality	
Bangalore,	1	Do.	
Madras,	1	Ramasawmy Chetty, ...	Do.	
Travancore,	1	Local Committee, ...	Fair quality	
	21			
Chingleput,	2	Different contributors	Different qualities	
Coimbatore,	4	Kistnaiah, ...	Fair quality	
Hyderabad,	4	Different quality	
Tinnevely,	1	Mera Sooboorayen, ...	Fair quality	
Malabar,	1	Mr. Bassan, ...	Do.	
Tanjore,	3	Hurry Row, ...	Do.	
Vizianagrum,	1	Ordinary quality	
Bangalore,	2 & 1	Kistasawmy, ...	Do.	
Poodoocottah,	2	Tondiman Rajah, ...	Do.	
Mangalore,	2	Pedro Praboo, ...	Do.	
Pondicherry,	1	Appavoo Moodly, ...	Average quality	
Hyderabad,	1	Inferior quality	
	25			
Pondicherry,	1	Local Committee, ...	Fair specimen	
Tanjore,	2	Hurry Row, ...	Good specimens	
Cuddapah,	2	M. Murray, Esq., ...	Good specimens	
Masulipatam,	1	Local Committee, ...	Ordinary specimen	
Travancore,	1	Do.	
Hyderabad,	1	Capt. Taylor, ...	Do.	
	8			

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise with remarks by the General Committee.
Hyderabad, ...	5	Different qualities	
Tanjore, ...	3	Hurry Row, ...	Fair quality	
Vizianagrum, ...	3	Do.	
Poodoocottah, ...	1	Cooderay Valay, ...	Good quality	
Chingleput, ...	1	Moothen, ...	Do.	
	13			
Chingleput	4	Ranga Charloo	Different qualities	
Do.	1	Ramakistna	Fair quality	
Do.	1	Sooba Iyer	Average quality	
Do.	1	Veerasawmy	Do.	
Bellary,	1	Local Committee	Do.	
Coimbatore,	1	Kistniah	Ordinary quality	
Do.	1	Do.	Do.	
Hyderabad,	3	Various qualities	
Do.	4	Do.	
Do.	1	Captain Taylor	Fair quality	
Unknown,	1	Inferior quality	
Madras,	1	Ramasawmy Chitty	Average quality	
Tinnevely,	1	Sooboorayen,	Do.	
Pondicherry,	1	Local Committee,	Good quality	
Do.	1	Do.	Do.	
Cuddapah,	1	Fair quality	
Do.	1	Do.	
Kurnool,	1	Ordinary quality	
Poodoocottah,	1	Ramachundra, } Tondiman Baha- } door, ... }	Do.	
Tanjore,	2	Hurry Row.	Good quality	
Travancore.	1	Local Committee	Do.	
	30			
Bellary,	1	Local Committee	Fair quality	
Chingleput,	1	Do.	
Do.	1	Average quality	
Do.	4	Runga Charloo	Do.	
Coimbatore,	1	Kistniah	Fair quality	
Hyderabad,	3	Different qualities	
Do.	1	Average quality	
Madras,	1	Ramasawmy Chetty.	Ordinary quality	
Masulipatam,	1	Local Committee	Do.	
Tinnevely,	1	Nullaseven	Ordinary quality	
Pondicherry,	1	Local Committee	Good quality	
Do.	1	Do.	Fair quality	
Do.	1	Do.	Do.	
Bangalore,	1	Kistnasawmy	Good quality	
Cuddapah,	1	M. Murray Esq.	Do.	
Do.	1	Do.	Do.	
Kurnool,	1	Do.	Do.	
Poodoocottah,	1	Ramachundra	Fair quality	

TABLE No. 6.—Continued.

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise, with remarks by the General Committee.
Tanjore,	1	Hurry Row ...	Good quality.	
Vizianagrum,	1	Average quality.	
Mangalore,	1	Pedro Proboo ...	Fair quality.	
Travancore,	1		Ordinary quality.	
	28			
Bellary,	1	Local Committee ..	Fair quality.	
Chingleput,	1	Coopoosawmy ...	Good quality.	
Do.	1	Vurdacherry ...	Average quality.	
Do.	1	Runga charloo ...	Do.	
Do.	1	Paupah Reddy ..	Do.	
Coimbatore	1	Kistniah ...	Good quality.	
Hydrabad	4	Different qualities.	
Madras	1	Ramasawmy Chetty	Fair quality.	
Masulipatam	1	Local Committee ...	Ordinary quality.	
Do.	1	Do. ...	Average quality.	
Tinnevely	1	Meery Sooboorayen	Fair quality.	
Cuddapah	1	Vengal Reddy ...	Do.	
Do.	1	Ordinary quality.	
Poodoocottah	1	Do.	
Kurnool,	1	Do.	
Hyderabad,	1	Captain Taylor ...	Average quality.	
Vizianagrum,	1		Do.	
Travancore,	1	Local Committee ...	Fair quality.	
Tanjore, ...	1	Hurry Row, ...	Good quality.	
Do. ...	1	Do. ...	Do.	
Do. ...	1	Do. ...	Fair quality.	
Pondicherry, ...	1	Appoo Moodelly, ...	Good quality.	
Bangalore, ...	1		Do.	
	26			
Hyderabad, ...	1	Fair quality.	
Masulipatam ...	1	Seetia Naidoo, ...	Average quality.	
Chingleput, ...	1	Runga Charloo, ...	Ordinary quality.	
	3			
Chittoor, ...	1	Miss Pereira ...	Fair quality.	
	1			
Chingleput,	1	Rungacharloo, ...	Ordinary quality.	
Do.	1	Average quality.	
Bellary,	1	Local Committee,...	Fair quality.	
Hyderabad,	6	Different quality.	
Cuddapah,	1	M. Murray, Esq. ..	Fair quality.	

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise, with remarks by the General Committee.
Travancore,	1	Local Committee,...	Do.	
Timnevelly,	1	Soodalamootoo Pilly,	Average quality.	
Bangalore,	1		
Do.	1		
Do.	1		
Kurnool,	1	Ordinary quality.	
Pegu,	1	Dr. Brandis, ...	Very good specimen.	
Tanjore,	1	Hurry Row, ...	Good specimen.	
Madras,	1	Ramasawmy Chetty,	Ordinary quality.	
Coimbatore,	1	Kistniah, ...	Do.	
20				
Pondicherry,	1	Local Committee,...	Good quality.	
Do.	2	Do.	Do.	
Vizianagrum,	1	Fair quality.	
Do.	1	Do.	
Chingleput,	1	Runga Charloo, ...	Average quality.	
Do.	1	Davanum, ...	Do.	
Do.	1	Do.	Do.	
Do.	1	Runga Charloo, ...	Ordinary quality.	
Tanjore,	4	Hurry Row, ...	Good quality.	
Cuddapah,	1	M. Murray, Esq. ...	Do.	
Do.	1	Do.	
Timnevelly,	1	Fair quality.	
Bellary,	1	Local Committee,...	Do.	
Kurnool,	1	Do.	
Masulipatam, ...	2	Local Committee,...	Average quality.	
Hyderabad, ...	1	Ordinary quality.	
Bangalore, ...	1	Average quality.	
Pegu.	3	Dr. Brandis, ...	Fair quality.	
Madras,	1	Ramasawmy, ...	Do.	
Coimbatore,	1	Kistniah, ...	Ordinary quality.	
Bellary,	1	Local Committee,...	Average quality.	
Vizianagrum,	1		
29				
Pondicherry, ...	1	Local Committee,...	Good quality.	
Tanjore, ...	2	Hurry Row, ...	Do.	
Cuddapah, ...	1		
Do. ...	2	M. Murray, Esq. ...	Fair quality.	
Chingleput, ...	1	Runga Charloo, ...	Ordinary quality.	
Do. ...	1	Ramanada, ...	Do.	
Vizianagrum, ...	1	Fair quality.	
Bellary, ...	1	Local Committee,...	Good quality.	
Do. ...	1	Do.	Do.	
Coimbatore, ...	1	Kistniah, ...	Average quality.	
Hydrabad, ...	13	Do.	
Travancore, ...	1	Local Committee,...	Do.	

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise with remarks by the General Committee.
Masulipatam, ...	1	Do.	Fair quality.	
Do.	1	Do.	Do.	
Do.	1	...	Do.	
Bangalore, ...	2	...	Ordinary quality.	
Kurnool, ...	1	...	Do.	
Madras, ...	2	...	Do.	
Do.	1	Ramasawmy, ...	Do.	
	35			
Bellary, ...	1	Local Committee, ...	Fair quality.	
Chingleput, ...	1	Davanum, ...	Average quality.	
Do.	1	Runga Charloo, ...	Fair quality.	
Coimbatore, ...	1	Kistniah, ...	Ordinary quality.	
Pondicherry, ...	1	Appoo Moodelly, ...	Good quality.	
Bangalore, ...	1	...	Average quality.	
Tinnevelly, ...	1	...	Fair quality.	
Cuddapah, ...	2	...	Do.	
Tanjore, ...	1	Hurry Row, ...	Good quality.	
Vizianagrum, ...	1	...	Fair quality.	
Kurnool, ...	1	...	Ordinary quality.	
Hyderabad, ...	1	...	Do.	
Madras, ...	1	Ramasawmy, ...	Do.	
Masulipatam, ...	1	Local Committee, ...	Fair quality.	
Travancore, ...	1	Do.	Average quality.	
	16			
Bellary, ...	1	Local Committee, ...	Fair quality.	
Chingleput, ...	2	...	Average quality.	
Do.	1	Runga Charloo, ...	Fair quality.	
Hyderabad, ...	8	...	Different qualities.	
Do.	2	Captain Taylor, ...	Fair quality.	
Madras, ...	1	Ramasawmy Chetty, ...	Do.	
Masulipatam, ...	2	Local Committee, ...	Good quality.	
Tinnevelly, ...	1	...	Ordinary quality.	
Cuddapah, ...	1	...	Do.	
Vizianagrum, ...	3	...	Various qualities.	
Pondicherry, ...	4	Local Committee, ...	Good qualities.	
Bangalore, ...	2	...	Fair qualities.	
Tanjore, ...	2	Hurry Row, ...	Good qualities.	
Coimbatore, ...	1	Kistniah, ...	Ordinary quality.	
Pegu, ...	1	Dr. Brandis, ...	Good quality.	
Travancore, ...	1	Local Committee, ...	Average quality.	
	33			
Bellary, { Mus-	1	Local Committee, ...	Good quality.	
Hyderabad, { soor,	1	Captain Taylor, ...	Do.	
	2			

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Cultivators.	Remarks by the Sub-Committee.	Confirmation or otherwise, with remarks by the General Committee.
Masulipatam, ...	1	Local Committee...	Fair quality.	
Pondicherry, ..	1	Do.	Superior quality.	
Madras, ...	1	Ramasawmy ...	Average quality.	
Coimbatore, ...	1	Local Committee...	Good quality.	
Hyderabad, ...	1	Capt. Taylor, ...	Do.	
Vizianagrum, ...	1	Fair quality.	
Tanjore, ...	1	Hurry Row, ...	Good quality.	
	7			
Bellary, ...	1	Local Committee...	Good quality.	
Chingleput, ...	1	Davanun, ...	Average quality.	
Do. ...	1	Runga charloo, ...	Do.	
Coimbatore, ...	1	Kistniah, ...	Do.	
Hyderabad, ...	10	Different qualities.	
Do. ...	1	Capt. Taylor ...	Fair quality.	
Madras, ...	1	Ramasawmy Chetty.	Average quality.	
Masulipatam, ...	1	Local Committee...	Fair quality.	
Tinnevelly, ...	1	Mera Soobooroyen,	Average quality.	
Pondicherry, ...	1	Local Committee...	Good quality.	
Bangalore, ...	1	Fair quality.	
Cuddapah, ...	2	M. Murray, Esq. ...	Good quality.	
Tanjore, ...	1	Hurry Row, ...	Do.	
Travancore, ...	1	Average quality.	
	24			
Pondicherry, ...	1	Local Committee...	Good quality.	
Bangalore, ...	1	Average quality.	
Kurnool, ...	1	Do.	
Chingleput, ...	1	Do.	
Hyderabad, ...	8	Do.	
Masulipatam, ...	1	Local Committee...	Fair quality,	
Tinnevelly, ...	1	Nullaseven, ...	Average quality.	
Vizagapatam,...	1	Do.	
	15			
Bellary, ...	1	Local Committee...	Good quality.	
Chingleput, ...	1	Davanun, ...	Average quality.	
Coimbatore, ...	1	Kistniah, ...	Do.	
Hyderabad, ...	15	Different qualities.	
Madras, ...	1	Ramasawmy Chetty.	Average quality,	
Masulipatam,...	1	Local Committee...	Fair quality.	
Tinnevelly, ...	1	Meera Soobooroyen,	Average quality.	
Tanjore, ...	1	Hurry Row. ...	Good quality.	
Travancore, ...	1	Local Committee...	Do.	
Pondicherry, ...	1	Do.	Do.	
Bangalore, ...	2	Do.	
Pegu, ...	1	Dr. Brandis, ...	Do.	

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Vizianagrum, ...	1	...	Average quality.	
Cuddapah, ...	2	...	Various qualities.	
	30			
Hydrabad, ... { Variety	1	Captain Taylor, ...		
	1			
Hydrabad, ... { Beans.	1	...	Average quality.	
Do. ...	1	Dr. Riddell, ...	Fair quality.	
Ootacamund, ...	4	Mr. McIvor, ...	Very good quality.	
Kurnool, ...	1	...	Average quality.	
	7			
Hydrabad, ... { Raj-jeva.	2	...		
Mangalore, ...	1	Pedro Proboo, ...		
	3			
Chingleput, ... {	1	Mr. Brass, ...	Ordinary specimen.	
Hydrabad, ...	1	...		
Do. ...	1	Dr. Riddell, ...	Fair Sample,	
Tinnevelly, ...	1	T. Vasoodavoo Pillay	Bags down below.	
Do. ...	1	Do. ...		
Malabar, ...	2	Mr. Bassano, ...	Ordinary.	
Travancore, ...	1	General Cullen, ...	Fair samples.	
Do. ...	1	Do. ...		
Do. ...	1	Local Committee, ...		
Mysore, ...	2	Mr. Cannon, ...		
Cuddapah, ... { Coffee.	1	...		
Malabar, ...	1	Cary Bapoo, ...	Two boxes.	
Madras, ...	8	Cham. of Commerce		
Do. ...	3	Messrs. Binny & Co.	Pea and large.	
Vizianagrum, ...	1	H. H. the Rajah, ...		
Salem, ...	1	Messrs. Richardson, and Co. ...	12 Shavoroy Hills 5069 Alkban.	
Do. ...	2	Messrs. Fischer & Co.	Pea Berry, 1st quality.	
Mangalore, ...	1	Pedro Proboo. ...	Pea Berry, 2nd quality.	
Madras, ...	1	Madame Thane, ...		
	31			
Pegu, ... { Burmese	1	Dr. Brandis, ...	Not found.	
Madras, ... { Cocoa.	1	Messrs. Binny & Co.	Very interesting specimen.	

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Name of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Chingleput, ...	1		
Coimbatore, ...	1	Kistniah	Do.	
Masulipatam, ...	1	Local Committee	Do.	
Pegu, ...	1	Dr. Brandis ...	Inferior.	
Do. ...	1	Do. ...	Do.	
Rajahmundry, ...	2	Chagoody Ramasamy	Very good quality.	
Moulmein, ...	1	Capt. Benson ...	Inferior.	
Madura, ...	1	Collector ...	Do.	
Tanjore, ...	1	Hurry Row ...	} Three qualities all good, by far the best samples of Tabacco.	
Do. ...	1	Do. ...		
Hydrabad, ...	1	Inferior.	
Nameless, ...	1	Do.	
Vizianagarum, ...	1	Do.	
	14			
Pondicherry, ...	1	Local Committee ...	Good quality.	
Do, ...	1	Do. ...	Do.	
	2			
Hydrabad, ...	1	Ramasawmy Moody.		
Do. ...	1	Do. ...		
Do. ...	1	Do. ...		
Do. ...	1	Do. ...		
Rajahmundry, ...	1	Mr. C. Rundall ...		
Pondicherry, ...	1	Mr. Godfray ...		
	6			
Pegu, ...	1	Dr. Brandis ...	} Not requiring much notice.	
Mangalore, ...	6	Pedre Proboo ...		
	7			
Mysore, ...	1	Wrightman ...	} Fair samples.	
Rajahmundry, ...	1	Mr. C. Rundall ...		
Mangalore, ...	1	Pedre Proboo ...		
	3			
Madras, ...	1	Messrs. Binny & Co.	Very fine (best) mace.	
Travancore, ...	2	General Cullen ...	Cloves and Nutmegs best.	
Tinnevely, ...	1	Second best.	
Madura, ...	1		
Nellore, ...	1		
Malabar, ...	2	Cottayam Tahsildar...	Inferior.	
Ceylon, Royal Botanical Gardens Paradenia, ...	1	Mr. Thwaites ...		

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Name of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Madras ...	1	Ramasawmy Chetty.		
	10			
Hyderabad, ...	1	Captain Taylor, ...		
Malabar, ...	1	Cottiam Tahsildar,		
North Malabar, ...	1	Mr. Brown, ...		
Travancore, ...	1	Local Committee,		
Madras, ...	1	Messrs. Binny & Co.	Very fine.	
Mangalore, ...	1	Pedre Proboo, ...		
	6			
Malabar, ...	1	Cottiam Tahsildar,	Good quality.	
Travancore, ...	1	Local Committee,...	Do.	
	2			
Malabar, ...	1	Cottiam Tahsildar,	Fair.	
	1			
Madras,	1	Ramasawmy Chetty,		
Travancore,	1	Genl. Cullen, ...	The finest.	
Do.	1	Local Committee,...		
Do.	1	Messrs. Binny & Co.		
Ceylon Botanical,	1			
Garden Paradenia,	1	Mr. Thwaites, ...		
Nellore, ...	1			
Madura,	1	H. Young, Esq. ...		
Malabar,	1	Cottiam Tahsildar,...		
	8			
Coimbatore,	1	Kistniah, ...	Common.	
Madras,	1	Ramasawmy Chetty,		
Malabar, ...	2	Mr. Bassano, ...		
Do. ...	1	Cottiam Tahsildar,		
Travancore, ...	1	Local Committee,...		
Madras, ...	3	Chamb. of commerce		
Nellore, ...	1	H. Young, Esq. ...		
Bangalore, ...	1		
Madura, ...	1		
Hyderabad, ...	1		
Ceylon Royal Botanical Gardens Paradenia,	1	Mr. Thwaites, ...	Peculiarly rare specimen.	
	14			

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Bellary, ...	1	Local Committee, ..	Average quality.	
Coimbatore, ...	1	Kistniah, ...	Do.	
Hydrabad, ...	1	Do.	
Do. ...	1	Captain Taylor, ...	Do.	
Madras, ...	1	Ramsawmy Chetty, ...	Do.	
Masulipatam, ...	1	Local Committee, ...	2nd Best.	
Travancore, ...	1	Do.	Ordinary quality.	
Kurnool, ...	1	Do.	
Nellore, ...	1	H. Young, Esq, ...	Do.	
Pondicherry, ...	1	Local Committee, ...	Do.	
Madura, ...	1	Do.	
Cuddapah, ...	1	Do.	
Tanjore, ...	1	Hurry Row,	Best quality.	
Vizianagrum, ...	1	Do.	
	14			
Bellary, ...	1	Local Committee, ...	Best quality.	
Chingleput, ...	1	Patcheappa,	Do.	
Coimbatore, ...	1	Kistniah,	Ordinary quality.	
Hydrabad, ...	1	Captain Taylor, ...	Do.	
Pegu, ...	1	Dr. Brandis,	Do.	
Travancore, ...	3	Local Committee, ...	Different qualities.	
Vizianagrum, ...	1		
	9			
Hydrabad, ...	1	Average quality.	
Do. ...	1	Capt. Meadows, ...	Do.	
Malabar, ...	1	Cottiam Tahsildar, ...	Best quality.	
Madras, ...	1	Ramasawmy Chetty	Average quality.	
Travancore, ...	1	Local Committee, ..	Good quality.	
Do. ...	1	Messrs. Binny & Co.	Do.	
Nellore, ...	1	Average quality.	
Pondicherry, ...	1	Local Committee ...	Good quality	
Vizianagarum, ...	1	Average quality.	
Madura, ...	1	Do.	
Bangalore, ...	1	Do.	
Coimbatore, ...	1	Fair quality.	
	12			
Travancore, ...	1	Local Committee, ...	Good quality.	
Do. ...	1	Messrs. Binny & Co.	Do.	
Bangalore, ...	1	Average quality.	
Mangalore, ...	1	Pedre Proboo, ...	Fair quality.	
Malabar, ...	1	Cottiam Tahsildar, ...	Do.	
	5			

TABLE No. 6.—Continued.

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Bangalore, ...	1	Average quality.	
Mangalore, ...	1	Pedre Proboo, ...	Fair quality.	
Malabar, ...	1	Cottayam Tahsildar, ...	Do.	
	5			
Bellary, ...	1	Local Committee,...		
	1			
Bellary, ...	1	Local Committee,...	Average quality.	
Hyderabad, ...	1	Do.	
Do. ...	1	Do.	
Pegu, ...	1	Dr. Brandis, ...	Fine quality.	
Moulmein, ...	1	Do.	
Salem, ...	1	Tondroy Naick, ...	Do.	
Do. ...	1	Chokalinga Moodly.	Do.	
Do. ...	1	Heeray Gowden, ...	Do.	
Travancore, ...	4	Local Committee,...	Good quality.	
Madras, ...	1	Messrs. Binny & Co.	Do.	
Do. ...	1	Fair quality.	
Bangalore, ...	4	Different qualities.	
Do. ...	1	Fair quality.	
Tanjore, ...	1	Hurry Row, ...	Good quality.	
Mangalore, ...	1	Pedre Proboo, ...	Best quality.	
Pondicherry, ...	1	Local Committee...	Good quality.	
	22			
Bellary, ...	1	Local Committee,...	Average quality.	
Hyderabad, ...	1	Best quality.	
Madras, ...	1	Ramasawmy Chetty,		
Rangoon, ...	1	Dr. Brandis, ...	Very fine.	
Travancore, ...	1	Local Committee,...	Good quality.	
Vizianagram, ...	1	Average quality.	
Pondicherry, ...	1	Local Committee,...	Second best.	
Madura, ...	1	Average quality.	
Nellore, ...	1	Do.	
	9			
Malabar ...	1	Fair quality.	
Madras ...	1	Ramasawmy Chetty,	Average quality.	
Do. ...	1	Do.	Do.	
	3			
Bellary, ...	2	Local Committee,...	Average quality.	
Coimbatore, ...	1	Kistniah, ...	Do.	

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise, with remarks by the General Committee.
Hyderabad, ...	1	Capt. Taylor, ...	Average quality	
Madras, ...	1	Ramasawmy Chetty.	Do.	
Cuddapah, ...	1	Do.	
Kurnool, ...	1	Do.	
Tanjore, ...	1	Hurry Row. ...	Do.	
Madura ...	1	Do.	
Pondicherry, ...	1	Local Committee,...	Do.	
Vizianagrum, ...	1	Do.	
Travancore, ...	1	Local Committee,...	Do.	
	12			
Pegu, ...	1	Dr. Brandis, ...	Average quality.	
Coimbatore, ...	1	Kistniah, ...	Do.	
Bellary, ...	1	Local Committee,...	Best quality.	
Pondicherry, ...	1	Do.	Fair quality.	
Hyderabad, ...	1	Capt. Taylor ...	Ordinary quality.	
Cuddapah, ...	1	Average quality.	
Nellore, ...	1	H. Young, Esq, ...	Fair quality.	
Kurnool, ...	1	Do.	
Bangalore, ...	1	Kistnasawmy, ...	Ordinary quality.	
Madras, ...	1	Ramasawmy Chetty.	Do.	
	10			
Pondicherry, ...	1	Local Committee,...	Good quality.	
Hyderabad, ...	1	Capt. Taylor, ...	Best quality.	
Bellary, ...	1	Local Committee,...	Average quality.	
Kurnool, ...	1	Ordinary quality.	
Nellore, ...	1	H. Young, Esq, ...	Fair quality.	
Pegu, ...	1	Dr. Brandis, ...	Good quality.	
Madras, ...	1	Ramasawmy Chetty,	Average quality.	
	7			
Pondicherry, ...	1	Good quality.	
Nellore, ...	1	Local Committee,...	Fair quality.	
Hyderabad, ...	1	H. Young, Esq, ...	Do.	
Bellary, ...	1	Capt. Taylor, ...	Ordinary quality.	
	4			

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise, with remarks by the General Committee.
Pegu, ... { Kala-jern.	1	Dr. Brandis, ...	Good quality.	
Pondicherry, ... {	1	Local Committee, ...	Best quality.	
	2			
Kurnool, ... { Omum.	1		Average quality.	
Hydrabad, ... {	1	Captain Taylor, ...	Fair quality.	
Bellary, ... {	1	Local Committee, ...	Best quality.	
Do. ... {	1		Fair quality.	
Pondicherry, ... {	1	Local Committee, ...	Good quality.	
Madras, ... {	1	Ramasawmy Chetty, ...	Do.	
Vizianagrum, ... {	1			
	7			
Tanjore, ... { Cleome viscosa.	1	Hurry Row, ...		
Vizianagarum, ... {	1			
	2			
Madras, ... { Caraway.	1		Best quality.	
	1			
Bellary, ... { Must. ard.	1	Local Committee, ...	Good quality.	
Coimbatore, ... {	1	Kistniab, ...	Do.	
	2			
Coimbatore, ... { Tamar-ind.	1	Kistniab, ...	Ordinary quality.	
	1			
Hydrabad, ... { Garlic and Onion.	1	Captain Taylor, ...	Best quality.	
Travancore, ... {	1	Local Committee, ...	Average quality. (Garlic.)	
Vizianagarum, ... {	1		Do.	
Madura, ... {	2		Do.	
Bellary, ... {	1	Kumple Tahsildar, ...	Best quality. (Onion.)	
Cuddapah, ... {	1		Ordinary quality.	
	7			
Ceylon, Botanical Gardens, Peradenia, ... { Vanilla.	1	Mr. Thwaites, ...	Very good quality.	
	1			

TABLE No. 6.—Continued.

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Pondicherry, ...	1	Mr. T. Filatrian, ...		
Do. ...	1	Mr. L. Peltier, ...		
Rajahmundry, ...	1	Mr. Charles Rundall, ...		
Do. ...	1	Do. ...		
	4			
Hydrabad, ...	1		
Russelcondah, ...	1	Capt. L. Johnston, 26th Regt. N. I.		
	2			
Travancore, ...	4	Local Committee....		
Vizianagrum ...	1	H. H. the Rajah, ...	Inferior.	
Mangalore, ...	3	Pedre Proboo, ...		
Tranquebar, ...	1	H. Nott, Esq., Civil Surgeon, ...		
Hydrabad, ...	1	Dr. Smith, ...		
Do. ...	1	Kunniah, ...		
Do. ...	1	Local Committee, ...		
Do. ...	1	Dr. Smith, ...		
Madura, ...	1	Frances Ashbury, ...	Inferior.	
Do. ...	1	Rev. R. Sittle, ...		
Tanjore, ...	1	Hurry Row, ...		
Do. ...	1	Mr. Kohlhoff, ...		
Mysore, ...	1	Major Coats, ...		
Guntoor, ...	1		
Tinnevelly, ...	1	Coopchund, ...		
Malabar, ...	1	Tellicherry Bary Bapoo, ...		
	21			
	1	Paraka Coroovelloo, ...		
	3	Mrs. Fernandez, ...		
	4			
Mangalore, ...	1	Pedre Proboo, ...		
Travancore, ...	1	Local Committee, ...		
	2			
Pondicherry, ...	1	Mr. J. C. Peltier, ...		
Do. ...	1	J. Filatrian, ...		
Mangalore, ...	1	Pedre Proboo, ...		
Madras, ...	1	Nazareth Royappo Pillay, ...		
Chingleput, ...	1	Moothen, ...		
	5			

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Hydrabad, ...	1	Cunniah ...		
Madura, ...	1	Rev. C. A. Little ...		
Do. ...	1	Francis Ashbury ...		
Tanjore, ...	1	Hurry Row ...		
	4			
Coimbatore, ...	2		
	2			
Pondicherry, ...	1	Mr. Perrotet ...		
	1			
Hydrabad, ...	1	Mr. J. Murray ...		
	1			
Hydrabad, ...	1	Mr. J. Murray ...		
	1			
Hydrabad, ...	1		
	1			
Hydrabad, ...	1	Capt. Davies ...		
Do. ...	1	Dr. Riddell ...		
	2			
Travancore, ...	9	Local Committee,...		
Malabar, ...	10		
	19			
Travancore, ...	4	Local Committee,...		
	4			

TABLE No. 6.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise, with remarks by the General Committee.
Bellary,	3	Local Committee,...		
Chingleput, ...	1		
Salem,	1	Local Committee,...		
Do.	1		
Pondicherry, ...	1		
Hydrabad, ...	9		
Do.	1	Dr. Smith,		
Madras,	14	Chamber of Commerce,	} Interesting Collection.	
Palmanair district,	1	H. Talputt, Esq., ...		
Chittoor,	4	Do.		
Arcot,	1	Do.		
Aska,	1	Messrs. Binny & Co.	Very good.	
Rajahmundry, ...	1	Narrainsawmy,	Excellent of its kind.	
Do.	5	Messrs. Arbuthnot & Co.	} Fine bags of Sugar in crys., all excellent, but in different degrees of refinement.	
Coimbatore, ...	1		
Kurnool, ...	2	} Very common.	
Cuddapah, ...	1		
Vizianagrum, ...	1		
	48			
Bellary, ...	1	Local Committee,...		
Madras ...	4	Narainsawmy, ...		
	5			
Chingleput, ...	1	} Ordinary quality.	
Pondicherry, ...	2	Local Committee,...		
Bellary, ...	1	Do.		
Madras, ...	3	Narrainsawmy, Abkarry Suptt....		
Kurnool, ...	1	} Very common.	
Rajahmundry, ..	2	Messrs. Arbuthnot & Co.		
	10			
Pondicherry, ...	1	Local Committee,...		
Madras,	3	Narrainsawmy, Abkarry Suptt....		
Chingleput, ...	1	} Ordinary quality.	
	5			

TABLE No. 7.

Shewing the number in gross of Dry grains and Pulses grown in the different Districts named below ; under this heading Wheat, Maize, Barley, great Millet, Black Millet, Italian Millet, Sawr-way, Caday-canmy, Pilarisee, Varagoo, Raggy, Spiked Millet, Bamboo Rice, Grasscorn, Bullar Caramany, Dhol, Oolundoo or Mash, Green Gram, Mussoor, Peas, Country Gram, Wild Gram, Bengal Gram, Beans, Raj-jeera are included.

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub-Committee.	Confirmation or otherwise, with remarks by the General Committee.
Tanjore,	{ 34 Bottles & 2 Bags }	Hurry Row,	Generally very good samples of the above mentioned grains and pulses, including a fine specimen of <i>American maize</i> . Regarded as a whole, this collection is superior to all the rest.	
Cuddapah,	45	Local Committee,...	This collection is generally very good, the Cholum is superior to that received from any other District.	
Coimbatore,	18	Local Committee and others,	{ 1 Bag and 17 Trays, generally inferior.	
Bangalore,	32	Not calling for particular remark.	
Chittoor,	1	Miss Pereira,	With remarks on cultivation and use.	
Vizianagrum,	28	H. H. the Rajah, ...	{ These samples have become much damaged from not having been well put up, but appear to have been good.	
Ootacamund,	5	Mr. McIvor,	{ French Beans from Mr. McIvor, with explanatory paper, excellent quality, very well dried and put up.	
Chevoroy Hills,	1	Chinniah Mood. ...	A large sample of wheat of fine quality.	
Pondicherry,	27	Local Committee, Monsr. Perrotet and others,	{ Good samples of the ordinary grains, excepting the peas, which are very superior.	
Madras,	21	Messrs. Walker and Co's Dubash, ...	{ All ordinary samples.	
Masulipatam,	19	Local Committee and others,	{ Generally of fine quality, but nothing special to be remarked of any single sample.	
Bellary,	22	Local Committee and others,	{ Generally of fine quality a grain stated to be a kind of Lentil, is the only peculiarity (Mussoor.)	
Kurnool,	23	Local Committee and others,	{ Generally of ordinary quality, nothing deserving of special notice.	
Hyderabad,	23	Local Committee and others,	{ Generally of good quality, the wild sword bean seems to be the only thing deserving of special notice (Canavalia gladiator.)	
Mangalore,	10	Pedre Proboo and others	{ All of ordinary quality.	

TABLE No. 7.—*Continued.*

Where grown.	No. of Samples.	Names of Contributors.	Remarks by the Sub Committee.	Confirmation or otherwise, with remarks by the General Committee.
Pegu,	6	Dr. Brandis,.....	{ Of ordinary quality, except lablab vulgaris, which is said to be valuable as a table vegetable.	
Tinnevely,	11	Local Committee and others	{ Of ordinary quality.	
Chingleput,	20	Local Committee and others	{ Generally of ordinary quality, excepting the Cholum, which is very fine next to that of Cuddapah.	
Poodoocottah,	6	Nothing remarkable.	
Travancore,	16	{ All of good quality, but nothing of special importance.	
Malabar and Chingleput, .. }		{ Have sent Cocoanuts, but neither appear to have any peculiar excellence.	
	379			

THREE QUALITIES ALL GOOD.

Tobacco, Tanjore No. 1, and 1 bottle of seed.

Do. Rajahmundry, No. 2.

All the others inferior.

Mace, Messrs. Binny and Co. very fine.

Do. Augaracandy inferior.

Cassia, do fair.

Cinnamon, Binny and Co. very fine.

Cloves, do. second Tinnevely, and Nutmegs finest, Col. Cullen.

Cardamoms, Coimbatore common.

Do. Ceylon peculiarly rare.

Pepper black, and white best Malabar, Tellicherry.

Dry Ginger, best Hyderabad.

Do. second Pondicherry.

Green ginger, Pegu very fine.

Corianders, Hurry Row best.

Do. second Masulip., L. C.

1405 Chillies Bellary L. C. and Chingleput 644 first.

No. ◇ Coffee Pea Berry, Fischer and Co.

Large do. do. do.

3605 ⊙ Binny and Co. Pea Berry and Large Coffee.

7097 + Pedro Probao, Pea Berry Coffee.

4 ✕ Bags down below, 8636, Tinnevely, T. Vasudavoo.

2758 ⊖ Two Boxes Cary Bappoo.

12 Bags Shevaray Hills 5069. ⊙ Ashton and Richardson.

Betel Nut, best, Pedro Probao.

Do. Pegu fine.

Various, Bellary best.

Garlic, Hyderabad, best: no other samples sent in.

Aniseed, Hyderabad best.

Cummin, Bellary best.

Caraway, Madura best.

Onum, Bellary best.

Dill seed, Hyderabad best.

Nigella Sativa, Pondicherry best: no other sent in.

Mustard seed, Tanjore, Hurry Row.

Do. white Hyderabad.

CHEMICAL SECTION OF THE REPORT ON CLASS III.

NOURISHMENT FROM THE VEGETABLE KINGDOM.

For the first suggestions relative to the importance of nitrogen in alimentary substances mankind is indebted to Majendie, his views were subsequently confirmed by the elaborate and striking experiments of Tiedeman and Gmelin; they were however strongly denied by numerous writers who adhered to the older views, among these was Dr. Stark, who endeavoured to support himself on a non-nitrogenous substance (sugar) and thereby lost his life, thus affording an almost incontrovertible proof of the correctness of the opinions he had combated.

From this time, indeed from the first announcement of Majendie's views, the attention of Chemists and Physiologists has been more or less constantly directed to this subject, as his talent or opportunity allowed, contributing something to the general stock of information; even to name all these benefactors to science would occupy too much time, yet it is impossible to omit some passing tribute to the memory of Gay Lussac. That great chemist discovered that nitrogen was present in the seeds of the cerealia. This discovery led to searching investigations, to ascertain in what parts of grains the nitrogen was contained, and what were the peculiar composition and properties of these parts; they were found to bear a remarkable similarity to the white of egg or albumen, and hence the general designation of these compounds as albuminous substances.

From this moment new facts brought forward by a host of able men, crowd upon the investigator so thickly, that it is useless to attempt to discriminate individual merits or contributions. The results of all these labours, may be thus stated. Firstly, three forms of nitrogenous substances have been found both in animal and vegetable organizations, distinguished by the terms albumen, fibrin, and caseine. Secondly, that the chemical composition of these three substances, is identical. Thirdly, that when introduced into the living organism, each is capable of being converted into either of the other forms.

Now the bearing of these results on the value of any kind of food, composed, or partly composed of albuminous substances, depends on a knowledge of certain laws that obtain in the living animal, and as these have no where been so lucidly explained or interpreted as in the animal chemistry of the great Philosopher of Giesen, a reference to his work is here almost indispensable. At page 48, third edition, he says while explaining and defining the term *food*, "that only those substances can properly be called nutritious which are capable of conversion into blood." The principal ingredients of blood are found to be fibrin and albumen, and these substances contain besides the carbon, hydrogen and oxygen found in gum, sugar, starch (and all kinds of food

termed farinaceous,) nitrogen, sulphur and phosphorus. These elements are also found in all the organized parts of the body, the only parts containing neither of these, are water and fat.

The striking facts just stated naturally lead to the inference, that the albuminous substances which contain all the elements required, and which are taken as food into the body, do furnish all that the blood (and structures made from it,) may need; unless the possibility of such bodies as nitrogen, sulphur, &c., being formed or eliminated by some secret process in the living organism presents itself to the mind, and mingles doubt with the conviction that would otherwise follow. Such a possibility, did occur to the minds of many thinking men, and the doubts arising from it have only been dispelled by patient years of investigation. Liebig thus refers to the subject. "The most decisive experiments and observations have proved, that the animal organism is absolutely incapable of producing or creating an elementary body, such as nitrogen, sulphur, or phosphorus; it therefore inevitably follows that all kinds of food fit for the production of blood, must contain sulphur, nitrogen, and phosphorus, in a soluble form." Now all the forms of vegetable albumen fulfil all these conditions. Vegetables in fact prepare in their own organisms, the food that is necessary to animals, and thus is shewn the mutual dependence of the kingdoms of nature, and the constant circulation of elements, which exist originally in an unorganized state in the mineral kingdom, are thence transformed by vegetables into organized substances, and in this state presented to animals, by whom they are again restored in an unorganized state to the kingdom from whence they were first taken.

The paramount importance of albuminous or nitrogenous substances, and the uses which they serve, being thus made evident, it remains to ascertain the uses of those alimentary substances which contain no nitrogen.

These kinds of food are composed of carbon, hydrogen and oxygen; the hydrogen and oxygen being in the proportion to form water, thus leaving the carbon wholly unoxidized; or if we suppose the oxygen to be divided between the carbon and hydrogen, a surplus of carbon and hydrogen that is unoxidized, remains. We are now speaking in reference to what takes place, after the food has been taken into the body, and there submitted to assimilation. How the carbon, or carbon and hydrogen are made use of by the animal, may be seen from the following facts.

From the moment an animal is born till it dies, oxygen is taken into its body through the skin and lungs, and given out again by the same channels

in the form of compounds of carbon and hydrogen, *i. e.* as the vapour of water and carbonic acid; that it is the carbon and hydrogen of the food that enables the animal, with the oxygen inspired, to form and give out these products, is proved by what happens, when an animal is left without food. We see that in such circumstances its bulk and weight decrease till it dies, but until death takes place, it continues to take in oxygen, and to give it out again in the form of carbon and hydrogen compounds. Whence then does it obtain the carbon and hydrogen thus given out? the wasting and decrease of weight answer plainly,—from the tissues and other parts of its own body. The animal is in truth destroyed by the action of the inspired oxygen, on account of its powerful affinity for carbon and hydrogen, for when the animal has no longer any superfluous carbon and hydrogen capable of combining with the oxygen, it seizes on the carbon and hydrogen of the animal's own body; in the first instance for example, the fat which is almost all carbon and hydrogen, is to satisfy the oxygen absorbed into the circulation, and after combination, given off as carbonic acid and water. These processes go on till the animal is exhausted, and dies; it is therefore clear, that food containing a surplus of carbon and hydrogen is necessary to the animal, in order to support *respiration*, without destroying its structure.

At the same time that this kind of food supports respiration, and defends the organization of the animal from the action of the oxygen inspired, it fulfils another most important purpose, *viz.* that of maintaining *animal heat*, it does this, in obedience to a law so absolute and universal, that no exception is known, the law, alluded to, is, "That whenever oxygen combines with a combustible, heat is developed;" it matters not whether this combination be rapid or slow, or whether it be in or out of the body, heat is always developed, its influence even extends to the flowering of plants, the maturation of fruits, and the germination of seeds.

The operation of malting may be cited as a familiar instance of the last effect named. The slow combinations of oxygen with combustibles in a finely divided state, have led to the destruction of ships, stacks, granaries, &c. &c., and are fearful illustrations of this law. The black powder of platinum, or the sponge of the same metal, condenses oxygen, and therefore, when hydrogen is thrown by the aid of a jet on either, combustion ensues; but it is needless to multiply instances.

One important fact bearing directly on this subject, should not however be omitted. The temperature of the tropics when compared with that of the polar regions exhibits a difference of 50 or 60 degrees, or even a much greater difference, yet the

bodies of those who dwell in either climate are found to preserve the same amount of heat; it is therefore impossible that the temperature of animal bodies should depend on external circumstances, but must proceed from internal causes; what these* are, has been already shewn, and how they depend on the supply of non-nitrogenous food.

The two grand uses to which food is adapted by its composition, having, by a reference to the animal structure, and to some of the more important actions that take place in its organism, been traced out, the same mode of proceeding will be made use of, to determine the purposes for which the remaining ingredients of food are available. These are the salts, *viz.*, iron, phosphate of lime, chloride of sodium, with other salts of sodium, potash and magnesia. Here the inquiry is so simple that it will occupy a very brief space. Analyses of the blood, of the bones, and of the principal secretions, point at once to the uses of the salts and shew the necessity of their presence. It is true that all the purposes to which the salts serve are not known, but enough is ascertained to prove that the blood, bones and the secretions, cannot remain in a normal condition without a constant supply, and therefore without overstepping the modesty of truth, the use to a certain extent, as well as the reason why these inorganic ingredients are present in food, may be said to be ascertained.

From the above, it will be seen, that the business of the Chemist when analysing any kind of food with a view to determine its value, will first be to separate the three kinds of ingredients, and subsequently to determine the quantity, in which each of these kinds is present.

ULTIMATE ANALYSIS of some of the GRAINS commonly used as food by the native inhabitants of India.

Rice, Raggee, Cumboo, Cholum.

The following analyses were made in reference to the ascertained uses of the different ingredients of food in general, and the results have been accordingly arranged under three heads, *viz.*, nitrogenous, non-nitrogenous, and inorganic ingredients.

The grains selected for examination, were average samples of the last crops, and all obtained from the neighbouring bazaars.

After finely powdering a small quantity of each grain, the presence of the usual proximate elements contained in the seeds of the cerealia, was ascertained by qualitative examination.

The following process was employed. From three to six grammes of flour were placed in a cotton bag, composed of three layers of fine cloth, and kneaded under water, till the washing water gave no reaction with tincture of iodine; the water containing the

* It is not intended here to include the nervous influences, under which the Absorbents and open vessels take up or reject such atoms as the necessities of Organism require, it is merely intended to say, that while these influences are active, the particles of Carbon and Hydrogen are those which when taken up, and while undergoing oxidation, are those which keep up the animal temperature.

starch was placed on filters; the filtrate was boiled down till the matter which was thus rendered insoluble (vegetable albumen) was capable of being separated by the filter. The filtrate was now still further concentrated; when about half an ounce remained, alcohol in equal bulk was added, a precipitate shewed the presence of gum; the whole was now evaporated to dryness in a water bath (to get rid of the alcohol), a little water added, gave a solution containing sugar, salts, and coloring matter; the sugar was detected by the reduction of oxide of copper to the sub-oxide, and the presence of the salts was demonstrated by igniting the residue, obtained by evaporating to dryness half of the solution containing sugar, &c.; the husks remained in the bag used in the beginning of this examination.

To ascertain the nature of the salts present, a larger portion of each powdered grain was placed in a crucible, and exposed to a bright red heat, which was kept up till some time after all evolution of gaseous matter had ceased. The charcoal thus obtained, after being powdered was treated with dilute nitric acid, copious evolution of carbonic acid; it was afterwards digested several hours on a sand bath; the whole was then thrown upon a filter, and finally extracted with water, till all the soluble matters were withdrawn. The filtrate obtained, shewed the presence of the following bases and acids.

Bases.

Iron, lime, magnesia,
Soda, Potash.

Acids.

Carbonic, Phosphoric,
Sulphuric, Hydrochloric.

The following quantitative experiments were now made. A bag made for the purpose as previously described, and which had been washed in aqua destillata, till not a trace of starch was retained, was dried in a bath heated to 212° F., and accurately tared. A portion of rice finely powdered, after being dried in the same way, was placed in the bag, and the weight of the whole taken. This gave by a Giesen balance 6,6002 grammes, for the weight of the rice employed. The bag with contents was now placed in a wide mouthed jar, containing sufficient distilled water to cover the bag, the jar was then loosely covered to avoid dirt, and allowed to stand 6 or 8 hours. The bag with its softened contents was then kneaded under successive portions of aqua destillata, till no trace of starch remained; to ascertain this, a portion of the washing water taken out by a glass rod, was tested by tincture of iodine. The bag was now taken out of the starch water, and carefully washed over it, then hung up to dry for a time, and finally placed in a bath heated to 212° F. The jar containing the starch water was allowed, after being covered again loosely, to stand till all the starch had subsided; the clear supernatant fluid was then gently removed by a small beaker, and poured on a filter, several of which were required, in consequence of the first used having become clogged up; these filters had all been dried and tared. After the starch on the filters had been well washed, the filters were all loosely covered and

set in a warm situation to dry, finally placed in a water bath, after having been removed from the funnels, their edges folded over and set in separate small dishes. These filters after having remained twelve hours in the water bath, were perfectly dried. The weight of the starch they contained, after having deducted the tare of the filters from the gross weight, = 5,620.

The bag and its contents, consisting of husks and matter adhering to them and insoluble in cold water, gave after deducting the tare of the bag from the gross weight, 0.4305, for husk and insoluble residue.

The filtrate from the starch, containing all the matters soluble in cold water, was placed in a large dish and evaporated to dryness, the contents carefully washed into a weighed capsule, and again evaporated in a water bath, to dryness, gave for the soluble matters, 0.2770.

These figures shew a small loss, which from the nature of the process was inevitable.

$$5.620 + 0.435 + 0.2770 = 6.3320.$$

This loss, nevertheless, is by no means so great as to defeat the object of the experiment, when carried out into percentages, it amounts to something less than 4 per cent., while the experiment gives some insight into the composition of the grain, and will further serve as a safeguard against any serious error, when conducting more refined and delicate methods of research, which to a person, who is in a great measure shut out from all the records of chemical science, and obliged to rely entirely on his own experience, is an advantage not to be overlooked; for these reasons, all the other grains were treated in the same manner.

The results are seen below.

Grains.	Starch.	Husk &c.	Soluble residue.	Percentage.
Rice,	85.1500	6.605	4.200	96.100
Raggee,	76.3121	11.834	9.421	95.577
Cumboo,	77.920	10.921	7.892	96.713
Cholum,	78.824	8.301	8.621	95.742

From these results it was obvious, that all the grains experimented on, contained about $\frac{2}{3}$ of their whole weight of starch, or rather more of substances having a similar composition, if the gum and sugar be taken into account. To determine the exact amount of these substances, which may all be represented by the formula $C_{12}H_{10}O_{10}$, two approved methods were open to me, viz. that of combustion, or that of loss of carbonic acid; as the latter appeared the easier, and as I should certainly be obliged to make some combustions, to determine the nitrogen, this was selected. It is found,

on that discovery of Kirchoff, which gained for him an annuity of 1,000 roubles while living, and since his death, a name which belongs to science, and which death cannot take from him, viz. that of acting on the grains in powder by some dilute acids, but especially sulphuric, which have the power of converting starch, when assisted by continued boiling, into grape sugar, which has the formula $C_{12}H_{22}O_{11}$: the result therefore of the action which takes place, is the fixation of four equivalents of water, the conversion is known to have been effected when a rod, dipped into the liquid, no longer gives the reaction with tincture of iodine. The grape sugar produced is then treated with a ferment, first having been introduced into an apparatus, such as is used for the determination of carbonic acid, but of larger size. The amount of ferment used must be exactly taken, and subsequently that of the whole apparatus.

Another portion of ferment is to be introduced into another flask, and the weight of this flask and contents taken with equal exactness; it is also indispensably necessary that the yeast or other ferment, must be a portion of the same that was used with the grape sugar, and must also be put into the trial flask at the same time, and kept during the whole operation under precisely the same circumstances.

Both flasks will give off carbonic acid after two days, both are weighed, and the weighing is continued every hour afterwards, till the weight is constant. By deducting the loss shewn by the trial flask, from the larger amount shewn by the flask containing grape sugar, the loss attributable to the ferment alone is ascertained; the loss above this denotes what is attributable to grape sugar, and as every equivalent of grape sugar is equal to one of starch, it is easy to find what the loss of carbonic acid represents, for it is also known, that one equivalent of starch, yields four of carbonic acid. To see how starch or its representative grape sugar yields four equivalents of carbonic acid, it is necessary to take into consideration what the other products of the action of a ferment on grape sugar are, and these are found to be two equivalents of alcohol, and two of water. The reaction worked out according to the known formula of grape sugar and its products, proves this to be the case.

Grape sugar has the formula

deduct $C_{12}H_{22}O_{11}$ $C_8H_{12}O_4$ = to 2 Equivalents of alcohol.

remain $C_4H_2O_7$ O_8 = to 4 Equivalents of Carbonic acid.

remain H_2O_2 = to 2 Equivalents of Water.

From these figures, it is plain that four equivalents of carbonic acid represent one of grape sugar and one equivalent of grape sugar represents one of starch, therefore to find the amount of starch and the other ternary compounds of carbon, hydrogen and

oxygen, contained in grain, which are all expressed by the formula $C_{12}H_{22}O_{11}$, before given as that of starch, it is only necessary to convert the formula $C_{12}H_{22}O_{11}$ into figures, thus:—

$$C = 6 \times 12 = 72$$

$$H = 1 \times 10 = 10$$

$$O = 8 \times 10 = 80$$

$$\underline{\quad\quad\quad} 162$$

And at the same time to convert the formula for carbonic acid in a similar manner,

$$CO_2 \quad \begin{cases} C 6 & = 6 \\ O 8 \times 2 & = 16 \end{cases}$$

$$\underline{\quad\quad\quad} 22 \times 4 = 88;$$

because there are four equivalents of carbonic acid, and therefore, as 4 equivalents of CO_2 are to one equivalent of starch, so is the CO_2 lost to the starch required.

4 Eqs. of CO_2 1 Eqs. of Starch CO_2 lost Starch required
88 : 162 : : x

Five sets of the necessary apparatus were set up, all carefully marked by the file, the fifth being used as the trial flask. Having no yeast at hand, the ferment employed was toddy, to the use of which there appear to be strong objections, which it is not necessary to state now, but which are sufficient to deter me from using it in future.

Flask No. 1, Rice.

Grammes 5.1600 of finely powdered rice taken, after having been well dried at 212° Fah., were converted into grape sugar—and lastly treated by an equal weight of toddy to that in the trial flask, at the end of the operation there was,

A total loss of carbonic acid, = 3.67
and loss due to the toddy, = 1.24

Loss arising from grape sugar 2.43

5.1600 : 2.43 : : 100 : x

$x = 47.09$ CO_2 lost per cent.

CO_2 Starch CO_2
88 : 162 : : 47.09 : x

$x = 86.68$ per centage of starch in rice.

Flask No. 2, Raggee.

5.4801 grammes of finely powdered raggee taken after having been dried as above—

Total loss of carbonic acid, = 3.98

Loss due to the toddy, = 1.63

Loss from grape sugar, 2.35

5.4801 : 2.35 : : 100 : x

$x = 42.88$ Percentage loss of CO_2

88 : 162 : : 42.88 : x

$x = 78.90$ percentage of starch in raggee.

Duplicate determinations of Starch in rice and raggee both failed, in consequence of the badness of the toddy employed. A third for each of these

grains failed in consequence of accidents. Determinations for *cumboo* and *cholum* were after several attempts obtained, but the time taken up in obtaining them made it more advisable to verify them by making combustions, than by repetitions.

Flask No. 3, Cumboo.

5.89 grammes of finely powdered *cumboo*, after having been dried at 212° , and placed in the CO_2 apparatus shewed, at the close of the operation;

Loss of CO_2 , = 3.75
Loss from toddy, = 1.14

2.61

$5.89 : 2.61 :: 100 : x$.

$x = 44.31$ percentage loss of CO_2

$88 : 1.62 :: 44.31 : x$.

$x = 81.47$ percentage of starch.

Flask No. 4, Cholum.

5.08 grammes of finely powdered *cholum* dried at 212° F. and placed in the CO_2 apparatus, shewed at the close of the operation,

A loss of CO_2 , = 3.85

The loss from toddy, = 1.62

Loss of CO_2 from grape sugar, = 2.23

$5.08 : 2.23 :: 100 : x$.

$x = 43.89$ per cent. loss of CO_2

$43.89 : x$.

$x = 80.78$ percentage of starch.

The results of the foregoing determinations of the non-nitrogenous ingredients contained in rice, rag-gee, *cumboo* and *cholum*, being unconfirmed, except by those of the first process which was not expected to furnish more than approximations, claim no notice in this place, they will, however, hereafter afford a means of comparison.

The principles on which combustions of substances composed of carbon, hydrogen and oxygen depend, with all the steps in the manipulation, the cautions to ensure success, and all the parts worthy of notice in this invaluable process, as well as the methods of calculating the results obtained by it, are so admirably given in Fresenius' work on quantitative analysis, that it will be quite unnecessary for me, to do more, than to make such references as will serve to explain the results I have obtained. When substances having the composition stated above, are burned with free oxygen as in the original process of Lavoisier, or with other substances which readily afford oxygen, carbonic acid and water are the results, and if these can be separately collected and weighed, the amounts of carbon and hydrogen can easily be calculated, as the composition of carbonic acid and of water is perfectly well known. The apparatus used to effect these ends, owes its perfection to Liebig; it consists of a tube of refractory German glass, containing no lead, which is drawn out at one end into a sealed point bent upward, to the open end, which during the operation projects beyond the furnace; a small tube containing chloride of calcium is fitted by the aid of a perforated cork,

which must be air tight to both tubes, this tube retains all the water formed during combustion, but permits the carbonic acid to pass into a bulb apparatus partly filled with strong potash; this apparatus, known as Liebig's bulbs, is connected to the chloride of calcium tube by a caoutchouc connector, this retains the CO_2 . As one example of the required calculations, will explain how all the results of the combustions to determine carbon and hydrogen have been obtained, that for the first of these operations is now given.

0.4450 grammes of rice flour, which previous to taking the weight had been 12 hours in a water bath heated to 212° F. gave, after the combustion was finished, an increase of weight to the potash bulbs of .7310 grammes; this is the weight of the carbonic acid formed by combustion; the chloride of calcium tube shewed an increase of .2565 grammes, which is the weight of the water formed. Now one equivalent of carbonic acid is represented (as before shewn) by 22. And the combining weight of carbon is 6, i. e. if we reckon by the hydrogen scale which is always used by English Chemists, therefore

one equivalent of carbonic acid	22	:	one equivalent of carbon	6	:	the carbonic acid obtained	.7310	:	x
				x	=	.1994	carbon in the amount of substance taken		

$0.4450 : .1994 :: 100 : x$

$x = 44.80$ the percentage of carbon.

Again, the equivalent of water is 9, of which 8 is the oxygen and 1 the hydrogen thereof,

one equivalent of water	9	:	the equivalent of hydrogen	1	:	the water obtained	.2465	:	x
				x	=	.0274	hydrogen in the amount of substance taken,		

$0.445 : .0274 :: 100 : x$

$x = 6.15$ percentage of hydrogen.

The values thus obtained, viz., 54.810 for the percentage of carbon, and 6.15 for the percentage of hydrogen, will be found in the results set down for the first combustion of rice. The other values have been calculated in the same manner. In substances composed of carbon, hydrogen and oxygen, it is almost needless to observe that if the sum of the carbon and hydrogen be known, the difference between this and the original weight of the substance burned, is that of its oxygen. It remains only to describe with as much brevity as possible, the principle on which combustions for the determination of nitrogen depend, when the nitrogen is not in the form of nitric acid, in which case this process, known as that of Varentropp and Will, is inapplicable; where the nitrogen, as in the case of grains, is found in the compound termed vegetable albumen, it is admirably suited for its determination, and depends on the fact, that when such nitrogenous bodies are ignited with the hydrate of an alkali-metal, the hydration water of the latter is decomposed, so that its oxygen combines with the carbon of the substance undergoing combustion, while the hydro-

gen at the moment of its liberation goes to the whole of the nitrogen present. The hydration water is best furnished by a mixture of caustic soda and lime, which is prepared for this purpose, and is known as soda-lime: this retains without deliquescent, a sufficient amount of hydrative water even when made tolerably warm; thus giving the means of mixing it with the substance to be burned. The mixture is burned in a tube of german glass shaped as before mentioned, the end that projects from the furnace, is connected by a perforated cork with a bulb apparatus containing hydrochloric acid, which, on account of its strong affinity for ammonia, retains the whole of this gas, while it permits other gaseous products to escape. To afford a compound that will not suffer loss during evaporation, bichloride of platinum in excess is added, which forms with the chloride of ammonium, the double salt called the ammonio-chloride of platinum. The formula of this salt is $\text{NH}_4\text{Cl}, \text{PtCl}_2$; now referring to the scale of equivalents it will be seen, that this formula represents the numbers that follow,

$$\begin{aligned}\text{N} &= 14 = 14 \\ \text{H} &= 1 \times 4 = 4 \\ \text{Cl} &= 35.5 = 33.5\end{aligned}$$

53.5 Chloride of

ammonium.

$$\begin{aligned}\text{Pt.} & 98.68 = 98.68 \\ \text{Cl.} & 33.5 \times 2 = 71.00\end{aligned}$$

169.68 Bichloride of

platinum.

And $53.5 + 169.68 = 223.18$ the double salt; now this double salt contains as is shewn above 14 parts by weight of nitrogen; therefore whatever weight of the double salt results from the operation, we can find how much nitrogen it contains, thus in the first combustion of rice to determine nitrogen it will be seen, that 1.2230 grammes gave at the conclusion of the process, 2.932 grammes of ammonia-chloride of platinum, therefore

$$\begin{array}{rcccl}\text{As one equivalent (holds)} & \text{one equivalent} & \text{the double} & & \\ \text{of the double salt} & \text{of nitrogen} & \text{salt found.} & & \\ 223.18 & : & 14 & :: & 2.932 : x\end{array}$$

will hold an unknown quantity of } x which = .0184
nitrogen which is represented by }

The unknown amount of nitrogen being now found, the percentage is calculated in the usual way

$$\text{If } 1.2230 : .0184 :: 100 : x$$

$x = 1.542$ the percentage of nitrogen contained in rice.

The nitrogen found in the seeds of the cerealia, it has been before stated, is in the form of vegetable albumen, which, according to the best analyses published, has the composition here shewn. Three forms of albuminous vegetable compounds are given:

	Albumen.	Caseine.	Fibrin.	Mean.
Carbon,...	54.74	54.14	54.09	54.30
Hydrogen,.....	7.77	7.16	7.30	7.40
Nitrogen,.....	15.85	15.67	15.65	15.70
Oxygen,...				
Sulphur,...	21.64	22.03	22.93	22.20
Phosphorus, }				
	100.00	100.00	100.00	100.00 nearly.

These numbers are taken from Gregory's chemistry, and by him selected from the researches of Liebig, Mulder and Dumas, but he expressly says, at random, thereby shewing the identity of composition in these substances, for it is evident from a glance at the numbers that they do not differ from each other, more than two analyses of one substance usually do. For this reason the mean of the three analyses has been found, and used to calculate what proportion of carbon, hydrogen, oxygen, &c. belong to the nitrogen found in each grain. The mode of calculating is sufficiently simple, for, if (taking the mean) 15.70 of nitrogen combine with 54.30 of carbon, then the amount of nitrogen found in each grain will combine with carbon according to the same proportion, the same is also true with respect to hydrogen, oxygen, &c., when these separate amounts which together form the vegetable albumen have been found, they are deducted from the gross amounts of carbon, hydrogen, and oxygen. The remainder of the carbon, hydrogen and oxygen, being known to exist in the form of substances having the formula $\text{C}_{12}\text{H}_{10}\text{O}_{10}$, a more exact method of calculating the amount of oxygen is obtained, for as before shewn, this formula converted into figures, gives a total of 162, out of which 80 belongs to the oxygen, therefore by the aid of the carbon and hydrogen which have been found by combustion, it is easy to find the required amount of oxygen. By these means the results of analysis, are made to exhibit in percentages, the amounts of nitrogenous and non-nitrogenous ingredients. By the percentage of the ash found by ignition, the amount of inorganic ingredients has been determined, and consequently the results of the whole constituents in percents, arranged according to the purposes to which they serve on entering the animal organism can be displayed at one view, and is thus shewn in the following Tables.

The order in which these grains stand, is not that of their comparative value, as articles of food, but that of the succession in which the analyses were made.

Several were ineffectual on account of the difficulty of completely burning the husk, although the grain was reduced to an almost impalpable powder, the difficulty was overcome by adding a small quantity of chlorate of potash, which had been previously fused to get rid of every trace of moisture. Having no exhausting syringe the method of mixing was that of Bunsen, Mitscherlich, &c., a large

glass tube having been drawn out and sealed for this purpose.

No. 1. Rice.

This grain was of the ordinary kind used by the natives, unboiled and of the last crop, obtained in the bazaar, Wallajahbad. A sufficient portion was reduced to an impalpable powder, placed in a porcelain dish and kept in a water bath heated to 212° Fah. till it ceased to lose weight.

The rice employed was a part of that which had been used for the processes already described.

4.1850 grammes dried as above and burnt in a platinum dish, left .0202 grammes of ash.

0.4450 grammes burnt with oxide of copper gave, .7310 grammes carbonic acid, and grammes .2465 water.

Second combustion 0.7320 grammes gave after being burnt in the same way, 1.205 grammes carbonic acid, and .3602 grammes water.

1.2230 grammes, burnt with soda-lime gave grammes .2932 ammonia-chloride of platinum.

Second combustion 1.5505 grammes burnt as above gave .3301 grammes ammonia-chloride of platinum.

These determinations correspond, when expressed in percentages to

Carbon,.....44.87	} The mean of the determinations.
Hydrogen,... 5.63	
Nitrogen,... 1.43	

Calculated from the mean of the analyses of vegetable albumen by the aid of the nitrogen found, the albuminous ingredients in this grain are,

Carbon,.....4.97	} 9.08 nitrogenous ingredients.
Hydrogen,..... 67	
Nitrogen,..... 1.43	
Oxygen, Sulphur &c. 2.10	

Calculated from the carbon and hydrogen found, after deducting carbon, hydrogen and oxygen for the above.

Carbon,.....39.90	} 89.08 non-nitrogenous ingredients.
Hydrogen,... 5.18	
Oxygen,... 44.00	

Percentage of ash found, 0.47 inorganic ingredients.

Total percentage..... 89.63

No. 2. Raggee.

This grain was obtained from the bazaar of Wallajahbad, was of the last crop, and an average sample of that used by the native inhabitants, was powdered and dried by the same method as the former grain.

4.5600 grammes of the dried raggee flour after ignition gave .0472 grammes of ash.

0.6242 grammes after combustion with oxide of copper and chlorate of potash, gave 1.1051 grammes carbonic acid, and .3470 grammes water.

A second combustion of .5625 grammes gave .9424 grammes carbonic acid, and .2152 grammes water.

0.6760 grammes burnt with soda-lime, gave .3091 grammes ammonia-chloride of platinum.

A second combustion of 1.2510 grammes with soda-lime, gave .5995 grammes of ammonia-chloride of platinum.

A third combustion of .6220 grammes with soda-lime, gave .2701 grammes of ammonia-chloride of platinum.

These determinations give the following percentages :

Nitrogenous ingredients calculated from the Formula for Vegetable Albumen by the aid of the Nitrogen found.	Non-nitrogenous ingredients after deducting the portions belonging to the Nitrogenous.	Inorganic ingredients incorporated with former shewing the Total percentage.
Carbon,..... 9.88	Carbon,..... 35.76	Ashes, 1.03
Hydrogen,..... 1.34	Hydrogen, ... 4.76	
Nitrogen,..... 28.6	* Oxygen, ... 39.73	
Oxygen, }		
Sulphur, &c. }		
18.12	80.25	99.40

* Calculated as before from $C_{12} H_{10} O_{10}$

No. 3. Cumboo.

This grain was likewise obtained from the bazaar of this place, and was an average sample of the last crop. It was powdered and dried, as the former grains were.

3.621 grammes after having been burned as before, yielded, 0.0464 grammes of ash.

0.6421 grammes after combustion with oxide of copper and chlorate of potash, gave 1.0532 grammes carbonic acid, and 0.3704 grammes water.

A second combustion, of 0.3852 grammes gave 0.6250 grammes carbonic acid, and 0.2315 grammes water.

0.7640 grammes burned with soda-lime, gave 0.2580 grammes, ammonia-chloride of platinum.

A second combustion of 0.5281 grammes burnt with soda-lime gave 0.1805 grammes ammonia-chloride of platinum.

This determination gives the following percentages :—

Nitrogenous ingredients calculated from the Formula for Vegetable Albumen by the aid of the Nitrogen found.	Non-nitrogenous ingredients after deducting what belongs to the Nitrogenous portion of the Grain.	Inorganic ingredients incorporated with the former shewing the Total percentage.
Carbon,..... 7.59	Carbon,..... 36.89	Ashes, ... 0.73
Hydrogen,..... 1.03	Hydrogen, ... 5.40	
Nitrogen,..... 2.19	* Oxygen, ... 40.27	
Oxygen, }		
Sulphur, &c. }		
13.92	83.27	97.93

* Calculated from the formula $C_{12} H_{10} O_{10}$

No. 4. Cholum.

This grain, like all the others, was obtained from the bazaar of this place, was an average sample of the last crop, and was powdered and dried in the way previously stated.

3.0152 grammes after having been burned as before gave 0.0382 grammes ash.

0.4853 grammes after combustion with oxide of copper and chlorate of potash, gave 0.8123 grammes carbonic acid, and 0.2708 grammes water.

A second combustion of 0.7051 grammes, gave 1.1825 grammes carbonic acid, and 0.4012 grammes water.

0.7340 grammes burned with soda-lime, gave 0.2741 grammes ammonia-chloride of platinum.

A second combustion of 0.5800 grammes gave 0.2334 grammes ammonia-chloride of platinum.

These determinations give the following percentages :

Nitrogenous ingredients calculated from the Formula for Vegetable Albumen by the aid of the Nitrogen found.	Non-nitrogenous ingredients after deducting what belongs to the Nitrogenous portion of the Grain.	Inorganic ingredients incorporated with the former shewing the Total percentage.
Carbon,..... 8.47	Carbon,..... 37.22	Ashes,..... 12.6
Hydrogen,..... 1.15	Hydrogen,.... 5.09	
Nitrogen,..... 2.45	* Oxygen. 41.36	
Oxygen,..... } 3.64		
Sulphur,..... }		
15.53	83.67	100.45

* As before.

A view of the results of the analyses of all four grains is shown below.

GRAINS.	Nitrogenous Ingredients.	Non-nitrogenous Ingredients.	Inorganic Ingredients.
Raggee,	18.12	80.25	1.03
Cholum,	15.53	83.67	1.26
Cumboo,	13.92	83.27	.73
Rice,	9.08	89.08	0.47

The comparative value of the Indian grains Raggee, Cholum, Cumboo, and Rice, as articles of food will perhaps be more readily understood by the aid of the following Tables—which shew the results obtained for Wheat, Rye, Barley, Oats, &c. as determined by some of the most eminent Chemists.

The first of these Tables is extracted from an Appendix to the first part of Liebig's Vegetable Chemistry, the whole of the table is not given, as

it contains analyses of straw and other substances only employed as food for Cattle. The analyst is M. Bousingault from whose "Economie Rurale" they have been taken, but as he has given only percentage figures—it has been necessary to recalculate his analyses, by working from the amounts of Nitrogen found by him—conducting the calculation in other respects as described at page 36-31.

GRAINS &c.	Nitrogenous Ingredients.	Non-nitrogenous Ingredients.	Inorganic Ingredients.
Wheat,	14.45	83.15	2.4
Rye,	10.7	87.00	2.3
Oats,	13.93	82.07	4.0
Potatoes,	9.5	86.5	4.0
Beet,	10.7	83.0	6.3
Turnips,	10.7	81.7	6.6
Peas,	26.52	70.38	3.1

The second Table is selected from the results obtained by Mr. Horsford, his figures require no recalculation, having been worked out under the eye of the greatest of living Chemists, the whole paper being in fact as admirable an arrangement as it is in all other respects. See the London, Edinburgh and Dublin, Philosophical Magazine and Journal of Science (Third Series) November 1846, page 365.

GRAINS.	Nitrogenous Ingredients.	Non-nitrogenous Ingredients.	Inorganic Ingredients.
Wheat,	19.15	79.77	0.70
Rye,	11.92	85.65	1.33
Indian Corn,	14.66	84.52	1.92
Hordeum Distichon,	14.72	84.80	2.84
Avena Sativa,	15.24	86.05	3.26
Oryza Sativa,	7.40	91.60	0.36
Pisum Sativum,	28.02	67.31	3.18
Phaseolus vulgaris,	28.64	66.70	4.38
Ervum Lens,	30.46	65.06	2.60
Salanum Taberasam,	9.96	86.36	3.61
Daucus Carota,	10.66	84.59	5.77
Beta Vulgaris,	15.50	73.18	6.43
Brasica Napa Brasica,	9.24	90.32	4.01
Brasica rapa,	12.62	81.33	7.02

For the sake of convenience, the three foregoing Tables have been thrown into one, thereby presenting at a single view the whole results of Analysis, which not only offers the greatest facility for inspection, but in conjunction with the succeeding Table gives the same results at once under two aspects.

Results of Analysis A.

Arranged in percentages so as to shew the Composition of the different substances existing in the

Seeds &c. examined, together with their separate uses, as life sustaining compounds.

GRAINS.	Nitrogenous. Ingredients.	Non-nitro- genous. Ingredients.	Inorganic, Ingredients.
Raggee,	18.12	80.25	1.03
Cholum,	15.53	83.67	1.26
Cumboo,	13.92	83.27	.73
Rice,	9.08	89.08	0.47
Wheat,	14.45	83.13	2.4
Rye,	10.7	87.00	2.3
Oats,	13.93	82.07	4.0
Potatoes,	9.5	86.5	4.0
Beet,	10.7	83.0	6.3
Turnips,	10.7	81.7	7.6
Peas,	26.52	70.38	3.1
Wheat,	* 19.15	79.77	0.70
Rye,	11.92	85.65	1.33
Indian Corn,	14.86	84.52	1.92
Hordeum distichon,	14.72	84.80	2.84
Avena sativa,	15.24	86.05	3.26
Oryza sativa,	7.40	91.60	0.36
Pisum sativum,	28.02	67.31	3.18
Phaseolus vulgaris,	28.64	63.70	4.38
Ervum Lens,	30.46	65.06	2.60
Solanum, tuberosum,	9.96	86.34	3.61
Daucus carota,	10.66	84.59	5.77
Beta vulgaris,	15.50	73.18	6.43
Brassica Napa,	9.24	90.32	4.01
Brassica rapa,	12.62	81.33	7.02

Results of Analysis B.

Arranged in per centages so as to shew the ultimate composition of the seeds &c. examined, without reference to the different compounds, existing in them, or their uses as life-sustaining compounds.

	C.	H.	O.	N.	Ash.
Rice,	44.87	5.85	46.1	1.43	0.47
Raggee,	48.64	6.10	43.77	2.86	1.03
Cumboo,	44.48	6.43	44.09	2.19	0.73
Cholum,	45.69	6.24	44.82	2.45	1.26
Wheat,	46.1	5.1	43.5	2.3	2.4
Rye,	46.2	5.6	44.2	1.7	2.3
Oats,	50.7	6.4	36.7	2.2	4.0
Potatoes,	44.0	5.8	44.7	1.5	4.0
Beet,	42.8	5.8	43.4	1.7	6.3
Turnips,	42.9	5.5	42.3	1.7	7.6
Peas,	46.5	6.2	40.4	2.3	3.1
Wheat,	45.69	6.76	43.23	3.00	0.70
Rye,	44.37	6.65	44.55	1.87	1.33
Indian Corn,	45.04	6.60	44.62	2.14	0.86
Hordeum,	45.50	6.39	44.68	2.34	2.84
Avena sativa,	46.50	6.64	45.59	2.39	3.26
Oryza sativa,	44.61	6.53	46.62	1.16	0.36
Pisum sativum,	45.12	6.73	38.92	4.42	3.18
Phaseolus vulgaris,	45.07	6.63	39.03	4.47	4.38
Ervum Lens,	45.35	6.75	38.50	4.77	2.60
Solanum Tuberosum,	43.86	6.00	44.79	1.56	3.61
Daucus Carota,	43.34	6.22	43.90	1.67	5.77
Beta Vulgaris,	40.29	5.72	39.37	2.43	6.43
Brassica Napa,	45.32	6.01	46.68	1.45	4.01
Brassica rapa,	43.19	5.68	42.96	1.98	7.02

The most truthful exposition of the uses of the substances examined is unquestionably that which

is dependent on their composition as shewn in Table A, but as the simple exhibition of percentages though not in keeping with the science of the day, affords a readier means of comparison with many published analyses of substances used by mankind as food, Table B will not be without its use, independent of the advantage of regarding the same subject from different points of view.

Assuming that the Tables A and B have been closely inspected, and supposing that what was stated in the outset of this Section has been borne in mind, attention will necessarily be drawn to those substances containing the largest amount of Nitrogenous Ingredients—these are found to be Peas, Beans, and Lentils, which undoubtedly are most efficient in repairing the waste of the animal tissues; next to these, the seeds of the Cerealia occupy the highest place, nor will our Indian grains in this respect be found at all inferior to the Wheat, Oats, Barley, Rye &c. of other countries. I may here observe that the amount of Nitrogenous ingredient found by Mr. Horsford in the particular sample of Wheat marked with a star is somewhat exceptional, as the mean of five other samples analysed gives for Nitrogenous ingredients 17.24, —why such a special value is attached to Nitrogenous ingredients will be evident, by comparing* the best analyses of these same Nitrogenous substances, with those of blood dried, and muscular tissues, the singular fact that all these analyses point to identity of composition, at once removes the veil, and shews why these Nitrogenous substances have been stored up in the organisms of a class of plants more widely diffused over the face of the Earth, than any other; while at the same time it reveals one ray of that beneficence and wisdom, whose immensity like space, our finite powers can neither estimate nor conceive.

BOTANICAL SECTION,

FOR CLASS III.

The following pages are submitted with great diffidence, as the reporter is well aware of the high attainments in Botanical knowledge of several of the Gentlemen composing this Jury, while soliciting their indulgence for the errors and omissions, which he doubts not they will discover, he begs them to remember that he has made the present attempt, only in the absence of better qualified men, and that he will receive any emendations or corrections with grateful acknowledgements.

* Analysis of

	Albumen.	Caseine.	Fibrin.
Sulphur,	1.30	0.9	1.0
Carbon,	53.50	43.6	53.2
Nitrogen,	15.50	15.8	17.2
Hydrogen,	7.16	7.1	6.9
Oxygen,	22.54	22.6	21.7
	100.00	100.0	100.0

The above are taken from Liebig's Letters on Chemistry, see Letter XXIX, page 437.

That the Vegetable Kingdom furnishes most of the Substances employed as food by the Natives of Southern India, is so generally known, that it will appear but a natural consequence, that the contributions to this Class consist almost entirely of substances obtained from this Division of Organized Nature, it is however somewhat remarkable, that no samples of fruits have been forwarded, especially when it is considered that Mango, Loquat Guava, &c., afford the means of making excellent preserves and jellies. The food of the inhabitants of India is not however entirely confined to vegetables, since few native repasts can be considered complete, without Milk and Ghee. The only other animal product admitted by them, i. e. by the higher Castes of Hindoos, as far as I know is that derived from the Bee.

On inspecting botanically the whole list of substances composing Class III, they will be found to belong to the following natural Orders, which have been arranged for convenience in the Tabular form.

Natural Orders.	Articles of Food included.
Gramineæ.....	Grains and Grasses.
Leguminosæ.....	Peas, Beans, Lentils, Tamarind, &c.
Palmaeæ.....	Cocoanut, Sago, Jaggery, Betelnuts.
Marantaceæ.....	Arrow root.
Musaceæ.....	Plantain.
Anacardiaceæ.....	Mango.
Euphorbiaceæ.....	Cassava or Iatropha Manihot.
Orchidaceæ.....	Salep.
Ternstroemiaceæ.....	Tea plant,
Cinchonaceæ.....	Coffee.
Byttneriaceæ.....	Cocoa Theobroma,
Urticaceæ.....	Cannabis.
Solanaceæ.....	Chillies, Datura, Tobacco.
Lauraceæ.....	(bark) Cinnamon, Cassia bark & buds.
Myristicaceæ.....	Nutmeg and mace.
Myrtaceæ.....	Cloves.
Piperaceæ.....	Pepper and Long Pepper.
Cruciferae.....	Mustard.
Zingiberaceæ.....	Cardamom, Ginger and Turmeric.
Liliaceæ.....	Onions and Garlic.

The orders within the last bracket can scarcely be regarded as producing life sustaining substances, they produce substances usually employed as condiments, to flavour various kinds of food; they certainly do not belong to Class III, as they are unable of themselves to support animal existence; nevertheless, as they have been set down as part of Class III, they claim some passing notice in this report.

Of the orders not included in the last bracket, we have separate Sections to remark upon, according to the nature of the substances which they furnish. For instance, the Gramineæ and Leguminosæ are orders affording strictly life-supporting substances, as we find in them albuminous matters, or such as are capable of repairing the tissues, accompanied with starch, gum, or sugar in such proportion, as to support respiration, and preserve animal heat, while, these two opposite kinds of substances, are further associated with the inorganic ingredients, (such as alkaline and earthy salts,

iron, &c.) required to keep the circulating fluids of animals in a healthy state, and to renew the solid frame-work of their organisms.

The Palmaceæ, Marantaceæ, and Musaceæ, furnish chiefly starchy, or saccharine matters; and, though not destitute of the albuminous and inorganic constituents, their relative proportion is not such as to constitute them (under ordinary circumstances,) life supporting substances, true, that for a limited time these products will support life, but for no lengthened period, they are therefore properly speaking not life-supporting substances.

The instances in which the Anacardiaceæ, Euphorbiaceæ, and Orchidaceæ furnish substances that can be used as food, are rare and exceptional.

The Cinchonaceæ, Ternstroemiaceæ and Byttneriaceæ, though differing so materially in so many other respects, agree in this, that each order furnishes a plant which yields a peculiar product, capable of affording a grateful beverage; and these separate products, when analysed, have been found to yield a substance having in two instances Theine, and Caffeine, the same chemical formulæ. $C_{10}H_{10}N_2O_4$, The formula for Theobromine is homologous $C_{14}H_8N_4O_4$, the most singular circumstance connected with the history of these compositions is, that under the influence of oxidizing agents, and finally under that of ammonia, which yield products closely analogous to those obtained from Uric Acid, by oxidation and by ammonia. These three orders, therefore, when considered in reference to their food affording capacities, have a common connecting link, and may in this sense be said to form a Section in the list.

From the outline already given of the uses of the order Gramineæ, it will be evident that it is of paramount importance; it is at the same time the one which furnishes by far the greater number of grains used as food; it is said to contain nearly 4000 species, included under 291 genera, is generally subdivided into cereals, and pasture grasses, the former supplying nutritious food for man, the latter that for cattle.

Such specimens of the plants producing the cereal grains as have been received, will now be noticed individually. The period of inflorescence for most of these plants having passed by, it will only be possible to examine, and describe or delineate them at that of fructification, to which they had attained, previous to their being forwarded to the Exhibition, the rice plant however is an exception to this remark, on account of the cultivation practised twice during the year, almost all over India. Samples of the rice plant in flower, and in seed, have been obtained.

Before entering into details relative to individual samples, it may not however be out of place, to give a Botanical description of the order to which these samples belong.

Dr. Balfour has the following in the last edition of his Class Book, see page 945.

GRAMINEÆ,—the Grass order. Herbaceous plants, with round, usually hollow, jointed stems; narrow, alternate leaves, having a split sheath and often a ligule at its summit; hermaphrodite or Monœcious, or polygamous flowers, either solitary or arranged in spiked or paniced locustæ. The flowers are considered as composed of a series of bracts; the outer, called glumes, alternate, often unequal, usually 2, sometimes 1, rarely 0; the next called pales or glumellæ (paleæ or glumellæ), usually 2, alternate, the lower or outer one being simple, the upper or inner having 2 dorsal or lateral ribs, and supposed to be formed by 2 pales united; sometimes 1 or both are awanting. The glumes enclose either one flower as in Fox-tail grass, or more flowers, as in Wheat; and among the flowers there are frequently abortive florets. Stamens hypogynous, 1-6, usually 3; anthers versatile. Ovary superior 1-celled, with 2 (rarely 1 or 0) hypogynous scales, called lodicules; ovule 1; styles 2 or 3, rarely united; stigmas often feathery. Fruit a caryopsis, embryo lenticular, external, lying on one side at the base of farinaceous albumen. Germination endorhizal. Grasses are widely distributed, and are found in all quarters of the globe. Schouw conjectures that they constitute 1-22d of all known plants. They are usually social plants, forming herbage in temperate regions, and sometimes becoming arborescent (50 or 60 feet high) in tropical countries. There appear to be nearly 4000 known grasses. *Oryza*, *Zizania*, *Zea*, *Coix*, *Alopecurus*, *Phleum*, *Holcus*, *Milium*, *Panicum*, *Stipa*, *Agrostis*, *Arundo*, *Echinaria*, *Cynodon*, *Chloris*, *Spartina*, *Hierochloe*, *Anthoxanthum*, *Aira*, *Arrhenatherum*, *Poa*, *Briza*, *Dactylis*, *Cynosurus*, *Festuca*, *Bromus*, *Bambusa*, *Lolium*, *Triticum*, *Elymus*, *Hordeum*, *Ægilops*, *Nardus*, *Lepturus*, *Saccharum*, *Andropogon*.

This is perhaps the most important order in the Vegetable Kingdom, as supplying food for man and animals. To it belong the cultivated grains, Wheat, Oats, Barley, Rye, Rice, Maize and Millet. Most of these have been so long under constant cultivation that their native state is unknown. Some curious observations, however, have been lately made in regard to the native state of Wheat. The properties of the order are nutritive in a marked degree. Some yield fragrant oils, others

produce sugar. The fragrant odour given out by *Anthoxanthum*, and other grasses used for hay, has been attributed to benzoic acid. Some as *Bromus catharticus* and *B. purgans*, were stated to have cathartic qualities, but this seems to be erroneous. *Lolium temulentum*, Darnel-grass, supposed to be the Tares, *Zizania*, of Scripture, has been said to be narcotic and poisonous, but this has not been fully proved. Some grasses, with creeping subterranean stems, as *Triticum repens*, Quick-grass, are troublesome weeds; others of a similar nature as *Elymus arenarius* and *Psamma arenaria* bind the loose sand of the sea-shore together. Spruce says that grasses chiefly belonging to the tribes *Oryzæ*, *Chloridæ*, and *Panicæ*, constitute the mass of the numerous floating Islands in the Amazon, called *Ilhas de Capem*. These Islands are sometimes acres in extent, and from 5 to 8 feet of their thickness is under water. The hollow stems of some tropical Grasses contain a cool fluid which supplies a refreshing drink. The cuticle of Grasses is silicious.

The European grains, belonging to this order require no notice here, as the object is not to enlarge on what is generally known, but to endeavour to direct attention to those members of this order which are chiefly grown within the Tropics, are less known, and of which samples have been sent in. A few passing remarks however, on the samples of Wheat and Barley exhibited, appear to be called for, before the more peculiarly Tropical grains are considered.

The number of samples of wheat received from the various contributors was 24, the best appears to be that forwarded by the Local Committee of Bellary, good samples have also been received from Coimbatore and Masulipatam. Mr. McIvor has forwarded a very excellent specimen of Barley grown on the Neilgherry hills.

Regarding the samples as a whole, the grains under remark are inferior to those grown in Europe, neither the ears, nor the husked grains being so large or full, as those raised there; nevertheless, the various attempts to cultivate in an Indian climate, such valuable grasses, is deserving of all praise.

The whole series of Drawings contained in this Report, have been taken from specimens of plants forwarded to the Exhibition, and have been executed by Moorogasen Moodelliar, Draughtsman to the Madras Medical College.

PLATE I.

ORYZA SATIVA,	L.
RICE,	Eng.
DHAN,	Hind.
BEEYUM,	Tel.
ARESEE,	Tam.

Fig. 1. Rice plant, showing the fibrous roots; culms numerous, jointed, round and smooth, from 2 to 8 or 10 feet long; leaves sheathing, long and slender, backwardly scabrous, mouth of the sheath crowned with ligula; Panicle terminal, thin, bowing when the seed is weighty.

Fig. 2. Flower.

„ 3. Stamens.

„ 4. Stamen

„ 5. Ovary with its two headed stigma.

Figs. 2, 3, 4, 5 magnified.

PLATE II.

ELEUSINE CORACANA,	Gartn.
RAGEE,	Eng.
NATCHANEE,	Hind.
PONASSA OR SODEE,	Tel.
KAYVAROO,	Tam.

Fig. 1. An erect culm supporting spikes (of *E. Corcana*) from 4 to 6, digitate, incurvate, from 1 to 3 inches long, composed of 2 rows of sessile spikelets, each consisting of 3 to 6 flowers.

„ 2. Rachis with caryopsis, encompassed with glumes.

„ 3. Calyx formed of 2 Glumes.

„ 4. Seed covered with a thin, pellucid, membranaceous aril.

„ 5. Seed denuded of the aril.

Figs. 2, 3, 4 and 5 magnified.

PLATE III.

PENICILLARIA SPICATA,	Scz.
SPIKED MILLET,	Eng.
KUMBOO,	Tam.
BAJREE,	Hind.

Fig. 1. Terminal spike-cylindric, erect, as thick as a man's thumb, from 6 to 9 inches long.

„ 2. Pedicel with Caryopsis surrounded with many woolly hispid purple hairs.

„ 3. Caryopsis covered with 2 valved calyx formed by glumes.

„ 4. Seed, obovate, pearl coloured, smooth, with hilum.

Figs. 2, 3 and 4 magnified.

PLATE IV

SORGHUM VULGARE,	Pers.
GREAT MILLET,	Eng.
JOWAR,	Hind.
JANOO,	Tel.
CHOLUM,	Tam.

Fig. 1. Showing the Panicle of *S. Vulgare* contracted, very dense.

„ 2. Peduncle with its pedicels supporting the Seeds.

„ 3. Flower with its numerous woolly glumes and long Stigma.

„ 4. Calyx of glumes.

„ 5. Ovary with its long and single stigma.

„ 6. Stamens.

Figs. 2, 3, 4, 5 and 6 magnified.

PLATE V.

SORGHUM VULGARE.

This is only a variety of the former and is called YERRA JANOO (red), in *Teloogoo*.


Fig. 1. Panicle rather loose.


„ 2. Peduncle with its pedicels supporting seeds covered in woolly glumes.

„ 3. Calyx.

„ 4. Seed.

Figs. 2, 3 and 4 magnified.






ORYZA SATIVA, L.
ARISEE, TAM, CHAWL, HIND, BEEUM, TEL.


TRANSFER BY P. M. CHATELIER.


Port St George, 15 April, 1858.

(True Copy) *Clawford Major*
Supt. Engineer S. Circle
In charge of Central Office F.W.

L. D. Humphrey Sup^t & Mang^r. }
Gen^l. Litho^g & Press D. P. W. }







ELEUSINE CORACANA. G.
KAYVAROO, TAM. RAGGEE, HIND. PONASSA, TEL.


TRANSFER BY P. B. CHATELAIN.

Drumhley, Supl. & Mang.
Gen. Litho Press D.P.W.

P. WOODHOUSE, DEL.

Port St George. 23 April 1858.

(True Copy)
W. A. Water. Colonel.
Chief Engineer.









Fig. 1.



PENICILLARIA SPICATA, WILLO.

KUMBOO, TAM. BUJERA, HIND. GANTILOO, TEL.

Drawn by T. Deane

Port S^t George, June 1858.

Ed. P. Murphy, sup^t and Mang^r
Gov^t & Lith^y & Press, D. P. W.


T. Macgregor, Del^t


The Genl.


Stanford Major


Sub^t & Eng^r & S. Circle,

In Charge of Central Office of P.W.









SORGHUM VULGARE.
WHITE CHOLIUM.


TRANSEEN BY P. M. CHATELAIN.


Lord S^r. George 3^d May 1858.

Drumhoy Sup^r & Man^y
Print^g Lith^g Press D.P.W.

P. MUNKSGAARD, DEL.

(True Copy) *W. H. L. L.* (Colonel)
Chief Engineer





SORGHUM VULGARE, VAR.
BLACK CHOLUM.


TRANSFER BY P. M. CHATELAIN.


Port St George 11 May 158.


(True Copy) *W. J. S. J. S.* }
Colonel }
Chief Engineer }

D. Humphreys, Sup^t & Mang^r. }
Grav^r & Lith^r }
D. P. W. }

P. MOUTON-CHATELAIN. DEL.








True Copy
Michael Colonel
 Chief Engineer D.P.W.


SORGHUM VULGARE VAR.
 ANDROPOGON SACCHARATUS. ROX. SHALLU.


Druckby Sup^d and Mang^r
 Gov^r & Lith^r & Press D.P.W.

T. Moorehead Del^d

TRANSFER BY T. CAT.
 Fort S^t George. May 1858.








PANICUM MILIACEUM, WILLD.
WARAGOO, TAM. CHEENA, HIND. WORG, TEL.


TRANSFER BY P. M. CHATELAIN.


Fort St. George, 8 April 1858.

(True copy) *Lawford Major.*
Sup^d Engineer S. Circle.
In charge of Central Office P.W.

Thompson Sup^d & Mang.
Capt. Little, Progs D. P. W.
P. M. CHATELAIN, DEL.







True copy, *Wm. A. Lister*, Colonel,
Chief Engineer, I.P.W.


PANICUM MILIARE.

SHAMAY TAM:

GRASS BY G. H. B. H. B.

Dunphy, Sup' and Mang'
Genl. Adm. Press, I.P.W.

Fort Saint George, 14th May 1858.







1

PANICUM FRUMENTACEUM, ROX.

TRANSFER BY P.M. CHATELIER.

Drumphy, Supr. & Mangr.
Govt Litho. Press D.P.W.
P. MOORONGASEN, DEL.

Fort St George, 27 April/58.

(True Copy) *W. H. D. S.* }
Colonel. }
Chief Engineer

PLATE VI.

SORGHUM SACCHARATUM.

ANDROPOGON SACCHARTUS, *Roxb.*
DEODHAN, *Hind.*

Erect, panicles verticillate; calyx hairy; corolla awnless; roots ramous; culms erect, round jointed; leaves sheathing, sword shaped; flowers paired, one hermaphrodite, the other neuter.

Grows in cold season on land too high for rice.

- Fig. 1. Panicle nat: size.
" 2. Branchlet.
" 3. Flower opened.
" 4. Caryopsis with covering.
Figs. 2, 3 and 4 magnified.

PLATE VII.

PANICUM ITALICUM, *L.*
ITALIAN MILLET, *Eng.*
KORA, *Hind.*
CORALOO, *Tel.*
TENNEY, *Tam.*

- Fig. 1. Culms erect, from 3 to 5 feet high, round, smooth; leaves sheathing; spikes nodding.
" 2. Spikelet—the pedicels having 2 or 3 flowers with smooth bristles intermixed.
" 3, 4. Glumes with bristles.
" 5. Seed, ovate.
" 6. Seed.
Figs. 2, 3, 4, 5 and 6 magnified.

PLATE VIII.

PANICUM MILIACEUM

LITTLE MILLET, *Eng.*
WARAGOO, *Tam.*
CHEENA, *Hind.*
WARGA, *Tel.*

PLATE IX.

PANICUM MILIARE, *Lam.*
NELLA SHAMA, *Tel.*
SHAMA, *Tam.*

Culms erect, ramous, 2 to 3 feet high, smooth; flowers paired on a common pedicel, with unequal partial pedicels; Corolla three valved, seed ovate, smooth, fine streaked; panicle oblong, beautifully bowing with the weight of the grain; glumes of the calyces striated.

- Fig. 1. Culm with waving panicle.
" 2. Spikelet.
" 3. Seed with glumes.
" 4. Seed.

PLATE X.

PANICUM FRUMENTACEUM, *Rox.*
BONTA-SHAMA, *Tel.*

Culms erect, 2 to 4 feet high; panicle erect; spikes secund, incurved; flowers three fold unequally pedicelled; leaves large, margins hispid.

Grown in dry rich soil.

- Fig. 1.
" 2.
" 3.
" 4.
" 5.
" 6.
" 7. } Seed.

A most able review of the Grass tribe, in almost all its important relations, is to be found in a work written by the late J. O. Voigt, Surgeon to the Danish Government Serampore, this work was published by the late W. Griffith, under the title of *Hortus Suburbanus Calcuttensis*. The portion I have extracted, not only furnishes much important information, but appears particularly appropriate to the subject, which it has been the object of this paper to illustrate. I shall, therefore, have no hesitation in making free use of Dr. Voigt's work, especially as the Geography of the grasses is chiefly taken from the papers published by Schow, Brown, Griffith, Wight, Royle, and others.

THE GRASS TRIBE.

This order is exceedingly numerous, and likely to increase in a larger ratio than the other phænogamous plants, so that the future proportion of grasses to the rest of Endogens will perhaps be as 1 to 20, or even perhaps as 1 to 16. Among the grasses, there are both land and water-plants, but no marine ones. They occur in every soil, in society with others or alone, the latter in such abundance, as entirely to occupy considerable districts. Sand appears to be less favourable to them, but even this has species nearly peculiar to itself. The diffusion of the order has almost no other limits than those of the whole vegetable kingdom. Species of it have been discovered on Spitzbergen, on the mountains of S. Europe, nearly to the snow-line, and on the Andes. The tropical grasses differ from the extra-tropical ones, by their greater size, some (*F. ex.* the bamboos) being 50-60 feet high by their larger leaves; by their frequently separate sexes, and lastly by their softer, more downy, and elegant flowers. The extra-tropical grasses on the contrary, far surpass the tropical ones in the number of individuals. That compact grassy turf, which especially in the milder parts of the temperate Zones, in spring, and summer composes the green meadows and pastures, is almost entirely wanting in the torrid zone. The grasses here do not grow crowded together, but, like other plants more dispersed. Even in the Southern parts of Europe, the assimilation to the warmer regions, in this respect, is by no means inconsiderable. *Donax arundinaceus*, by its height, reminds us of the Bamboo, while *Saccharum Revenna*, *S. Teneriffæ*, *Imperat. arundinacea*, *Lagurus ovata*, *Lygeum Spartum*, and the species of *Andropogon*, *Egilops*, &c., by their separate sexes exhibit tropical characters. The grasses are also less gregarious, and meadows occur seldomer in the south than in the north of Europe. (Extract from Schow in Jameson's *Philos. journ.*, April 1825, copied by Lindl.

What may be the amount of Indian species of grasses hitherto discovered, it is impossible for us to state, Nees von Esenbeck's synopsis of Wight's and Royle's grasses not being procurable, and

those enumerated in Wall. Cat. still remaining in the hands of R. Brown. Supposing, however, the aggregate of the former to be 200, and the latter, after abstracting common forms, to amount to 100, the sum total of discovered Indian grasses will, on reducing Griffith's gramineous collections, probably be about 1300. The collections stand thus.

Griffith, 270 from Affganisthan; 150 from the Peninsula of India; 128 from the Khassya mountains; 100 from Assam, 100 from Serampore; 93 from Mergui; 73 from the Mishmee Hills; and 51 from Bhootan. In all 965, but after abstracting common forms, perhaps 800.

Roxb.:—217.—Royle—and Wight—200? Wall. Cat, 131, reducible perhaps to 100.

As the Indian tropical grasses are abundant, and large in foliage, so do the species which extend along the foot of the Himalyas, form a grass jungle sufficiently high to conceal the elephant and rhinoceros, while in ascending, we find many of the same genera and species, which are met with in proceeding from the equator to the poles. The grasses found in the plains of India, some of which are confined to the Peninsula, but many of which are as common in the northern as in the southern plants, belong to genera, of some of which a few species ascend the mountains, and are found there at considerable elevations in the rainy season of the year. The majority of these genera are Asiatic, and the greater number of their species are contained in, and some of them confined to India; but some of the genera are as characteristic of the floras of America, New Holland, and Africa. In the plains of N. India there are a few species likewise found in European Countries, or which belong to genera more like European than Indian forms; *f. ex.* the common Doob grass (*Cynodon Dactylon*) among the Cold weather cultivation of wheat and barley, two European species are very commonly found, viz. *Lolium temulentum* is (the only grass in its normal state of a deleterious nature), and *Avena fatua*, L. Though many of the Gramineæ found in the Himalayas belong to genera of which the greater number of species inhabit tropical situations, yet it is only in the rainy season that these occur, and the mass of the grasses, like that of the vegetation in general of these mountains, will be found to be analogous to that of European countries; and many of those very species which are most valued as pasture grasses in England, are found forming the grassy sward of the Himalayas. The plains of India being subject to great heat, with drought at one season, and heavy rains at another, cannot be expected to present any pasture grounds resembling those of the best parts of Europe; but the temperature of the cold weather months, especially in the northern provinces, being such as to be most favourable for the cultivation of the same cereal grasses as in Europe, it is not surprising that good grass is produced there, and that many Eu-

Europeans prepare very excellent hay. Their rapid growth, great height, and subsequent dryness render many of the Indian grasses unfit for pasture, at the end of the year. This the inhabitants of the tracts at the base of the Himalayas, as well as those within these mountains, remedy by yearly burning down the old and dry grass, so as to allow the young blades, which immediately sprout up, to afford fodder for the cattle. But most Europeans in India prefer, or indeed only give their horses, the creeping stems and leaves of the *Dooba grass*, which is by far the most common in every part of India, and moreover flowers through the greater part of the year. In N. India, it is a common practice to form lawns and pasture of moderate extent, by planting pieces of the creeping stems of this grass, which yields excellent hay in what is the spring of the year in Europe. It forms indeed three-fourths of the food of the horses and cows in the south of India. (Royle, *ill. p.* 415-21.) Cattle are also fed on the grass, whether green or dry, of *Kodu* (*Paspalum scrobiculatum*, L.); *Chena-ghas* (*Panicum miliaceum*, Willd.); *Jalgantea* (*Panicum Helopus Trin.*); *Kungoo Panicum miliare* (*Panicum italicum L.*); *Burogab-gantea* (*Panicum setigerum*, Retz.); *Chhoto-jalgantea* (*Panicum repens*, Roxb.); *Shama* (*Panicum colonum*, L.); *Damra shama* (*Panicum frumentaceum*, Roxb.); *Bajura* (*Penicillaria spicata*, Willd.); *Jooar* (*Sorghum vulgare*, Pers.); *Sorghum cernuum*, Willd.); *S. saccharatum*, Pers. Roxb.); *Makurjalee* (*Panicum ciliare*, Retz.); *Kash. Saccharum spontaneum*, L.); *Andropogon Martini*, Roxb.; *Buksa* (*Rottbollia glabra*, Roxb.); *Java*, (*Hordeum hexastichon*, L.) &c.

The prevalence of particular grains in the zones and continents depends not only on climate, but is determined also by the civilization, industry and traffic of the people, and often by historical events, thus the earth may, according to Schouw, be divided into five grand tracts, distinguished by the prevalence of barley and oats, rye, wheat, maize or rice. The two first extend farthest to the north in Europe, constituting in the northern parts of Norway and Sweden, and in a part of Siberia and Scotland, the principal vegetable nourishment. Rye is the prevailing grain in the South of Norway and Sweden, in part of Siberia, in Denmark, and all the countries bordering on the Baltic. In the latter, another very nutritious grain, *Buck-wheat*, is very frequently cultivated. The rye tract is generally associated with the cultivation of wheat, barley there being chiefly cultivated for the manufacture of beer, and oats for supplying food for horses. The wheat tract comprehends the middle or the south of France, England, part of Scotland and Germany, Hungary, the Crimea and Caucasus, as also the lands of middle Asia, where agriculture is followed. The next tract, where wheat still abounds, but no longer exclusively furnishes bread, maize and rice becoming frequent, includes Portu-

gal, Spain, part of Mediterranean, France, Italy, Greece, the Canaries, Barbary, Egypt, Nubia, Arabia, Persia and N. India. In China and Japan rice is found to predominate. The cause of this difference between the east and the west of the old continent appears to be in the manners and peculiarities of the people. In N. America, wheat and rye grow as in Europe, but more sparingly. Maize is more reared in the new than in the old continent, and rice predominates in the southern provinces of the United States. In the torrid zone, *Maize* predominates in America, *Rice* in Asia, and both these grains in nearly the same ratio in Africa. The cause of this distribution is, without doubt, historical; for Asia is the native country of rice, and America of maize. In some situations, especially in the neighbourhood of the tropics, wheat is also met with, but always subordinate to maize and rice. In the high lands of South America, maize grows to the height of 7,200 feet above the level of the Sea, but only predominates between 3,000 and 6,000 f. of elevation. Below 3,000 it is associated with yams, manihot, batatas, and plantains; while, from 6,000 to 9,260, the European grains abound, wheat in the lower regions, and rye and barley in the higher, along with which *Chenopodium Quino*, Willd. as a nutritious plant must also be mentioned. Potatoes alone are cultivated from 9,260 to 12,300 feet. In the torrid zone in Africa, plantains, manihot, yams, *Arachis*, hypogea, L. and *Sorghum Vulgare* Pers. are added to the maize and rice. To the south of the Capricorn f. ex. in S. Brazil. Buenos Ayres, Chili, C. G. H. and the temperate zone of New Holland, wheat predominates, barley however, and rye, make their appearance in the southernmost parts of these countries, and in Van Dieman's Land, and in New Zealand, the European grains are now cultivated with success. In the Islands of the South Sea, grain of every kind disappears, its place being supplied by the Bread-fruit-tree, the Plantain and *Tacca pinnatifida*, Forest. Tropical New Holland exhibits no agriculture, the inhabitants living on the produce (Sago) of various palms and species of Arum.

In concluding the Botanical Section of the present Report without having noticed any other natural order than that of the Grasses, some apology appears to be called for. The best that I can offer will be found in the very partial and imperfect notice of the one order I have attempted to illustrate. To have treated of this one as its importance merits, a much larger amount of time, and far more extended opportunities for observing the few specimens which have been delineated during the stages of Germination, Inflorescence and Fructification, would have been requisite. The want of this necessary time and opportunity has permitted but of the very imperfect notice bestowed on each grass. Under such circumstances to have attempt-

ed any thing in reference to another order of plants would have been utterly futile. I however indulge the hope that on future occasions, the various natural orders to which articles of Food in India belong will year by year, and from abler hands receive that attention, which their great and general utility demands.

SECTION III.

Culture in India of the Plants used as food.

Without describing separately the agricultural processes employed in this part of the world, it may truly be affirmed that all are purely empirical. The cultivators do all that they do, merely because their forefathers did so before them, they know absolutely nothing of the reasons why this or that process is beneficial, or why the other should be avoided, nor can this be wondered at, when we consider that without a knowledge of Vegetable Physiology and Chemistry, it is not possible for any one to give a sound or rational explanation of his reasons for choosing one soil for this plant, and another for that. That the knowledge required to enable the cultivator to select correctly embraces a somewhat extended circle, can readily be approved since he must understand something of the laws of pure Physics, otherwise he will not be able to comprehend the attractions between surfaces and fluids, and especially that form of this force generally termed capillary attraction, on which the circulation of the sap in plants so largely depends, nor will he comprehend the penetration of membranes in one direction and not in another by this fluid and not by that, unless he has made himself acquainted with the Laws of Endosmosis and Exosmosis, nor will he understand by what agency the organisms of different plants, according to the formation and nature stamped upon them in the beginning by Almighty Wisdom, have power to appropriate this atom of a compound, while they give out that, to attain such knowledge he must have studied the laws of Galvanism, and especially the effects of feeble saline solutions of different characters, on opposite sides of membranes, he must know how potent their decomposing effects in time, though how imperceptible (except to very delicate instruments) at any given moment. In one word he must understand Vegetable Physiology. To which he must add, a sound knowledge of Inorganic and Organic Chemistry. Since in order to select his soil correctly, he must be able to examine chemically the soil in question and further his examination to be of any value, must be a quantitative one, that is to say he must be able to ascertain the relative proportions in which the constituents found in the soil are present, he must further ascertain how deep the soil may be before it merges into the subsoil, or that which has not been exposed to the influences of sun, heat and light, and to those of the air,

moisture, &c. Again he must ascertain of the true soil what portions are soluble in water, and what are not soluble, in other words he must inform himself of the proportion of the soil that is in a condition to be taken up by the spongioles of the roots of the plant. When this examination has been completed, the cultivator must ascertain, whether the inorganic constituents of the ash of the plant he intends to cultivate on the soil examined, are such as to prove that such plant can readily obtain from the soluble portion of the soil such inorganic constituents as the plant requires to form the feeble saline solutions of different chemical characters, already spoken of, and by the agency of which, on opposite sides of membranes, the imperceptible Galvanic actions by which one atom of (perhaps) Oxygen is set free, while one atom perhaps of Carbon or Hydrogen is appropriated.

The Sunheat and light exalting all chemical affinities, act as powerful auxiliaries to these actions, on which depend not only the yearly circles of new wood in Endogenous plants, but the formation of the numberless Acids, Oils, Fats, Resins, Sugars, Gums, Starches, neutral bodies, &c. &c. that are abundantly obtained from an endless diversity of plants. A few illustrations of these actions will help to render this part of the subject more generally intelligible.

The deposition of Lignin or in other words, the conversion of a part of the atmosphere into solid wood is not the least wonderful or interesting, yet throughout the whole globe, excepting the Frozen regions and Sandy Deserts, in fact in every spot where the appropriate inorganic constituents can be readily obtained by the plants referred to, this conversion is silently taking place, and if we think of the numerous forests still standing, on the grandest scale.

Analysis has informed the Chemist that pure Lignin (i. e. wood, without the saline constituents, sap or secretions,) consists of 3 elementary substances linked together in the following proportions :

Carbon 12 parts, Hydrogen 10 parts, Oxygen 10 parts. The Question naturally arises, Whence are these three bodies obtained? Accurate observation and experiment have answered this question, and proved that they are derived from water and Carbonic acid, the latter obtained in chief part from the air, the former both from the air and from the earth. The solid then from which our ships, the beams of our houses &c. &c. are made, is obtained from a Fluid and a Gas by the silent agencies of vegetable organisms. How this marvellous conversion may be effected will be seen from the following considerations. The atmosphere in all parts of the world contains Carbonic Acid Gas, and moisture or water, and the constitution of the Gas is accurately known, viz. one Atom or Equivalent of Carbon united with two atoms of Oxygen. The con-

stitution of water is also well known; it is a compound of one Equivalent or Atom of Hydrogen with one Atom of Oxygen. In addition to a knowledge of the compounds from which the Lignin is obtained, and their chemical constitution, we know that of pure Lignin itself, we also know that in health and especially under the influence of sunshine, plants take in by means of the stomata of their leaves Carbonic Acid, and give out Oxygen. Numerous Experiments made by different observers have proved that this is the fact, we know then, the action of the plant; and this gives us the key to the mystery. We may even represent it by figures in the following way. 12 Atoms of Carbonic Acid taken in by the plant, 10 Atoms of Water taken in added together give a total of Atoms taken in Carbon = 12, Oxygen 24, Carbonic Acid.

Hydrogen 10	Do.	10	Water.
Total Atoms	H 10	C 12	Oxy. 34 taken in.
but we find the			
composition of	H 10	C 12	Oxy. 10 Lignin.
Lignin to be			

Oxy. 24 given off, which is in accordance with the action of the plant; therefore we have no longer any difficulty in understanding the actions by which Water and Carbonic Acid can be, and are converted in the living Organisms of plants into solid wood; here it may be asked what has all this to do with the culture of these wood forming plants? the answer is precise; these actions cannot take place unless the wood-forming plants can find a free supply of those mineral constituents in the soil, which are required to bring the circulating fluids of the plant into the condition fitted to set up the feeble continuous Galvanic actions, to which allusion has already been made, and without which, sunheat, and light, no decomposition of the Gas, nor the fixation of its Carbon, nor the evolution of its Oxygen can take place.

I have been led by the current of the foregoing remarks to give as the first illustration of the actions referred to, the formation of Ligneous fibre or wood. The simpler illustration would have been the formation of the Organic Acids which take place, under conditions precisely similar to those already described, and to which should be added the presence of Albumen in the cells, and a free supply of water, in which Carbonic Acid is dissolved; the first is indispensable, since no cell can exist without it, and it is likewise susceptible of certain decompositions under the united influence of temperature, and moisture, which give rise to many important transformations: without water, none of the mineral constituents so important to the healthy action of the plant can be taken up, or circulate either by capillary action through tubes, or by endosmosis through vegetable membranes by means of water. Alkalies, Phosphates, and a variety of inorganic salts,

as well as free Carbonic acid, are rendered soluble, which is of the greatest importance in facilitating Chemical action, as the opposite atoms are thereby allowed to come into contact, or so near as to be within the sphere of that form of insensible attraction, known as Chemical affinity. These actions being set up in the peculiar cell apparatus of the plant, may be regarded as a feeble kind of Galvanic arrangement, which is constant during sunheat and light. By this recapitulation of the forces, conditions, and arrangements needed to produce the wonderful results arrived at; I have sought to give prominence to the facts, and thus to fix them in the mind. Their simplest illustration is as before stated, to be found in the formation of the vegetable acids, and the simplest in chemical constitution of all these acids is Oxalic, its Formula being $C_2 O_3$ (in the dry state), now two equivalents of Carbonic Acid being taken into the Organism of the plant, are equal to the Formula $C_2 O_4$, the action of the plant is to give out Oxygen under the influence of sun light, and by this influence one equivalent of Oxygen is given out, while the $C_2 O_3$ left, are united to one equivalent of water, thus arriving at the ordinary Formula of Oxalic Acid viz. $C_2 O_3, H O$. in the crystalized state, as the Acid is found in the Shops, the Formula is, $C_2 O_3, H O + 2 H O$. i.e. 2 Equivalents more of water are required, to enable the Acid to assume the form of crystals.

In like manner, all Organic Acids, composed only of Carbon, Hydrogen and Oxygen are formed. Malic, Tartaric, and Citric will sufficiently prove this.

8	Equivalents of Carbonic Acid	=	C_8	„	O_{16}
6	Do.	of Water	=	H_6	O_6

Total of Atoms employed, or	$C_8 H_6 O_{22}$
taken in by the plant, given out	
under the influence of sun light...	O_{12}

Empirical Form : of Malic Acid $C_8 H_6 O_{10}$

Written to shew the water of Hydration the Formula will be $C_8 H_4 O_8 + 2 H O$.

8	Equivalents of Carbonic Acid	=	C_8	„	O_6
6	Do.	Water.....	=	H_6	O_6

Total of Atoms employed...	$C_8 H_6 O_{22}$
Atoms given out.....	O_{10}

Empirical Formula of Tartaric Acid $C_8 H_6 O_{12}$

Written to shew water of Hydration
 $C_8 H_4 O_{10} + 2 H O$

12	Equivalents of Carbonic Acid	=	$C_{12} \text{ } ^{\circ} O_{24}$
8	Do. Water.....	=	$H_8 \text{ } O_8$
Total Atoms employed.....			$C_{12} \text{ } H_8 \text{ } O_{32}$
Atoms given out.....			O_{18}
Empirical Formula for Citric Acid			$C_{12} \text{ } H_8 \text{ } O_{14}$

Written to shew the water of Hydration. $C_{12} \text{ } H_8 \text{ } O_{11} + 3 \text{ } HO.$

Next in simplicity of formation is the group of substances of which Lignin is a member, it includes the Starches, Sugars, Gums, all which are formed in the same way as Lignin or wood. All these substances have an extraordinary capability of being metamorphosed one into the other, always bearing in mind that this capability of conversion is always in one direction i.e. from organized to unorganized substances; thus, Starch and Lignin are organized substances, and they can be converted in the Laboratory into Gum and Sugar, which are unorganized, but Gum and Sugar cannot be artificially converted into Starch or Lignin: again, these substances, are constantly being formed in plants by metamorphosis from other substances; thus, in the plantain we find in the first instance little more than Starch, and a little fine woody fibre, (Lignin), as the fruit ripens under culture, we find an abundance of Sugar, and a small amount of Acid, and, finally, if the fruit be allowed to become too ripe, we find a trace of Alcohol present, the same changes are evident in the pear and other fruits: some of these metamorphosis we have the power of imitating in the laboratory. We cannot at present change the acid into sugar, but we can change Starch into Sugar, and Sugar into Alcohol, and we can readily shew experimentally that all these substances are composed of Carbon, Hydrogen and Oxygen; by combustion in an appropriate apparatus, we can obtain from them Carbonic Acid Gas and water, and the weights of the water with that of the Carbon deduced by calculation from the weight of Carbonic Acid found by experiment, added to the weight of inorganic ingredients found by combustion also, give the weight of the original substance; finally we can shew in the simplest way, that all of them contain Carbon. Strong Sulphuric Acid poured on Sugar, Gum, Lignin or Starch, by* abstracting the Hydrogen and Oxygen present, leave the Carbon; with white Sugar or Starch placed in a wine glass, this experiment gives very beautiful and striking results. Any of the Organic Acids can be made to display directly or indirectly their Carbon, for with a few exceptions either of them heated *per se* &c. in a platinum dish,

will shew an escape of watery vapour, and a residue of Charcoal; or if heated with a Caustic Alkali, will give the *Carbonate* of Potash or Soda; finally, the source of all these combinations of Carbon (Carbonic Acid Gas) may be made to display its Carbon, since if the Gas be passed dry over Potassium or Sodium placed in a bulb tube, the metal will become oxidized, while the Carbon in *black grains* will be deposited inside the tube, or on parts of the Metallic oxide. Thus we have most complete and convincing series of proofs of what is taking place during the culture of plants, and what further increases the importance and value of these laws is, that they have a most extended application, that is, to all substances composed only of Carbon, Hydrogen, and Oxygen; besides the Organic Acids formed in fruits, and the starch and sugar groups, there are various bodies such as bitters, coloring matters, &c, which are all formed in the manner just described. An example or two of this class of bodies will suffice.

Salicine has the formula $C_{20} \text{ } H_{18} \text{ } O_{14}$, therefore it must have been formed, by means of 20 Equivalents of Carbonic acid, and 18 of water, giving a total of atoms = $C_{20} \text{ } O_{40}$

Water.....	$H_{18} \text{ } O_{18}$
	$C_{20} \text{ } H_{18} \text{ } O_{58}$
Oxygen give out.....	O_{44}
Salicine left.....	$C_{20} \text{ } H_{18} \text{ } O_{14}$

The Alkaloid of Quassia, Quassine, Form. $C_{20} \text{ } H_{12} \text{ } O_4$. To form it the plants must have taken up 20 Equivalents of Carbonic acid, and 12 of water, and given out 46 of Oxygen.

Again, the Group of Fragrant Volatile Oils, such as oil of Anise, Cumin, Cinnamon, &c. are formed in this way, their respective acids being obtained by the addition 2 of Oxygen to the Formula for the parent oil, nor is this Group the last that comes under the power of those actions by which Carbonic acid and water are converted into such immense variety of solids and fluids. The Group of Ethers and the acids derived from them, as well as a host of fatty acids, are all included under the operation of the same laws, thus Oxide of Ethyle, or common Ether is obtained by the abstraction of one equivalent of water from alcohol, which is obtained from sugar in solution by the action of a ferment at a certain temperature. One equivalent of sugar furnishes 2 equivalents of alcohol, and 4 of Carbonic Acid.

* It is not meant that this is the sole action that takes place, it is well known, not to be so, it is only intended by the remark, that the abstraction of water is the main action that takes place.

Equivalent for Grape Sugar $C_{12}H_{22}O_{12}$
 Deduct 4 Equivalents of }
 Carbonic acid Gas... } $C_4 \quad O_8$

2 Equivalents of Alcohol left $C_8H_{12}O_4 = (2C_4H_6O_2)$

The formula for Alcohol will therefore be $C_4H_6O_2$, by simple Oxidation, 2 Equivalents of Hydrogen are subtracted, while 2 more are added to the Oxygen already present.

Thus, $C_4H_6O_2$ Wine Alcohol.

loses..... H_2 from any source capable of affording it $O_2 = 2HO$ or 2 Eqs of water by Oxidation.

$C_4H_4O_2$
 gains..... O_2 by further oxidation.

and so... $C_4H_4O_4$ Acetic Acid, is obtained.

The result obtained by the several actions described is an artificial one, and therefore does not strictly apply to the present subject, but if this Acid was obtained by processes such as go on in plants, 4 Equivalents of Carbonic Acid and 4 water would have been employed, while 8 of Oxygen would have been given out, just in the same way. Formic Acid is obtained artificially from the Oxidation of Wood Spirit thus.

$C_2H_4O_2$ Wood Spirit
 Loses..... H_2 by oxidation i. e. 2 of O, forming 2 Eqs of HO

$C_2H_2O_2$
 Gains..... O_2 by further oxidation.

and so... $C_2H_2O_4$ Formic Acid is obtained.

Practically, it is true, this Acid is obtained by using materials that will furnish Carbon and Hydrogen, and which mixed with substances capable of imparting Oxygen, are partly converted into Formic Acid, thus starch will furnish materials for oxidation, —the oxidizing materials are various, frequently binoxide of manganese and sulphuric Acid are chosen. The actions are conducted in the presence of water, and with a certain increase of Temperature. If no products, but the sulphate of manganese and Formic Acid were obtained, then, as every Equivalent of Binoxide of manganese parts with one action of Oxygen, it would be easy to represent the result, but as other actions take place, this cannot well be done. Formic Acid *per se* occurs only in the animal kingdom, viz in the Red Ant; Butyric, Caproic, Caprylic and Capric Acids are also obtained *per se* only from the animal kingdom, viz. from Butter, but as salts of Ether, all these Acids, except Formic, occur in the Vegetable kingdom, and are the very substances to which our most esteemed fruits owe their flavour. Together, these Ethers give flavour to the melon and the Pine Apple, Strawberry, &c. &c. Pelargamic Ether flavours

Whiskey, Ceanthie Ether gives the bouquet to wine, Butyric Ether gives what is called the Pine Apple flavour to Rum. Acetate of Amylic Ether gives flavour to the gargonelle pear, so that it is apparent, that fruit bearing plants manufacture the most exquisite Ethers in their organisms, especially while under scientific culture, that is under the influence of all those conditions which it is not only the business of the Horticulturist and Agriculturist to understand, but to carry out,—for, be it remembered that if climate, including temperature moisture, locality, and all mechanical means are employed, without attending to the inorganic constituents, without being assured that they are of the kind required by the tree or plant, and without seeing that there is a sufficiency of them in the *soluble form* present in the soil, all the other conditions will be vitiated. The Tree may flourish, increase, and put forth leaves in abundance, and even sometimes flowers, but there will be *no fruit*, or at best a diminished supply, so with the Cereals, the Wheat or barley, or Rice may grow and rise even higher than usual, but there is no fruit in the ear or but a small amount; on the other hand, when the appropriate inorganic constituents are in abundance, and in the soluble form, then the actions in the Organisms of the Fruit Tree or Cereal are vigorously carried on, and the result is, that the Fruit and the grain are produced abundantly. One example will prove this as well as a hundred. Liebig added to a waste and barren soil the requisite amount of alkalies, phosphates, silica and sulphates (all mineral and inorganic compounds,) he obtained excellent perennial crops, and wood forming plants, but not cereals, after ascertaining from the ashes of the cereals what was wanting (which was found to be phosphates,) he reflected how the deficiency could be remedied, he knew that a large supply of Carbonic Acid in solution would act on the alkalies and phosphates, so as to make them soluble, he therefore added to the land in question sawdust, which not only would absorb when moist Carbonic Acid Gas, but would furnish a large additional supply, by its gradual decay; thus he intended to bring the phosphates into solution, so that they might be available for the cereal crops; nor was he deceived, the next crops were of the finest description, with a full ear. Throughout these experiments nothing in shape of what is called manure, was furnished to the land, the inference is therefore unavoidable, viz. that the necessary and healthy actions of plants, can only proceed so as to attain the utmost development of product, when the land furnishes to the plant the appropriate mineral constituents in a soluble condition, and in sufficient quantity.

The general laws which have been applied to shew the formation of the Vegetable Acids mentioned, and to other classes of compounds composed of Carbon, Hydrogen and Oxygen, are equally applicable to the formation of that class of com-

pounds, termed the Fatty Acids, these are all found in Oils and Fats, there are no doubt many intermediate steps and stages in their formation not at present known; without attempting to trace these stages, we know that to form these compounds, a certain number of Atoms of Carbonic Acid and water must have been taken in by the plant, and a certain number of Atoms of Oxygen given out, and this is all that is sought to be shewn by the symbols and equations given. The Formula of these bodies being ascertained by analysis, the factors that were employed become evident, as well as the process carried out by the plant, which is always one of Deoxidation or Reduction, thus;—

Margaric ...	$\bar{a} = C_{34} \cdot H_{70} \cdot O_4$	34 Atoms of Carbonic Acid must therefore in the 2 first acids have been employed, and 34 Atoms of water, while 98 Atoms of Oxygen have been given out.
Stearic	$\bar{a} = C_{34} \cdot H_{70} \cdot O_4$	
Palmitic	$a = C_{32} \cdot H_{64} \cdot O_4$	
Cocinic	$a = C_{26} \cdot H_{52} \cdot O_4$	

In Palmitic Acid 32 atoms of Carbonic Acid and 32 of water must have been employed, and 92 of Oxygen given out. In the Cocinic Acid, $C_{26} O_{52}$ Carbonic Acid + $H_{26} + O_{26}$ Water = $C_{26} O_{78}$, therefore 74 of Oxygen have been given out. In this list it will be observed, that the Oxygen never exceeds 4 Atoms, whatever may be the number of the Atoms of Carbonic acid and Hydrogen retained. In Camphors and Resins the amount of Oxygen left in combination, is still further reduced, in few cases exceeding one or two Atoms, the whole amount taken up being (with the exception of the one or two Atoms combined), got rid of. Finally a group of substances known to chemists as Carbohydrogens, are manufactured in the Organisms of plants. In this remarkable Group, the *whole* of the Oxygen taken up, whether as Carbonic Acid or water, is got rid of. Thus oil of Turpentine has the formula of $C_{10} H_8$, which indicates that 10 Atoms of Carbonic Acid, and 8 Atoms of water, by giving out 28 of Oxygen, leave $C_{10} H_8$, or 1 atom of Turpentine oil, in the producing tree. The oils of Orange peel, Bergamot, Pepper, Cubebs, Juniper, Capivi, Elemi, L. Lemons, Indian Grass and the Hop, are all Hydro-Carbons, i. e. the plants manufacturing them, give out the whole of the Oxygen taken in, either as Carbonic Acid or Water, leaving only a Binary compound, though differing in each particular case.

The various classes of compounds that are formed in plants from Carbonic Acid and Water, when all the necessary conditions for their health and vigour have been provided for, having been thus rudely sketched out, a short notice of the separate conditions to be known and attended to, when plants form nitrogenous compounds in their organisms, is necessary to complete the intended picture, for this purpose it is obvious, that plants must take in Nitrogen in some shape. For many years, how this was effected was a disputed question, at last how-

ever such a mass of evidence has been adduced, to shew that the shape in which Nitrogen enters into the organisms of plants is Ammonia, that chemists in general regard the question as settled, and believe that Ammonia does enter the organisms of plants, and that its Nitrogen is there fixed; the Hydrogen being in part or altogether removed in the forms of water. Admitting then that this is the fact, the constant source of the Ammonia is next to be considered, it appears that there is a small quantity of this compound always present in the Atmosphere; rain water always contains it, although this cannot be demonstrated, unless a quantity of it be evaporated to a very small bulk, then by adding a little Hydrochloric or Sulphuric Acid, it is obtained in the form of Sal Ammoniac, or Sulphate of Ammonia, which salt can be made to give up Ammonia by any of the ordinary tests. How it becomes mingled with the air is not a question, it is well known that all animal substances undergoing decomposition give off Ammonia, and so do many vegetable substances under the same circumstances. From these statements, which are all advanced on the strength of repeated experiments, it is clear that the atmosphere, contains every ingredient required by plants, even for the most complex compounds, except the Alkalies, Phosphates, Sulphates, Silica &c., derived from the earth; because, in the atmosphere we find Carbonic Acid, water, and Ammonia, which compounds are all binary, and by suffering decomposition within the plant, afford the necessary elements. Carbon, Hydrogen, Oxygen, and Nitrogen, from which with the acid of the Salts &c. furnished by the earth, every organic compound found in nature is formed.

Nor are the natural processes different in character from those already described, although the stages or intermediate actions may be more difficult to trace. The final result is one of Reduction. Since so many atoms of Carbonic Acid, Water, and Ammonia are taken into the plant, while a certain number of Atoms of Oxygen are given out, as well as so many Atoms of water, both the Oxygen and Hydrogen compounds being reduced, i. e. one, two, or three Atoms of Hydrogen are taken from the Ammonia while the like number of Atoms of Oxygen are taken from the Acid, or other Oxygen compounds present, and are given out as one, two or three atoms of water, while the Ammonia is reduced to an Amide, Imide, or Nitrile compound. This kind of action is well known even in the inorganic department of Chemistry, the first of these compounds that attracted attention, was the one thrown down when a solution of Corrosive sublimate is treated with Ammonia, it was long known only as *white precipitate*, it is now known to be a peculiar compound containing Amide of Mercury, and is formed in this way; two Equivalents of the Chloride of Mercury, and two of Liquor Ammoniac

unite to form two new compounds, Sal Ammoniac, and white precipitate

Hg Cl. one Eqt. of Mercury Chloride } which contains
 Hg Cl. one Eqt. of Mercury. } the amide of
 N H₃ one Eqt. of Ammonia. } mercury ; one
 N H₃ one Eqt. of Ammonia. } Equivalent of.

Ammonia splits up, losing one of Hydrogen, which goes to the remaining Equivalent of Ammonia, and forms (N H₄) Ammonium, which unites with one Equivalent of Chlorine, and forms N H₄ Cl. or Sal Ammoniac, while one Equivalent of (Hg. Cl.) chloride of mercury, unites with the amide of mercury (Hg. N H₂), forming together Hg Cl, Hg. N H₂, white precipitate.

In this case, the reduction is effected by means of Chlorine, but the nature of the resulting compound is just the same, as if the reduction had been (as it is in plants) effected by Oxygen for the compound N H₂ is arrived at.

Oil of Bitter Almonds has the Formula C₁₄ H₆ O₂ (Empirically written). Practically C₁₄ H₅ O_{1.2}, this acted on by 2 dry Atoms of Chlorine suffers abstraction of one Atom of Hydrogen, forming 1 Equivalent of Chloride of Benzoile, (C₁₄ H₅ O₂ + Cl.) and one Equivalent of Hydro-chloric Acid (H Cl.) and Chloride of Benzoile (C₁₄ H₅ O₂ Cl) acted on by 2 Equivalent of dry Ammonia, gives 1 Equivalent of (H Cl.), and one Equivalent of Benzomide (C₁₄ H₅ O₂ + N H₂), these are instances brought about artificially in the Laboratory, but they are useful to shew the kind of action taking place in plants, when N H₃ Ammonia, is to be reduced, and compounds with N H₂ to be formed, many instances in nature have not yet been met with, one however may be brought forward to prove that theory is but keeping pace with fact, thus in Asparagus, Malic Acid and Ammonia, are brought into contact, under ordinary circumstances Malate of Ammonia, would be formed not so however in this case, two equivalents of water are abstracted, (the acid being Bibasic) the action being as follows.

Malic Acid. Ammonia.

C₈ H₆ O₁₀ + N. H₃

C₈ H₆ O₁₀ N. } Factors added together.
 H₃

C₈ H₉ O₁₀ N. = Total of Elements employed.
 H₂ O₂ = 2 H O subtracted or given out.

C₈ H₇ O₈ N = C₈ H₅ O₈ + N H₂

Malamide.

Malamide or Asparagine, from this it is clear that reduction of Ammonia (N H₃) takes place in nature's laboratory, as well as in the Chemist's, Imides are not known to be formed except artificially ; Nitryles have such a relation to Cyanogen that makes it uncertain whether many of the compounds

called Nitryles may not be Cyanides, or whether some Cyanides may not be Nitryles, Nicotine and Conine are suspected to be Nitryles, but they may be Cyanides. Without attempting to trace the steps by which a final result is reached, it is evident, that when the formula of a Nitrogenous substance is known, it is not difficult to see how many Atoms of Carbonic Acid, Water and Ammonia have been employed in its formation. For instance Nicotine has the Formula C₁₀ NH₇, and Conine has the Formula C₁₆ NH₁₅, in these cases we see that 10 Equivalents of Carbonic Acid, 7 of water, and one of Ammonia have been employed to form Nicotine, and that 27 of Oxygen have been given out, but whether the Nitrogen be associated with Hydrogen as an Amide, Imide, or without as a Nitryle, we have no present means of judging, since we can neither trace the steps of reduction, nor can we decompose Nicotin, so as to shew in what way the Nitrogen is combined, whether the action of dry Chlorine on Nicotin would throw any light on the subject ; I do not know, as I believe no trials have hitherto been made. The same kind of view may be taken of the formation of Conine, as of Nicotine, and in fact of all similarly constituted bodies, which includes a very important class, viz., that of all the vegeto-alkalies, or natural alkaloids found in plants containing nitrogen. Dr. Gregory has selected with his usual accuracy and comprehensive knowledge a number of cases which tend to show, that in all nitrogenous compounds not containing sulphur, we have just grounds for thinking that they are amides, or have been derived from such compounds.

When sulphur is found associated with nitrogen in organic compounds, it is a proof that they are complex and of the highest degree of elaboration, since all such compounds, and with the exception of sulphocyanide of allyle (oil of mustard) are compounds fitted for the highest offices, that any kind of vegetable food or product can fulfil, viz., that of repairing the wasted tissues of the animal. Such compounds as these are widely diffused and abundantly found in the seeds or fruit of the gramineæ, leguminosæ, &c. &c. ; they are generally known as the albuminous compounds of vegetables. These albuminous compounds in consequence of certain differences, are distinguished from the other by the terms fibrin, albumen and caseine. The 1st, also called gluten (as in wheat) is distinguished by its spontaneous power of coagulation. The 2nd, called in some case emulsine is found in most vegetable juices, and in almost all seeds, in the solid form, distinguished by its coagulability at a heat of 160° or even lower. The 3rd, termed legumine, from being found so largely in the seeds of leguminous plants, is distinguished by its own spontaneous coagulability, and by the non-effect of heat to set up this action, though it causes what is termed a pellicle, weak acids cause it to coagulate.

These three important compounds, though in the first instance built up in the organisms of *plants* from *inorganic elements*, are found in all animal bodies, and the chemical constitution of all three, whether taken from the animal or vegetable kingdom is identical.

Animal organisms cannot form either of these compounds, though they have the power of converting one into the other; with these considerations before him, well might Liebig say, that the vegetable kingdom was the workshop of the animal, since this, though it may sound strange is literally the fact. The pasture grasses form the albuminous compounds on which cattle thrive and flourish, therefore, when we eat beef steaks or mutton chops, we may remember that the albuminous and fibrous compounds which we eat as meat were given to the sheep or ox ready formed by the grasses on which they fed.

That the living animal, by its organism is not called on to effect what is done by that of the vegetable, is proved by the fact that milk which is food of all young animals, always contains one of the albuminous compounds described, viz., casein, and furnishes the blood. Milk, whenever it is required in this instance, though the blood which furnishes the milk contains fibrine and albumen, it contains no casein, while the milk which contains no fibrine (and only immediately after parturition albumen) contains casein in abundance. If further proof be required of the power of conversion possessed by the animal organism, it is found in the fact, that the milk after being taken into the organism, is readily converted into fibrine and albumen, since infants who have taken no other food than milk, increase in weight and size, and therefore contain a large amount of fibrin and albumen in their blood and tissues, than they did at birth. These facts alone seem sufficient to show the unrivalled importance of these three bodies to men and animals; and it will be hereafter seen, that to vegetables themselves the presence of an albuminous compound in their seeds is scarcely less so. The utility, not to say necessity of understanding every thing connected with the actions subserving to the development of these bodies seems indisputable. Taking this for granted, no apology will be needed for dwelling a little on the various circumstances with which the agriculturist should be acquainted.

First he should know precisely exactly every constituent present in the seeds of the cereals or grasses he is about to cultivate; now, though individual members of the class may show different proportions in the constituents present, he will find the following kinds of substances in all the seeds of the cereals.

Starch or Saccharine matters,
Albuminous matters,
Inorganic matters.

1st. The starches &c. are all composed of C.

H. O. these are in fact the matters that support respiration and animal heat.

2nd. The albuminous matters composed of Carbon, Hydrogen, Nitrogen, Oxygen and Sulphur—associated with *Phosphate of Lime*.

3rd. The Salts &c. these include Water, Carbonic Acid, Potash, Chlorides, Iron, Sulphuric Acid, Silica, Lime and Ammonia—Magnesia.

The Agriculturist must next investigate the soil on which these cereals are to be grown—he must see that all the mineral constituents required are present not only in sufficient quantity—but that they are in an available form—let the quantity of Phosphate of Lime be ever so great, this will not be available unless Alkalies are also present, and Carbonic Acid in excess, these conditions are required to bring the earthy Phosphate into the soluble form—this being accomplished, the formation of the important compound Albumen can proceed, provided that the other conditions required are scrupulously fulfilled. First there must be a full and free supply of water to allow of the constant mobility of the different and opposing Chemical Atoms taken into the plant. The circulation of the fluid taken in must not be unimpeded by too low or high a temperature, the healthy mean which allows a wide margin must be preserved. The sun light must be allowed free excess, as well as the Air with its various kinds of food—under these conditions free evaporation of moisture from the leaves takes place. Thus forming a continued partial vacuum in the upper vascular and cellular portions of the plant, and aiding the Capillary attractions between Surfaces and fluids and Endosmotic penetrations through membranes, while the opposite nature of the fluids on either side of membranes of the cells sets up the continuous feeble galvanic agencies by which the wonderful decomposing powers of plants are developed, and the fixation of this atom, with the evolution of that accomplished.

The vegetable Apparatus being in perfect order, and working well under all the conditions specified, it remains to notice as far as our present knowledge will permit what takes place. The Formula for Albumen and Fibrin is the following. $C_{216}H_{169}N_{27}S_2O_{68}$.

	Carbon.	Hydrogen.	Nitrogen.	Sulphur.	Oxygen.	Total Atoms.
Albumen and Fibrin.	216	169	27	2	68	482
Casein, which differs in all but the Sulphur.	288	228	36	2	90	544

Now the elements above specified existed as Carbonic Acid, water, Ammonia and Sulphuric Acid, at the time of being taken into the plant, therefore the number of Atoms so taken in must be as follows—in order that there may be materials wherewith to form the compound required viz. Albumen.

216 Eqts. of Carbonic Acid = $C_{216}O_{432}$.
 88 Eqts. of Water = $H_{169}O_{88}$.
 27 Eqts. of Ammonia = $N_{27}H_{81}$.
 2 Eqts. of Sulphuric Acid = S_2O_6 .

therefore, adding all atoms of the same name together, we find that as a total of materials employed, there are of Carbon 216, H169, N27, S2, and O526, which again added together, make up the sum of 940 for the different atoms employed. But the Formula for Albumen shews only a total of 482 for the number of atoms found in it by Analysis, therefore we see that $940 - 482 = 458$ atoms of some kind expelled, and if we look at the number of atoms of Oxygen, shewn in the formula for Albumen, we find 68, again if we deduct 68 from the total of Oxygen taken

into the plant viz. 526
 68
 ———
 458

we have 458 left, therefore we see what kind of atoms have been expelled from the plant,

and this is in strict accordance with the laws previously laid down, but it is supposed that one of the essential steps towards the final result is the formation of grape sugar, and if this be so (and it is quite within the limits of probability, as there would in this case be no violation of or departure from the known and ascertained processes going on in plants), a certain number of Equivalents of water as well as Oxygen would require to be got rid of, as may readily be seen by the aid of the following Diagram; 216 Equivalents of Carbon require if produced from Grape Sugar 18 Equivalents, since the formula for Grape Sugar is $C_{12}H_{12}O_{12}$ and $12 \times 18 = 216$, it follows therefore, that the formula for Grape Sugar multiplied by 18 = $C_{216}H_{216}O_{216}$, which were taken into the plant in the shape of Carbonic Acid and water, the number of Atoms given to make up the Carbonic Acid and water, would be 216 Carbon, and 432 Oxygen, with 216 Hydrogen, and 216 Oxygen, then looking at the formula, it appears that the whole of the Oxygen belonging to the Carbonic Acid has been expelled, viz. 132 Atoms, making good the remark that Sugar is but Carbon and Water. Now to these 216 Carbon, 216 Hydrogen, 216 Oxygen Water present in the 18 equivalents of Sugar, if we add 27 equivalents of Ammonia and 2 equivalents of Sulphuric Acid, we have again the materials wherewith the organism contrives to form albumen, bearing in mind however that to do this, there must be an expulsion of water as well as of Oxygen.


	C	H	O	
Total of materials employed	216	216	216	= 18 Eqts. Grape Sugar.
			N	
	81	27		= 27 Eqts. of Ammonia.
			S	
	6	2		= 2 Eqts. of Sulphuric acid.
			N	
Subtract	C 216	H 297	O 222	S 2
Formula for Albumen	216	169	68	27 2
		H 128	O 154	
				128 Atoms of water, 26 of Oxygen expelled.

From the Diagram it will be evident 1st, that nothing opposed to the known operations going on in the plant has been predicated. 2nd that by these operations admitting that the plant takes in the Carbonic Acid, the water, the Ammonia, and a Sulphate that will furnish Sulphuric Acid (which no one will dispute), decompositions are effected within the organism of the plant, amongst the Inorganic materials taken from the soil, which produce new compounds, and end finally, in the formation of Albumen and its congeners, and though the steps are unknown or but suspected, the kind and nature of these processes is satisfactorily accounted for, in so far, as the facility of such formations is clearly demonstrated. 3rdly the series of facts observed during the growth of the plant, ending in the development of its fruit or seed, in which these albuminous substances are chiefly found, affords indisputable proof that these substances are built up in the organism of the plant during its life time. Our information then up to this point is precise, what we still want is the knowledge of the various steps by which the known results are arrived at. We know that the processes by which all vegetable products are formed, are processes of Deoxidation, and on the other hand we know, that all the processes carried on in animal organisms are processes of oxidation. By Deoxidation the vegetable builds up some of the most complicated products, even those capable of replacing the wasted portions of our Muscular, Vascular, Cellular, Gelatinous, Osseous and Nervous Tissues. By Oxidation the animal breaks down step by step these complicated products, till at last, they are brought back to the state of simple binary compounds, viz. Carbonic Acid, Water, and Sulphuric Acid, i. e. into the very identical forms which were taken up by the vegetable, such are the results of the absolute and perfect economy of unapproachable wisdom, the arrangements by which they are effected, we are permitted to trace in such proportion only as serves to shew us, the immensity of that we cannot trace, the same atoms, that under certain conditions and the influence of certain external forces went to make the Acid of the Lime, the Saccharine matter of the Sugar cane, the starch of our Corn or Rice, or ascending a step higher in the scale, the deadly poisons or potent remedies (which destroy or cure as they are wielded by the murderer or the Physician), and finally the Albuminous compounds, which restore the waste of our bodies. These same atoms, after

having served the purposes which they were destined, in two living organisms, are returned to the air or the Earth, ready to perform again the same circuit, when called upon. Limited and small as our physical and mental powers are, it is scarcely possible for any one who thinks not to see in part the unspeakable beauty and all pervading harmony of the arrangements that subserve to the ends contemplated. Here in the inorganic portion of the eternal circle, are the Alkalies the soluble and insoluble Phosphates, the Iron, Ammonia, Chloride of Sodium, Silica, Carbonic Acid and Water, manufactured by the second section of the circle (the vegetable Kingdom), into products without end, serving to the comfort, enjoyment and life of the third

section of the circle (the Animal Kingdom) which again after using the products prepared by the second section for the maintenance of animal life, and for the innumerable purposes of the arts, manufactures, and science, returns the Atoms to the First Section, chiefly in the very forms in which they were originally found, without loss or diminution; while by the opposite though harmonious marking of the actions of the 2nd and 3rd Sections of this our circle (the world), the healthy constitution of the atmosphere is preserved immutably, thus keeping it equally capable of affording the moisture and Oxygen required to maintain Animal Life, and the Carbonic Acid, moisture and Ammonia required for that of the vegetable.

The bearing of the foregoing remarks will be sufficiently obvious, if the meaning of Scientific Culture be really understood in its true sense, which is nothing more than on the one hand to fulfil every necessary condition for the growth of the plant, and on the other to withdraw and take away every thing in the shape of impediment. True it is, that the cultivator, has not always at command some of the essential conditions, for instance he cannot on the large scale alter his temperature, nor can he change the current of nipping winds, frosts, blights &c., but as far as possible his business is to see that all required conditions are fulfilled, and he cannot do without knowing what the processes are, that he wants to further, and in the event of failure to what this failure is owing, the kind of knowledge required to ascertain this has been already considered, it therefore only remains, as I have no fear that the great importance of the subject will be acknowledged, to advert to the impossibility of imparting to the cultivator such knowledge, without establishing a system of instruction in imitation though at



a humble distance of that now carried out in Great Britain, Germany, and France. The ignorance of the people generally is the great bar. In Europe men of the highest intelligence, and of the highest rank devote themselves with untiring zeal to the study of agricultural Chemistry, and Physiology, here nothing I fear but the immediate prospect of increased gain would induce any native agriculturist to become an educated man, the gain promised by this kind of knowledge is not immediate—since to acquire the requisite education years of study are required—it may however be a consideration, whether if a person who had been properly instructed were attached to each Collectorate, these Districts might not be made more productive, and thereby the revenue of Government increased. In consequence of the urgent calls for this report, I have been obliged to conclude it somewhat hastily, having scarcely touched on the subject of manures, which as they are so intimately connected with the subject of culture I intended to have dwelt on at some length, I have however, I trust, said enough to shew what manures are intended to effect, and have only in concluding this Report to express my regret, that from indifferent health and other causes, I have not had more leisure to devote to such a subject. The faulty and unpolished phraseology employed throughout this paper is no doubt sufficiently open to criticism, as all productions written so hastily, and at constantly interrupted periods must be, but if the doctrines and views set forth are admitted to be in accordance with acknowledged facts, and if the illustrations are in keeping with the science of the day, I am content to bear with censure on other accounts.

JOHN MAYER, *Professor of Chemistry.*

CLASS IV.

VEGETABLE AND ANIMAL SUBSTANCES, CHIEFLY USED IN MANUFACTURES, AS
IMPLEMENTS OR FOR ORNAMENTS.

ALSO

CLASS XIV.

MANUFACTURES FROM FLAX AND HEMP.

ALSO

CLASS XXVIII.

MANUFACTURES FROM ANIMAL AND VEGETABLE SUBSTANCES NOT BEING WOVEN
OR FELTED, OR INCLUDED IN OTHER SECTIONS.

The Honorable Sir H. C. Montgomery, Bart.

The Honorable W. Elliot, Esq.

W. E. Underwood, Esq.

Lieutenant Colonel G. Balfour, C. B.

H. F. C. Cleghorn, Esq. M. D.

Colonel F. A. Reid, C. B.

A. Hunter, Esq., M. D.

Lieutenant Colonel T. T. Pears, C. B.

J. D. Sim, Esq.

Colonel Æ. Shirreff.

Major J. Mailland.

Colonel W. H. Budd.

Lieutenant Colonel A. McCally.

Colonel P. Hamond, *Reporter.*

Major G. Simpson.

Captain W. C. Baker.

Captain C. Biden.

W. E. Cochrane, Esq.

J. Binny Key, Esq.

W. Arbuthnot, Esq.

J. L. Lushington, Esq.

J. T. MacLagan, Esq.

A. T. Jaffrey, Esq.

Lieutenant Mitchell, Reporter.

T. Peachey, Esq., Reporter.

Dr. W. Flynn, G. M. M. C.

W. B. Wright, Esq.

G. Williams, Esq.

N. C. Moorogasem Moodeliar.

C. V. Conniah Chettiar.

C. Runganada Shastree,

Sub-Conductor Briggs, *Reporter.*

W. B. Liddell, Esq.

Captain Hawkes, *Reporter.*

SECTION I.

GUMS AND RESINS.

SUB JURY.

Lieutenant H. P. Hawkes, Reporter.

Dr. W. Flynn, G. M. M. C.

H. F. C. Cleghorn, Esq. M. D.

Under this head are included the following :
—Piney or Vateria, Canarium, and Vatica or
Shorea resins, all known under the name of

“ dammer” ; Kino, Lac, Dikkamaly, Benjamin,
Myrrh, Poon-yet, Mutti-pal, Aloes, Gamboge
&c. &c. &c.

The most important of all the solid resins
produced in India are those which are included
under the general name of “ Dammer,” and it
will be the chief object of this report to clear
up the doubts which have hitherto existed, as
to what particular trees yield each of the crude
products found in the bazaars. It will therefore
be advisable to quote the various authorities

on the subject, before proceeding to show the result of the Jury's investigations.

Ainslie speaking of "dammer or Indian resin" which he refers to the *Chloroxylon dupada* of Buchanan (the *Vateria indica* of Linnæus,) says:—"Of the substance usually termed dammer and improperly country rosin, there are three sorts to be met with in the Bazaars, called in Tamil "*vullay coonghilium*"* "*curpoo coonghilium*" and "*noray coonghilium*" or white, black, and coarse dammer. It much resembles the resin obtained by distillation from the turpentine of the *Pinus sylvestris*, both in appearance and natural qualities, and would seem to be a common product of many Asiatic countries. I perceive it is to be procured in great abundance in Sumatra from a tree called by the Malays "Canari."† (*Dammara nigra legitima* of Rumphius.)

In Java, Borneo, Joanna and several of the Sooloo islands, it (dammer) is quite common, and a regular export to the continent of India. The coarse or stony kind the Malays call "dammer batu" and the Javanese "dammer selo," the white or fine sort they term "dammer putch." * * * * *

Dr. Buchanan (now Hamilton) in his interesting "Journey through Mysore" informs us that he found the tree which yields dammer growing in the woods of Malabar, and in the mountainous tracts which separate the Travancore country from the Madura district, and bestowed on it the scientific name of ‡*Chloroxylon dupada*, though I know well that the greater part of the dammer met with in India, is an import from more Eastern countries. How far the "*Chloroxylon dupada*" differs from the §*Dammara nigra legitima* of Rumphius I regret to say I am not now prepared to state." * * * * *

In short, omitting what refers to foreign products with which we have no immediate concern, the whole of Ainslie's remarks may be briefly summed up as follows—

His *vellay* and *noray coongilium*,|| or white and coarse dammer are the products of the *Vateria Indica* of Linnæus (the *Chloroxylon dupada* of Buchanan), which is the *Dupa maram* of the Canarese, the *Chadacula* of the Tamools, and the *Payanee* or *Piney* of Malabar. His *curpoo coongilium* or black dammer is the product of the *Canarium* of Roxb. and Wight, the *dammara nigra legitima* of Rumphius, and the *Canari* of the Malays.

Roxburgh's description of the principal resiniferous trees of India is here given as extracted from O'Shaughnessy's Bengal Dispensatory.

VATERIA. Sp.—*Vateria Indica*—Vern. *Piney marum*.

This is a very large and stately tree, a native of Malabar, and lately found also in Mysore. The young shoots and all tender parts except the leaves are covered with fine stellate pubescence, leaves alternate, petioled, oblong, entire, from emarginate to obtuse, pointed, smooth, coriaceous, from four to eight inches long and two to four broad, petioles round, about an inch long; stipules oblong, panicles terminal, ramifications rather remote; flowers rather remote, pedicelled, pretty large; bractes oblong, one flowered; calyx five, cleft to the base, divisions oblong, obtuse, villous on the outside, corolla five petalled, petals oval, emarginate, broader but very little longer than divisions of the calyx, filaments from 40 to 50, short, broad inserted between the petals and the base of the germ, anthers linear with a single filiform beak; germ superior, conic, downy, three celled, cells

* Ainslie's "*Curpoo Coonghilium*" is doubtless the product of the *Canarium* of Sumatra and the Western coast of India, whilst his other two sorts may be either the products of the *Vateria* or *Shorea*, probably both. The three varieties are not the produce of the same tree as Ainslie seems to have supposed.

† The *Canarium* of Roxburgh. This yields the black dammer of the Western coast of India.

‡ The tree to which Dr. Buchanan gave this name had been already described by Linnæus under the name of *Vateria Indica*, which it still retains. The specific name *dupada* was derived by Dr. Buchanan from the Canarese name "*dupa*" applied to this and probably to other species of the *Vateria* growing in Mysore and the Western Coast. It may also be noted that the *Canarium strictum*, called by way of distinction the "*black dammer tree*" grows in precisely the same locality, and bears such a general resemblance in the color and shape of its leaves and growth, to the *Vateria*, that it can only be distinguished on a somewhat close inspection. From this circumstance no doubt arose the belief that both the white and black dammers were produced from the same tree, and as the few which Dr. Buchanan saw were probably *Vaterias*, he naturally concluded that this tree alone yielded both species of dammer.

§ They are the same.

|| This supposes them to be the products of the Western coast and derived from his *Chloroxylon dupada*—the white dammers of the northern Circars, which will be considered hereafter, are derived from the *Shoreas*.

containing 3 ovules each, attached to the top of the axis, style longer than the stamens, stigma acute, pericarpium a coriaceous, fleshy, oblong, obtuse, one-celled, three-valved capsule, general size about $2\frac{1}{2}$ inches long and $1\frac{1}{2}$ in diameter, seed solitary of same shape as the capsule. (Roxb. Fl. Ind. p. 601).

The substance called "East Indian copal" and sold in England as gum *animi* exudes abundantly from this tree. It occurs of all shades of color between pale green and deep yellow, the finest pieces are called **kah-oba*, and sold as amber in the bazaars of Bengal; the resin before it hardens is the Piney varnish of Malabar. Besides the uses already alluded to, candles are made of this resin in Malabar, which Dr. Wight informs us, diffuse in burning an agreeable fragrance, give a fine clear light with little smoke and consume the wick without snuffing.†

CANARIUM. Sp.—*Canarium commune*. (Roxb. Fl. Ind. Vol. iii. p. 137).

A native of the continent of India, the Archipelago and Isle of France, where it is called "Bois de Colophane." It was brought from the Moluccas to the Botanic garden, but in Roxburgh's time did not thrive, owing to the coldness of the winter months. The bark yields an abundance of limpid oil with a pungent turpentine smell, congealing into a buttery camphoraceous mass.

Another species, the *C. Bengalense*, yields a large quantity of very pure clear amber colored resin which soon becomes hard and brittle, and is not unlike copal, yet the natives set little or no value upon it. In the Calcutta bazaar it sells at 2 to 3 Rs. per maund of 80 lbs. It is a native of Sylhet and the adjacent mountainous countries and flowers in May and June.

The dammer of the Northern Circars is chiefly produced by the varieties of the genus *Shorea*,‡ of which O'Shaughnessy gives the following description.

SHOREA.—*Shorea robusta*—*Saul tree*.

This is a tree of great size, a native of Morung, the Paulghaut mountains &c. Sepals 5 afterwards changing into 5 long wings, petals 5, stamens 15, filaments capillary below the anthers, anther cells short, obtuse, connectivum filiform, produced beyond the cells into a

more or less elongated, colored, deciduous bristle, ovary 3 celled, with two pendulous ovules in each cell. Seed solitary, cotyledons stalked, not crumpled, radicle superior, leaves coriaceous, oblong, obtuse, often emarginate at the base, panicles numerous from the axils of the fallen leaves, branches and pedicels glabrous.

The *Shorea robusta*, and indeed some other species, yield abundance of the resin called dammer, the superior kinds of which are efficient substitutes for the pine resin of the European Pharmacopœia. From Capt Jenkins of Assam we have received specimens of this resin perfectly transparent and colorless; in the bazars the color ranges from pale amber to dark brown. It is devoid of taste and smell. Sp. gr. 1,097 to 1,123, easily fusible, partially soluble in alcohol (83,1 per 1000) almost entirely in ether, perfectly in oil of turpentine and the fixed oils; sulphuric acid dissolves and gives it a red color. Two parts of colorless dammer and $2\frac{1}{2}$ parts of oil of turpentine, make the best varnish for lithographic drawings.

Lastly we proceed to extract Wight's graphic descriptions of the resiniferous and balsamiferous trees of India.

Under the head *Dipterocarpeæ* he observes—

The trees of this order growing in Madras are all natives of the hilly tracts of the Balaghaut. In Silhet, Chittagong and Pegu where they abound, they occupy the plains. In Java one species (*Dipterocarpus littoralis*) is found on the sea shore.

A *Hopea* and *Vateria indica* also approach the coast in Malabar, but the latter or perhaps a distinct species is also plentiful in Mysore. Two or three species are found in Goomsur forming extensive forests, and affording to the inhabitants incense, dammer and wood oil. Judging from the imperfect specimens collected by Dr. Maxwell and Capt. McPherson, one of them belongs to Roxburgh's genus *Shorea*, apparently *S. robusta*. Both these Gentlemen mention *Chloroxylon dypada* as being one of them, but this I think must be a mistake, originating in a statement of Dr. Ainslie that this is the botanical name given to the Indian dammer tree by Dr. Buchanan, but which was an

* The Hindoostani name for amber.

† These candles were at one time introduced into England, but a very high duty having been imposed the trade ceased.

‡ The *Shoreas* are also found growing to a limited extent on the Western coast, but do not appear to produce much, if indeed any, of the resin collected for sale.

error of his, arising from his not being aware that several trees produce dammer, and that his *Chloroxylon dupada* was already described by Linnæus under the generic name of *Vateria*. The Shoreas (Roxb.) or Vaticas (Linn) and Vaterias yield the solid product called dammer and Pinay, whilst the produce of the Dipterocarps' retains its fluidity and is the "wood oil" of the bazaars. The Camphor tree of Sumatra is a species of *Vatica* (*Shorea camphorifera*. Roxb.) The *Vateria Indica* (*Chloroxylon dupada* of Buchanan and Ainslie, and the Piney marum of the Hindoos) produces a resin resembling Copal, much finer than that procured from others species natives of India, the finer specimens of which are as transparent as amber and nearly colorless. It is procured by the very simple process of cutting a notch in the tree sloping inwards and downwards. This is soon filled with the juice, which in a short time hardens by exposure to the air.

Under the head of "*Canarium*," Wight observes—

The resinous juice of the *Canarium commune* has properties similar to Copaiva, while the kernels of the seed on the other hand afford by expression, a bland edible oil. The *Canarium strictum* of Roxburgh is known in Malabar under the name of the "black dammer tree" in contradistinction to the *Vateria* or "white dammer tree." This tree is rather common in the Alpine forests about Courtalum in the Tinnevely district, and is there regularly rented for the sake of its dammer. The dammer is transparent and of a deep brownish yellow or amber color when held between the eye and the light, but when adhering to the tree has a bright shining black appearance. The flowers of the species I have not seen, the fruit is a very hard three celled oval nut, tapering at each end."—*Wight Ill.*

Having thus given some comprehensive extracts of all that has been written on the subject, it becomes the task of the jury to identify the various products which have been transmitted to the Exhibition, and to arrange them under their several heads. To this end extracts from the answers which have been received from various gentlemen who have been addressed on the subject are here given, and will be followed by a general summary of the information gained.

E. J. Waring, Esq., whose well known labours in this department of science, render his opinions worthy of the utmost confidence, re-

marks; "The substances known as "*black dammer*" and "*white dammer*" are undoubtedly the produce of different trees. The *Black dammer* tree appears to be the *Canarium strictum* (Roxb. Fl. Ind. Vol. iii. p. 138.) It does not grow on the low lands of Travancore, being only found in the mountainous regions between Travancore and Tinnevely. General Cullen who has paid much attention to this subject, informs me that he has never heard of the true Saul tree (*V. robusta*) in our forests, but the *Vatica tumbagaia* is common in Travancore, it is called Tumbagum or "Cumbagum" and at Courtallum "Congo." The *white dammer*, or vullay coonghilium of Ainslie, is I think without doubt the produce of the *Vateria indica*. I send you two specimens of the resin very different in appearance, one dense with a vitreous fracture and of a pale green color, the other very porous or vesicular of a bright amber color. I am assured by those who have the best opportunities of knowing, that they are both obtained from the *Peyni maram* or *Vateria indica*, the denser one being the natural exudation which has spontaneously hardened on the tree, and its surface you will perceive bears witness to the fact, whilst the other has been obtained by incision and subsequent exposure to the sun or fire to hasten the hardening process. All kinds of *vellay coonghilium* or white dammers that I have met with on the Western coast are referable to one of these specimens, the difference arising from the mode of collection, and perhaps depending somewhat on the age of the tree. As far as I can learn there are no other trees in Travancore which yield dammers of any kind."

In a subsequent letter the same gentleman observes "when last I wrote I spoke confidently of the white dammer being the exudation of the *Vateria indica*. From subsequent enquiries this opinion must I think be slightly modified as I am assured by one of the largest collectors of this article to the north (near Cochin) that much of the difference observed in different specimens arises from the *kind* of Piney maram from which they are obtained. The one kind he describes as having longer, narrower and thinner leaves than the common Piney maram (*Vateria indica*). I have never seen the tree myself but probably it is the *Vateria lanceolata*. In speaking of the "white dammer tree" therefore it would be perhaps advisable to say "*Vateria Indica and allied species*."

On the 18th May, in advising the Committee of the transmission of specimens* of the white and black dammer trees, Dr. Waring says, "I regret that there are no flowers to the specimens of the black dammer tree, but the fruit and arrangement of the leaves at once prove that it is *not* a *Dipterocarpus*, and consequently *not* the *Vatica tumbagaia*, whilst at the same time it appears to me clearly to be a *Canarium*.†

I send you Mr. Brown's interesting letter which accompanied the specimens.

Regarding these Mr. Brown writes:—"It seemed to me that if there was still a doubt as to the "black dammer tree," it must have been due to want of authority in the specimens produced, and thinking that I could not help you well by such proxy as I could have obtained, and as I expected to be down here near the base of the Ghauts and in the region of Dammer trees within a fortnight, I the more readily postponed the matter. The "black dammer tree" was in flower about the beginning of April as far as I could guess from the seed vessels, and the white dammer tree in the beginning of May. Both trees grow in the forests here about 1800 feet above the level of the sea, but the white dammer tree seems more common than the other, perhaps because the hill men getting more dammer from the latter destroy it more readily. The best specimens of the *black dammer* tree which I examined were about two yards in girth at the height of four feet above the spread of the roots. The trunk is round, straight and smooth, rising 20 to 30 feet before branching, the bark generally whitish dotted with small papillæ, peels off in long flakes. The dammer that exudes from the cuts in the trunk seems to be a great favorite of several species of insects especially of one resembling a bee called by the Hill men "kulliada" (*earth hole*) ‡ which live in pairs

in holes in the ground. I send you specimens of the bark as well as of the black dammer taken by me from one of the trees. The Hill men to get the dammer, make a great number of *vertical* cuts into the bark, all round near the base of the trunk, they then set fire to the tree below the cuts, and having thus killed it, they leave it for *two* years before they collect the dammer, they say that after one year only the quantity of dammer is *much* less than after two years. The tree is killed in the hot season and the dammer is collected in February or March. When on the ghats previously, as well as this year, we were struck on looking towards the forests on both the Eastern and Western slopes as high as 3000 feet above the level of the sea, by numbers of trees with bright red, often crimson foliage, contrasting strongly with the various greens around. These crimson trees, are black dammer trees; the color due to the young leaves disappears gradually in April.

The leaves of the young plants are more sharply serrated than those of the old trees, and they have tufts of hairs all around the edges, which are not visible in the leaves taken from the old trees.

The *white dammer* tree has much the same *tenuis*, trunk round and straight branching at 20 to 30 feet from the ground, its appearance is however sufficiently different. The trunk of the black dammer tree is smooth and whitish: that of the white dammer tree is (in all the specimens I saw) beautifully variegated by variously colored lichens, red, white, green, and black, the latter generally prevailing. The trunk also is *dimpled* all over by the scaling off of small patches of the bark. I am told that the young leaves are also reddish but not nearly so bright as those of the black dammer tree. The white dammer is obtained in the same manner as the black dammer, but the quantity obtained from one tree is generally little more than one third of that from a black dammer

* Collected personally by J. Brown, Esq., Astronomer in charge of the Trivandrum Observatory.

† The specimen was identified as the *Canarium strictum*, Roxb.

‡ This curious circumstance will doubtless account for the mode of formation of the resin called in Burmah "Poon-yet" and "Poey-ne-yet," specimens of which were exhibited at the Madras Exhibition and are said to be found in the ground, and were supposed to be produced by some hymenopterous insect; it is also found in hollow trees. This substance, although composed chiefly of a yellow brittle resin mixed with more or less sand or earth, has an appearance precisely like that which would be looked for if used by an hymenopterous insect in the construction of its cells (See classified Catalogue of the Madras Exhibition of 1857, class iv.) The Madras Exhibition of 1855 contained a substance from Malacca called "*Dammer klootee*" which had been evidently formed in the same manner, although the cells were larger and the resin blacker and harder than the Poon-yet.

tree of the same size. The quantity obtained from a black dammer tree may be about 30 to 40 dungallies.*

Kistniah, Assistant supervisor of the Coimbatore district, writing from Suttymungalam, says, † "Both the white and black dammer trees grow in these forests, but the black are by far the most numerous, being in the proportion of ten to one white dammer tree. Both trees have the same appearance, growing to the height of 10 or 12 yards of one uniform thickness, and then branching like a jack tree. The dammer is extracted from the black dammer tree by piling firewood to the height of one yard around the base of the trunk and lighting it. The dammer subsequently exudes from the trunk as high as the flames reached. The operation is conducted at any season of the year, and the dammer continues to flow for ten years between the months of April and November and is collected in January. The tree after having yielded dammer for 10 or 12 years decays. The white dammer tree is not acted on by fire but the resin exudes spontaneously, and is found at the foot of the trunk, it is not much sought after by merchants."

Mr. Pedre Proboo ascribes the different appearance of various specimens of this resin to the age of the tree. The most vesicular specimens he says are obtained from the young tree, the more compact ones from the mature plant whilst the darkest colored kinds are obtained from the heart of the tree when decayed and split with old age. To sum up in a few words:—

The whole of the substances commonly called "dammers" produced in the Madras presidency are obtained from trees of the genera *Vateria*, *Canarium*, and *Shorea* or *Vatica*.

The two former, viz. *Vateria* and *Canarium*, yield by far the largest part (if not the whole) of the dammers produced on the Western coast of the Peninsula, whilst the *Shoreas* or *Vaticas* yield the greater part of that collected in the northern and eastern districts.

They may be briefly arranged as follows:—

DAMMERS OF THE WESTERN COAST.

No. 1. *Black Dammer*. (*Canarium strictum*), the *carpoo coonghilium* of Ainslie, the *Dammara nigra legitima* of Rumphius, and the *Canari* of the Malays.

* A dungally is a measure of about 2½ seers.

† Both the white and black dammer trees have been recognised (by the specimens) as the *Vateria* and *Canarium*, although the black dammer sent from this district to the Exhibition was erroneously attributed to the *Vatica tumbagaia* by the exhibitor.

Occurs in large stalactitic-shaped masses of a bright shining black color when viewed from a distance, but translucent and of a deep reddish brown when held in thin laminae between the eye and the light. It is perfectly homogeneous, and has a vitreous fracture. Its shape appears to be due to the fact of the balsam having exuded in a very fluid state and trickled down the trunk of the tree, where it gradually hardened by exposure to the sun, the fresh resin continuing to flow over that already hardened, gives rise to the stalactitic appearance of the huge lumps of resin, the outside of which much resemble the guttering of wax caused by placing a lighted candle in a draught. It is insoluble in cold, but partially soluble in boiling alcohol on the addition of camphor, when powdered it is readily soluble in oil of turpentine. Powdered and burnt on the fire it emits a more resinous smell and burns with more smoke than white dammer.

The size of the lumps of this resin, together with its color and the peculiarity of shape already mentioned, suffice to distinguish it from other Indian resins.

No. 2. *White Dammer or Piney resin* (*Vateria indica* and allied species) of Linnæus and Wight. *Choloroxylon dupada* of Buchanan and Ainslie, the *Doopada* resin of Mysore, and the *Payanee* or *Piney* of the Malabars.

Variety 1. *Compact Piney resin, or first sort white dammer*.

Occurs in large lumps of all shapes and varying in color on the outside from a bright orange to a dull yellow, bearing evident marks of having adhered to the bark of the tree. It has a shining vitreous fracture, is very hard and bears a great resemblance to amber. Its color (internally) is of all shades from a light green to a light yellow, the green tint predominating in the generality of specimens. It is more soluble in alcohol than the black dammer, and burns with less smoke and a more agreeable odour.

It is easily distinguishable from all other Indian resins by its superior hardness, its color and amber-like appearance.

Variety 2. *Cellular Piney resin, or second sort white dammer*.

Occurs either in small lumps or in large masses, generally of a shining appearance and balsamic smell. Has a very cellular structure,

which is attributable partly to the mode of collection, and partly to the age of the tree. Notches being cut in the trunk of the tree sloping inwards and downwards, the resin collects in the cavity and is either permitted to dry on the spot, or is collected and dried by the application of heat. It is of all shades from light green to light yellow or white and is usually translucent. Specimens are sometimes seen in which, from the desiccation having been improperly conducted, the resin is more opaque, of a dull green color and full of air bubbles, presenting the appearance of having undergone a partial fermentation.

This resin may be recognised by its cellular appearance and balsamic smell—this latter however (which is of course due to the volatile oil it contains) is gradually lost by long keeping or constant exposure to the air.

On splitting open old and decayed trees, portions of a dark colored resin, having the solid consistence of the first variety, but the inferior quality of the second, are often found.

DAMMERS OF THE NORTHERN AND EASTERN DISTRICTS.

No. 3. *Saul tree dammer*. (*Shorea robusta* and other species).*

Occurs in sticks much resembling in shape the black dammer, but differing widely in color and consistency. In color it varies from a light yellow to a dark brown, the two colours being very frequently blended in the same lump and giving it the appearance of having a regular "grain." It is friable and differs from the white dammer of the Western coast in its inferior hardness, its opacity and its peculiar form, and from the black dammer in its color.†

The Jury now proceed to remark upon the quality of the specimens exhibited.

Lac. The chief value of stick lac consisting in the dye it affords, it will be found treated on at length under the head of "Dyes." As the resin is however used to a limited extent in the manufacture of varnishes, bangles &c. a few specimens are here noticed.

* An intelligent native correspondent writing from Gopalpore says:—"There are extensive tracts of Googulam (*Vatica*) jungles in Goomsur and Cuttack provinces. The Khoonds and Woodias living in and near these jungles, wound trees in several places. The resin issues and is collected when sufficiently solid. The Dammer collected from the decayed parts of the tree is of a dark color, the tree is called "Guggilam" in Telugu and "tala gotso" in Urya. The Khoonds and Uryas make these leaves into the plates from which they eat their food, and also roll up tobacco in them to smoke like a cheroot. In time of famine the above tribes live on a soup made from the fruit of this tree."

† The *vatica tumbagaia* grows also to a limited extent on the West coast, but yields little if any of the dammer collected there.

Good stick lacs are shown from Malabar, Bellary, Mangalore and Pegu. Also an excellent series of stick, seed and shell lac with the dye from Mirzapore, Kymoor and Hazaree baugh jungles from Claud. H. Brown, Esq. for which honorable mention is awarded.

The Madras Chamber of Commerce also show a very interesting series in illustration of these commercial products.

Piney resin or white Dammer (*Vateria Indica*). Of the many specimens exhibited the best is that shown by E. B. Thomas, Esq. of Coimbatore. It has the amber-like appearance of the best description of *Vateria* resin. Another specimen closely approaching to this in quality is exhibited by Pedre Proboo of Mangalore. He also exhibits a series of specimens of this resin of various qualities and a cake of the inspissated juice of the same tree, which is used for mixing with bees wax in making candles. Honorable mention is awarded to this series.

Messrs. Binny and Co. exhibit a box of Piney resin of No. 2 variety.

Mr. Bassano, Tahsildar of Wynaad, exhibits a bottle of the fresh resin, or as it is called *Pynie varnish*. It is of a light grey colour, with a strong balsamic odour. This specimen is accompanied by a few of the leaves and fruit preserved in a bottle of salt water, a precaution which cannot be too much commended as it enables the jury at once to set at rest any doubt which may arise as to the actual tree which yields the product exhibited. The Jury award honorable mention for this specimen.

The Tahsildar of Walloo-wanaud in Malabar forwards another series varying in color from white to black. The Exhibitor observes that the resin which first exudes is called "*Chengilium*" (this is white) that which flows subsequently is termed "*Coongilium*" (darker than the above) and when the tree has decayed it is called *Dammer* (black). He describes the three sorts as being the produce of the Paynee tree (*Vateria*.)

Mr. Thwaites of the Government Botanical Gardens at Paradenia in Ceylon exhibits a fine specimen of *Doona dammer* obtained from a *Dipterocarpus* tree discovered by the exhibitor

Doona tree

and named by him *Doona Zeylanica*. The Jury award a 2d class medal for this highly interesting product which in color and appearance much resembles pine resin.

Poon-yet. Specimens of this curious substance are exhibited by Dr. Cleghorn and the Honorable W. Elliot, Esq. They were brought from Burmah, and are said to be produced by a species of hymenopterous insect in holes in the ground and hollow trees. Indeed the cellular structure of the specimens much resembles that of a wasp's nest. A circumstance so unusual rendered the Jury at first somewhat incredulous of the correctness of this statement, but in the course of the investigations into the origin of the dammers of the western coast, it was incidentally mentioned that a species of bee appeared exceedingly fond of the liquid dammer of the *Canarium*, this insect lives in holes in the ground, and it will probably be found on inspection that its cells are composed of a similar substance to that now under consideration.

Kino (*Pterocarpus marsupium*). The several specimens of kino said to be the produce of the *Pterocarpus marsupium* agree in being but slightly astringent, of a vitreous fracture and very deep red color approaching to black. The finest specimen is that exhibited by Dr. Waring, run in a bamboo; a fair sample is contributed by Pedre Proboo.

A specimen of kino (?) from Bangalore (run in reed) is prismatic and conchoidal in its fracture and excessively astringent, it is most probably a superior kind of Catechu.

The Madras Chamber of Commerce show two specimens of dragon's blood, one in lump and one in reed, neither are astringent.

Palas or Dhak kino. (*Butea frondosa*.) Is shown by several exhibitors; the best is from Guntoor.

Dikkamalay. (*Gardenia*). Of the *Gardenia* resins the best specimen is that shown by Apothecary Huffton of Salem.

Benjamin. The Madras Chamber of Commerce exhibit two excellent specimens of Benjamin, of which the Siam appears to be superior in fragrance to the Sumatra product, although both possess a delightful aroma, they are of the amygdaloid kind, the latter being almost entirely composed of agglutinated white tears.

Gunda faroza (*Boswellia thurifera*). Is largely used in some parts of India as an application to indolent ulcers and wounds, and is supposed to form the chief ingredient

of "Wroughton's ointment." It has the odour, taste and consistence of a balsam.

Theetsee. (*Melanorrhæa usitata*.) The celebrated theetsee dammer is exhibited by Dr. Brandis from Pegu and Capt. Benson from Moulemein. The latter exhibitor also forwards a half log of the tree which is probably the first ever imported into Madras.

Gamboge.—Excepting the specimens exhibited by the Chamber of Commerce, the samples of this drug do not call for special remark.

Xanthoxylon triphyllum. A very small quantity of the resin obtained from this tree is exhibited by the Rev. Mr. Johnson of Cottyam. Judging from the specimen it appears to be produced in two small quantities to be useful in a commercial point of view, but the jury award honorable mention for the carefulness of the exhibitor in indentifying the plant and supplying the correct botanical name of this new product.

Googool.—Four specimens of this gum resin, which is chiefly used as a medicine, are shown from Mangalore, Madura, Paulghaut and Bangalore.

Elastics.

This section contains no product which has not been exhibited and commented upon at the former exhibition. A detailed description of the Palee or Pauchauntee tree has been drawn up by the late Charles Drew, Esq. and may be referred to in the Literary Society's Journal.

The Moringa gum much resembles tragacanth, although its partial elasticity has caused it to be classed amongst the elastics. No use is known for this abundant product.

Gums properly so called.

Acacia gum.—The best samples of this gum were those from Guntoor (V. Jugganaikooloo), from Madras (Venkataramiah Garoo) and from Hyderabad.

Egle marmelos.—A good specimen of the gum of this tree was exhibited by Dr. Ratton of Chingleput.

Cashew tree gum (*Anacardium occidentale*)—Armooga Moodelly of Chingleput forwards a very fine specimen.

Azadirachta Indica.—Of the numerous specimens of margosa gum forwarded for exhibition, the only ones which require notice are those from the Pondicherry Local Committee and from R. D. Parker, Esq. of Madura.

Kuteera.—The produce of the *Cocklosperum gossypium* much resembles tragacanth, only two samples are shown.

Wood apple gum.—(*Ferorium elephantum*. This is one of the best gums included under the general name of *gum arabic*. Kristniah of Coimbatore exhibits the best specimen. Good samples are also sent from Bellary, Cuddapah and Pondicherry.

None of the other articles of this class call for special notice. The Jury would recommend a second class medal to the Madras Chamber of Commerce for the valuable and interesting series furnished by them.

Mr. Hunt of the American Mission Press also exhibits a specimen called "Gum Hog"—It is a product of S. America and resembles tragacanth.

AWARDS.

SECOND CLASS MEDAL.

Madras Chamber of Commerce, for a series of Resins &c. in illustration of the best articles of commerce

Mr. Thwaites Ceylon. Doona dammer.

Honorable Mention.

Claud P. Brown, Esq. For a series of lac resins.
E. B. Thomas, Esq. Vateria resin.
Pedre Proboop. A series of white dammer.
Mr. Bassano. Pynee varnish and botanical specimens.

Apothecary Haffton. For Dikkamly.
Rev. Mr. Johanson. Xanthoxylon triphylam resin.

Statement showing the quantity of Oil and Oil Seeds, Exported from the Madras Territories by Sea from 1852-53 to 1856-57.

ARTICLES.		1852-1853.	1853-1854.	1854-1855.	1855-1856.	1856-1857.
		* Gallons.	Gallons.	Gallons.	Gallons.	Gallons.
Oils.	Castor,	8,059	7,818	...	21,604	33,397
	Cocoanut,	14,57,741	17,97,450	21,41,548	20,62,757	22,60,749
	Gingellie,	72,607	1,19,180	15,963	45,381	72,431
	Ground Nut,	57,207	82,886	45,125	1,48,806	63,398
	Illappoo,	1,637
	Linseed,	2,827
	Mustard,
	Rape,
Seeds.	Cocoanut, Dry, ...	Cwt. 1,51,528	Cwt. 1,22,642	Cwt. 92,412	Cwt. 1,12,805	Cwt. 1,10,814
	Castor,	Cwt. 2,764	Cwt. 15,475	...	E. Qrs. 3,461	E. Qrs. 1,862
	Gingellie,	Cwt. 2,51,613	Cwt. 3,03,579	E. Qrs. 37,481	E. Qrs. 1,00,767	E. Qrs. 1,14,381
	Ground Nut,	E. Qrs. 72	...	E. Qrs. 800
	Illappoo,
	Linseed,	Cwt. 1,106	Cwt. 2,898	E. Qrs. 293	E. Qrs. 310	E. Qrs. 1,158
	Mustard,	Cwt. 16,075	Cwt. 18,028	E. Qrs. 894	E. Qrs. 4,182	E. Qrs. 2,106
	Rape,

The sources of Oils are very extensive, they are derived from the three Kingdoms of nature. The Animal, Vegetable, and Mineral. The Animal Oils are Lard, Tallow, Cod, Skate, Shark, Sperm, &c. &c. Some of these are found in the cellular tissue immediately beneath the skin and between the folds of the lining membrane of the abdomen, others in the Liver; and in the Whale, in a triangular cavity in the head. The Oil in all the above cases is contained in distinct cells; and each cell has its Blood vessels.

The Vegetable Oils are obtained, from the Seeds as Castor, Croton, Gingellie, Ground Nut, Linseed, &c. &c.; from the Fruit, as the Olive; from

Armooga Moodelly.
E. T. Waring, Esq.

Cashew gum.
For information given

H. P. HAWKES, LIEUT.
Reporter.

SECTION II.

OILS.

SUB-JURY.

Dr. G. W. FLYNN, G. M. M. C. Reporter.

Lieut. H. P. HAWKES.

H. F. C. CLEGHORN, Esq., M. D.

The extensive application of Oils in the Arts and manufactures have given them a considerable commercial importance. Some are also used as articles of Food; others for burning in Lamps; but the greatest demand is, in the preparation of Wool; for manufacturing Soaps; Candles; and Lubricating compounds for machinery. They are used largely also in making Printer's and Lithographic Inks, and in printing Piece Goods, &c. &c.

From India a very large quantity of Oils and Oil Seeds is annually exported to Great Britain and France; and the demand seems to be increasing than otherwise. The principal Oils, and Oil Seeds exported are the Cocoanut, Gingellie, Ground Nut, Mustard, Castor and Linseed. Illappoo only in small quantities.

The following Table shows the quantity annually exported for the last five years:—

the rind and leaves, as the Orange, Lemon &c. from the Flowers as the Neroli and Lavender; and from the roots and wood as Sassafras, Sandal. &c.

The proximate constituents of an Oil, are *Stearic*, *Margaric*, and *Oleic acids*, in combination with *Glycerine*. From *Stearic acid* is prepared the *Stearine* used in candle making, it is the most solid constituent of an Oil, and in proportion as this ingredient preponderates, so is the value of the Oil for candle making increased. The next in solidity is *Margaric Acid*. And the fluid constituents are *Oleic Acid* and *Glycerine*. These latter ingredients are of value to the soap boiler and for burning.

The modes of extraction vary with different

* 1 Ton. 210 Imperial Gallons.

circumstances, and it would be too laborious to enter into the several processes in detail. In the case of Lard, Tallow and other Animal fats, the general process is to boil the Cellular tissue containing the Oil in water, the heat and moisture rupture the cells, and the Oil escapes floating on the top liquefied by the heat, sometimes a little sulphuric acid is added to facilitate the destruction of the membrane forming the Oil cells; another process is to enclose the Cellular tissue in bags made of Horse hair or of some other strong material. These bags are warmed and subjected to powerful pressure by machinery. The fat Oils contained in the Liver are obtained by cutting up the Liver into small pieces and boiling, the Oil rises to the top, and is skimmed off, it is afterwards purified by filtration. This is far the better way of procuring the Oil than to allow the Liver to putrefy, and the Oil to exude from disintegration of the cells by putrefaction.

The *vegetable fixed Oils* are best obtained by crushing the seeds or fruit between Iron rollers and submitting the bruised mass to the strong pressure of an Hydraulic, or Screw Press. The bruised mass may be submitted to a slight heat, but not to moisture. The heat will facilitate the exudation of the Oil, but should moisture exist, the Oil then becomes impregnated with a good deal of colouring matter, which is difficult to remove by any subsequent mechanical or chemical process. The Oil is said to be *Cold drawn*, when obtained by pressure; and *Hot*, when by boiling, or when pressure is aided by heat and moisture. In the former case, the Oil must be clarified, as it contains a quantity of Albuminous and Mucilaginous matters; these are got rid of by gently boiling the Oil with a small quantity of water, taking care not to raise the heat beyond the boiling point of water, nor to continue the boiling after the water has been dissipated. This process coagulates the Albumen and Mucilage which become precipitated in lumps carrying with them all other impurities. If the process of pressing and clarifying have been conducted with cleanliness and care, the oil ought to be clear and colorless. The hot process gives a greater yield, but the oil soon becomes rancid and is never colorless.

The *drying Oils* undergo a further process, which is of a chemical nature; such oils before they can be used in the arts, must be thoroughly deprived of all mucilaginous matters, and brought into a state which will increase their affinity to combine with oxygen when exposed to the air in a thin stratum. This is effected by further boiling and adding from time to time the *Basic Acetate of Lead*, this chemical reagent combines with the mucilage and forms with it a new compound, which is thrown down. The boiling is continued briskly, and the heat allowed to reach to such a degree as will scorch or frizzle up a feather when dipped into the boiling oil, when the heat has arrived to this degree, it is allowed gradually to subside, and when cooled down, the oil is drawn off clear, allowed to repose in large cisterns until no further deposit takes place and it becomes

clear and transparent, when it is fit for use. The older the oil, the better its drying qualities. There are other processes given which are considered as improvements, but from actual experiments in India, the above process has been found the most successful.

The *wood oils*, are obtained by tapping the trees which yield them, and are principally the produce of the *Dipterocarpus* family. The process consists in making a large notch in the trunk of the tree, a few inches from the ground; heat is applied until the wound is charred and the oil begins to exude; a channel is cut from the notch leading to a receiver for the purpose of collecting the oil as it flows. The average yield of a tree in each tapping season, is said to be from 30 to 40 Gallons. These oils possess the double character of a fixed oil, and a volatile oil. The volatile portion is Balsamic or of the character of liquid resin, hence their usefulness as varnishes. The wood oils from Burmah yield on distillation a clear straw colored liquid Balsam, having in some respects the chemical and physical properties of Balsam of Copaiba, and like it also in medicinal properties, particularly, in the treatment of gonorrhœa, in which disease it is said by those who have tried it to be far more potent than the Copaiba Balsam.

Since the above was written, the oil sold in the Bazars, without submitting it to any further preparation than that of filtering, has been tried in cases of gonorrhœa and the result of the trials has been very satisfactory. It answers as well, if not better, than the Balsam Copaiba.

The *volatile oils, essences, or utturs*, are generally distilled; few are pressed, such as Lemon Oranges and Citron. The distillation is carried on in large Copper Stills; the fruit, seeds, leaves, flowers or the whole plant is put into the body of the still, and as much water is poured on as to cover the article to be operated upon; on the application of heat, the water impregnated with oil distils over and is collected in a receiver. The oil either floats on the top, or if heavier than water, as Clove oil, it sinks to the bottom. In distilling oils heavier and less volatile than water, the heat must be above the boiling point of water, and to obtain this increased temperature common salt is added to the water to increase its capacity for taking in heat, otherwise the oil will not distil over. These oils are principally used in perfumery and medicine; few are used in the Arts as solvents of resins.

In considering the qualities of the several oils exhibited, it will be found convenient to adopt the following classification. Those marked in Italics are not considered of any commercial importance from the small quantities in which they are procurable; many of them, may in all probability hereafter be found to possess some valuable properties as Medicinal Agents, or of some application in the Arts; but this can only be determined by experimenting on each oil. Samples of the whole of the oils might with considerable advantage be placed in the hands of some scientific person to investi-

gate and report upon their Physical, Chemical and Medicinal properties; the points of research should embrace *Specific weight, Color, Consistence, Behaviour with Chemical re-agents, Properties and value as Lamp Oils and Gas yielding Oils, Medicinal properties, Application in the Arts and Sciences &c. &c.* such information collected in a Tabular form would prove invaluable.

The oils in the classification here adopted, are first divided into three great classes according to the Kingdoms of nature from whence they are derived. Class I. *Animal*, Class II. *Vegetable*, and Class III. *Mineral*. No division is made of Class I. nor III., but Class II. is divided into three sub-classes. The first includes all *Fixed Oils*. The second, *Volatile Oils, Essences, or Utturs*. And the third embraces the *Wood Oils or Oleo-balsams*. Sub-Class I. is again divided into two groups. The first contains the *Fat Oils* and the second the *Drying Oils*.

CLASS I.—ANIMAL OILS.

<i>Ghee.</i>	<i>Frog's fat.</i>	<i>Muthi Yeno.</i>
<i>Hog's lard</i>	<i>Peacock's fat.</i>	<i>Frietzi.</i>
<i>Mutton Suet.</i>	<i>Karahmanoo Fish Oil.</i>	<i>Karitze malu Oil.</i>
<i>Boar's Grease.</i>	<i>Chadoo pareeger</i>	<i>Serinei Shark Liver</i>
<i>Deer's lard.</i>	<i>Cocawano</i>	<i>" Oil.</i>
<i>Wax Oil.</i>	<i>Goodee</i>	<i>Chellei nei.</i>
<i>Tiger's fat.</i>	<i>Valager</i>	<i>Amaci nai, (Turtle</i>
<i>Egg Oil.</i>	<i>Moosoo</i>	<i>" Oil.)</i>
<i>Wild Serpent Oil.</i>	<i>Bochee</i>	<i>Fish Liver Oil.</i>

CLASS II.—VEGETABLE OILS.

SUB CLASS 1.—*Fixed Oils*.—Communicating a permanently greasy stain to Paper or Cloth.

GROUP I.—Fat Oils.

<i>Cocanut Oil.</i>	<i>Margosa</i>	<i>Neeradimooloo.</i>
<i>Gingellie</i>	<i>Peenacottay</i>	<i>Country, Cress.</i>
<i>Castor</i>	<i>Kurring</i>	<i>Cheerunjie.</i>
<i>Ground Nut</i>	<i>Coorookoo</i>	<i>Cucumber.</i>
<i>Mustard</i>	<i>Physic Nut</i>	<i>Melon.</i>
<i>Rape</i>	<i>Piney Tallow</i>	<i>Pumpkin.</i>
<i>Ramtil</i>	<i>Gamboge Butter.</i>	<i>Colocynth Seed.</i>
<i>Cashew Nut</i>	<i>Malkungnee.</i>	<i>Momordica Charana.</i>
<i>Belgaum Walnut.</i>	<i>Hemp seed.</i>	<i>Pertrunje.</i>
<i>Safflower</i>	<i>Viscid Cleome.</i>	<i>Moorogana.</i>
<i>Ben Nut</i>	<i>Cattappa Oil.</i>	<i>Naga Sumpaghee.</i>
<i>Croton</i>	<i>Googoo.</i>	<i>Soap Nut.</i>
<i>Marking Nut</i>	<i>Moodoga.</i>	<i>Vernonia Anthelmini-</i>
<i>Cotton Seed</i>	<i>Nux Vomica.</i>	<i>ica.</i>
<i>Illapoo</i>	<i>Poovana.</i>	<i>Karingola.</i>

GROUP II.—Drying Oils.

Linseed Oil. *Poppy Oil.* *Hempseed Oil.*

SUB CLASS II.—*Volatile Oils*. Do not communicate a permanent stain to Paper or Cloth, the Greasy stain is dissipated by heat.

<i>Anise.</i>	<i>Bishop's weed seed.</i>	<i>Orange.</i>
<i>Camphor.</i>	<i>Sweet fennel.</i>	<i>Lemon.</i>
<i>Lemongrass.</i>	<i>Rousa oil.</i>	<i>Sandal wood.</i>
<i>Pumplemore.</i>	<i>Cumin oil.</i>	<i>Coriander.</i>
<i>Pepper.</i>	<i>Fennel flower.</i>	<i>Cloves.</i>
<i>Nutmeg.</i>	<i>Onions.</i>	

SUB CLASS III.—*Cleo-Balsams*.—Oils having the qualities of a fixed Oil and a liquid Resin.

Oils from the family of *Dipterocarpus* known as *Wood Oil. Teak Oil &c.*

CLASS III.

MINERAL OILS.

Petroleum from Ava. *Mud Oil from Mangalore and*
Earth oil from Paulghat. *Earth Oil from Coimbatore.*
Muner Ennai from Travancore.

CLASS I.—ANIMAL OILS.

The Fish Oils are the only Samples of this class deserving of any notice; that exhibited by Mr. Underwood, and by First Dresser Pareah Mooneyagum are excellent specimens, others are considered ordinary, and some very inferior.

Fish Liver Oil is now prepared in large quantities on the Western and Malabar Coasts for exportation. That supplied to Hospitals for the use of the Troops is prepared from the Liver of the Skate, Seer, and white Shark indiscriminately. From analysis and experiments made in England, it has been found to equal in its medicinal properties the best Cod Liver Oil, but from its extremely disagreeable taste and odour, it can never supercede the Oil of Newfoundland. A more agreeable kind of Oil may be prepared from the Livers of the Skate or Seer Fish; but when the Liver of the Shark is also used with the Livers of the other fish, the Oil so obtained has a very offensive odour and unpleasant taste, and which cannot by any Mechanical or Chemical process be removed, however carefully it may be prepared.

CLASS II.—VEGETABLE OILS.

SUB CLASS—FIXED OILS.

GROUP I.—FAT OILS.

Cocanut Oil, and Cocoanuts. Twenty four Samples of the Oil, and three of the Nuts are exhibited. On the whole the specimens are very good. That exhibited by Hurry Row of Tanjore, and marked No. 4561, in the Catalogue, and that by the Bellary Commissariat are considered best. Hurry Row's is somewhat superior to the other. Very good specimens are also exhibited by Mr. Kohlhoff of Tanjore, and Padre Probo.

Gingellie and Till Oil and Seeds. Twenty three specimens of Oil, and fifteen of Seeds. The Seeds are of all colors varying from White to Black. The best specimens are marked Nos. 1467 and 2055 in the Catalogue. The best Samples, of Oil are those exhibited by the Bellary Commissariat and Hurry Row of Tanjore and marked Nos. 2055 and 4554, respectively, in the Catalogue.

Castor Oil and Seeds. Nine samples of Lamp Oil, and nine of the large variety of Seeds from which the Oil is extracted, together with seventeen samples of the better sort of Oil called Castor Oil, and sixteen of the small variety of seeds are exhibited. Of the Lamp Oil, the samples shewn by Ramasawmy Chetty of Madras, and Hurry Row of Tanjore are very good. Of the large variety of seeds, that which exhibited by the Bellary Local Committee is the best. Of Castor Oil, and small variety of seeds that shown by Dr. Smith are the best.

Ground Nut (Arachis Hypogea). Eight Samples of the Oil, and six samples of seeds are exhibited. The specimens marked Nos. 5087, 4563, 5101 and 2259 are excellent, three are from Tanjore, and one from Nellore. The exhibitors are Mr. Prudhomme, Hurry Row and Mr. Kohlhoff of Tanjore and H. Young, Esq. of Nellore.

Ramtil. (Guizotia Oleifera). Nothing in this class deserving of particular notice.

Mustard. (Sinapis Species). Thirteen samples of seeds, both of the white and black variety are exhibited, of these Nos. 3044, 2251 and 4506 are considered best. Of the nine samples of oil No. 2251 shewn by H. Young, Esq., Nellore, No.

5110. Mr. Kohlhoff, Tanjore, and No. 4559, Hurry Row of Tanjore are very good. The whole of these samples must have been obtained by boiling, as they all, more or less contain the volatile oil of mustard, known by the hot taste of the oil. The oil obtained by cold pressure is not pungent and irritating because it is free of the volatile oil, which is formed only when the crushed mass comes in contact with water; when a peculiar chemical change is set up and the oil is formed.

Margosa (*Azadirachta Indica* and *Melia Azadirach*). The specimen exhibited by Mr. Underwood as Veppoo oil, is the best. This oil is used for burning in Lamps and as an embrocation. It is not manufactured in large quantities.

Illipoo (*Bassia longifolia*). The best specimen of this oil is exhibited by Mr. Underwood as oil fit for salad. It appears to be the thinner portion carefully filtered off from the thicker. There is an objection to its use as a salad oil however carefully it may be prepared, it has always more or less a bitter taste, and this unfits it for a salad oil. It is used in candle making and greasing machinery; and is as good, if not superior, to Palm oil for making soap.

Pinnacottay (*Colophyllum inophyllum*). Good samples of this oil are exhibited by Mr. Kohlhoff, Mr. Prudhomme and Hurry Row of Tanjore. This oil is not manufactured in large quantities.

Kurring (*Dalbergia Ariorea* or *Pongamia Glabra*).
Coorookoo (*Argemone Mexicana*).
Physic nut (*Carcass Purgans* and *Jatropha Glauca*).
Belgaum walnut.
Pocana.
Neeradiimootoo.
Country cress (*Lepidium sativum*).
Cheeranjie (*chirongia sapida* or *Buchanania latifolia*).
Cucumber, Melon and Pumpkin (*cucurbita species*).
Momordica charanta.

Putranjee (*Putranjiva Roxburghii*).
Moorogana Oil.
Naga snuklaghae (*mezua ferrea*).
Sony nut (*sapindus emarginates*).
Malkungunee (*celastrus paniculatis*).
Viscid cleome cleome viscosa.
Terminalia Cattappa.
Googoo seed.
Colocynth.
Moodoga (*Butea frondosa*).
Nux Vomica.
Veronia Anthelmintica.
Karinjota.

Of the foregoing twenty-two oils nothing of any interest can be noticed. The *malkungunee* oil is an empyreumatic oil obtained by the destructive distillation of the seeds, and in combination with other ingredients has been used in Beriberi. The *Nux Vomica* Oil is also obtained in like manner and used by native Practitioners; one or two others are also used medicinally by the natives, but they are not known in European practice.

Piney Tallow (*Vateria indica*) *Vegetable Tallow*.—A good specimen is shown by Padre Probo—This, if procurable in large quantities, would be valuable in Candle manufacture, as it burns without emitting much smoke, and the melting point is much higher than Tallow.

Gamboge Butter (*Garcinia pictoria*). A good specimen is exhibited by Padre Probo.

Safflower Oil (*Carthamus Tinctoria*). Good specimens are shown by the Bellary Commissariat from Hyderabad, Kurnool, and by Hurry Row of Tanjore.—The best is from Kurnool. This Oil makes excellent soap, and would meet with a ready sale in the English market but is not exported in any quantity.

GROUP II. DRYING OILS.

Linseed (*Linum usitatissimum*). Seven samples of oils and 9 of seed are exhibited, of the samples of oil that from Guntoor is the best, those exhibited by the Bellary Commissariat and Hurry Row are also very good. The seeds are also very good samples.

Poppy. (*Papaver somniferum*). Six samples of oil and nine samples of seed. That of Hurry Row of Tanjore is the best, the next in quality is No. 2264 forwarded by H. Young, Esq. of Nellore; the seed are all very good.

This drying oil is peculiarly adapted for making light colored transparent varnishes, but it is little known in India as a drying oil, the Poppy is not very extensively cultivated in Southern India.

SUB CLASS II, *Volatile Oils*.—Do not communicate a permanent stain to paper or cloth; the greasy stain is dissipated by heat.

Anise,	Bishops weed seed	Orange.
Camphor,	Sweet fennel,	Lemon.
Lemon grass,	Rousa oil,	Sandal wood.
Pumplemose,	Cummin oil,	Coriander.
Pepper	Fennel flower,	Cloves.
Nutmeg,	Onions,	

Of the volatile oils exhibited the following are good samples and of commercial interest.

The Lemon grass oil from Travancore and Hyderabad and the Rowsa oil forwarded by Dr. Smith.

These oils are used as embrocations in Rheumatic diseases, the lemon grass oil is exported in large quantities from Ceylon to England, where it is extensively used in perfumery as oil of Verbena and oil of Geranium.

SUB CLASS IV, *Oleo balsams*.—Oils having the qualities of a fixed oil and a liquid resin.

Oils from the family of Dipterocarpus, known as Wood oil, Teak oil, &c.

CLASS. III.

MINERAL OILS.

Petroleum from Ava, Mud Oil from Mangalore,
Earth Oil from Paulghat, lore, and
Munu Ennai from Travancore, Earth oil from Coimbatore.

AWARDS.

SECOND CLASS MEDALS.

To Hurry Row of Tanjore and Mr. Kohlhoff for the greater number of good Specimens of oils exhibited

Honorable Mention.

Bellary Commissariat for best Samples of Coconut, Gingillie and Safflower seed, oils.

Dr. Smith, for good sample of Castor oil and seed and for Rowsa oil.

Hy. Young, Esq. Nellore for excellent sample of several oils.

Padre Probo, for best sample of Piney Tallow and Gamboge Butter.

SECTION III.

DYES AND COLOURS.

SUB-JURY.

J. T. MACLAGAN, Esq. Reporter.
The Hon'ble W. ELLIOT, Esq.

Associates on Indigo.

R. O. CAMPBELL, Esq.
J. D. SIM, Esq.
W. B. LIDDELL, Esq.
W. SIM, Esq.
P. VEERAPERMAI PILLAY.

INDIGO.

The most important of Indian dyestuffs, from the

quantity now exported, and from the extreme difficulty of deciding its value, is Indigo. It is extracted from various species of *Indigofera*, which are largely cultivated in various districts of Bengal, in the Cuddapah Collectorate of Madras, and other parts of this, and the Bombay Presidency.

The following Memo. regarding the cultivation and manufacture of Indigo, as carried on in the Benares Province, is written by Claud Hamilton Brown, Esq. of Mirzapore.

SOIL.

"The richest loam is supposed to give the best produce, though lighter soils frequently give finer looking plants. Moist low soils are not suitable, but a great deal depends upon the Sub-Soil, as the root grows vertically and to a great depth. High stony lands are to be avoided, excepting the sites of old villages, where from the presence of Lime, and animal or vegetable matter, very fine crops are frequently produced, particularly in a season when the rains are heavy.

"Fields that have recently had heavy crops (Maize (*Holcus*), Indian corn (*Zea*), Urhur (*Phaseolus*), &c.) recently taken off them should be avoided."

CULTIVATION.

"Immediately on the setting in of the periodical rains, say 15 to 30th June (in these parts), the lands should be well and carefully ploughed (3 ploughings,) the seed thrown in broad cast, at the rate of 4 seers (8lbs) per Beegah, and the land smoothed over with a Henga, (rudimentary Harrow.)

"The plant generally shews itself in 3 or 5 days. As soon as it has got 2 or 3 Inches high with 6 or 8 leaves, all weeds must be carefully removed, and a second weeding is again requisite by the time the plant is 6 or 7 inches high.

"While weeding, any places where the seed may have failed to germinate, can be resown by sprinkling the seed on the surface and dibbling it in where required.

"In about 90 days, the plant begins to flower, and is then ready for cutting.

MANUFACTURE.

"The plant is cut at about 6 Inches from the ground, and carried to the steeping Vats with as little delay as possible; strewn horizontally in the Vats, and pressed down by means of beams fixed into side posts, bamboos being placed under the beams. Water must be immediately run in, sufficient just to cover the plant. If water is not at once let in, the plant will heat, and become spoilt.

STEEPING.

"The time for steeping depends much on the temperature of the atmosphere, and can only be learnt by experience and careful watching of the Vats, but it may be mentioned that in close sultry weather, east wind, Therm. 96° in the shade, 11 or 12 hours are sufficient. In dry cool weather, west wind 15 or 16 hours are sometimes requisite. If the plant is very ripe, the Vat will be ready sooner than if the plant was young and unripe.

"It is most important to steep exactly the proper time, the quality and quantity of your produce being dependent on this being done. As a guide the following signs may be mentioned, as showing that the Vat is ready to be let off.

"1st. As soon as the water begins to fall in the Vat. 2nd when the bubbles that rise to the surface burst at once. 3rd on splashing up the surface water, it has an orange tinge mingling with the green. 4th The smell of the water is also a great guide; when ripe it should have a sweetish pungent odour, quite different from the raw smell of the unripe green coloured water. The first of the water, when let off into the beating Vat, has a rich orange colour; and from the depth of this you can judge whether the Vat has been a proper time steeping.

BEATING.

"This is performed by men who enter the water (about 7 to each Vat), and agitate it either by the hands, or by a wooden paddle, at first gently, but gradually increasing as the *fecula* begin to separate which is known by the subsidence of the froth and the change of the colour of the water from green to dark blue. The time usually necessary for beating is from 1½ to 3 hours, but no positive rule can be given for this.

"The following are common modes of testing the state of the Vat.

"1st. Take a little of the water in a white plate or saucer and let it stand. If the *fecula* subside readily, and the water remains of a Madeira colour, the beating may be stopped.

"2nd. Dip a coarse cloth in the Vat and wring out the water, observing its colour. If green, the beating must be continued, but if Madeira or brownish colour, it is ready.

"3rd. When sufficiently beaten, the surface of the water, will, as soon as the beating is suspended, become of a peculiar glassy appearance and the froth subside with a sparkle and effervescence like Champagne.

"Three or 4 chatties of cold water, or weak lime water are then sprinkled over the surface, to hasten the precipitation of the *fecula*, which does

"not completely take place in less than 3 or 4 hours. The water must then be drawn off from the surface, through plug holes made for the purpose, in a stone slab inserted in the wall of the vat. The *fecula* remaining at the bottom are removed to the boiler.

BOILING.

"Bring it to the boiling as quickly as possible and keep it there for 5 or 6 hours while boiling it must be stirred to prevent the Indigo burning and skimmed with a perforated ladle. It being sufficiently boiled is known by its assuming a glassy appearance.

"When sufficiently boiled it is run off to the straining table, where it remains 12 or 15 hours draining, it is then taken to the Presses and *graddy* pressed this takes 12 hours. It is then ready to be taken out, cut, stamped, and laid in the drying house to dry.

"A good size of steeping vat is 16 feet by 14 by $4\frac{1}{2}$ the beating vat to be somewhat smaller and shallower.

"A Beegah contains 27,224 feet. 200 Ms. of plant do very well if they yield one Maund (82 lbs.) of any Indigo, a vat of above size holds about 100 Ms. of Plants.

"The plant sown say in June July, is cut 3 months afterwards (*Now-dah*) and manufactured; and a second crop will be taken from it the following "*Khoontee*" (August.) The second cutting gives the largest produce and best quality. The third "*Teersalee*" but it is seldom allowed to grow three years."

Of this important dye there were exhibited 83 specimens, besides a collection from Bengal, belonging to Government, and forwarded through the Board of Revenue, which did not enter into competition. After a careful examination of the specimens the following were selected as being superior.

GREEN LEAF.

Jury No.	Exhibition No.	Character.	Exhibitors.	Remarks.
40	5760	Sq. Tender paste, fine violet.	Binny & Co.	[Finest. Decidedly Slightly inferior.]
49	5767	Sq. Tender paste, violet, little close.	Appasawmy Pillay & Co.	
41	5761	Sq. Tender paste violet.	Binny & Co.	
43	5763	Sq. Closish, reddish violet, tender paste.	Do.	} Equal.
48	5767	Sq. Tender paste violet red.	Appasawmy Pillay & Co.	
71	5775	Sq. Tender paste, strong red violet.	Lecot Hicks & Co.	

DRY LEAF.

JAVA.

81 | 5947 | Sq. Tender paste, red violet | Chamber of Commerce

VELLORE.

70 | 5774 | Broken, soft, tender paste, red violet. | Walker & Co. | Nearly equal to No. 81.

No. 80-5743 manufactured by Mr. Fischer of Salem was considered deserving of honorable mention.

Of Pondicherry Dry leaf there was no first rate specimen. Nos. 18 exhibited by Soobroy Pillay and 17-9174 exhibited by Mootoosawmy were considered creditable.

It may be remarked that previous to the Jury commencing their labors, the Nos. and marks were obliterated from the different specimens, and a Jury No. affixed, corresponding with the Exhibition No. and known only to the Reporter, who took no part in the examination of the specimens, but simply recorded the opinions of the Associates.

ASSOCIATES ON THE OTHER DYES.

B. CHENGELROY CHETTY, *Dye Merchant.*

S. CHENGELROY CHETTY, *Dyer.*

T. MOOTOOSAWMY, *Dyer.*

CHAY ROOT.

Siru Ver. Tam. சிறுவேர்.

Chiri Veru, Tel. చిరివేరు.

This is the produce of a herbaceous plant belonging to the natural order *Rubiaceæ*, the *Oldenlandia umbellata*, common in sandy soils along the Coromandel coast. The dye is obtained from the roots, which are long, much divided, and slender. The plant is found both wild and cultivated.

Specimens were exhibited from Nellore, Chingleput, Tanjore, Madura and Malabar.

The best samples were from Chingleput and Tanjore which were classed as follows.

Chingleput, best quality, fit for dyeing twist of a fine bright red colour exhibited by *Yanadis* (a wild jungle race) of Striharicotah.

Second Quality.—Nos. lost, supposed to be of the same origin as the last, which it nearly equals but is somewhat inferior.

Tanjore. Inferior to the last but will yield a good colour for twist. Exhibited by R. Hurry Row.

Exhibition No.	Local Committee No.	
4527	249	Tanjore—like the last but inferior; same exhibitor.
4522	251	{ Do. much inferior, not fit for twist; will only serve to dye cloths. Same exhibitor.
4529	250	{ Do. Do. not so good as the last; same exhibitor. The above are all large, full samples. Those that follow are in small bundles and of still worse quality.
2694	"	Malabar. { Pretty nearly alike, the first somewhat superior but all yielding a pale shade of red and only suitable for dyeing cloths, not fit for thread.
"	$\frac{28}{2}$	Madura. {
"	$\frac{28}{3}$	Do. {
"	$\frac{28}{4}$	Do. { About equal, inferior to the last.
5705	"	Nellore from Inamanellore Talook.
1151	$\frac{28}{1}$	Madura. {
"	$\frac{28}{5}$	Do. { Very inferior.
1430	71	Bellary. Inscribed <i>Cherongia Sapida</i> and exhibited by

the Tahsildar of Anantapoor who has named it erroneously perhaps from the resemblance of its Telugu name to the original (Buchanans) designation of the *Buchanania latifolia*. This specimen consists of a small bundle of thick woody roots which are of no value in the market. Although this specimen was recognized by the Dyers as being a true chay-root, the marked difference between its appearance and that of all the other specimens leads to the supposition that it may be derived from some other plant. The native dyers assigned the first place to those specimens which yield the deepest red and which are employed for dyeing thread before it is taken to the loom. This is woven into handkerchiefs which were formerly in great demand under the name of Pulicats. A considerable number are still exported to the Dutch market chiefly to Antwerp. Others, particularly those with patterns in which the chocolate tint is found, and known as Madras handkerchiefs go to the West Indies and the Southern states of America through the port of London. They are much prized by the Negroes. The Corge of 20 pieces, each piece containing 20 handkerchiefs, which used to be bought for 175 Rupees, contract price, from the weavers, and was sold to English houses for 200 to 220 Rupees, has now fallen to 120 Rupees contract price.

In Madura the paler tint seems to be preferred according to the statement of the Madras Dyers, and the same inference may be drawn from the circumstance of such specimen, classed by them as the worst, being numbered ²⁸ by the local Committee. The cloths dyed at Madura, after they are woven, are exported in considerable numbers, for the consumption of Madras. The *Chay* root in this case is mixed with *noona* or *Morinda* bark.

The other colours dyed with the *chay* are 1st Chocolate which is obtained by the subsequent application of the *poppade*, *papli cheka* or *surul patta* (to be noticed next) to the red obtained from the chay. It is much prized in the bandana or Pulicat handkerchiefs exported to the West Indies.

2. By the addition of a salt of iron mixed with syrup, a fast black colour is obtained, but this is only fit for printing chintzes, and is never used for dyeing thread, which would be rotted by the process.

3. A very fine red is produced by adding safflower (*Kusamba*) with Lime juice, and soda, (Dhobis earth), but this is not a fast colour. The best mordant, and that always used is alum.

The following particulars regarding the cultivation and produce of chay root, may not be uninteresting.

The *Oldenlandia umbellata* grows spontaneously in sandy soils throughout the Carnatic, but more particularly along the Coromandel Coast. The root of that which grows wild is reckoned the best, but it is also cultivated to some extent. The districts in which it is most largely produced are Rajahmundry, Masulipatam, and Guntoor. It is also obtained in Nellore, South Arcot, and Tanjore, but the information at present available, is only for the three first mentioned.

For the cultivation of the plant the finest sandy soil is required, as being the most favorable to the free growth of the root, on the length of which the value of the article greatly depends.

The cultivation commences in the end of May, or beginning of June, with the first falls of the S. W. Monsoon. During the space of three months the sand is subjected to repeated ploughings, and is thoroughly cleaned from all weeds. Between each ploughing it is manured, and after the last ploughing it is levelled with a board, and formed in small beds of about 6 feet by 3.

The seed which is extremely minute (so much so that it is impossible to gather it except by sweep-

ing up the surface sand into which it has fallen at the end of the harvest) is then sown, by spreading a thin layer of sand over the prepared beds. They are then kept constantly moist and are watered gently with a sieve made of palmyra fibres, five or six times a day; care being taken that the water is quite sweet and fresh, for which purpose it is obtained from wells newly dug in the field.

At the end of a fortnight the seeds under this treatment will have germinated freely, after which, the young plants are only watered once a day, in addition to which, liquid cowdung, greatly diluted with water, is daily sprinkled over them.

At the end of two months the plants will have attained nearly their full height, but mixed with weeds of *Mollugo cerviana*, and *Spergula*, *Trianthum*, various kinds of *Cyperaceæ* and other sand loving plants. These must be carefully removed, and the beds watered again if required.

In about four months more, or at the end of six months from the time of sowing, provided the season has been good, and the falls of rain regular, the plants will have reached maturity, and the roots be ready for digging. But no artificial irrigation will compensate for a failure of the natural rain, and when this happens, the plants must be left for three or even four months longer, in which case the produce will be deficient both in quantity and quality. But in an ordinary season, the produce of a *podu* or plot containing an acre and three-quarters will yield from 5 to 10, averaging about 8, Candies of 500 lbs. each.

The plants are dug up with a light wooden spade tipped with iron, and are tied into bundles of a handful each, without cutting off the stalks. They are then left to dry, the leaves wither and fall off, and the bundles are weighed and removed. Before the digging begins, the seeds, which have now ripened, are shed, and being exceedingly minute, become inextricably mixed with the sand, the surface of which is therefore carefully scraped up, and reserved for future sowings.

The culture by means of artificial watering, is called *ārutadi podu*, but there is another system called *ivaka podu*, in which when the rains are plentiful, hand watering is dispensed with, and advantage being taken of a full (or 18 inch) fall of rain at the time of sowing, the plants are left to the chances of the season, care being only taken, to keep them free from weeds.

The cost of cultivating a plot or *podu* is as follows :

	Rs.	A.	P.
Ploughing.....	5	0	0
Manuring.....	5	0	0
Clearing, smoothing, &c.....	2	0	0
Watering.....	6	0	0

(N. B. If the rains are seasonable this is proportionably diminished)

Weeding.....	6	0	0
Digging at so much the candy, generally about.....	36		
	60	0	0
Add the land tax at 14 Rupees the acre.....	25	0	0
Total.	85	0	0

Assuming the produce to be 8 Candies and the average price 16 Rupees per Candy $8 \times 16 = 128$ Rs.—85 = 43 for the cultivator's profit, which cannot be considered large, compared with the constant care and attention, required to secure a good crop.

It should be added that the assessment on such land as yields chay root, has been greatly reduced, and now does not exceed $2\frac{1}{2}$ to 3 Rupees.

The average price has been taken at 16 Rupees, which was the market rate in 1854/55 but when the demand is good it rises as high as 25 Rupees.

The following Statement shows the extent of land cultivated with chay plant, in the year 1855/56, in the Districts of Rajahmundry, Masulipatam, and Guntoor, with quantity and price of the article produced.

	Land Acres.	Produce in Candies.	Price at the average of 16 Rs. per Candy.
Rajahmundry...	1,600	3,600	57,600 Rs.
Masulipatam....	175	630	10,080
Guntoor.....	678	1,525 $\frac{1}{2}$	24,408
	2,453	5,755 $\frac{1}{2}$	92,088

No returns are forthcoming, of the outturn from the spontaneous chay root. But as the right of collecting it is farmed out, and the sum bid for it in Masulipatam only amounted to Rs. 335, the quantity cannot be large. But in Guntoor the rent sells for Rs. 7,450. The same land can only be worked every third year for spontaneous produce.

Most part of the root is consumed on the spot. The only exports from Bunder occurred in 1854/5, and 1855/6 during which $84\frac{1}{2}$ Candies were shipped to Madras, and $91\frac{1}{2}$ to Ipurpalem; it is also carried by land to Velapalem, both large weaving villages in Guntoor. On a previous occasion 22 Candies were exported to Tranquebar, but the greatest part is used up in the town of Bunder, for printing chintz and dyeing cotton cloths, and most of the produce in Rajahmundry, comes to the same place. Of late years the demand has greatly fallen off, both from the decay of trade at Masulipatam,

and from the introduction during the last few years of a new dye.

This is known by the name of *Cherinji* and is the bark of a root grown in the Dekhan. When used with a leaf called *jaji*, also imported from the hill country of Ganjam, a colour is produced which is considered nearly equal to the *chay*, whilst the process is far simpler and much less expensive. On the other hand the color is neither so fast, so bright, nor so enduring. A drop of spirit allowed to fall on *Cherinji*, dyed cloth, takes away the color at once, but has no effect on the *chay* dye. During the last five years these articles have nearly superseded the use of *chay*, but, as no specimens have been sent to the Exhibition, the Jury are unable to say what they are.*

The *Cherinji* usually sells for 20 Rs. the Candy, the *jaji* leaf from 30 to 45 Rs. and is all fit for use; whereas the stalks and bark of the *chay* root, included in the weight at the time of sale, have to be rejected, thus reducing the quantity very considerable. Sometimes a little *chay* root is mixed with *Cherinji* to improve the color. The increasing demand for *Cherinji* among the Native dyers, has caused a serious diminution in the produce of *chay* root during the last five or six years. Thus in Masulipatam, the average produce, which had been 680 Candies for the five years from 1846/7 to 1850/1, fell to 425 for the next five years from 1851/2 to 1855/6, and if the new dye continues to supersede it in the same proportion, it seems likely that the *chay* will be driven out of the market altogether.

Not only are *Cherinji* and *jaji* much cheaper, but the simplicity of the method of dyeing with them, compared with the complicated and tedious method involved in the use of the *chay* root process, would alone tend to bring the latter into disuse.

This is exemplified by the detailed description of the *modus operandi*, which was furnished to the Jury by their associate Veerapermal Pillay and which is added as an appendix to the Report.

RUBIA MANJISTHA—MANJIT.

Does not appear to be a product of this Presidency.

A single specimen only, and that an indifferent one, of old dried root, is exhibited by Soobaroy Pillay from Pondicherry, of poor quality.

Exhib. No. YEMPALUM.

- 1163 30 Madura *Yempalum Kodi* (branch.)
1162 29 „ *Yempalum Paki* (bark.)

The origin or use of this substance is not known.

The Dyers of this place do not recognize it as a dye. The Jury conjectured it might be obtained from *Tephrosia tinctoria*, the Telugu name of which is Yempal Chettu. But the *Tephrosia* is a herbaceous plant which could not produce so large a branch as No. 1163, nor is it probable that the article would be sent with a Telugu name from a southern District. Further references have been made to the Madura Local Committee for information on this point, without eliciting a reply.

The Native dyers seemed to think the roots must belong to the *papli cheku* or *sural patta*, which comes next under consideration.

PAPLI CHAKKA.

Under the various names of

- 1 *Pappili Chakka* or *Poppudi* పప్పిలిచక్క-
Madras, Bellary, Salem, Bangalore, Nellore.
- 2 *Soorool pattee* or *sural patti* సూరూలపట్టీ
- 3 *Suroogoodoo*, *Choorogoodoo*, *Surugudu* సూరూగూడూ
Rajahmundry, Masulipatam.
- 4 *Chembooram Semburam* చెమ్మబూరం సెమ్మబూరం
Chingleput, Bangalore.
- 5 *Coola maram*, Bangalore.

were exhibited numerous specimens of the bark of a root of an unknown plant, much used as an adjunct in dyeing with *chay* root. Papli has been assigned to a Rhamnaceous plant† *Ventilago Maderasapatana*, and from specimens of the leaf only which were obtained, it certainly bears a strong resemblance to that tree. But the name of the tree from which the Chembooran is said to be obtained (vide Dr. Kirkpatrick) viz. *Svietenia febrifuga* is an error, for both barks are undoubtedly the produce of the same tree.

The specimens were classed by the associates of the Jury as follows :

- Sort. } *Surugudu chuka*, Rajahmundry, Gopal Achari
I. } Exhibitor; Best.
8313 *Surugudu* „ Do.

These specimens are equal to the best obtained by the Dyers of Madras, which come generally from Calastri, Sesham pettah, Trincomalie, &c.

- Sort. } 669 *Soorool* bark, Chingleput.
II. } 8548 *Pupli chukay*, Madras.
5706 *Sooraty* bark, Nellore.

The Chingleput specimens were full large bundles, collected by the *Yanadis*, a rude tribe who live in the Jungles of the Nellore District, and subsist by collecting honey, wax, drugs, dyes, and other natural products. The two next were proba-

* This *Cherinji* may be the finer kinds of the *Morinda* Bark which is cultivated largely in Bengal, and to which the Native associates of the Jury applied that name. *Jaji* is the name sometimes given by the Telugus, to the *Jasminum grandiflorum*, but whether it is the leaf used in dyeing, the Jury cannot say. A good description of the mode of using the *Morinda* and its adjuncts in Upper India, will be found in the 4th Vol. of the Asiatic Researches. Can *jaji* be the same as the *dhauri* or *Grislea tomentosa* referred to there?

† Since the above was written it has been clearly ascertained that the plant is *Ventilago Maderasapatana*.

bly obtained by the Exhibitors (Appavoo Pillay and the Local Committee) from the same source.

Sort. } 664 *Chemboorun* bark, Chingleput.
III. } 5342 Do. Do.

were also good and only slightly inferior to the former. They were exhibited by Ismail Khan and Armoogum Moodely. The remaining samples were all inferior. This bark is only employed as an adjunct in dyeing with chay-root, as already stated; when mixed with chay, it gives a fine chocolate colour, and if galls be added, a fine full black.

The next colouring substance in importance is the bark of the *Morinda*.

MORINDA BARK.

Maddi chaka in Bellary, Salem, Bangalore, Kurnool, Rajahmundry.

Noonak in Chingleput, Tanjore, Salem.

Munja nedei or *noonah*, Madura.

Nela maddi, Kurnool, large woody specimens.

Saya Sitto, Pondicherry.

Acha, Commissariat Officers, Moulmein.

The native Jurors applied the name *serinji* or *cheringi* to the small twigs or roots of this plant.

Fair specimens were exhibited from several districts, the tree from which it is procured growing freely every where, and no particular care being required in gathering it. The best specimen was that exhibited by Mr. G. T. Beauchamp, from Combaconum, worth 52½ Rs. per candy. That from Kurnool would have been quite equal, but it was old and rotten.

Those from Tanjore and Salem No. 5185, were equal, and worth 45 Rs. the candy. The *Nila Maddi* from Kurnool, and that sent by Hurry Row from Tanjore, was the produce of large trees and of little value. Specimens of the root in powder from the Salem Local Committee, and from Sundara Moodely, were good, and were valued at 45 Rs. but it is never sold in that state. The Pegu specimens were large and inferior. Several specimens of chips from various places were also exhibited, but of no value. It is one of the commonest red dyes, the colour is dull, though more lasting than some of the brighter tints obtained from other substances.

The best dye is procured from the bark of the roots of trees, three years old.

SAPPAN.

Several specimens of Sappan wood were shewn under the names of

Buckum, in India.

Teinj-jet, Pegu.

A large quantity of the species of *Cæsalpinia* yielding this dye is grown in Malabar, and its

cultivation might be greatly extended. The export of wood from Malabar in 1856-57 was 16,962 Cwt. 2 Qrs. equal in value to Rs. 50,061. A custom prevails in Malabar, which though not connected with dyes may be mentioned. On the birth of a female child, the Moplahs are in the habit of planting from 40 to 50 seeds of sappan, and the trees, which reach maturity in 10 to 12 years, are her dowry when she is married. This dye is much used in Pegu and according to Captain Benson sells freely for 12 Rs. the 100 Vis. Silks dyed with this wood [*Teinj-jet*] of a dark red colour, were transmitted by Dr. Brandis from Pegu.

RED SANDERSWOOD.

A single specimen of *red Sanderswood* procured from *Pterocarpus santalinus* was exhibited by Appavoo Pillay. It is said to afford a good red, with a mordant of Alum, but does not seem to be in much use.

TURMERIC.

The specimens were neither so numerous, nor so good, as those of the previous Exhibition. Very little was contributed by the Northern Circars, although it is exported largely from the hill Districts. Five specimens were exhibited by Chendoo Nair from Malabar, and from Pegu by Dr. Brandis; the best and finest sample was that contributed by the Rajah of Vizianagrum, but the tubers were small and broken. It was valued at 50 Rs. the Candy, but had the roots been large, it would have fetched as much as 70 Rs. the Candy. The sample was labelled 7 pice the seer as the local price, which would be 33 Rs. the Candy. A Pondicherry specimen, though inferior in colour, was yet, from the large size of the roots, estimated at 60 Rs. the Candy. The rest were inferior and were classed in order of merit, as follows:

Cochin.

Malabar.

Chingleput.

Trichinopoly.

Salem.

Hyderabad (boiled.)

These were the only specimens adapted for dyeing purposes. The rest were merely fit for eating. The two kinds are distinguished by a fresh fracture or cut of the tuber. If it exhibits a rich unctuous lustre, it will yield a good colour, but if it has a dry look, it is useless for that object. A curious substance was exhibited by the Kurnool Local Committee, under the name of *Poovady* consisting of Cakes of Turmeric powder obtained from Hyderabad, the price of which was stated to be 6 Tolas the Rupee.

SAFFLOWER.

The only examples of this dye that were shown under the general name *Kusamba* were from Bellary, Coimbatore, Kurnool, Bangalore, and Moulmein and a few purchased specimens from Madras. All the samples were small. That from Bellary was estimated to be worth 5 Rs. the maund here; local value 3 Rs. As already observed, it is used in conjunction with chay root, for dyeing various shades of pink and red, which are bright and delicate, but will not last. The mordants employed are lime juice and soda (Dhobie's earth).

ROTTLEA TINCTORIA.

Kapala, Salem, Kurnool, Mysore.

Vasanta Gunda, Northern Circars.

The best specimen was that from Lingamparti in the Rajahmundry District, which was worth 17 or 18 Rs. the maund, of 25 lbs. Good samples were sent by the Rajah of Vizianagrum; (valued here at 12 Rs. but costing there only 5 Rs.) Mr. Wrightman, Apothecary Mysore Commission; and the Salem Local Committee. From the latter were also received specimens of silk treated with the dye, which produces a yellow colour. The best in the Madras market, comes from the Jivadi Hills between South Arcot and Salem. It is fixed by means of common Soda, and is very easy of application. It is not much used in Madras, but, as was observed in the Jury Report of 1855, it seems eminently deserving of more attention than it has hitherto met with.

BUTEA FRONDOSA.

The red flowers of this tree exhibited from Nellore and Bellary, under the name of *Palas* (Nos. 1417, 1418) were submitted in small quantity. With Alum they give a yellow dye, which the addition of a little Soda turns to orange. It does not appear to be extensively used, nor probably could the article meet an extensive demand.

MEMCYLON TINCTORIUM.

The native names for the blue flowers of this tree, are *Alli*, *Cassa*, and *Vassa Casa*, the first being its Northern or Telooogo, the two latter its Tamil designations. It comes from Nellore, Tanjore, Salem, and Pondicherry. The Salem is the best. The native dyers employ it as an adjunct to chay root, for bringing out the colour, in preference to Alum, which injures the thread. By itself it gives an evanescent yellow. It is very cheap, costing about one anna the marcal.

LAC.

The specimens were all scanty and generally poor. A box of well selected samples, received from Mr. Claud Hamilton Brown of Mirzapore, is deserving of commendation. Mr. Brown furnished also the following test for determining the quantity of the article.

Take,... 4 grains Dye.

6 do. Cream of Tartar.

13 do. *Woolen* cloth.

15 minims sol: of Tin.

put in an evaporating pan, with water, and boil over a spirit Lamp, till all the colouring matter is absorbed from the water. This you will readily ascertain, by putting a drop on your shirt sleeve. The test while boiling, should be occasionally stirred with a glass rod.

ARNOTTO.

The seeds of *Bixa orellana* are known by the Indian terms *Jaffarani* (Telooogo) and *Vennei Virai* (Tamil) of Pondicherry. *Thee-din-see* (Pegu).

Specimens were sent from Madura, Bangalore, Nellore, Tanjore, Pondicherry, and Pegu; all except that from Hurry Row of Tanjore, was old and of inferior quality. It yields a colour of various shades of pale red and orange, which however cannot be fixed. It is employed extensively by washerman in the Northern Circars, for giving the reddish tinge to the *dhotis* or men's cloth, worn by all classes of the population. The orange coloured garments of Jangams, Fakirs, Byragis, and other religious mendicants are dyed with this substance.

CASSIA TORA.

The seeds under the names of *Tantepe*, and *Tagarapu*, are exported from the Northern Circars for dyeing blue with Indigo. Samples were transmitted by the Rajah of Vizianagrum, and by the Bellary Local Committee. The associates of the Jury could give no information of the process. The price was stated to be 4 annas the marcal.

CASSIA AURICULATA.

The yellow flowers of this Plant were exhibited under the name of *Avarai-pu*, as a dye, but the Jury could not learn that it was ever used, although it doubtless would yield a colouring matter.

MYROBALANS.

Various specimens of these seeds and galls the produce of various species of *Terminalia* were exhibited. They are too well known to call for further notice.

ACACIA RUGATA.

A cake of a pale green, indigo-looking substance, was sent by Dr. Brandis with the Pegu consignment, under the name of *Keen-boon thee*, and said to be prepared from the leaves, of *Acacia rugata*. Specimens of the fruit and leaves, are stated in Dr. Brandis' catalogue to have been also transmitted, but the Jury were unable to find them. No account of the use of the dye was given by the exhibitor.

COSCINIUM FENESTRATUM.

The root and dried leaves of this curious plant, were exhibited by Mr. Thwaites from Ceylon under

the Singalese name of *weni-welle* or "false Colombo root"; by Dr. Cleghorn from the Western Coast as "*Coscinium fenestratum*", and by the Cawaye Tahsildar as *Mara manjil*, or "tree turmeric." The Jury had no information of its dyeing properties, but as it contains a large proportion of *berberine*, it could without doubt be usefully employed, for producing a yellow colour, if procurable in sufficient quantity. But on this point nothing is known to the Jury.

POMEGRANATE FLOWERS.

Some pomegranate flowers were transmitted from Bellary as a dye, but the Jury could not learn that the article had ever been used, for producing a colour. It is deserving of enquiry however, whether the very rich and beautiful tint of this flower, has ever been extracted in the form of a dye, by any local process.

LICHEN.

Specimens of Lichen under the name of *Ratti-pu* ("Stone flower") were received from the Nellore Local Committee. The Jury requested Dr. A. J. Scott to favor them with his opinion of their value. He stated that it was difficult to extract the colouring properties of Lichens save by a long and tedious process. Subsequently they received from him the following report. "The Lichens examined by me do not appear to possess any very well marked dyeing properties. By the mode of testing however, employed by Westring of Stockholm, a yellowish fluid has been obtained through the agency of ammonia, and chloride of ammonium, which imparts its colour to cloth immersed in it."

COCHINEAL.

Of this substance there was a single poor specimen from Bangalore. The Catalogue stated that another had been sent by Dr. Riddell from Bolarum, but it was not forthcoming.

GRISLEA TOMETOSA.

The red flowers and the leaves of this plant, were exhibited from Rajahmundry, but nothing is known here of its colouring properties. In the Northern Circars, where it is known under the names of *Godari*, and *Reyya manu*, the leaves are employed in dyeing leather. Sheep skins, steeped in an infusion of the dried leaves, become a fine red, of which native slippers are made. The dried flowers are employed in Northern India, under the name of *Dhauri* in the process of dyeing with the Morinda bark, but not apparently so much for their colouring as for their astringent properties. (Asiatic Researches Vol. IV. page 28.) Dr. Gibson states that in Kandeish, the flowers form a considerable article of commerce inland, as a dye. (Graham's Catalogue.) It grows abundantly in the hilly Tracts of the Northern Circars.

MALAPOO.

Small dried flowers under this name, were trans-

mitted by the Salem Local Committee. They have been ascertained to be the flowers of the *Cedrela toona* and are said to yield a yellow dye with alum, but the article is unknown here. It appears to be worthy of further attention.

The Jury desire to record here, their appreciation of the excellent collection of dyes, exhibited by the Chamber of Commerce, with their prices attached, which proved of the greatest service, by affording a standard of comparison for the similar products that came under their notice. The Jury also desire to bring to notice, an excellent and very neatly arranged assortment of dyes, exhibited by Native Surgeon Francis Appavoo Pillay, with their Botanical, and Vernacular names, and notes of their uses. This collection, the Jury consider to be deserving, of some mark of distinction. In conclusion they have to notice a sample of Gamboge submitted by Mr. G. Wrightman, Apothecary, Mysore Commission, who seems to have taken much pains in collecting and forwarding articles for exhibition. Gamboge, however, being more used as a pigment does not come directly under the Jury's cognisance. The same remark applies to the Prussian Blue exhibited by Rungasamy Moodely and Soobrayah Pillay of Pondicherry, a recently introduced manufacture, of which they engage to deliver 25,000 lbs. per annum, of a quality superior to the sample, at the rate of 3 francs per lb.

J. T. MACLAGAN.

Reporter, SubJury.

WALTER ELLIOT,

Chairman Class IV.

15th March 1858.

It is right to mention that the botanical, and vernacular nomenclature, as well as the general history of these dyes, was furnished by the President of the Jury, the Honorable Mr. Elliot, who has bestowed much labor in carefully digesting the information obtained from the native associates and others.

J. T. M.

APPENDIX.

RED.—Native process for dyeing red with Chay Root, calculated for 1 Viss, (or 3 and $\frac{1}{2}$ lbs.) of white Twist

Take of sweet oil.....	6 Pollums.
Ashes of the milk hedge.....	6 do.
Sheep's dung.....	3 do.
mix and keep in an earthen vessel for the space of 4 or 5 years, the older it is the better. Then when about to commence the process of dyeing, to the above mixture add	
Fresh ashes of milk hedge ...	8 Measures.
Spring water.....	4 do.
mix and strain and add to the strained fluid, shake the whole well together and then add	
Sweet oil.....	15 Pollums.
Sheep's dung.....	15 do.
Spring water.....	1 Measure.
mix the whole in a vessel. Then steep the twist in	

it for an hour, pressing and squeezing it well with the hands to cause it to absorb the fluid fully, after which leave it to soak. On the following day remove the twist and dry it in the sun. Then take in a vessel afresh

Ashes of milk hedge..... 6 Measures.

Spring water..... 3 do.

mix and strain, and add to the strained fluid

Sweet oil..... 15 Pollums.

Shake the whole well together and steep the thread in it for an hour using the hands as before described, leave it to soak all night. Next morning take out the thread and dry it in the sun. In the evening of the same day take in a vessel afresh

Ashes of milk hedge..... 6 Measures

Spring water..... 3 do.

mix and strain, to which water add

Sweet oil..... $7\frac{1}{2}$ Pollums

steep the thread in the mixture using the hands as before and leave till next morning. Then remove and dry in the sun. Next take afresh

Ashes of milk hedge..... 3 Measures

Sweet oil..... $3\frac{3}{4}$ Pollums

Spring water..... 3 Measures

mix and steep the thread using the hands as before and leave it soaking until next morning, when remove and dry in the sun take afresh

Ashes of milk hedge..... 3 Measures

Sweet oil..... $3\frac{3}{4}$ Pollums

Spring water..... 3 Measures

mix and steep in as before until next morning, then take afresh

Ashes of milk hedge..... $1\frac{1}{2}$ Measures

Sweet oil..... $1\frac{3}{4}$ Pollums

Spring water..... $2\frac{1}{2}$ Measures

mix and follow the process as before, and take afresh

Ashes of milk hedge..... 1 Measure

Sweet oil..... $\frac{1}{6}$ Pollums

Spring water..... 2 Measures

mix and follow the process as before, then take afresh

Ashes of milk hedge..... $\frac{1}{2}$ Measure

Sweet oil..... $\frac{1}{2}$ Pollum

Spring water..... 2 Measures

mix and follow the process as before, dry the thread for 3 days in the sun, on the 4th day take afresh

Ashes of milk hedge..... 3 Measures

Sweet oil..... $2\frac{1}{2}$ Pollums

Spring water..... 3 Measures

mix and follow the process as before, but dry the thread in the shade the same night. Then take afresh before noon next day

Ashes of milk hedge..... $1\frac{1}{2}$ Measures

Sweet oil..... $1\frac{1}{4}$ Pollums

Spring water..... 2 Measures

mix and strain, then steep the thread in the strained fluid a whole day and night, remove the thread next day, and expose it in the sun for 4 days. Then leave the thread untouched for a whole month and after the expiration of that period, expose it for a day to the sun. On the day following wash the twist in pure spring or river water, and on the

evening of the next day, take in a vessel afresh

Spring water..... 10 Measures } mix and add

Pounded Alli leaves. 4 do. }

Powder of Chay root $1\frac{1}{2}$ do.

mix the whole, steep the thread in the mixture using the hands as before, and leave to soak for the night. On the following morning, wash the thread in pure water and leave to dry.

The above process to be repeated afresh for the seven following evenings, omitting the Alli leaves after the first 2 days. On the 8th day in the morning allow the thread in the mixture to boil say from 4 to 8 P. M., then remove and keep the thread in the vessel covered until next morning, when remove the thread and wash it in pure water, leaving to dry in the shade for a whole day. Repeat the washing and drying for the 4 following days.

On the fifth day take afresh

Ashes of milk hedge..... 3 Measures

Spring water..... 3 do

Sheep's dung..... 3 Pollums

Sweet oil..... $2\frac{1}{2}$ do

mix, steep the thread, using the hands as before, and then take it out to dry. A similar course must be followed for the 3 succeeding days, then keep it quiet 1 day; on the following day wash the thread in good water, and leave to dry all next day. Then take afresh

Powder of Chay root..... 5 Pollums

Spring water..... 10 Measures

mix, steep the thread, observing the same process as before; next morning remove the thread, and wash it in good water, and leave to dry following a similar course for 3 days; then keep the thread quiet for 10 days, after which take afresh

Ashes of milk hedge..... 3 Measures

Sweet oil $2\frac{1}{2}$ Pollums

Spring water 3 Measures

mix, steep the thread, observing the same course as before and leaving it till next day, then dry it in the shade and follow the same process 3 days; then leave it for 10 days, after which wash in good water and take afresh

Powder of Chay root..... 5 Pollums

Spring water..... 8 Measures

mix, steep the thread in the mixture, using the hands as before, and dry in the sun next morning, repeat the same the 3 following days, then on the succeeding morning wash the thread well in good water and when dry, it will have attained a beautiful fast red colour ready for weaving purposes.

CHOCOLATE.

Process for dyeing white mule twist of a chocolate colour, calculated for 1 Viss or 3 and $\frac{1}{8}$ lbs.

Take of sweet oil..... 6 Pollums

Ashes of milk hedge..... 6 „

Sheep dung..... 3 „

mix and keep in an earthen vessel for the space of 4 or 5 years, and after that lapse of time to the above mixture add

Ashes of milk hedge.....	8 Measures
Spring water	4 "
mix and strain, and add to the strained fluid	
Sweet oil.....	15 Pollums, when well shaken, add

Sheep dung..... 15 "
Spring water..... 1 Measure

mix in a vessel and steep the twist in it for an hour, pressing and squeezing it with the hands to make it absorb the fluid fully. Leave it to soak. On the following day remove the twist and dry it in the sun. Then take in a vessel afresh

Ashes of milk hedge..... 6 Measures
Spring water..... 3 ,,
mix and strain, then add to the strained fluid
Sweet oil..... 15 Pollums
when properly shaken, steep the thread in it for
an hour using the hands as before described, and
then leave it to soak; remove it next morning and
dry the thread in the sun. The same evening put
in a vessel afresh

Ashes of milk hedge.....	6 Measures
Spring water.....	3 „

mix and strain. Add to the water

Sweet oil.....	7½ Pollums
----------------	------------

steep the thread in the mixture using the hands as before, and leave it to soak, remove it next morning and dry it in the sun. Then take afresh

Ashes of milk hedge.....	3 Measures
Sweet oil.....	3 $\frac{1}{2}$ Pollums
Spring water.....	3 Measures

mix and steep the thread using the hands as before, and leave it soaking until next morning, when remove and dry in the sun. Take afresh

Ashes of milk hedge.....	3 Measures
Sweet oil.....	3 $\frac{3}{4}$ Polluns
Spring water.....	3 Measures

mix and steep as before until next morning, then take afresh

Ashes of milk hedge.....	1 $\frac{1}{2}$	Measures
Sweet oil.....	1 $\frac{3}{4}$	Pollums
Spring water.....	2 $\frac{1}{2}$	Measures

mix and folllow the process as before, and take afresh

Ashes of milk hedge.....	1	Measure
Sweet oil.....	$\frac{1}{16}$	Pollums
Spring water.....	2	Measures

mix and follow the process as before, then take
afresh

Ashes of milk hedge.....	$\frac{1}{2}$	Measure
Sweet oil.....	$\frac{1}{2}$	Pollums
Spring water.....	2	Measures

mix and follow the process as before, dry the thread
 3 days in the sun, on the 4th day take afresh

Ashes of milk hedge.....	3 Measures
Sweet oil.....	2½ Pollums
Spring water.....	3 Measures

mix and follow the process as before, but dry the thread in the *shade* the same night. Then take afresh before noon next day

Ashes of milk hedge.....	1½ Measures
Sweet oil.....	1½ Pollums
Spring water.....	2 Measures

mix and strain, then steep the thread in the strained fluid a whole day and night, remove the thread next day, and expose it every day in the sun for 4 days, then leave the thread alone for a whole month and the day after its close, expose it to the sun. On the following day wash the twist in pure spring or river water, and on the evening of the next day take in a vessel afresh

Powder of chay root	$\frac{1}{4}$	Measure
Bruised bark of soorala	$\frac{1}{4}$	„
Spring water	10	„

mix, steep the thread in the liquid, using the hand as before, leave it to soak all night and next morning dry it in the sun. The same process to be followed for 5 days, using fresh mixture each time, and on the 6th day in the evening, let the thread remain in the vessel with the mixture, and boil it for 4 hours. On the following morning wash the thread in pure spring water, and after drying it in the sun, it is ready for weaving purposes.

GREEN.

Process for colouring white Mule Twist in Green
calculated for 1 Viss or 3½lbs.

Take of Indigo...	2 Pollums
Thuggahra seed		4	"
Chunam	...	2	"
Spring water	...	12	Measures.

mix, steep the thread in for 3 hours, using the hands for squeezing the thread in the mixture, that the infusion may be properly received, then dry in the sun, after which preserve it quiet for 5 days. On the 6th day following take

Fine saffron powder...	1 Viss
Spring water	5 Measures

mix, steep the thread in the mixture, using the hands as before described, and leave it to soak the whole night, take afresh

Acid Congy water	1 Measure
Spring water	5 Measures

mix, and wash in it the thread, and dry in the shade, when it will be ready for using.

YELLOW.

Process for colouring white Twist into yellow,
calculated for 1 Viss or 3½lbs.

Wash the thread first in good water, then take

Fine Saffron powder	1 Viss
Spring water	8 Measures

mix, steep the thread, using the hands as before described, and after soaking for 6 hours, take afresh

Acid Congy water	$\frac{1}{2}$ Measure
Spring water	4 Measures

mix, and wash the thread in it, remove and dry in the shade when it will be ready for weaving purposes.

SECTION IV.

REPORT ON TANNING MATERIALS.

Sub-Jury.

The Hon'ble Walter Elliot, Esq.—*Chairman*.

J. Rohde, Esq.—*Reporter*.

In tanning substances the Committee did not observe anything particularly deserving attention, nor was the collection by any means a complete one, the properties of the pods of the *Cæsalpinia coriaria* (*diri diri*) and of the barks of the *Cassia auriculata*, *Cassia fistula*, *Acacia arabica* and others of the same family, are already well known and have been particularly dwelt on in the Guntoor Local Committee's Report in transmitting articles for the Exhibition of 1855. The bark of the *Zizyphus* is not in use in the parts of the country with which the Committee are acquainted, but it is well known. Catechu is well known as a tanning substance in England, and was tried by the Guntoor Committee already referred to, the country gall-nuts and the gall, (*machikay*) mentioned and reported on by that Committee. The Pomegranate fruit, the bark of the stems and roots, are already well known and from the limited supply could never become of importance for tanning. The Theeka bark the Jury do not know it is imported, and the local designation only is given. The Panicry fruit is not otherwise described nor are the Jury aware of its peculiar properties.

SECTION V.

VEGETABLE SUBSTANCES, FIBRES.

Sub-Jury.

Colonel Reid.—*Reporter*.

J. D. Sim, Esq.

J. Brecks, Esq.

Captain Hawkes.

Associate.

Dr. Hunter.

1. *Coir Fibre, Cocos Nucifera*. There were many samples exhibited. Of these No. 4,643 sent by Hurry Row, Tanjore, was unquestionably the best, possessing a cleanness and color, combined with strength, not to be met with amongst the others.

The Committee however noticed with approbation two other samples, namely those of E. Ahobal Row No. 1,737 and a sample from Rajahmundry No. From Chingleput also a creditable sample was exhibited No. 5,343. But on the whole the specimens of Coir, so long an article of general use and commerce, did not by any means come up to what might have been expected.

A specimen of Cocoa Fibre from Coimbatore, apparently from the leaf.

No. 2,969 was exhibited by E. B. Thomas, Esq. This was clean, carefully prepared and well suited for fine Basket work.

2. *Date leaf, Phoenix dactylifera*. Of this, two specimens alone, need be mentioned, the best and cleanest, No. 643, and a carefully prepared specimen by E. Ahobala Row No. 1,741.

The remaining samples were submitted in a very raw state, carrying no pretension whatever to merit.

3. *Palmyra leaf, Borassus flabelliformis*. Here again but two specimens were deserving of notice.

No. 4,081, a clean sample from J. J. Cotton, Esq., of Masulipatam and

No. 753, of great length but coarse, from Pauppyreddy of Chingleput.

The Committee remark that in Fibre prepared from Trees of the Palm tribe, almost every merit will depend on the preparation of the article after gathering. It can hardly be expected that excellence can be obtained by any peculiar mode of cultivation. In the manipulation therefore, any degree of improvement must be looked for.

4. *Aloe Fibre, Agave americana*. This Fibre is capable of being turned to great account and several very fair samples were exhibited.

The cleanest and best prepared were those of Hurry Row, No. 4,621, and No. 2,977, from J. B. Roupell, Esq., these were soft, pliant and of good strength. E. Ahobalarow exhibited a fair specimen. Kanagaroyen, Native Surgeon at Coimbatore, exhibited Aloe Fibres, dyed of good colors. These are interesting specimens, and though not coming under this section of the Jury, the Committee could not but remark some very serviceable door-mats manufactured in patterns from these colored fibres. Good clean Fibre of Aloe was exhibited by W. Elliot, Esq. of Cuddapah. On the whole the Fibre of the Agave shewed well and both Hurry Row and Ahobala Row are entitled to prizes.

5. *Marool or Munjee Nar, Sansevieria zeylanica*. Here also Hurry Row Exhibited the best specimen, No. 4,613. Those from Kurnool in larger quantities were good samples and deserve notice. The Marool or Sansevieria is a plant that has not long attracted notice but is unquestionably deserving attention. In some parts of India very large quantities are found, growing wild. On the Pulicat Hills it is to be met with in some abundance, and in the Kurnool District it is most plentiful. It is of the same natural order as the aloe (not agave) Hemerocallidæ, and capable of cultivation. From its strength and the softness of its fibre, it might be brought more into use, and become a valuable product, possessing as it does the property of resisting the usual effects of damp.

6. *Fourcroya gigantea of the Aloe tribe*. This plant, although common in some of the large stations, is not met with elsewhere. It yields a very long and strong fibre and deserves more attention

than is given to it. The samples shewn were indifferent, and inferior to those exhibited in 1855.

7. *Screw Pine*—*Pandanus odoratissimus*; *Thaunlay Nar*. There was one clean sample of this, No. 55, from Chingleput—Appow Moodely of Pondicherry also exhibits Bundles of this Bark, No. 7159, carefully put up for exportation. There is not much strength in this Fibre, it could be used only for mat making or paper.

8. *Plantain Fibre*, *Musa paradisiaca*. Hurry Row exhibited a clean silky looking bundle of this, No. 4607: other samples fair.

9. *Yercum*, *Calotropis gigantea*. This Fibre is strong and soft, and capable of being turned to much account. The whole plant from which it is taken, is of value. Preparations of it enter largely into the Native Pharmacopœa. Good charcoal for Gunpowder is made from it and the seed vessel produces a silky kind of cotton exhibited also, and made into cloth.

Kistnah Row of Tanjore exhibited a good sample of the Fibre. E. Ahobala Row had also a fair sample No. 1,729.

10. *Junapum*, *Crotalaria juncea*. This is a most valuable Fibre and is indeed the hemp of India, "*Sunn*." Most kinds of Cordage, as well as the sack cloth known as "*Gunny*," are manufactured from it. It is capable of improvement both in cultivation and preparation.

Messrs. Fischer and Co. of Salem exhibited the best and largest sample, No. 6,857, entitling them to a reward. Good Bundles were shewn Rs. 3891, 2, 3, 4, by various exhibitors from Rajahmundry and a small clean sample of good quality by Mr. Silver of Tinnevely.

11. *Bendee*, *Hibiscus esculentus*. The best shewn was No. 3850 from Rajahmundry, long in staple, soft and pliant. A sample, No. 5346, of the *Hibiscus cannabinus* from Chingleput was fair. The former plant produces the common esculent of our tables, Bandykai. Both are of the Malvaceous tribe, the bark of most of which abounds in flaxen fibres.

12. *Flax*, *Linum usitatissimum*. This plant has been cultivated in the Northern parts of India, principally for the oil contained in the seeds.

To the preparation of the Fibre much attention is paid in Europe. Mr. Underwood produced some fair samples of English flax, plain, carded and hackled: they were dark in color like the tow of England. The best sample No. 1, though indifferently prepared, was of good length and was from the Hyderabad Country.

13. *Pine Apple*, *Ananassa sativa*. The Fibre from the Pine Apple is woven into the finest fabrics, particularly in Manilla, No. 7,037, from Padre Probbu; from Mangalore was a very good specimen.

14. *The Hill Nettle*, *Urtica pulcherrima*. Nos. 2460 and 2462 were very fair samples of this fibre exhibited by the Salem Local Committee.

The plant from which this fibre is taken is deserving notice. It yields the latter long in staple and of considerable strength. On the Neilgherry Hills it is known and appreciated by both Todawers and Berghers.

15. *Paritium macrophyllum*. Captain Benson exhibited fibres of *Paritium macrophyllum*, Nos. 8720 and *Urena lobata* (both malvaceous plants) from Moulmein. These samples possess much merit and the former especially so, being long, soft, pliant and strong, color brown.

16. *Arena lobata*.

17. *Vernonia anthelmintica*. Amongst new fibres appears a sample of *Vernonia anthelmintica* No. 6,614: it is rather hard; but this may possibly be the result of bad cleaning.

Barks of Trees. There was a large and varied collection of Barks, but in so unprepared and crude a state that their properties cannot be determined by their appearance. This is the more to be regretted, as doubtless many of these fibres might be improved and rendered soft and pliant by the usually adopted means whilst fresh. Several of them can be spun and woven into cloth. Among the most promising of these barks are those of varieties of *Bauhinia*, *Ficus*, *Acacia*, *Azadarachta*, *Cordea* and *Butea*.

Good samples were exhibited of Bags from Wynd and Mangalore formed from the Bark of Trees taken off bodily. The best of these are from *Lipurandra saccidora*, or *Antiaris saccidora*.

These are curious specimens of how little Nature owes to Art, in producing one of the most useful articles of domestic economy.

Mr. Jaffrey exhibited 45 small samples of fibres, from Plants in the Horticultural Garden, neatly arranged, and most of them well prepared (without maceration) though not sufficiently cleaned to shew the qualities of each fibre.

The commonly known fibres such as those of the malvaceous tribe, "*Musa*," "*Agave*," "*Asclepias*" are surpassed by others exhibited. The *Fourcroya* is the longest and best specimen (though small) exhibited of its kind. Amongst the samples are several basts well worthy of notice, both from variety, as well as length and strength of fibre. The best of these are from "*Cordea obliqua*," "*Eleodendron anfractuosum*," "*Abutilon judaicum*," "*Sterculea alata*," "*Adansonia digitata*."

This is an interesting collection but its value is much lessened by the samples being so small.

The Honorable W. Elliot sent 2 Fruits of *Luffa ægyptiaca*, grown in his garden, from seed brought by him from Egypt. This is one of the *Curcubitaceæ*. The Genus "*Luffa*" owes its name to the Arabic word for *Luffa ægyptiaca*, viz. "*louffor*" "*Loof*," it is a remarkable kind of Gourd. When quite ripe, within, it has no pulp, but is dry and filled

with netted fibres, very much interwoven. It is used in Turkish baths as a scrubber. It is a useful product, and if cultivated would probably find ready sale.

Mr. Elliot has kindly offered to supply seeds to Native Gardeners, or others who will apply to him for them. It is of easy culture, trained on a raised Mundwa, similar to the Snake Gourd &c.

COTTONS.

A very extensive and varied display of Cottons was exhibited.

FOREIGN COTTONS.

1. *Bourbon*. The best sample of Bourbon Cotton is one, No. 5744, of the prize products from the recent Tinnevely Local Exhibition, of a very superior quality, soft, long in staple and strong. The sample is a small one.

2 and 3. *Bourbon*. Messrs. Fischer and Co. have two good samples of Bourbon Cotton, No. 6817, and 6818. The latter a fine Bale, well cleaned, and soft, but rather short in the staple.

4. *Sea Island*. A good sample of Sea Island Cotton from Hyderabad well cleaned and long in staple.

5. *American*. No. 10 American Cotton from Pondicherry, good, strong and clean, but short in staple.

6. *American*. A specimen of American Cotton from Adony, indifferent.

Colored or Nanking. There were several samples of the coloured or Nanking Cottons.

7 and 8. The best was that exhibited by Messrs. Fischer and Co. No. 6850, from Salem. That from Tinnevely was good.

9 and 10. The Samples from Guntoor and Cuddapah indifferent.

Country, Indigenous. A great variety exhibited, some from almost every district; many of these however were scarcely worth looking at, being uncleared and not got up in a manner that could possibly attract attention in the market. This is a point which deserves remarking on. Sufficient attention does not appear to be given, in many instances, to the quality of the article exhibited. The idea appears to obtain, that it is sufficient to exhibit the article without any reference to its quality. Throughout this section samples are met with rather indicating the wretchedness of the produce than to what perfection it may be brought. No. 5,739, and No. 3,962, the former from Guntoor and the latter from Masulipatam, fine, long in staple and soft.

3. A sample of cotton which obtained a prize at the Hyderabad Local Exhibition was shewn by Mr. Bijent. It is of fair length, well cleaned and fine.

4. A good sample exhibited by Captain Balmain from Raichore.

5. From Bellary there were four samples, all short in staple, badly cleaned and of indifferent quality.

6. From Nellore the samples were indifferent, with one exception, which, though of a bad color, was long and strong in staple.

7. Guntoor Cotton very carelessly collected, and of indifferent quality.

8. Ladum Cottons exhibited from three quarters, Nos. 4090, from Mooganoor and 4,544, from Tanjore, though indifferent in feel and appearance, are strong.

9. Nadum Cotton from Madras, an indifferent sample, though clean.

10. *Silk Cottons*. From Bombax, Calotropis, Cryptostegia &c. exhibited from several districts. These are not marketable, though silky, and can be worked up with the real Cottons, Nos. 3898. Something similar to the above from a Grass apparently; native name Jummoodoody, only fit for paper-making.

F. A. REID,

Reporter.

P. S. In the 1st Volume of the second series of the Indian Journal of Art, will be found the commencement of a most carefully written and useful paper, entitled "Suggestions for cleaning fibrous plants for cordage and weaving" by Dr. Hunter. The Committee notice this, in reference to their remarks on the little preparation which specimens of fibres frequently receive, at the hands of Exhibitors, in the hope that the usefulness of these suggestions and the evident inexpensiveness of their adoption may lead future exhibitors to avail themselves of their aid.

F. A. REID,

Reporter.

SECTION VI.

TIMBER AND ORNAMENTAL WOODS.

Sub-Jury,

The Honorable W. Elliot Esq. *Chairman*.
Lieutenant Colonel Pears, C. B. *Reporter*.

Mr. W. B. Wright.

Mr. Williams.

Major Maitland.

Associates.

Lieutenant Hawkes.

Lieutenant Beddome.

The observations contained in the Report of the Sub Jury in this Department in 1855 have not been without their effect on the present exhibition.

The general collection of woods exhibited is remarkably interesting, and the contributions from some of the Districts very complete.

The most important contributions are from

Malabar,	Bangalore,
Palghaut,	Hyderabad,
Coimbatore,	and
Madura,	Pondicherry.

There are also smaller collections from Ootacamond, Bellary (Ramanmullay) from Burmah, through the Madras Local Committee, and from Masulipatam.

Malabar.—The Collection of specimens from Malabar, exhibited by the Collector of that District, merits especial notice for the care with which the specimens have been prepared and for the extent and importance of the contribution. It consists of specimens of 60 varieties of timber, 2 samples of each kind, the one being a piece of about 2½ feet in length with a section of 3 inches square, as suggested by the jury of the last exhibition, the other being a complete slab 4 or 5 inches thick cut across the trunk and including the bark. By far the greater part of this collection was represented in the Exhibition of 1855, and the woods then described seem not to require notice here. The following woods of which specimens are found in this collection appear, however, to be worthy of attention.

1st. The Ven (or ben) teak "*Lagerstræmia microcarpa*." This wood is abundant in the District of Malabar. It is not generally considered durable when exposed to the vicissitudes of temperature and climate. It has, however, been used to a considerable extent of late in ship building at Cochin and on the Railway. Malabar 2701 2755, Mr. McIvor 8276, Palghaut 276.

2nd. Poovoo. "*Schleichera trijuga*." This wood is described by Wight, List of timber trees (80) as a strong hard red wood, generally rather small, used to make pestles, spokes for bandy wheels, and such purposes, where much strength in small space is required. Palghaut 372, Malabar 2718.

The next wood in this collection deserving especial notice is the Agella, supposed by some to be the Indian Cedar wood, "*Aquilaria agallocha*." This is a light colored wood with a fine even grain, appears admirably adapted for furniture and many domestic purposes. It is said to be abundant in Malabar and has been already used for a variety of purposes by the Railway Engineers. The jury would recommend some further enquiry regarding this tree, the extent to which it is found in Malabar, and whether known in other parts of the country. Madura 1247, Malabar 2737, Mysore 2254.

The next wood to be noticed in this collection as not having been represented in the last exhibition is the "*Vitex altissima*," named by the exhibitor, "Magelloo," Tamil "Kat miella." It is thus described by Dr. Wight: "This is a large tree frequent on the lower slopes of the ghaut mountains, but I am not acquainted with the timber,

"except in so far as can be learned from a small "outside specimen, which seems close grained. It "is reported fit for Cabinet purposes." It would be desirable to learn more of this tree. A specimen formerly grew in Dr. Anderson's garden near the College bridge in Madras. Roxburgh describes the wood of one of its congeners *Vitex arborea*, common in the Northern Circars, as of a chocolate color, when old exceedingly hard and durable. Palghaut 281, Malabar 2751.

The last specimen to be noticed is the "*Eugenia caryophyllifolia*," by the Collector "Nawal." This wood is stated by Wight to be the *Calypthranthes caryophyllifolia* of Ainslie, who speaks of it as a large tree with spreading branches. It is a very common tree, growing in all parts of the country, well known in these parts by its Tamil name "Nagamarum," and by Mahomedans as the "Jammoo tree," the fruit of which, a kind of blue plum, is sold in every bazar.—Roxburgh says the wood is hard, close-grained and durable, and of course is used for a variety of purposes. The wood appears, from the specimen before the jury, to be a close-grained, strong wood, probably useful for building and other common purposes.

The Jury cannot better conclude their brief notice of the Malabar collection, than by appending a valuable Memo upon eight different woods of that District drawn up by Mr. Sinclair, Superintendent of Carriage and Wagon Building under the Railway Company, which has been obligingly placed at their disposal by Mr. Wright, the Locomotive Superintendent of the Madras Railway.

"I have examined 13 different kinds of timber "which are easily procurable at Beypoor. I have "however only selected eight kinds of the best description of which I recommend purchases to be "made in the proportion of one thousand Candies: "thus,

Sample.	Tam.	Botanical.			Rs.	A.	P.
"No. 1	Caramardoo	{ <i>Terminalia</i> } Candy	100	Price about	4	0	0
"No. 2	Erroll	{ <i>glabra</i> }	200	"	4	0	0
"No. 3	White Cedar	{ <i>?</i> }	200	"	4	0	0
"No. 4	Augilay	{ <i>?</i> }	150	"	6	0	0
"No. 5	Red Cedar	{ <i>Sethia Indica</i> }?	50	"	3	8	0
"No. 6	Pillaymardah	{ <i>Terminalia</i> } { <i>chebula</i> }	50	"	3	0	0
"No. 7	Vellomardoo	{ <i>Terminalia</i> } { <i>alata</i> }	50	"	0	0	0
"No. 8	Bentenak.	{ <i>Lagerstræmia</i> } { <i>microcarpa</i> }	200	"	3	0	0

"Sample No. 1, Caramardoo per Candy, Rs. 4

"This wood grows large, generally sound and plentiful, is very suitable for strong framings, and very durable in works. It is however, rather coarse in its fibre, curly grained and difficult of planing, or dressing off clean for painting or varnishing. In seasoning it also appears to open in grain and shows like unto weather shakes of a small kind. In consequence of this propensity. the shrinkage appears very small per foot of surface. Its density lbs 5, oz 12 per superficial foot. It is procurable in 25 to 30 feet length, and about 15 inches diameter, middle girth, will season in

"12 to 15 months in planks, and is not touched by white ants.

"No. 2. Erroll, price Rupees 4 per Candy. This wood grows similar in all respects to No. 1. It is however more straight grained and more easily planed, or cleaned off for paintings. Its shrinking properties in seasoning is about $\frac{1}{2}$ per foot of surface, its density lbs 5 oz 10 per foot superficial. It is procurable in 25 or 30 feet length, and about 15 inches diameter at middle of log; will season in cutting into planks in 12 months; and is very lasting in worth either under ground or above ground; will take paint or varnish very well, and is not affected by white ants.

"No. 3. White Cedar, price Rupees 4 per Candy; grows plentifully and large but not generally sound in heart, if exceeding 24 inches in diameter at middle of 35 or 40 feet log. This is a very useful wood for general purposes, and in consequence of its larger size converts economically into scantling of all sizes. It is easily planed and worked; its shrinking properties are very great in seasoning, being about $\frac{1}{2}$ in 12 inches, its density is lbs 4 per foot superficial, is durable above ground and very lasting if kept free from moisture.

"No. 4. Augillay, Rupees 6 per Candy. This wood grows similar in size to the Erroll (No. 2). It is rather curly and cross grained in its fibre, and is also difficult of planing clean for painting on account of the grain rising on the surface after being cleaned off, its shrinking properties are $\frac{1}{2}$ inch per foot; its density is $3\frac{1}{4}$ lbs per foot superficial; It is a bright colored wood; and would look very well varnished; it is also of a tough nature, though not so heavy per foot cube as the others.

"No. 5. Red Cedar wood, Rupees 3.8.0 per Candy. This wood grows large, is of a middling quality easily planed and worked, seasons with a shrinking of $\frac{3}{8}$ per foot superficial, it also keeps close and sound; its density is lbs 2 oz $\frac{3}{4}$ per foot superficial; it is straight grained and very useful in many kinds of work. Its supply is however rather limited.

"No. 6. Pillumardoo, Rupees 3 per Candy. This wood is similar in all respects to the sample No. 1 Caramardoo, except color, which is yellowish brown, its density $4\frac{1}{2}$ per foot, and plentiful in supply.

"No. 7. Vellamardoo, per Candy." "This wood is similar to No. 6, but of a whiter color, its shrinking properties are $\frac{3}{8}$ foot superficial, its density is $4\frac{1}{2}$ lbs. per foot.

"No. 8. Benteak, Rupees 3 per Candy." "This wood grows of a good size and straight grained, is of a good lasting quality above ground, if kept free from moisture, it is easily planed and

worked, its density is lbs 4 oz. 8 per foot superficial, its shrinking properties are $\frac{1}{2}$ inch per foot; it is rather strong in nature and will cast in seasoning if not properly stored. It is useful for heaving framings and such like works.

"Note.—The sample logs I have received are water wet* some and others had not been long felled; the density, therefore, I have given must only be considered as approximating to the various differences in the woods when dry and seasoned, and not as their actual weight when such is the case."

MADURA.

The next contribution in this department to be noticed is that from Madura exhibited by Mr. Parker the Collector. It consists of 32 specimens of various forms and dimensions. The collection is interesting but contains few woods not already known and not reported on, on the occasion of the former exhibition. Among the woods not then exhibited the Jury observe in the present collection the following:—

"Punecoy" wood "*Guettarda speciosa*." Madura 1259, Mysore 4255. This is a large sized handsome tree commonly seen in gardens, but not supposed to abound in the forests. The specimen is small but exhibits a closeness of grain and other characteristics rendering it deserving of further enquiry.

"Maghadum marum," "*Mimusops elengi*." Pondicherry 160, Madura. This wood is said to be employed in Cabinet making, and appears from the specimens here presented to be well suited to that purpose being light with a tolerably close and even grain. Dr. Wight speaks of it as being so much a cultivated plant that probably it is not much used and is therefore little known: this merits further enquiry.

Devadarum; *Semboolina*, "*Sethia indica*." Madura, 1267, Bangalore, 4253, Hyderabad. This wood is described and mentioned by Wight who considers it identical with the "*Erythroxylon areolatum*" of Ainslie†. Ainslie (pp. 187, 213†) was informed that a kind of wood oil was obtained from this tree in the Tinnevely District. He adds that the wood is small, of a reddish brown color and very fragrant, so that the people of Mysore use it instead of Sandalwood.

The rest of the woods found in the Madura Collection are generally known and were noticed in the Jury's report at the Exhibition of 1855.

PALGHAT.

The collection from Palghat is exhibited by Kristnia Chettyar.

The specimens, 102 in number, are very small, but have been arranged with great care, the native and botanical names being given with each speci-

* i. e. Seasoned by steeping in water.

† Ainslie 2421, 8vo. ED. Cedar.

‡ Ditto 4to. ED.

men. The Jury notice in this collection the "*Conocarpus latifolia*" which will be subsequently referred to among the Coimbatore collection. They observe also a specimen of the "*Dichrostachys cinerea*," Tamil, Vadatata marum; Tel. Velloor Chetta. This is described by Wight, List No. 105, as a small tree or rather large shrub; wood very hard and strong, but too small for any except common purposes.

COIMBATORE.

The collection from Coimbatore, Kistniah, Maranmut Superintendent, Exhibitor, consists of 34 specimen pieces, about 13 inches long, with a cross section of 3 inches square, great pains appear to have been taken in the preparation of these specimens, and in the determination of their proper names.

Almost all the trees best known and most highly valued in this part of India are represented in this collection. Among those, however, which appear deserving notice here are,

"*Briedelia spinosa*," Mooloo Vengay. Coimbatore, 3010. This is described by Wight as a wood not known, though the tree is not uncommon, and attains a considerable size among the Alpine jungles.

The "*Conocarpus latifolia*" (Vellaynaga, Tamil). Coimbatore, 3029, Palghaut, 374. The wood according to this specimen is heavy, light-colored and close grained. The tree is described by Wight as tall and handsome, furnishing an excellent and very strong timber. The ashes of this tree are said to be in demand, as an article of food, among certain wild tribes, inhabitants of the forests about the Neilgherry Hills. The demand for it has been attributed to the large proportion of pure carbonate of Potash which it yields,—the diet of the same people including a large quantity of tamarinds. A handsome specimen is to be seen near the gate in front of the house known as Mooneapillay's Garden at Sydapet, now occupied by Mr. Shubrick. It is found abundantly in the Northern Circars, where Roxburgh describes it as universally esteemed for every economical purpose; towards the centre it is of a chocolate color and is then exceedingly durable. For house and ship building the Natives reckon it superior to every other sort, except "*Pentaptera tomentosa*" and teak.* Vol. II. pp. 444—merits further enquiry.

The "*Nerium antidysentericum*," Veppalei marum. Coimbatore, 3036, Palghaut, Madura 1244, Mysore. This wood is said by Wight to be excellent for cabinet-making purposes. It is found also to answer for wood engraving.

Ainslie, after describing the medicinal properties of its bark, speaks of the timber as chiefly prized in Cochin China for its beautiful white wood, which is of a fine grain and fit for making furniture. The specimen before the Jury seems to be taken from a

young tree, and does not therefore well represent the timber.

PONDICHERRY.

The Jury have now to notice a very full and carefully prepared collection of specimens of wood from Pondicherry. These are all small pieces well adapted to exhibiting the grain color and specific gravity of the several woods, but not furnishing pieces of sufficient dimensions for experiments on their strength.

The Exhibitor Monsr. H. de Querret, sous Ingenieur, has greatly enhanced the value of his collection by a brief account of each tree, the purposes to which it is applied, its medicinal properties, if any, its local, as well as its botanical, name. It is remarkable that this interesting collection of woods in which many of the finest and most valuable trees of Southern India are represented is made entirely within the settlement of Pondicherry.

The "*Eugenia racemosa*" is a tree represented in this collection only, and was not produced in the former exhibition. It is described as a wild tree and as attaining to a large size. This tree is noticed by Ainslie, who gives an account of its medicinal properties. See Ainslie, Vol. II. page 56.

A small specimen of the well known "*Strychnos nux-vomica*" is found in this collection. The jury learn on good authority that white ants will not touch this wood, which is characterized with a remarkably bitter taste. Is used extensively in building in the Northern Circars, is found to grow to a large size in hill Districts, though commonly small and stunted on the plains.

"*Dalbergia sissoo*." A deep purple, rather heavy wood. The specimen exhibited under this name appears to be the true *Dalbergia latifolia* or Rosewood. It is stated on the authority of Major Lawford that the true Sissoo, *Dalbergia sissoo*, is found in great abundance in Wynaad. The wood used under this name in the Bombay Gun Carriage Manufactory is supplied by the Forests on the Western Coast. The subject deserves further enquiry.

OOTACAMUND.

Mr. McIvor, Superintendent of the Botanical Gardens of Ootacamund, has exhibited a small collection consisting of 28 specimens. The collection consists for the most part of woods generally known as being of value and importance. The jury observe the following as being especially deserving of notice; *Sarcococca trinerva*, or Neilgherry box wood, reputed to be very common on the Hills. Wood hard and durable, might be used in the Arts as a substitute for the real box.

"*Dodonea viscosa*," common on the Neilgherries, wood elastic and useful for tool handles.

* Flora Indica.

"*Sapota elengoides*," a large tree, common on the Neilgherries, wood strong and elastic, and like the hawthorn burns well when green.

"*Grewia tiliæfolia*." This wood is well known in central India, and much used in public works and also in the Jubbulpoor factory. Dr. Wight speaks upon report disparagingly of this wood, but it is valued in some parts of the country as a strong and durable timber and one that grows to a large size.

"*Artocarpus echinata*" is represented by Mr. McIvor as a large tree, yielding a good wood, though apparently not much used. Little appears to be known of this wood which deserves further enquiry.

"*Padree marum*," *Stereospermum* (sp.) There appear to be three useful species of this genus, viz. *Stereospermum chelonoides* is of a reddish color, said by Wight (List No. 110) to be the strongest of the two noticed by him.

"*Stereospermum suaveolens*" is described by him as a considerable tree, frequent on the Walliar jungles, wood strong and elastic, said to be fitted for making bows. List No. 63.

The 3rd species has recently been discovered in the valley of the Godavery and is of smaller size than the preceding, but appears to possess useful properties.

COCHIN.

Collection from Cochin. This collection consists of specimens of wood found in the District of Malabar.—The specimens are well prepared, but the value of the collection is unfortunately much reduced in consequence of no botanical names being affixed to them.

The jury cannot close their Report on the woods exhibited on this occasion, without calling attention to the number and variety of useful and valuable trees existing in the forests of this Presidency. Independent of the many reported to be useful in medicine and the Arts, the large number of handsome and ornamental trees and others yielding valuable timber, cannot but strike one in looking through these lists and reports. The Districts under the Presidency which abound in useful woods are Canara, Malabar, Salem, Cuddapah, Coimbatore, Tinnevely, Gunttoor, Vizagapatam, and Ganjam.

It is to be regretted that on this occasion no collections have been forwarded from Salem or Cuddapah.

Of the many useful woods standing in these forests, a very few only have been in common use for domestic and agricultural purposes among the native population. It is singular that up to a very late period,—it may almost be said that up to the present time,—the servants of Government in the Public Works Department have taken little interest in any but the teak, palmyrah and mango woods—all other woods were classed under the general denomination of jungle woods, and some of the finest timber of the world, thus named, have been applied in the construction of buildings which having been considered temporary were not thought deserving of teakwood roofing."

There can be no doubt but that up to the present time the waste of timber in every part of the country has been very great.

The attention of Government has been lately directed to the preservation of forests chiefly and prominently to teak, sandal, and other woods of known value, and it may be hoped that one result of these interesting exhibitions may be to convince Government and society at large of the immense value of property standing in our forests in the shape of trees of great variety and less useful qualities perhaps than teak, but, in some cases, and for some purposes, even superior to that wood. Many of these timbers being not only heavier but stronger, and possessed of higher elasticity than teak.

The first serious enquiries into our forest resources that seem to have been made originated in the demand for Railway sleepers.

Some difficulty appears to have been experienced at first in getting Agents to contract for supplies. The jungles were unknown to all but a few naked wood cutters who alone appeared capable of resisting the fever; the demand for these durable woods among the native population was too limited for any man of capital to think of entering upon the business.

Mr. Sullivan, Sub-Collector of Vellore, appears to have taken a lively interest in the matter, and to have organised a system for working the jungles of Salem and South Arcot bordering upon his own District. He has supplied the Railway Company with about 54,600 sleepers, most of them woods of the best quality. The price of these, varying from $2\frac{1}{2}$ to $3\frac{1}{2}$ cubic feet in contents, has been on an average Rs. 3-2.

A list was given in the Report of the Jury for 1855 of the woods sanctioned for use on the Railway. It was as follows:

- | | |
|---------------------|------------------------|
| 1. Teak. | 14. { Carroo Vengay or |
| 2. Saul. | Chella woongay |
| 3. Sissoo. | marum. |
| 4. Pedowk. | 15. Parumbay marum. |
| 5. Kurkuttah. | 16. Eroovaloo marum. |
| 6. Kurramurdah. | 17. Vel Vengay marum. |
| 7. Maroothy marum. | 18. Peela marum. |
| 8. Aucha marum. | 19. Dud Eloopay marum. |
| 9. Vengay marum. | 20. Kurvalum marum. |
| 10. Kadookoy marum. | 21. Coombadree. |
| 11. Keenee marum. | 22. Katoovoyee. |
| 12. Myladee marum. | |
| 13. Sem marum. | |

A late report, of which the following is an Extract from the Resident Engineer of the portion of the line open, shows the extreme importance and the great difficulty attending the selection, and even the recognition, of the several varieties of woods.

"You will observe that out of 1507 sleepers, the number actually removed, I have been able to get the names of only 487. I have already mentioned to you the very great difficulty that I have in get-

"ting anything like an accurate account of the description of sleepers removed, owing to the fact that no two of the ordinary village carpenters will give me the same name for a sleeper, and I have not therefore been able to have the sleepers examined as they were taken out of the road. It was not until the end of the year that I was able to avail myself of the services of a carpenter who seemed to know more about the woods than the generality, and of course by that time the greater number of the removed sleepers were not to be found; but I hope the number given in this statement will answer the purpose for which it is required.

"Of the 487 sleepers examined, as many as 458 are reported as being of unauthorised woods. This is of course owing to the ignorance of the only persons the Engineers could procure to name the woods or possibly to their being bought over by the Contractor. To my personal knowledge, the sleeper contractors tried every expedient to pass

"bad woods upon us, and I have myself, when in charge of District 3, been more than once deceived by sleepers which were brought to me care-fully sawn of the exact dimensions and of great weight and apparent hardness. The carpenter I employed for the purpose gave them names which were authorized and I passed them: these I afterwards found were of Thaine wood, and had for a long time been steeped in water to make them heavy and solid looking. After a short exposure in the Road, they dried and began almost immediately to decay, and in removing any that are found now they are for the most part dug out with a Mamooty, being so soft.

"From the number of these woods in the 1st and 2nd Districts I have no doubt that the Engineers of these districts were taken in, the same way that I know myself to have been.

"Of the authorized woods removed, there are only 29 out of 487; and of these 29, only 2 were rotten, the remainder being split.

MADRAS RAILWAY—MADRAS DIVISION.

Number and Description of sleepers taken out and replaced from 1st July to 31st December 1856.

NAME OF WOOD.	No.		Total number examined.	Total number taken out.	REMARKS.
	Rotten.	Split.			
DISTRICT NO. I.					
Thanie, <i>Terminalia</i> ?	182	...			Ballast all Laterite.
Otheyen,	71	...			
Goompany, <i>Odina Wodier</i> ,	14	...			
Kurkuttah, <i>Ziziphus glabrata</i>	...	7			
Cadookoy, <i>Terminalia Chebula</i>	...	3			
Dud Eloopay, <i>Bassia longifolia</i>	..	1			
	267	11	278	450	
DISTRICT NO. II.					
Thanie, ...	51	1			Ballast the first half is Laterite, the rest whinstone and decomposed granite.
Otheyen, ...	94	...			
Goompany, ...	1	1			
Kurkuttah, ...	1	5			
Dud Eloopay,	6			
Saul,	1			
	147	14	161	917	
DISTRICT NO. III.					
Thanie, ...	15	2			Ballast is all granite.
Otheyen, ...	25	...			
Goompany, ...	1	...			
Cadookoy,	1			
Dud Eloopay	3			
Saul, ...	1	...			
	42	6	48	140	
			487	1507	

The jury cannot doubt but that much good in this direction will be effected by the attention given to this subject in the general and local Exhibitions of this presidency.

A list, prepared with much care by Lieut. Beddome, exhibits several new kinds of wood found in the Godavery forest and is appended to this Report, the jury being of opinion that its publication is calculated to be extremely useful.

The contributions in this department deserving of special notice are those from

Malabar,
Pondicherry,
Madura,
Palghaut,
Coimbatore, and
Ootacamund;

and considering that in some of these cases the Collection has been made by a Government Officer, whose Official position rendered the task of collecting and arranging comparatively light, without in any degree detracting from the public spirit displayed by himself, the Jury have resolved on the following

JURY AWARDS.

1ST CLASS MEDAL.

Progressive Number.	Catalogue Number.	Name of Exhibitor.	Object rewarded.
		Monsieur H. de. Querret Sous Ingineer Pondicherry.	Collection of Woods.

2ND CLASS MEDAL.

Progressive Number.	Catalogue Number.	Names of Exhibitors.	Object rewarded.
		Kristina Chettiar, Palghaut. Kistniah Maramut Superintendent, Coimbatore.	Collection of Woods. do.

HONORABLE MENTION.

Progressive Number.	Catalogue Number.	Names of Exhibitors.	Object rewarded.
		W. Robinson Esq., Acting Collector of Malabar, R. D. Parker Esq., Collector of Madura, Mr. McIvor, Superintendent Botanical Gardens, Ootacamund.	Collection of Woods. do. do.

T. T. PEARS,

Reporter.

TELOOGOO CATALOGUE OF TREES

Indigenous in the Godavery Forests and the Circars between Bhadrachellum and Condapilly, by Lieut. R. H. Beddome, Assistant Conservator of Forests.

TELOOGOO NAMES.	BOTANICAL NAMES.	REMARKS.
Arce.....	Bauhinia racemosa, ...	Wood not used—slow matches are made from the fibre.
Andugu.....	Boswellia glabra...	Wood soft and useless.
Allee.....	Meneocylon tinctorium, ...	Wood only used for fuel.
Ansandra.....	Acacia ferruginea, ...	Wood very hard and useful : this tree is very like "Prosopis spicigera" when only in leaf.
Arawee Neem.....	Sclerostylis atalantioides, ...	This tree I found in the Circars only. Wood yellow and very hard, might be used as a substitute for box : it is always small though.
Balsu.....	Canthium parviflorum, ...	A dark colored hard and pretty wood—good for turning.
Barrauki.....	Trophis aspera, ...	On the mountains it grows to a large size-wood, only used for fuel.
Barnu.....	Salmalia Malabarica, ...	A soft useless wood.
Baré Kala goru.....	Spathodea Roxburghii, ...	Wood is said to be useless. Roxburgh however says that it is used for various purposes. Buffaloes are very fond of the leaves.
Boja Godavery Forests Kouda tangedu (Circars.)	Inga xylocarpa, ...	A valuable timber, grows very large on the mountains.
Bilagu.....	Chloroxylon Swietenia, ?	The satin wood.
Bhut ankhoosam.....	Nauclera parviflora, ...	Wood reddish, said to crack soon.
Buta karamee.....	Careya arborea ? ...	Wood close grained and hard.
Bada darme.....	Terminalia Catappa, ...	Wood soft and useless. Slow matches are made from the fibre.
Badara.....	Ficus asperiflora, ...	Wood very strong.
Bona marce.....	Cordia new species ...	Wood useless.
Botku.....		A very beautiful wood. It would answer as a substitute for Maple for picture frames &c., This tree is abundant in the Godavery Forests near Mahadeopore : it does not extend down to the Circars. It is found near Warangul. It also is indigenous to the Jubulpore forests, where it is called "Deyugan." It is I feel certain the tree described by Dr. Griffiths as "Hemigymna Macleodii." He described it from dried specimens and thought that the leaves were opposite (instead of alternate) otherwise his description and Native name agree.
Baudaru.....	See paspo Karamee...	The tamarind tree, a beautifully grained wood.
Chinta.....	Tamarindus Indica...	A very hard and close grained wood.
Chilla.....	Strychnos potatorum, ...	A small tree. The wood is hard. The natives eat the fruit.
Chilla Malta.....	Gardenia gummiifera, ...	A hard red wood, not found on the right bank of the Godavery.
Chaudam.....	Pterocarpus santalinus, ...	Appears to be a tolerably hard wood and does not seem to warp. The natives however on the Godavery do not use it, and say that it is soft.
Chilka dudugu.....	Guatteria cerasoides ...	Wood said to be good.
Chinangee.....	Lagerstroemia parviflora, ...	Wood considered useless.
China morillee,	Buchanania latifolia, ...	Wood not used except for fuel.
China norer,	Eugenia Salicifolia ? ...	

China gonudu,	Gmelina asiatica,	A small tree. Wood only used for fuel.
China goonar,	Dalleia pentagyna,	A very strong hard wood, abundant on the Indrawatty and in jungles on the left bank of Godavery; not known on the right bank.
China kalinga,	Inga umbellata,	Found only in the Circars. I did not examine this wood.
Chilauke,	Cordia augustifolia,	Wood used for posts and in house building. This tree is common about villages in the Circars, but I never, I think, saw it in the jungles.
China botku,	Nieuburgia linearis	Wood useless—only found in the Circars.
China nowlee,	Odina Wodier,	Wood said to be soft and useless by the natives. That of old trees is I believe tolerably strong.
Damparee (Godavery Forests) [Goompienee] (Circars)	Briedelia spinosa,	Wood appears to be very strong and good. Cattle eat the leaves most voraciously.
Daria maddee also kora maddee and koraman,	Calosanthus Indica,	Wood soft and useless.
Dandilam,	Acacia Halkora,	An enormous tree. Wood hard and reddish.
Dalchiram,	Hymenodictyon	A large tree. Wood not used in the Godavery forests.
Dudippa (Godavery Forests) (Chetippa circars)	H. Excelsum ? the stipules are gland tipped not serrate. If it is H. thyrsiflorum of Roxburgh—it is probably not distinct from H. Excelsum	In the Circars all native gun stocks are made from the timber of this tree. The bark, which is intensely bitter when fresh, is used near Bhadrachellum as a febrifuge.
Deowidaree,	Sesha Indica,	Wood reddish hard—it is little more than a shrub.
Gadda uellee,	Celtis orientalis,	A worthless wood.
Googal,	Shorea robusta,	Abundant on the banks of the Indrawatty—a valuable timber. This tree yields the dammer.
Gara,	Balanites aegyptiaca B. Indica,	Wood only used for fuel.
Goonku,	Fandia uliginosa,	Wood said by the natives to be useless.
Garuga,	Garuga pinnata,	Wood soft and useless.
Goonar tek,	Gmelina arborea,	The large trees of this yield a very hard durable wood. The yoke for Bullocks is made from it.
Gotee,	Zizyphus xylopyrus,	Wood said to be soft, except from the large trees.
Ippe,	Bassia latifolia,	A strong wood, but never felled by the natives, the flowers yield a toddy, and an oil is extracted from the seeds.
Irkee (Godavery),	Cordia myxa,	Wood never used by the natives in the Godavery forests. In the Circars ploughs are made from it.
Pedabotku (Circars)
Joorce,	Ficus Tsiela,	Wood useless and soft.
Jana palseu,	Antidesma paniculata,	Wood never used, it seems tolerably hard.
Jitegee (Godavery Forests)	Dalbergia latifolia,	A valuable mottled black timber.
Yeroozoodoo [Circars]	Ancardium occidentale,	Only about villages and rare.
Jili Mamidi,	Semecarpus anacardium,	A soft useless wood.
Jirce,	Grewia Rothii ?	Wood very hard and much used in the Circars.
Jana,	Prosopis spaciogera,	The natives say that this wood is very inferior.
Jammee,	This is very different to Dr. Wight's account. May his specimens not have belonged to acacia ferruginea ?
Kanregu,	Flacourtia sapida,	A very hard close grained wood which does not warp—worthy of attention.
Karinga (Godavery Forests) [Tella Manga] (Circars)	Gardonia lucida,	Wood not used on the Godavery, but it is in the Circars. It seems to be very hard and close grained and adapted for turning.
Koree (Godavery Forests) [Korivipal (Circars)]	Ixora parviflora,	A hard wood.
Karpā,	Barringtonia acutangula,	Wood useless.
Koorseea—Koorsee,	Cluytia collina,	Wood very hard and reddish.

TELOOGOO NAMES.	BOTANICAL NAMES.	REMARKS.
Kālā goru (Godavery Forests) also Chinnā { Kālā goru Mokkā Yāpā (Circars).....}	Bignonia sp. Stereospermum not sp.	A useful wood—abundant in the Mahadeopore forests; rare in the Circars. This appears undescribed. Leaflets 4 or 5 pair with an odd one—perfectly glabrous—entire or serrulate—ramifications of the panicle not divaricate—glabrous—large ensiform bracts at the ramifications—flowers inodorous shigua long slender. A good fancy wood—abundant on the right bank of Godavery, I did not meet with this or suaveolens in the Circars.
Kālā goru.....	Bignonia chelonoides, ..	Wood very similar to B. chelonoides, but of a redder hue.
Kālā goru.....	Bignonia suaveolens, ... ?	Wood softish—a large tree with lanceolate leaves.
Kondā bodagā.....	The bark of this tree is very glutinous when peeled off, it is bound on wounds and said to be very healing.
Kunkunā.....	Rottlera tinctoria.....	Wood said to be useless.
Karcheā.....	Nyctanthus arbor tristis.....	A hard useful wood—does not attain much size.
Kal mesura.....	Casuarina tomentosa, ..	Wood said to be of no value—it soon splits.
Karakā.....	Terminalia chebula, ..	A very hard valuable timber.
Kanigū.....	Pongamia glabra.....	Wood said to be strong, it does not appear to be used.
Kondā gogu.....	Cochlospermum gossypium,...	Wood useless.
Komee.....	Stylocoryne Webera, ..	Wood prettily marked and hard—much esteemed by the natives—it is very small however.
Kankadā.....	Sapindus emarginatus, ..	A yellowish prettily grained wood—it is tolerably hard.
Konda Māniri [Circars only].....	Protium Roxburghiana....	Wood not used. The leaves and every part of the tree possess a strong smell like mangoes.
Koila Mookree (Circar's and lower avery God jungles)	Wrightia a tomentosa ...	Wood not used—it appears close grained. The juice is a permanent yellow dye.
Lolugu.....	Pterocarpium hynea?...	Bark given internally for scorpion bites.
Mauchee jamadu.....	Euphorbia tirucalli, ..	Wood pinkish and hard, it is generally hollow in the centre.
Mamari.....	Mangifera Indica.....	Grows to a large tree. Wood seems hard but is not used.
Mushtee or Musadet.....	Strychnos uux vomica, ..	The Mango tree.
Mulaka.....	Hyperanthera Moringa ..	Wood very hard and strong—white ants will not touch it.
Maredu.....	Ægle marmelos, ..	(Only about villages) wood said to be useless.
Marree.....	Caryota urens, ..	Wood very strong. The native dhol is made often from this wood.
Makkam.....	Schrebera swietenoides, ..	Abundant on the banks of the Indrawatty—it yields a wine and also a meal like sago.
Moonee Motku.....	Eryta suberosa, ..	A very hard valuable wood—it never warps.
Motku (or modagu).....	Butea frondosa, ..	Wood soft and useless.
Morillee [see pada and chiuna Morillee]	Wood said to be useless—it yields a bright red gum.
Manda.....	Randia dumetorum, ..	Only used for fuel.
Marree.....	Ficus Indica, ..	The drops of this tree yield a heavy hard timber.
Muchi twice (Godavery forests) Warungul.....	Diospyros : sp.	A very hard light colored wood.
Nerar.....	female flowers with 4 anthers, the filaments inserted on a receptacle below the germ berries 8 celled—male flowers anthers 16-18 filaments 2 3 cleft each division with its anther, ..	
Nar yepa (Godavery).....	Syzygium jambolanum, ..	Wood said to be strong.
	Hardwickia binata, ..	Wood red, very hard and heavy; often hollow in the centre.

Yepi (Circars.)	(Most abundant in Godavery Forests.)	(This is Bauhinia diphylla—M. Exhibition report.)
Nalla maddae,.....	Terminalia tomentosa also T. coriacea.	Valuable well known timbers.
Nara botku,.....	Eriochloa Hookeriana, ...	A strong hard wood—(something like the Botku, a new species of Cordia.)
Naooru also Nagool,.....	Premna tomentosa, ...	A pretty looking wood—worthy of attention as a fancy wood.
Nulla sandra,.....	Acacia sandra, ...	A very hard wood—on the Godavery the musal is always made from this wood.
Namillee (Godavery),.....	Ulmus integrifolia, ...	The natives say that the timber is useless—appears to be hard however.
Nowlee (Circars),.....	Diospyros sp., ...	Wood whitish and very hard.
Nulla kuka mushli, (Circars only),.....	D. Syriac ? ...	Wood very hard and close grained—a good wood for turning—(a good sized tree armed.)
Nulla manga, (Circars only),.....	Randia sp., ...	Wood said to be hard. I did not examine it.
Nulla balsoo (Circars),.....	Acacia amara, ...	Centre wood mottled and of a dark color like old seasoned oak.
Nulla regoo (Godavery Forests),.....	Canthium didymum, ...	Wood only used for fuel.
Narlinge (Circars),.....	Ximenia americana, ...	Wood hard of a yellowish brown color.
Nakeera,.....	Vitex arborea, ...	Very small—but a hard pretty wood.
Nowlee eragoo,.....	Maba baxifolia, ...	A very strong hard timber.
Nalla muddee,.....	Anogeissus acuminatus, ...	A strong useful timber.
Pashco also Pannchee,.....	Dalbergia frondosa, ...	Wood perfectly useless—it is arranged in rings with softer substance in between in layers.
Peda sopara (Godavery Forests),.....	Dalbergia paniculata, ...	A hard valuable wood, not of great size though.
Yerra patsaroo (Circars),.....	Ehretia levis, ...	Wood close grained; promises well for turning.
Porilla sopara (Godavery),.....	Gardenia latifolia, ...	Wood hard but very small.
Tella patsaru (Circars),.....	Pavetta tomentosa, ...	Wood soft, never used by the natives.
Pal dautam (Godavery),.....	Ailanthus excelsa, ...	A yellowish valuable wood; that of the very large trees is very superior—from smaller trees it seems rather soft.
Peda karinga,.....	Nauclea cordifolia, ...	Said to be a good hard wood—not apparently described. Legume filled with a scented pith.
Papirree also Papattia,.....	Bauhinia : sp., ...	Wood very hard.
Pedda man,.....	Minusops hexandra, ...	Wood hard heavy and strong. The large musal for pressing the Sesaurum Oil is always made of it—also ploughs.
Paspoo Karanee (also Bundaroo),.....	Schleichera trijuga, (Most abundant in Godavery forests.)	A very hard wood. In jungles on the N. of Godavery.
Pul-i-shinta,.....	Dillenia speciosa, ...	A valuable timber.
Palla, also peda palla,.....	Acacia speciosa, ...	A very strong yellow wood, much similar but superior to "Nauclea cordifolia."
Poosku,.....	Uvaria tomentosa, ...	Cowars are made from it—also used in House building—it does not warp.
Peda kalinga,.....	Bauhinia purpurea, ...	Wood softish.
Peda dulchirram,.....	Buchanania augustifolia, ...	Wood not used, seems rather hard.
(Godavery.)	Holarrhena antidysenterica, ...	Wood worthless.
Dirasau (Circars.)	Casuarina sp. ...	Wood light yellow, hard, does not warp—worthy of attention. A large tree—leaves ovate, oblong, glabrous serrulate, flowers 8 anthers capsule 3-valved with 3 ridges on the outside of fruit. Fruit used to poison fish.
Pedda chilka dudugu,.....	Briedelia montana, ...	Wood hard, dark colored—small tree.
Pedda aree,.....		
Pedda mosillee,.....		
Palla also chinna pala,.....		
Peda kal mesura,.....		
Passar gince (same as Nalla sandra which see.)		
Pautengee,.....		

TELOOGOO NAMES.	BOTANICAL NAMES.	REMARKS.
Patcha botku (circular only).....	<i>Cordia polygama</i> , ...	Strong close grained wood (small and crooked)
Poonkee.....	<i>Gyrocarpus Jacquinii</i> , ...	Wood soft and light, much used for making cowrie boxes and toys, takes paint and varnish well. Tella poonkee "Givotea rottleriformis" is used also for the same purposes.
Reyla.....	<i>Cathartocarpus fistula</i> , ...	Wood said to be strong.
Reygutti.....	<i>Capparis grandis</i> , ...	Wood very hard and good.
Benga.....	<i>Zyzyphus jujuba</i> , ...	Wood strong and much used by the natives.
Racc.....	<i>Ficus religiosa</i> , ...	Wood useless.
Sectapal.....	<i>Anona squamosa</i> , ...	Covers miles of country in the Dekhan. The custard apple.
Soonaree.....	<i>Ochua squarrosa</i> , ...	Wood reddish and pretty, but it warps and splits. The juice of the wood applied to sores.
Sheriman.....	<i>Anogeissus latifolia</i> , ...	Wood said to be one of the hardest in the forests. It grows to an enormous size.
Soomee.....	<i>Soymida febrifuga</i> , ...	Axils of carts generally made of this.
Sopara—(see peda and porilla sopara.)		Wood very hard and valuable—never rots under ground—very much used in building—of a reddish color.
Tek.....	<i>Tectona grandis</i> , ...	The teak tree.
Tella Madde.....	<i>Terminalia glaberrima</i> , ...	A well known timber.
Torelaga.....	<i>Limonia acidissima</i> , ...	Wood very hard—worthy of attention.
Telega (Godavery forests and Dekhan).....	<i>Gardenia</i> sp. ...	Wood very hard, would be very good for turning.
Thaudee.....	Bark whitish mealy swollen. Leaves with mealy down underneath. Fruit globose, size of a cricket ball, not crowned with any portion of the calyx.	
Tharra.....	<i>Terminalia Belerica</i> , ...	Wood useless.
Tunkee (Godavery) tookee (circulars).....	<i>Grewia tiliaefolia</i> , ...	Grows very large on the mountains—a valuable timber—much used for handles of axes, pellet bows—cowars walking sticks.
Tella motku.....	<i>Diospyros melanoxylon</i> , ...	The centre wood black and very heavy. The Godavery ebony.
Thabee.....	<i>Dalbergia Oojetensis</i> , ...	Wood valuable—it is rather rare.
Tella sopara, (Godavery forests only.).....	<i>Sterculia urens</i> , ...	Wood soft and useless.
Telsoo (Godavery) Shinduga (Circulars).....	<i>Acacia elata</i> , ...	Wood strong and much valued.
Togaree Mogillee (Godavery).....	<i>Acacia odoratissima</i> , ...	A valuable well known timber.
Teila saudra.....	<i>Morinda exserta</i> , ...	Wood hard and useful, does not warp.
Teegar Motku, or Modagu.....	<i>Acacia suma</i> , ...	Wood very good and strong—abundant in the Aukeesah jungles.
Tella tuma.....	<i>Butea superba</i> , ...	Wood fibrous and useless.
Tuma.....	<i>Acacia leucophylla</i> , ...	Wood hard—it is used for various purposes by the natives.
Tella Manga.....	<i>Acacia Arabica</i> , ...	Wood valuable and well known.
Tella pal.....	<i>Gardenia lucida</i> , ...	A close grained wood. I think it well adapted for the lathe.
Tella kaka Mushtee (Circulars only).....	<i>Wrightia tinctoria</i> , ...	A beautiful wood, hard and like ivory—most valuable for turning.
	<i>Sponia</i> ? Appears to be <i>Celtis Wightii</i> of Wight's Icones.	One of the hardest woods I have ever met with—light colored, well worthy of attention.
Tella poonkee (Circular hills only).....	<i>Givotia Rottleriformis</i> , ...	A very light soft wood—See remarks under Poonkee.

Usarka.....	Emblica Officinalis,	A hard valuable wood.
Ulinda also Yelinda.....	Diospyros chloroxylon?	A very hard useful wood, grows to a large tree on Circar mountains; it is generally a shrub about the Godavery forests.
	Armed leaves lanceolate oblong downy.					
	Male, 16 anthers one above the other on generally 16 filaments.					
	Female, 9 anthers (sterile?) stigmas 4.5 germ 8-10 celled. Berries 3 seeded.					
Usia Man (Godavery) Uri-widdee (circars).....	Cratoeva Roxburghii....	Wood very hard. The native dhol is often made of this wood.
Udugu.....	Alangium decapetalum,	An ornamental, beautiful wood—attains a fair size in the forests.
Wodce.....	Spathodea Rheedii. (Bignonia spathacea Roxburgh.)	Wood strong, whitish.
Wanza (Godavery) same as Gadda Nelllee (of Circars) which see.						
Yeggee.....	Pterocarpus—marsupium,	A well known timber. The native dhol is often made of this.
Yepa also Yapa.....	Azadirachta Indica,	A valuable timber.
	Sterculia colorata (Godavery forests),	Wood useless.
	Bignonia xylocarpa,	Wood very hard, tree rare in Godavery forests.
	Putranjiva Roxburghii	A close grained very hard valuable wood. The tree is any thing but common.
	Grewia nudiflora,	Wood said to be only used for fuel.
Native names unknown.....						

TIMBER WOODS FROM AMHERST AND TAVOY PROVINCES, AND MERGUI ARCHIPELAGO, RECOMMENDED FOR HELVES, BY CAPTAIN DANCE, DEPUTY COMMISSARY OF ORDNANCE TENASSERIM PROVINCES.

1. LAGERSTREEMIA PYMAH. PEEMA NEE. *Red Peema.*

Maximum girth 6 cubits. Maximum length 30 feet. Very abundant; found all over the Tenasserim and Martaban Provinces. When seasoned, floats in water.

Remarks.—A tough wood, very good for helves, already used for such, and for other Ordnance purposes. The great fault of Peema is its liability to shrink and warp when exposed to the sun or to heat. Peema however has not been fairly tried, if killed and left standing as Teak the tendency to warp might probably disappear.

2. CALOPHYLLUM LONGIFOLIUM. THE-RAPEE.

Maximum girth 3 cubits. Maximum length 22½ feet. Abundant; found in Mergui, Tavoy, and in lesser quantities near the Attaran River and its branches. When seasoned, sinks in water.

Remarks.—Used for masts and yards of Junks, excellent for helves but not procurable at Moulmein in sufficient abundance. Strongly recommended to make models.

3. TEE KA LOUNG OR THA OR KADAT-GHEE. BURM.

Maximum girth 3 cubits. Maximum length 22½ feet. Abundant; found at Mergui and Tavoy. When seasoned, floats in water.

Remarks.—Used for bedsteads, and for house building. Recommended as a durable, tough wood for helves or for hammer handles.

4. SIBIA GLOMERATA. THAYT PEW THA OR WHITE THAYAT.

Maximum girth 5 cubits. Maximum length 30 feet. Abundant; found on the sea coast from Amherst to Tavoy, and Mergui. When seasoned, floats in water.

Remarks.—The term, Thayat-pew, should be cancelled from the collection, Thayat Pew, meaning white wood, a name equally applicable to "*Calophyllum longifolium*," "*Dillenia speciosa*" and *Dalbergia species*, and other woods, "*ye-man-nee*," is often called by this name. The name Pyew is however that of Mangrove in Mason's "Tenasserim" and I cannot succeed in procuring the true Mangrove.

5. ARTOCARPUS ECHINATUS. MOUNTAIN JACK OR TONG BY-NE. BURM.

Maximum girth 5 cubits. Maximum length 30 feet. Not abundant though to be found here and

there over a large expanse of country; found all over the Tenasserim and Martaban Provinces. When seasoned, floats in water.

Remarks.—This wood found on seasoning too light and spongy for durability, should be classed as a useless wood.

6. XYLOCARPUS GRANATUM, PENLAY-PYOUNG OR PENG-LAY-OUN. *The sea cocoanut.*

Maximum girth 5 cubits. Maximum length 20 feet. Very abundant; found all along the sea shore from Amherst to Mergui. When seasoned, floats in water.

Remarks.—Used by Burmese for all parts of houses, posts, flooring, walls &c. A very good, fine grained strong wood, splits with difficulty. Recommended for handspikes, helves, spokes, and handles of tools, also for shot boxes and packing-cases.

7. HERITIERA LITORALIS, KONZOZALOO OR KANAZOE, from the sea shore.

Maximum girth 4 cubits. Maximum length 30 feet. Very abundant on the Islands; found on Pannat Island and all the Mergui Archipelago, also all along the coast of Amherst province. When seasoned, floats in water.

Remarks.—Used for Boats, Boxes, planks of houses &c. a very light wood, scented, durable and tough. Recommended for fuzes beyond any other wood in the collection: also for helves, and for gun stocks. Strongly recommended for packing cases of all descriptions.

8. HERITIERA MINOR, KANAZOE, a Forest Fruit tree.

Maximum girth 2 cubits. Maximum length 15 feet. Very abundant, but straggling; found in Martaban, and on both sides of Moulmein river, and all along the sea coast; an unlimited supply of this procurable. When seasoned, floats in water.

Remarks.—Name of this sounded as the other Konnayzow but the wood different. When seasoned, it is tough, light and durable. Used for bows also piles of bridges, boats, and many other purposes. Recommended for helves, but should be killed a twelve month before being cut down, or otherwise should be seasoned by keeping after it has been cut down. Both of these "Kanazoe" woods said by Dr. McClelland to resemble Soondree wood in strength and durable qualities.

9. KANNAN THA OR CRAB TREE.

Maximum girth, 4 cubits. Maximum length 30 feet. Abundant; found on an Island called Pielo

Island near Mergui, but scarcely procurable in Moulmein. When seasoned, the red variety sinks and the white floats.

Remarks.—Used for houses, zyats &c. a very durable wood of handsome grain; of this wood, there are two kinds, red and white. The latter lighter than the former, likely to answer for helvcs; the former too heavy for that purpose. Both woods very good for turning purposes.

10. KAYA NAN in Tavoy, KAIYAH in Moulmein. N. B. The wood called Kyanan in Moulmein and by Mason, is Tavoy red wood, *Syndesmus Tavoyana*.

Maximum girth $2\frac{1}{2}$ cubits. Maximum length 15 feet. Very abundant; found on the sea coast, from Amherst to Mergui: also on banks of rivers in the Province of Martaban near the sea. When seasoned, floats in water.

Remarks.—One of the best woods in the country for helvcs; tough, light, very durable, plentiful; long in the fibre, neither liable to split nor to warp nor to break readily. Used by Burmese for planes, spears, boats, stocks of guns and all kinds of purposes. This wood is of a most beautiful color, a combination of Pink cream color and red, and bears a very high polish. Recommended for helvcs, handles of tools, handspikes and spokes of gun carriage, and timber wheels: also for gun stocks and planes.

11. PARRAWAH.

Maximum girth 3 cubits. Maximum length 22 feet. Abundant; found all over Tenasserim and Martaban provinces. When seasoned, sinks in water.

Remarks.—A durable smooth-grained tough wood; used by Burmans for sticks, helvcs for pick-axes, and hoes, handles of chisels and other tools &c. Recommended for helvcs and handles of tools generally.

12. THA BYKE or THA-BAY-KYA, A kind of Oak.

Maximum girth $1\frac{1}{2}$ cubits. Maximum length 16 feet. Not abundant, but scattered; found in all forests inland, all over the provinces. When seasoned, floats in water.

Remarks.—A sufficiently light, yet durable, straight grained, tough wood; used by Burmese for posts, building purposes generally, and various other objects. This wood is recommended as likely to prove excellent for helvcs, and if it could be procured in sufficient quantities, would be unrivalled for shot boxes.

13. GONGOO or GANGAW.

Maximum girth 3 cubits. Maximum length 32 feet. Very abundant; found near Mergui, also thence along coast as far as Amherst. When seasoned, floats in water.

Remarks.—Used for tables, chairs and miscellaneous articles by the Burmese; a good, hard, tough wood, durable, and recommended for helvcs

also for handles of all kinds of tools. Vide Major Simpson's Report.

14. ANCESTROLOBUS CARNEA; TOUNGALAY in Martaban Provinces, ZEENGALAY in Tavoy.

Maximum girth 3 cubits. Maximum length 30 feet. Not abundant; widely scattered. Found all over the Provinces in the forests, but in none abundant. When seasoned, floats in water.

Remarks.—This wood has a good long fibre, tenacity, durability and sufficient lightness, is very free from knots; used by Burmese for building, for ploughs and for utensils of all kinds. Recommended for helvcs and for handles of chisels, hammers and tools generally—said by Dr. McClelland to be plentiful in Pegu and Tonghoo Forests, but rarely to exceed 3 feet in girth.

15. BONG LONG THA.

Maximum girth 3 cubits. Maximum length 22 feet. Said to be abundant, but has not been easily obtained in Moulmein. Found all over the provinces. When seasoned, floats in water.

Remarks.—A durable yet light wood with a very straight grain; used for every purpose by the Burmese, and much recommended for helvcs.

16. THANAT KHEE.

Maximum girth $3\frac{1}{2}$ cubits. Maximum length 30 feet. Said to be abundant, but has not been easily obtained in Moulmein. Found all over the provinces. When seasoned, floats in water.

Remarks.—A durable yet light wood with a very straight grain; used for every purpose by the Burmese, and much recommended for helvcs.

17. TAY-THA.

Maximum girth 3 cubits. Maximum length 16 feet. Scarce in Amherst, but abundant towards Tavoy. Found inland, also along sea coast all over the provinces. When seasoned, floats in water.

Remarks.—Found subject to dry rot when seasoned; a useless wood not recommended.

18. MAI TAI YO. Maximum girth $2\frac{1}{2}$ cubits. Maximum length 22 feet. Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—Used for posts and many other purposes by the Burmese, a particularly good wood for helvcs, being durable, light, and tough.

19. KYA MOUK, a kind of Oak. Maximum girth 4 cubits. Maximum length $22\frac{1}{2}$ feet. Abundant but widely scattered. Found all over the provinces inland. When seasoned, floats in water.

Remarks.—An excellent tough wood, durable and sufficiently light; used for all purposes by the Burmese. Strongly recommended for helvcs, hammer handles, handspikes, staves of casks, and many other purposes, but too widely scattered to be easily obtained unless a large quantity be ordered which should repay a search in the forests: much used by Burmese as a pole for cavady baskets.

20. PA-KA-THAN.

Maximum girth 2 cubits. Maximum length 12

feet. Abundant, but widely scattered. Found all over these provinces inland. When seasoned, floats in water.

Remarks.—Used by Burmese to make paddles, oars, &c., a tough, durable, good wood, but too widely scattered to be easily obtained, unless a large quantity be ordered which would repay a search in the forests.

21. *DILLENIA SPECIOSA*. THEE-BEW-THA.

Maximum girth 3 cubits. Maximum length 22 feet. Trees abundant, but widely scattered. Found all over the provinces here and there inland. When seasoned, floats in water.

Remarks.—A durable, tough, light, wood, seeming very good for helvies. Used by Burmese for building houses and for sundry other purposes; said by Dr. McClelland to afford large and good timber for building houses.

22. *KYE-ZAI*; *LAURUS*, *species*.

Maximum girth 2 cubits. Maximum length 15 feet. Scarce, not obtainable at Moulmein. Found along the coasts from Amherst to Mergui; also on the banks of Tavoy river. When seasoned, floats in water.

Remarks.—A very tough wood, which has already been often used for helvies with great success. Proved of extraordinary strength and tenacity in former experiments. Very durable and not too heavy for helvies. Recommended for helvies and handles of tools of all kinds, if it could but be procured at Moulmein.

23. *MYOUK SHO* or *MONKEY TREE*, also called *Moulmein Lancewood*. *DALBERGIA* (Mason), so called because its pole is so straight, so slippery, and to so great a height free from branches that no monkey was ever seen to climb it.

Maximum girth 4 cubits. Maximum length 40 feet. Very abundant. Found in Tavoy and Mergui; also somewhat abundant all over the provinces inland. When seasoned, floats in water.

Remarks.—A wood much praised in Tavoy, as resembling Lancewood in properties but found to split when seasoned, perhaps good specimens have not been obtained. At any rate other woods of unquestionable value are abundant in Amherst.

24. *CAREYA ABOREA*. BAN BAMBOOI.

Maximum girth 3 cubits. Maximum length 15 feet. Abundant. Found all over the provinces inland. When seasoned, floats in water.

Remarks.—This timber is useful, durable and tough: used for posts of houses, and for country carts. Recommended for helvies though better kinds for that purpose have already been specified. Recommended by Dr. McClelland with other woods as equal in strength in oak and of a promising kind for ship-building.

25. *KYE YO THOO*.

Maximum girth $2\frac{1}{2}$ cubits. Maximum length 15 feet. Very abundant at Mergui, but not procurable at Moulmein. Found inland up the rivers

all over the Provinces. When seasoned, floats in water.

Remarks.—An uncommonly smooth grained, tough, close, yet not heavy wood. Durable and with but one fault, the smallness of its girth, unfitting it for gun carriages. Strongly recommended for helvies and handles of tools of all sorts, if it can hereafter be procured at Moulmein; also for handspikes and for spokes. This wood, on careful examination, appears to be identical with Trincomallee wood, though this cannot be positively stated till the flowers of the tree can be procured.

26. *SOW-YEW* or Chisel handle tree, called by the Karens Egg tree, stated by Mason to be of the genus *Dalbergia*, *species* unknown. Maximum girth $2\frac{1}{4}$ cubits. Maximum length 10 feet. Not very abundant, but found scattered all over these forests inland; always found in undulating ground only not near water. When seasoned floats in water.

Remarks.—Used by Burmese in preference to any other for handles of chisels and tools, also for helvies of axes, and hatchets. A very hard, fine grained, wood, which is strongly recommended for helvies and handles of all kinds of tools. Unequalled for those tools, such as chisels, which are struck with a hammer or mallet. This wood is of a yellowish white in color with patches of black interspersed, looking as if Iron had in some manner been drawn from the soil, and incorporated in the wood. Though widely scattered, it is in such demand as always to be procurable in the markets.

27. *SHOREA ROBUSTA*. IN-JIN or ENGHYEN, called in India, Saul.

Maximum girth, certainly 3, said to be 5 cubits. Maximum length certainly 20, said to be 30 feet. Abundant. Found inland in Amherst and Tavoy provinces. When seasoned, sinks in water.

Remarks.—A thoroughly good and valuable wood. One of the most durable in these forests; tough, elastic, large, and extremely heavy. Used for bows and for all kinds of purposes, by the Burmese. Recommended for handles of hammers, chisels and other tools, also for sheave blocks, cogs, and machinery in which great strength is required: also for government buildings, wharves &c. especially for Railway sleepers, from its singular property of petrifying when long exposed to the action of water, as also from its abundance and large girth. Too heavy for helvies, said to strike fire with steel, after having been kept in water for a length of time. Major Phayre stated in a letter his having found several logs of this wood in a creek which is empty in the dry season, all of them petrified. This saul appears a closer grained, better, and probably a heavier wood than the saul of India; it seems likely to answer admirably for helvies, and for rammer heads, as well as for the other purposes already specified in this report.

28. *MELANORIHEA USITATA*. THEETSEE.

Maximum girth certainly 3, said to be 4 or 5

cubits. Maximum length certainly 20, said to be 30 feet. Very abundant. Found in Amherst Province. When seasoned, floats in water.

Remarks.—A wood of particularly fine close grain, exuding a black gum which repels ants, and is used by the Burmese as a varnish. Very strong, durable, hard and tough, found to answer well for cogs of machinery. (Vide Artillery Records with report of woods by Captains Simpson and Babington, dated Moulmein 25th May 1842.) Recommended for handles of tools, also for sheave blocks and for machinery generally and for Railway sleepers. Dr. McClelland writes of this wood as follows:—"The Lignum vitæ" of Pegu. It is of a dark red color, of a close grain and dense structure. Its great hardness and weight prevents it being employed in house building. It would answer for sheave or block pulleys and other purposes connected with machinery, where great strength and density are required. The anchors of Burmese boats are always of wood to which stones are lashed. The flakes being of Pyeng Khadœ the stocks of Theetsee or of some other heavy wood. This wood is not brought to Moulmein so heavy as Dr. McClelland describes it. It is procurable at 7 cubits and on high or low ground. Recommended for gun stocks, also for rammer heads, and for helves, in short for all purposes as so strong yet not very heavy.

29. FRAGÆA FRAGRANS, ANNAN-THA or Annan.

Maximum girth 4 cubits. Maximum length 20-25 feet. Very abundant. Found in the provinces of Amherst, Tavoy, and Mergui; also on islands of the Coast and inland, especially up the Attaran river. When seasoned, sinks in water.

Remarks.—Building houses, Kyongs, Zyats, &c. also for piles of bridges, wharves &c., but for the last by the English only, as Burmese think this wood too good for any but sacred purposes: hence Annan wood has been more preserved in these forests than any other valuable wood. It is impervious to the attacks of ants, and of the teredo navalis which will eat all other timber. At Tavoy the posts of a wharf which have for several years been partly dry and partly wet, each day according to the state of the tide, are untouched by the worms. The Burmese have a proverb about the slow growth of this tree. Annan wood though almost imperishable is not capable of bearing so heavy a strain as some of the other valuable woods of the province. (Vide Artillery Records for 1844, and experiments therein recorded, page 531 of "Selections.") Recommended for Railway sleepers, as neither heat nor moisture will warp or rot it.

30. HOPEA ODORATA. THINGAN.

Maximum girth 6 cubits. Maximum length 60 feet. Scattered but abundant. Found in the Provinces of Yea on the coast beyond Amherst, also at Mergui, and in lesser quantity near Moulmein. When seasoned, floats in water.

Remarks.—Formerly considered the most valuable indigenous timber in the southern Provinces. Used at Tavoy and Mergui for building houses: used also for canoes, junks, &c. A very durable excellent wood when kept under water as in the planks of a boat or under cover on land; but often liable to split when exposed to the sun in a dry state. Recommended for helves.

31. INGA XYLOCARPA. PYENG KHADœ. Maximum girth 3 or 4 cubits. Maximum length 20 or 25 feet. Very abundant. Found all over the Tenasserim province also at Mergui and Tavoy. When seasoned, sinks in water.

Remarks.—This the Iron wood of these provinces, resists nails, which cannot be driven into it. Used for crooks of ships, posts, piles, bridges, &c. Recommended for handles of chisels, gouges, &c. but too heavy for other ordnance purposes. Excellent for railway sleepers. The only Pyeng Khadœ which I can procure here (and I have had many specimens) has been eaten by worms in seasoning, and proved inferior. I suspect that the real Pyeng Khadœ has not yet reached me.

32. HOPEA ODORATA. THINGAN PEW, or white Thingan.

Maximum girth 4 cubits. Maximum length 30 or 40. Scattered but abundant. Found in the same localities as the red Thingan. When seasoned, floats in water.

Remarks.—A lighter variety of the red Thingan. This is a tolerable wood for durability, and would do for helves, but more suitable woods are in the list of those recommended.

33. ACACIA ELATA. THAEET THA.

Maximum girth 4 cubits. Maximum length 18 feet. Very abundant. Found all along the sea shore from Amherst to Mergui. When seasoned, floats in water.

Remarks.—Used for posts of buildings, a very durable wood; abundant and of such girth, might be advantageously employed for packing cases, also, for government buildings in Burmah. Recommended by Dr. McClelland for cabinet making.

34. PET-THAN.

Maximum girth and length not ascertained. Abundant in Tavoy, not procurable in Moulmein; found in Tavoy and Mergui. When seasoned, sinks in water.

Remarks.—A very hard and durable wood, used by Burmese for wedges. Not recommended, because only procurable at Tavoy and Mergui.

35. MEZZALEE. Maximum girth 4 cubits. Maximum length 30 feet. Scattered, not very abundant. Found all over the Provinces. When seasoned, floats in water.

Remarks.—Used by Burmese for rulers, mallets and walking sticks; of very handsome streaked grain like palmyra wood, but not sufficiently durable to be recommended for ordnance purposes.

36. MEENABAN; APOCYNACEÆ, or Tavoy

Lance wood. Classed by Mason as one of the apocynaceæ and called by him Tenasserim Lance wood.

Maximum girth $1\frac{1}{2}$ cubits even in Tavoy and Mergui where largest. Maximum length 12 feet. In moderate quantities. Found from Tavoy, Mergui and adjacent islands; also in smaller scantling and scarce, in Amherst Province. When seasoned, floats in water.

Remarks.—Used by Burmese for bows, spears, walking sticks, dhar and chisel handles, &c. an excellent tough, hard, elastic and durable wood, bears a beautiful polish, and makes excellent furniture; when wanted in but small size only, much recommended for handles of screw drivers, hammers, planes, and all kinds of tools; also for all purposes for which a close grained heavy wood is required. (Vide Major Simpson's Report.) Does not seem to stand exposure to the direct rays of the sun well, but under cover is found to be a thoroughly good wood for Planes, for which this is especially recommended, also for screw drivers and all kinds of turning. This is good for all those purposes for which box is now imported.

37. LAURUS (SASSAFRAS). CARRAWAYTHA, or Sassafras wood. Maximum girth 3 cubits, rarely 4. Maximum length 20 to 30 feet. Not very abundant, but procurable. Found from Amherst to Mergui, all along sea coast at Yea, Henzay and other places. When seasoned, floats in water.

Remarks.—Used for interior of junks, also for inside works of drawers, boxes &c., as it has a smell which repels insects. A durable wood found, when seasoned and worked up, remarkably tough and strong, excellent for planes, helves and handles of tools generally, and would be excellent for almira's in which to keep serge, hospital clothing &c.

38. POUK-THA OR THAN-YEN, Dr. McClelland reports probably Inga bijemina.

Maximum girth 3 to 4 cubits. Maximum length 22 feet. Widely scattered but abundant. Found inland all over the Provinces. When seasoned, floats in water.

Remarks.—An excellent and durable wood would do well for handles of tools. This wood is of the same nature as Pyeng Khadoe, of which it is said to be a variety, and the same remarks apply to each of these woods.

39. MAIKAY: MURRAYA, *species*.

Maximum girth 1 cubit. Maximum length 15 feet. Abundant in Tavoy, but scarce near Moulmein. Found in Tavoy and Mergui districts inland. When seasoned, floats in water.

Remarks.—Too scarce for helves, but recommended for handles of planes, chisels, hammers &c. Used by Burmese for handles of knives and other weapons, a strong, tough wood, in grain like Box wood—(Vide Major Simpson's Report). Recommended by the Ordnance Carpenters as the very

best wood in the collection for planes or for any purpose in lieu of Box.

40. PTEROCARPUS DALBERGIOIDES, Peddowk or Tenasserim Mahogany.

Maximum girth 6 or even 7 cubits. Maximum length 15 to 30 feet, that of great girth always short. Abundant but scattered. Found all over the Provinces. When seasoned, sinks in water.

Remarks.—A wood already used for gun carriages and for other ordnance purposes, and too well known to require comment. This wood takes about two years to season; when cut it has a peculiar and fragrant smell. The ordinary Peddowk, as used in the Gun Carriage Manufactory, needs no comment, but a wood called Peddowk is procurable in abundance at Tavoy. It seems very strong but does not sink and is devoid of smell.

41. PINATHA. A kind of Jackwood or a Laurus.

Maximum girth 5 cubits. Maximum length 25 feet. Very abundant. Found all over the Provinces particularly in the old deserted Towns. When seasoned, floats in water.

Remarks.—A light wood with a yellow hue which darkens on exposure. Useful from the yellow dye which boiling extracts from it and which is permanent in cloth, and not affected even by boiling water. It is used by Phoongees. This wood has a fine tone when struck, and is used for musical instruments by the Burmese, it is used by English brush makers for the backs of hair brushes, being a handsome wood which takes a good polish.

42. TA-KOUK THA (Tavoy), TAY MINE (Burmese).

Maximum girth $\frac{1}{2}$ cubit. Maximum length 7 feet. Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—A durable wood, likely to make good helves or to be useful in turning. Too small in size however to be recommended.

43. TIM BOOK THA.

Maximum girth, 1 cubit, maximum length 8 to 9 feet. Scarce. Found in Tavoy and Mergui districts. When seasoned, floats in water.

Remarks.—A very good, tough, light wood; used by Burmese for many purposes, but too small and too scarce to be worth procuring for helves.

44. THEM-MAI-THA.

Maximum girth $2\frac{1}{2}$ cubits: Maximum length 12 feet. Very abundant. Found on both sides of Moulmein River, and on sea coast: in fact all over these Provinces. When seasoned, floats in water.

Remarks.—A wood useless except for firewood, but burns with an intense heat, and is therefore used in preparing salt. Apparently an excellent wood for charcoal for the Arsenal forge or for steamers.

45. VATERIA LANCEOLATA. PAN-THE-YA or Pan-thit-ya.

Maximum girth 6 cubits. Maximum length 60 feet. Very abundant in Tavoy and Mergui, but scarcely procurable in Moulmein. Found in Tavoy and Mergui districts: also along the coast near Amherst. When seasoned, floats in water.

Remarks.—This tree is erroneously called white Thingan, but it is of a totally different order from that of the Thingan. This is said in Remarks by Major (then Captain) Simpson to be still closer, harder and heavier than Thingan (Vide Artillery Records for 1842). Excellent for tool handles, and planes, in short in lieu of Box-wood. Like Sow-Yew, the Chisel-handle tree, it has a peculiar grain apparently of iron running through it. The Burmese use this wood for all purposes for which Thingan is employed, especially in junks. An excellent wood, but with not sufficient spring for helves. Stated by Burmese in Amherst, not to be quite so durable or quite so good as Thingan; though this is not accordant with Major Simpson's opinion already quoted.

46. KYAITHA OR ITCHWOOD.

Maximum girth 4 cubits. Maximum length 18 feet. Abundant but scattered. Found up the Attaran, Gyne, and Thoungeen Rivers near Moulmein and near Tavoy and Mergui. When seasoned, floats in water.

Remarks.—A very compact hard timber, used for posts of houses, zyats, &c. The fibre liable to start with repeated percussion, and the wood itself subject to dry rot, therefore not recommended. This is called Itchwood because the fruit, chips, or bark, produce when touched, an itching like that caused by Cowitge.

47. CHEE NEB OR STINKING WOOD.

Maximum girth 4 cubits. Maximum length 22½ feet. Abundant. Found in Tavoy and Mergui. When seasoned, sinks in water.

Remarks.—The flowers of this wood have an intolerably fetid sickening smell, hence its name; used by Burmese for boxes, tables &c. a long fibred tough wood when new, but rots so readily that with a whole tree in my possession I cannot cut out a decent specimen.

48. KYET THAY OR TEEAY KYAY. Dimensions and extent of supply not known. Found on sea coast from Amherst to Mergui, when seasoned floats in water.

Remarks.—Used for posts of houses, very durable but not recommended as liable to split.

49. DAGOO THA, meaning Crooked Timber. Maximum girth 3 cubits. Maximum length 30 feet. Abundant. Found in Tavoy and Mergui. When seasoned floats in water.

Remarks.—Used for building boats, for planks

of houses, ladders &c. liable to attacks of worms and dry rot.

50. KANYEEN THA OR WOOD OIL TREE. Named by Mason as Dipterocarpus Lævis.

Maximum girth 6 cubits. Maximum length 70 feet. Very Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—Used for rafters and planks, an inferior wood, by no means durable, rots as soon as exposed to water and shrinks readily. Dr. McClelland speaks of this wood most favourably, and states it to be of the Saul family. He must mean some other wood, as this is decidedly a bad wood, very porous, and when kept the oil oozes out and stands in globules over it, it warps to a great extent, and though used for cases does not last for more than about two years. (Vide No. 71. Page 135. of Dr. McClelland's Report, where this tree is classed as Dipterocarpus turbinatus.)

51. KA MEEN THA.

Maximum girth 2 cubits. Maximum length 25 feet. Abundant. Found all along sea coast near Tavoy and Mergui. When seasoned, sinks in water.

Remarks.—Used for posts and planks of houses; very heavy and durable, but too easily split to be recommended.

52. YOUNG THA.

Maximum girth 3 cubits. Maximum length 30 feet. Found in moderate quantities along sea coast near Tavoy and Mergui. When seasoned sinks in water.

Remarks.—Used for posts and planks of houses; a heavy and durable wood, not bad for planes or handles, though better woods are already specified.

53. NEEN THA.

Very abundant. Found along sea coast near Tavoy and Mergui. When seasoned sinks in water.

Remarks.—Used for rafters of houses; a very heavy wood, but liable to split, therefore not recommended.

54. PEW BOCK.

Maximum girth 3 cubits. Maximum length 25 feet. Very abundant. Found along sea coast near Tavoy and Mergui. When seasoned, sinks in water.

Remarks.—A strong, tough, durable wood; recommended for helves.

55. THEE-LA-BAY.

Maximum girth 3 cubits. Maximum length 20 feet. Not very abundant. Obtained from Tavoy, Mergui and Yea. When seasoned, floats in water.

Remarks.—A brittle, useless wood for Ordnance purposes, though employed by Burmese for house posts and to support the shafts of wells.

56. MONG-DAYAT NEE OR RED MONG DAYAT.

Maximum girth 2 cubits. Maximum length 15 feet. Not abundant. Found from sea shore Amherst to Mergui and on Callagouk Island. When seasoned, floats in water.

Remarks.—Used for crooks, and straight parts also of ships, and boats: a light tough wood with a good grain, but too liable to rot to be recommended.

57. TO DOORYAN OR FOREST DOORYAN.

Maximum girth 3 Cubits. Maximum length 18 feet. Scarce. Found from the sea coast of these provinces and adjacent islands. When seasoned, floats in water.

Remarks.—A soft, light, useless timber, liable to rot readily.

58. BOOK THA.

Maximum girth $1\frac{1}{2}$ to 2 cubits. Maximum length 11 feet. Scarce. Found on the sea coast Amherst to Mergui. When seasoned, floats in water.

Remarks.—Used by Burmese for helms, but rots quickly, and therefore not recommended.

59. TAY YO THA. GREWIA.

Maximum girth 2 cubits. Maximum length 18 feet. Very abundant. Found on the sea coast and adjacent islands of these Provinces. When seasoned, floats in water.

Remarks.—Used for oars and masts of boats. When this wood is cut, a very acrid caustic juice or sap flies from it which will destroy sight, if it touch the eye, or if it fall on the face, it raises blisters. A wood dangerous to work, and not durable; not recommended.

60. THAY TO THA.

Maximum girth 5 cubits. Maximum length 25 feet. Very abundant. Found all over Tenasserim and Martaban Provinces. When seasoned, floats in water.

Remarks.—A useless wood; rots very quickly; used for temporary buildings.

61. MANEEOGA, stated by Burmese to be much used for rice pounders.

Maximum girth 4 cubits. Maximum length 30 feet. Abundant. Found all over Tenasserim and Martaban provinces. When seasoned, floats in water.

Remarks.—Not a good wood, as, when stored, it soon dies and rots; the roots are used for medicine; the fruit is eaten by Burmese, and the wood is well spoken of, though favourable specimens have not been seen, by Captain Dance.

62. MAH YAH GAH.

Maximum girth $2\frac{1}{2}$ cubits. Maximum length 18 feet. Abundant. Found all over Tenasserim and Martaban provinces. When seasoned, floats in water.

Remarks.—Used for elephant bells; not a durable wood, and therefore not recommended.

63. THAH BYAY NEE.

Maximum girth 3 cubits. Maximum length 23 feet. Very abundant. Found all over Tenasserim and Martaban provinces. When seasoned, floats in water.

Remarks.—An inferior brittle wood, used by Burmese in short pieces for the props of houses; not recommended.

64. THEE KHYA THA.

Maximum girth, 1 cubit. Maximum length 12 feet. Very abundant. Found all over Tenasserim and Martaban provinces. When seasoned, floats in water.

Remarks.—A very crooked grained perishable wood; not recommended.

65. DOW YAT.

Maximum girth 2 cubits. Maximum length 18 feet. Abundant. Found always inland all over the country. When seasoned, floats in water.

Remarks.—A soft bad wood; useless except for elephant bells.

66. MAY-BYOUNG.

Maximum girth 3 cubits. Maximum length 18 feet. Not abundant. Found near the sea side, and near the mouths of rivers along the coast. When seasoned, sinks in water.

Remarks.—Used for anchors of boats and for the sticks of oil mills; an uncommonly heavy and a durable wood, but not tough enough for ordnance purposes generally, though from its hardness, it makes good planes and turns well.

67. PEE MA PEW OR WHITE PEEMA.

Maximum girth 6 cubits. Maximum length 30 feet. Very abundant. Found all over the Tenasserim and Martaban provinces near the red Peema. When seasoned, floats in water.

Remarks.—A tough wood, lighter than Red Peema; does not last for so long a time as Red Peema, and rots in any position when shut up, as in the hulls of ships, in store &c. Not recommended.

68. NA PEW GEE OR LET THOUK-GEE.

Maximum girth $1\frac{1}{2}$ cubits. Maximum length 14 feet. Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—A useful wood, of inferior grain, and not durable.


69. THA YINGEE.

Maximum girth $\frac{1}{2}$ cubit. Maximum length 6 feet. Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—Utterly useless except for firewood.

70. THA NAT THAYT PEW THA.


Maximum girth 2 cubits. Maximum length 15 feet. Very abundant.



PANICUM ITALICUM, L.
 TENNEY, TAM. KORA, HIND. CORALDO. TEL.
 TRANSPORTED BY P.M. CONTINUER.

Edwin H. Supt. & Mgr.
Govt. Lith. Brgs. D.P.W.

Printed by George, 12 April 1858.



True Copy
Edwin H. Supt. & Mgr.
Supt. Engineer S. Circle.
In charge of Central Office P.W.





PLATE VII.



71. KHA MOUNG THA.

Maximum girth 2 cubits. Maximum length 22 feet. Very abundant.

72. KA THEET THA.

Maximum girth 4 cubits. Maximum length 22 feet; not very abundant.

73. IN JIN PEWOO, *White Injin*.

Maximum girth 3 cubits. Maximum length 22 feet. Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—The above last named four woods very light, perishable, and only fit for firewood. The bark of Ka theet tha used by Karens as betel nut, could probably be useful in tanning.

74. THAH BYAY BEW.

Maximum girth 2 cubits. Maximum length 20 feet. Abundant. Found inland all over the provinces. When seasoned, floats in water.

Remarks.—Not a durable wood.

75. THAY KYA BA.

Maximum girth 3 cubits. Maximum length 24 feet. Very abundant but straggling. Found inland all over the provinces. When seasoned, floats in water.

Remarks.—Used for house posts, but not a durable wood.

76. THAY THA.

Maximum girth 3 cubits. Maximum length 22 feet. Widely scattered. Found inland all over the provinces. When seasoned, floats in water.

Remarks.—A tolerably good and tough wood, but liable to rot in store, and therefore not recommended.

77. THAH BYAY GNET GHEE (means with large leaves.)

Maximum girth 3 cubits. Maximum length 22 feet. Widely scattered. Found inland all over the provinces. When seasoned, floats in water.

Remarks.—A tolerably good and tough wood, spoken of by Dr. McClelland as a strong and close grained timber.

78. THA PYKE THA.

Maximum girth 5 cubits. Maximum length 30 feet. Very abundant. Found along the banks of rivers, all over the provinces. When seasoned, floats in water.

Remarks.—A wood of no durability: not recommended.

79. KYAI YEW.

Maximum girth 3 cubits. Maximum length 22 feet. Rather scarce. Found all along the banks of

rivers, all over the provinces. When seasoned, floats in water.

Remarks.—Used by Burmese to make charcoal, also sometimes for posts of small huts: too brittle to be recommended.

80. TOUNG BYE NAY.

Maximum girth 5 cubits. Maximum length, 30 feet. *Scarce.* Found along the banks of rivers all over the provinces. When seasoned, floats in water.

Remarks.—A brittle short grained wood. Not the mountain jack, though similar to it in name.

81. MAY SHOUNG.

Maximum girth 2½ cubits. Maximum length 18 feet. *Scarce.* Found on sea coast, Amherst to Mergui. When seasoned, floats in water.

Remarks.—A short fibred, brittle, yet soft wood, not durable; called, but erroneously, a kind of Annan by the Burmese. Not a durable wood, and besides too scarce for ordnance purposes.

82. THA BATE KEE.

Maximum girth 3 cubits. Maximum length 18 feet. *Scarce.* Found all over the Provinces near the sea and at the mouths of rivers. When seasoned, floats in water.

Remarks.—A short fibred, brittle, yet soft wood, not durable.

83. MONG-DAYAT PEW or WHITE MONG DAYAT.

Maximum girth 2½ cubits. Maximum length 22 feet. *Scarce.* Found all over the provinces near the sea and in the mouths of the rivers. When seasoned, floats in water.

Remarks.—Not a good wood, being very perishable.

84. KAB-BAN-THA.

Maximum girth 6 cubits. Maximum length 30 feet. *Scarce.* Found inland in Amherst and Tavoy Provinces. When seasoned, floats in water.

Remarks.—Makes beautiful furniture, and when long buried in ferruginous mud, turns of a *very dark red*. Found to make excellent planes; used in Tavoy jail with great success, for all tool handles, and much recommended for such as do not receive direct percussion, as screw drivers, augers, hammers, handles; in fact for all tools except chisel handles, which are to be struck with a hammer, for which the Chisel-handle tree, "*Dalbergia*," *Species*, is the best; makes excellent planes; stated by Dr. McClelland to be most plentiful in Tharawaddy district, and to be hard, of fine grain and used in constructing carts. The writer has seen a quantity of this lately sold (in August 1857) for export to Holland as a furniture wood.

85. KYEE THA named by Mason as *Syndesmus Tavoyana* and also called *Kyay Mishoung* named by Dr. McClelland as *Barringtonia acutangula*.

Maximum girth $2\frac{1}{2}$ to perhaps 3 cubits. Maximum length 10 or 12 feet. Very scarce in Moulmein, but sufficiently abundant at Tavoy. When seasoned, sinks in water.

Remarks.—Same as kab-ban-tha.

86. KHA BONG PEW.

Maximum girth 2 cubits. Maximum length 15 feet. Abundant. Found on the sea coast, Amherst to Mergui. When seasoned, floats in water.

Remarks.—Liable to attacks from worms, rots readily, a brittle inferior wood.

87. KOUNG MOO.

Maximum girth 5 cubits. Maximum length 30 feet. Scarce. Found near Moulmein, also near Tavoy and Mergui on the sea coast and on the banks of rivers. When seasoned, floats in water.

Remarks.—Not a good wood, but perishable and liable to rot readily.

88. NA YOOAY.

Maximum girth 3 cubits. Maximum length 22 feet. Scarce. Found all over the provinces. When seasoned, floats in water.

Remarks.—A durable tolerable good wood with a curled grain, used by Burmese for oars, much like English oak in appearance, but deficient in tenacity. Not recommended, being scarce, while equally good woods are abundant.

89. KHAI YAH.

Maximum girth $2\frac{1}{2}$ cubits. Maximum length 22 feet. Scarce. Found all over the Provinces. When seasoned, floats in water.

Remarks.—A tolerably good wood but not recommended, because like the "Na-yoo-ay" it is too scarce.

90. DALBERGIA LATIFOLIA; YENDAİK; BLACK WOOD.

Maximum girth 2 cubits. Maximum length 10 or 12 feet. Abundant in Tavoy and Mergui, elsewhere scarce. Found all over the provinces, but mostly in Tavoy and Mergui. When seasoned, sinks in water.

Remarks.—This, unlike the Black wood of India, has a fetid smell like that of new Corduroy and a white grain interspersed amongst the black and red. It is not so handsome a wood as Indian black wood, but is far tougher, is not brittle, excellent for spoke shaves, for handles of screw drivers, augers, gimblets. Used by the Chinese carpenters for planes, and is excellent for that purpose though heavy; but they use smaller planes than we do. Like others of the hardest woods of Burmah, it is so full of natural cracks, that two feet of timber are wasted for one foot made up after being sawn; but when made up, this wood cracks no more and resists sun or rain admirably. The "Tai" is not Yendaik but Ebony, and is brittle and devoid of smell.

91. PHYOO.

Maximum girth $1\frac{1}{2}$ cubits. Maximum length 17 feet. Abundant. Found in Tavoy and Mergui, also in less abundance in Amherst Province. When seasoned, floats in water.

Remarks.—A tolerably good strong wood, but not with much tenacity of fibre.

92. TYE YOO THA OR LAM THAH.

Maximum girth 2 cubits. Maximum length 22 feet. Scarce. Found in Tavoy and Mergui, also in less abundance in Amherst province. When seasoned, floats in water.

Remarks.—A bad brittle wood; readily splits and warps.

93. PHET HONWAY.

Maximum girth 3 cubits. Maximum length 22 feet. Scarce. Found at Tavoy and Mergui. When seasoned, floats in water.

Remarks.—A short grained, brittle wood, splits and rots readily.

94. OUK GUAY.

Maximum girth $1\frac{1}{2}$ cubits. Maximum length 15 feet. Scarce. Found all over the provinces. When seasoned, floats in water.

Remarks.—The root of this tree is used as a medicine by Burmese, the wood perishable, and grain short.

95. NGY-SOUNG THA.

Maximum girth $3\frac{1}{2}$ cubits. Maximum length 22 feet. Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—A wood of no durability or strength; splits readily, with a short grain. Only fit for fire-wood.

95 $\frac{1}{2}$. NA GHEE.

Maximum girth 3 cubits. Maximum length 15 feet. Abundant. Found all over the provinces. When seasoned floats in water.

Remarks.—A tolerably good wood, used for mallets, but not durable enough to be recommended.

95 $\frac{3}{8}$. TAYET KHYEE.

Maximum girth 2 cubits. Maximum length 15 feet. Abundant. Found all over the provinces. When seasoned, floats in water.

Remarks.—A pretty wood in grain, but one which rots when it dies: of no durability.

95 $\frac{3}{8}$. MURRH NEEN.

Maximum girth 2 cubits. Maximum length 15 feet. Abundant. Found all over the provinces on low grounds. When seasoned floats in water.

Remarks.—A petty wood, looks exactly like deal, but stated to have no durability.

ADDITIONAL LIST OF WOODS, BY CAPT. DANCE,
DEP. COMMISSARY OF ORDNANCE, T. P. 28TH
JULY 1856.

96. YEMMANEE. Tree not known but Karens say it bears a yellow flower and small plum which is the favorite fruit of the barking deer. Vide Mason's Tenasserim, page 213.

Maximum girth 4 cubits. Maximum length 20 to 30 feet. Very abundant. Found inland near the banks of the Gyne and Attaran rivers and at the back of the mountains near Moulmein. When seasoned, floats in water.

Remarks.—Very durable; used by the king of Ava for his carved furniture, also by Burmese for boats; a slightly scented wood, the lightest in the collection; free from cracks. Excellent for fuzes and appears quite free from acid or from tendency to rot.

97. SOWAY DO.

Maximum girth $1\frac{1}{2}$ cubits. Maximum length 10 or 12 feet. Very abundant. Found on sea coast and on the banks of rivers in these provinces. When seasoned, floats in water.

Remarks.—A wood much recommended for gun stocks with but one fault; that it is crooked and therefore not more than ten or twelve feet can be procured between the bends. This wood is commonly sold to Burmese for half a rupee a piece, large enough to make one gun stock.

98. THAYET KYA.

Maximum girth 2 cubits. Maximum length 20 feet. Not very abundant, but occasionally procurable. Found inland near the back of hills near Moulmein, and here and there all over the provinces. When seasoned, floats in water.

Remarks.—Durable and light, a good wood for helms if indented for with other woods for the same purposes.

99. CHIN ZOOAY. Meaning Elephants-teeth.

Maximum girth $1\frac{1}{2}$ to 2 cubits. Maximum length 10 feet. Abundant in the hills. Found inland, always on rocky barren hard ground in mountainous or hill districts all over the provinces. When seasoned, sinks in water.

Remarks.—This wood is believed by the writer to be the hardest and strongest known in these latitudes, perhaps any where in the world. It is however only procurable in such rocky spots as no other tree will grow in, so must be sent for on purpose. It cuts up as does yendaik and other hard woods do with huge cracks through it; in fact this is the most wasteful of all known valuable timber in this respect and the original scantling is but small, so that it is not recommended for general purposes, but it is invaluable for the edges of Phillester Planes for spoke shaves and for such purposes in which much scantling is not required.

100. THAN THAT.

Maximum girth 2 to 3 cubits. Maximum length 12 feet. Very difficult to procure. Found inland up the Gyne and Attaran Rivers. When seasoned, floats in water.

Remarks.—Very durable; used by Karens for bows, for shoulder yokes, spear handles and many other purposes. Excellent for hammer handles from its tough fibre.

101. YEEN GA.

Maximum girth 2 cubits. Maximum length 15 feet. Not very abundant. Found in Moulmein itself, and scattered over the provinces. When seasoned, sinks in water.

Remarks.—Stated to be good for helms, not so strong as Chisel handle tree but possessing its properties in an inferior degree; and good for helms. Rupees 45 per 50 feet by 1 foot square. Used by Burmese for helms, for mamotties, and is a very pretty white wood for furniture.

102. MOKETAMMATHA. Meaning Martaban wood.

Maximum girth 1 cubit. Maximum length 8 feet. Very abundant. Found in Martaban and its adjacent jungles, also all over the provinces especially on the banks of rivers. When seasoned, sinks in water: uncommonly heavy.

Remarks.—Stated to be used for the same purposes as Chisel handle tree, but still stronger.

103. GYEW.

Maximum girth 2 cubits. Maximum length 15 feet. Abundant. Found in the jungle round Moulmein and all over the provinces. When seasoned, floats in water.

Remarks.—Stated by Burmese to be equal to chisel handle tree, Dalbergia, species, but if so the writer has not yet seen a favourable specimen.

104. PINLAY JALLAT.

Maximum girth $2\frac{1}{2}$ to 3 cubits. Maximum length 15 feet. Tolerably plentiful. Found by the sea side and very near to water's edge, in these provinces. When seasoned, floats in water.

Remarks.—A wood strongly recommended for fuzes, free from oil, and acid, light, yet strong; it is much used for rockets of enormous dimensions and for wooden guns, used for the burning of the dead Phoongees and on other occasions.

105. BEE-EW. Not identical with *Thee Bew Tha*.

Maximum girth 3 cubits. Maximum length 22 feet. Trees very abundant. Found near the sea or the rivers edge, all over the provinces. When seasoned, sinks in water.

Remarks.—A very hard, strong wood; used in rice mills where great strength and wearing well are indispensably requisite: recommended for handles of tools.

106. KUSSOO, not identical with Kye-zai. Maximum girth 2 cubits. Maximum length 15 feet. Abundant. Found near the sea or the rivers edge, all over the province. When seasoned, sinks in water.

Remarks.—A very tough wood, durable, and as good as Kyezai, for helvies. The Kyezai is a wood of the colour of oak with a yellowish tinge. The Kussoo is nearly white. This is not the soondree wood, of which latter the Burmese name is nearly the same, and the soondree wood Captain Dance failed to procure hitherto.

107. KYAITHA.

Maximum girth $1\frac{1}{2}$ to 2 cubits. Maximum length 7 feet. Scarce. Found on low marshy grounds in these provinces, but widely scattered. When seasoned, sinks in water.

Remarks.—Excellent for planes, or for any other purpose, for which a straight grain, great toughness and strength are required.

108. PHANGAH.

Maximum girth 4 cubits. Maximum length 20 feet. Very abundant. Found in jungles near Moulmein and all over the provinces. When seasoned, sinks in water.

Remarks.—Used by Burmese for poles of carts and by the poorer class for houses; very strong and likely to make good planes, handles, or helvies.

109. TUNYEEN or TUNYEEN DHA.

Maximum girth 5 cubits. Maximum length 30 or 40 feet. To be procured in moderate quantities. Found scarce near Moulmein and Sittang rivers, more abundant near Tavoy and Mergui. When seasoned, floats in water.

Remarks.—Used for construction of those very large boats which go from Moulmein to Tonghoo; hence in such demand here, but not so much so on the sea coast. A wood which when cut, has a peculiar and fragrant smell, is tough and oily and likely to make excellent planes, handles &c. &c.

110. EBONY. DIOSPYROS, TAI.

Maximum girth $\frac{1}{2}$ to 1 cubit. Maximum length 8 feet. Very scarce. Found from the forests in the direction of Shuay Gheen. When seasoned, sinks in water.

Remarks.—This wood, much sought for by Captain Dance could not be procured in Moulmein in sufficient abundance for it to be suitable for any ordnance purpose.

Concluding Remarks, dated Moulmein 30th September 1857. From all enquiries, it appears that the prices of all the useful woods specified in the above List are about the same, viz: Rupees 45 per ton. This List is in substitution of that before forwarded with letter No 305 dated 1st May 1856 from Captain Dance to the Military Board; which latter was requested to be cancelled. The three headings of woods for helvies, woods too heavy but

useful for other purposes, and useless woods, have been retained as first classed, though some of the first class have been found useless, some of the second good for helvies, and some of the third (as yendaik) valuable; but fresh numbering would cause confusion, and opposite to each wood is specified, whether it be useful, and if so for what purpose.

SECTION VII.

ANIMAL SUBSTANCES.

SUB JURY.

The Hon'ble W. ELLIOT, Esq.

Lieut. MITCHELL, *Reporter.*

This although not an extensive subdivision contains some articles of considerable importance both to the home manufactures and to the exporter.

BEESWAX.

Samples of this useful product have been received from several localities. Some do not appear to have been subjected to any cleansing process, others are very impure. A few specimens have been very carefully prepared; of these the Jury would particularize a sample from the Madras Local Committee, and another from Guntoor. Armour has exhibited a cake of black wax.

BLISTERING BEETLES.

Specimens of that useful substitute for Cantharides, the Mylabris, have been exhibited by Apothecary Huffton of Salem, and by M. A. Collas, Marine Surgeon of Pondicherry, who has sent two species, viz, *M. pustulata* and *M. punctulata*.

This Beetle abounds in the neighbourhood of Bangalore and may be obtained in large quantities at the end of the year. At Madras also we have found two well defined species and several varieties besides those exhibited. It is therefore probably to be found in most parts of Southern India.

GLUE.

Only two samples have been exhibited, neither of which is good, No. 477 from Paulghaut is the best, its fractured edge is clear and vitreous, but it is soft and dark coloured. The other is black and opaque.

HONEY.

Of honey several samples are exhibited, none however have been put up with the care necessary to procure a good market. High prices are paid for imported Honey simply because the large produce of the country is not gathered with sufficient care.

The Jury is not acquainted with the means adopted to prevent the fermentation of Honey. Most of the samples exhibited have undergone the fermentative process, and information of the precautions

taken in Europe to prevent this would be very acceptable.

It would also be desirable on future occasions that the name of the species of Bee and the plants on which it feeds should accompany the Honey. But if this cannot be done, specimens of the Bees and of the plants may be forwarded instead. The Honey exhibited differs much in colour and odour and although this may be in some measure dependent upon the age of the Bee, it is much more so upon the nature of their food.

HOG'S BRISTLES.

Kurnool and Wynaud have exhibited small quantities of Hog's bristles very well suited for making Brushes. This article would find a ready sale in the European market. The Hog being considered an impure animal by most of the Natives of India there is but very little consumption of Bristles in the country. The quantity used in Great Britain is so large that in 1841, 1,735,562 lb. were imported, and the imports have probably much increased since then.

Horns, Nails, Tusks &c. Under this head are exhibited some Deer and Bison's horns, a few Boar's tusks and some Tiger's claws; also a few of the (so called) shells of the Land Tortoise, but there is nothing calling for particular remark.

WOOL.

The most valuable article in this Section is undoubtedly Wool, but the specimens of Native Wool are but few and generally of an inferior quality.

The Madras Chamber of Commerce exhibited samples of wool from all quarters of the globe with the London market prices affixed. These form a useful and instructive series and have greatly assisted the Jury in deciding upon the merits of country grown wool.

The Government sheep farm in Mysore exhibited 7 Samples consisting of the wool of the pure imported, and of the Farm-bred Merino crossed with the country sheep and one specimen from the common sheep of the Province.

The last named appears to be the kind used for making the Mysore white cumby and is of a coarse description. The $\frac{1}{4}$ bred Merino has produced a finer fleece than the $\frac{1}{2}$ bred, which is an anomaly. The wools of the $\frac{3}{4}$ th and $\frac{7}{8}$ ths bred are good, the last being the finest and most uniform in size.

The Farm bred and imported Merino have about the same diameter of fibre, but the latter is only about half the length of the former.

The Jury would have recommended a 2nd Class Medal for the samples had they belonged to a private exhibitor, but as they do not conceive it to be the object of the exhibition to reward a public establishment, specially devoted to improving the

breed of sheep they award the "Honourable mention" which it undoubtedly merits.

The Farm wools excepted, the Jury considers the best specimen of country grown wool from the Merino, is No. 814, exhibited by Mr. Fitzgerald of Chingleput, and recommend a second class Medal for this sample. It is not stated whether this wool was taken from a pure Merino or a cross, but it is soft and elastic, and has the true Merino curl.

Armoogum Moodelliar of Chingleput has exhibited two specimens of Merino. No. 5309 is moderately fine and soft but is deficient of the wavy curl so characteristic of the true Merino wool.

No. 1949 from Bellary is perhaps a fair specimen of country-wool; it is not so fine as No. 4092 and 6852 exhibited by Messrs Fischer and Co. of Salem, but the fibre is more uniform in size.

In conclusion the Jury would add that all the wools exhibited which are the growth of the Native sheep are deficient in fineness and curl. They are either altogether straight or at the best have a scarcely imperceptible waviness. Great care however appears to have been taken in cleansing them, a matter of importance both to grower and exporter, for a well washed wool realises about double the price of unwashed. Moreover it should be remembered that when wools are intended for export, the dirt nearly doubles the cost of carriage and freight.

SILK.

Among the Miscellaneous Animal products may be noticed the Silk worm cocoons from Pondicherry although more properly belonging to Class XIII in which their economical value and uses have probably received full consideration; but they were also brought under the notice of this Sub Jury as Raw products in the classified catalogue furnished to them by Lieutenant Hawkes.

Of these the Jury were particularly struck with the beauty of the Pondicherry Cocoons, and more especially with those of the deep yellow Milanese and the white and yellow Trivoltine kinds. All the Pondicherry Cocoons presented the peculiarity of being constricted in the middle while those from other places were of the ordinary oval form, as for instance those from Salem, also of good though inferior quality.

M. Perottet had raised as many as ten successive generations, from the same stock, in his manufactory, during the year, but the process of breeding seems to require much care and management.

It has occurred to the Jury that the observations made by M. Dumas on the mulberry plantations of France in the early part of the present year might be studied with advantage in India.

That Gentleman having been deputed by the French Government to enquire into the cause of the mortality among the silk-worms during the pre-

ceding season, has ascertained, that mountainous regions are the places best adopted for breeding the silk-worm and that those only which are produced on elevated localities had succeeded during the prevalence of the Epizotic, whilst those bred in low grounds had as generally failed.

These facts indicate the propriety of trying to breed the worm on some of the many ranges of Hills in Southern India, as the Shirvaray, Santamangalam, Yelagherry, Nallamalla, Jiwadi, and other groups.

It is true that some of these are unhealthy, but persons engaged in superintending the breeding process might avoid the danger of fever by sleeping at the foot of the Hills and by availing themselves of the services of the Hill people.

We know already that the culture of silk has long been prosecuted in Mysore, but even there it may be worth while to examine whether any difference is found between the results obtained at different degrees of elevation on the plateau of the Table-land.

Several specimens of Cocoons, the produce of *Saturnia Paphia* which yields the Tusseh silk of Southern India, were exhibited from Pondicherry and elsewhere but in small quantities only.

From Pondicherry also came the Cocoons of *Actias selene* the larva of which feeds on the Odina Wodier. M. Perottet has the credit of having first turned the silk of this species to useful account, having exhibited a pair of gloves manufactured from it.

Capt. Benson of the Commissariat exhibited Cocoons of the large Burmese *Saturnia*, believed to be *S. Atlas*, from which the tusseh of China is procured.

The collections of peltry were considerable, but included nothing rare or new or otherwise interesting.

That transmitted by the Rajah of Vizianagaram comprehended skins of most of the ordinary Indian Wild Animals.

Of stuffed Animals, good specimens were exhibited of the comparatively rare *Felis Bennettii* and *Viverra Zibetha* from Travancore.

A large and well prepared series of bird skins was exhibited by Dr. Day from Hyderabad, comprising

most of the ordinary species but none of marked rarity.

A good set of bird skins was also sent from the Malabar Coast.

Mr. Walter Elliot sent a large and varied series of Crania including all the best known and many of the rarer species of Indian, with several of African and Malayan Mammalia. A full list being given in the Catalogue raisonné it is unnecessary to refer to them further.

A few remarkable animal products were observed among the drugs in Class II.

In Dr. Smith's collection from Hyderabad was a white granular concrete substance under the name of Shakar ul Ashar or Sugar of Ashar,* which on closer examination proved to be the covering of the pupa state of a species of beetle belonging to the group of *Curculionidae*, the larva of which had evidently punctured the bark of the plant on which it occurs to obtain a covering.

Dr. Jesudesan exhibits a Lizard said to come from Arabia under the name of *Ragumai* or *Rakoomoy*, portions of which were also found in the Kurnool collection labelled *Reg Kami* and said to possess tonic and aphrodisiac qualities. It belongs to the *Scincoid* group, but seems to differ from the *Scincus officinalis* and from the *Euprepes physica* both of which are used medicinally in Western Africa, and the former of which had once a European reputation.

A few other articles are only noticed as illustrations of the empirical nature of native medical science such are :

Hare droppings, *Musalpulukhi*.

Breast bone of a capon—no name.

Shell of the water tortoise (*Emys*) àmai ódu.

Tiger's fat.

Peacock's fat.

The stomach of the porcupine. *Mulu handi mare*.

J. MITCHELL,

Reporter.

WALTER ELLIOT,

Chairman Class IV.

* In Meninski is explained to be "a species of spinous gum-bearing tree, the fruit of which is an inflated tubercle, also bearing the same name, which is white and sweet like sugar, whence شكر العشر which some will have to be red sugar and which like dew is wont to fall upon this tree."

Exhibition Num-ber.	Name of Exhibitor, &c.	Description of Wool.	Maximum and Minimum diameter of each sample in fractions of an inch.	Microscopic appearance and peculiar properties.
1949	Local Committee	Bellary,	$\frac{1}{12}$ to $\frac{1}{20}$	Fibre coarsely imbricated and straight. Wool harsh to the feel.
1950	Nagojee	Bellary,	$\frac{1}{12}$ to $\frac{1}{20}$	{ Imbrications sligher, very slightly curled, fibre short and un-elastic.
813	Mr. Fitzgerald	Chingleput,	$\frac{1}{100}$ to $\frac{1}{25}$	{ Coarsely imbricated, very little curl or elasticity, fibre short and weak.
814	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Imbrication moderate, soft, curly and elastic.
5308	Armoogum Mood.	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Coarsely imbricated, very little curl or elasticity, fibre short and opaque.
5309	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Imbrication moderate, soft, and elastic but deficient in curl.
4091	Messrs Fischer & Co.	Salem.	$\frac{1}{100}$ to $\frac{1}{25}$	{ Coarsely imbricated, scarcely any curl or elasticity, wanting in softness.
4092	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	As last, but the fibre rather more waved and elastic.
689	S. Berar	Talook.	$\frac{1}{100}$ to $\frac{1}{25}$	Very short and coarse.
690	Wurungole	Talook.	$\frac{1}{100}$ to $\frac{1}{25}$	Coarsely imbricated, fibre short and opaque.
691	Nulgoondah	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Coarsely imbricated, very little curl or elasticity, short, opaque and harsh.
691	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	As the last, but longer staple.
"	Mysore Farm Balasoor and Nursapoor..	Common country sheep....	$\frac{1}{100}$ to $\frac{1}{25}$	Coarsely imbricated, fibre slightly wavy, $2\frac{1}{2}$ to 1 inch long.
"	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	Imbrications moderate, moderately soft, slightly curled and elastic.
"	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ A very inferior wool to the last, short, harsh and mixed with hair.
"	"	Hurgumbully... ..	$\frac{1}{100}$ to $\frac{1}{25}$	{ Coarsely imbricated, curly and elastic of a medium length and softness.
"	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Imbrications moderate, well curled and elastic, about 4 in. long, soft.
"	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Imbrications delicate, well curled and elastic, soft and long, 4 to 5 in.
"	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Resembles the last, but the fibres have only about $\frac{1}{2}$ the length.
5899	Chamber of Commerce	German fine.....	$\frac{1}{100}$ to $\frac{1}{25}$	{ Imbrications delicate, fine, many curls, being elastic and very soft; fibre contracts from 3 to 1 inch.
5891	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Imbrications conspicuous, well curled and elastic, soft, fibre short.
5910	"	"	$\frac{1}{100}$ to $\frac{1}{25}$	{ Imbrications conspicuous, but moderately curled or elastic, soft, fibre longer.
5916	"	"	$\frac{1}{144}$ to $\frac{1}{25}$	{ Imbrications conspicuous, but little curl or elasticity, length moderate.

CLASS V.

REPORT OF THE JURY ON MACHINES FOR DIRECT USE, INCLUDING CARRIAGES IN RAILWAY
AND NAVAL MECHANISM.

JURY.

Lieutenant Colonel T. T. PEARS. C. B., *Chairman*.
Major MAITLAND.
Major JENKINS.
Lieutenant Colonel F. C. COTTON.
R. KENNEDY, Esq.
W. B. WRIGHT, Esq.
Major JACOB.
J. J. FRANKLIN, Esq.
Captain BIDEN.
Major WORSTER, *Reporter*.

The most interesting feature in this group, is the application of Water power as a motor of Punkahs.

It has long been a speculative question to find a substitute for manual labor which should be both economical and efficient in its action, but almost every scheme has proved abortive, either from neglect of first principles of mechanics, or of their right application.

In the designs now exhibited, of connecting a Punkah with an over shot water wheel, the question is at once simply and effectively resolved, and wherever the requisite supply of water can be raised within a moderate time, and at small cost, the plan recommends itself to general attention.

No. I. A self acting Punkah by R. Kennedy, Esq.

Motion is given to this Punkah by the alternate discharge of water from a reservoir into (two) curved arms attached to a compound Pendulum, the speed of which can be regulated within certain limits, by altering the position of a weight below.

The discharge is near the centre, and it will readily be understood that by permitting the flow of water into one arm, a preponderance will be given to that arm; and if at the limit of oscillation, the water is allowed to escape, the return of the Pendulum will bring the opposite arm under the influence of the discharge pipe, and thus motion will be kept up, to give a reciprocating movement to the Punkah attached to it.

The principle is analogous to Perrault's pump or "Hydraulic Pendulum."

No. II. The same by continuous motion by W. B. Wright, Esq.

The prime mover in this design is an overshot

water wheel; increased velocity being given to the Punkah by the intervention of band wheels.

To the smaller of these wheels is attached a slotted arm, and a connecting rod with an adjustable pin clamped in the slot, acts on a bent or rocking lever, the longer arm of which, gives motion to the Punkah through an interposed flat spring bar fastened a little above the points of suspension, to prevent any sudden jerk or strain on the machinery.

The velocity of the Punkah compared to that of the wheel is in the ratio of 5 to 1?

The Inventor states that about 8 gallons of water are sufficient to keep the wheel in action for 8 hours.

In a second design, Mr. Wright has much simplified the movement, by attaching a lever jointed below, to the frame of the water wheel. The central part of the lever being slotted, to receive a crank pin, the crank forming part of the axle of the wheel. In its revolution therefore, a reciprocating motion is given to the lever, and consequently to the Punkah, which is connected with it, by a rod at the upper extremity; there is thus a double oscillation for every revolution of the water wheel.

No. III. A self acting Punkah by Mr. Orr.

In principle this is similar to the preceding, but it is but just to state that although priority of application is due to Mr. Wright, Mr. Orr must be considered in the light of an independent inventor so to speak of this mode of applying power through the agency of a water wheel.

In communicating motion to the Punkah, Mr. Orr has no intermediate gear beyond a simple crank, connected by a rod to an arm attached to a long "rocking shaft" to which the Punkah is rigidly fixed by wooden bars.

The length of the swing is proportionate to the angular movement of the lever, and its attached shaft, and a double oscillation is obtained by every revolution of the wheel. One hundred gallons of water are required to drive the wheel for 2 hours.

Mr. Orr has practically carried out this plan in his own premises with every success; where a wheel of 12 feet diameter gives motion to 5 Punks each of 14 square feet area, at an expenditure of 2640 gallons of water per working day of 8 hours. With a good pump one man could easily raise this quantity of water in less than two hours.

No. IV. Machines from the foundry at Dowlais-
wauum.

The contributions from the Dowlaiswarum works are sound and creditable specimens of workmanship, and consist of a crane, a single and double crab; the castings being left nearly in the state as they came from the hands of the Founder.

No. V. Weighing Machine by J. J. Cotton Esq.

This Machine is similar to the ordinary weighing platforms, but constructed of wood instead of Iron. A full description is inserted in the body of the general catalogue.

No. VI. The Railway Locomotive Department at Madras, under the superintendence of Mr. Wright, contributes a fire Engine, the model of a Railway Carriage, and Mechanism generally of Locomotive Engines.

In construction and finish, the fire Engine must be considered equal, if not superior, to similar productions of English manufacture. The model of a Railway Carriage on a scale of 2 Inches to the foot, is beautifully executed by Natives under the supervision of Mr. Legget. The Railway Mechanism is principally of English manufacture, but the specimens from the Superintendent's work shop will bear most favourable comparison with all, or any portion of it.

The traversing and lifting, as well as the simple lifting jack, are ingenious adaptations of well known means of giving power and adjustment, in raising carriages and heavy weights &c.

Mr. W. G. Maddox, Superintendent of Machinery at the Mint, exhibits an assorting Machine, invented by Colonel Smith of the Madras Engineers. A descriptive paper by the Exhibitor, accompanies this highly interesting machine, which gives the following account of the apparatus, its purpose, and mode of working.

MADRAS MINT.
ASSORTING MACHINE.
FOR

Double Anna Pieces.

INVENTED BY COLONEL SMITH OF THE
MADRAS ENGINEERS.

In the Madras Mint, where only two Laminating

Mills are used, the following mode of obtaining accuracy in the weight of the coins, has been resorted to with great success.

After the straps of silver have passed through the second Mill, the disks are punched from them, rather larger than are required for coinage. These disks, are then assorted by the self adjusting Machine, and each is placed under a second circular punch or "cutter," of such a size as will remove a ring of metal from the circumference, and render it as nearly as possible, the true weight. By this process, the adjustment of the coin, by filing, is entirely avoided; and the blanks, or pieces prepared for stamping, are more economically obtained, than they are in other Mints, by a more lengthened process of lamination, and correction with the file.

The beams of the assorting machine, are made of close grained Fir; the lightest procurable. The arms are four times as long on one side of the fulcrum, as they are on the other. The points of suspension, are what are termed "knife edges," and they are fixed in the centre of gravity, in order that the beam may be freely suspended. A rod of fine silver, with a "retarding plate," of the same metal at the lower end of it, is suspended from the short arm of the beam, and immersed in distilled water, to check the vibration of the beam, and bring it to a state of rest; while the rod, which is a counterpoise to the disk, being more or less immersed, according to the weight of the piece, acts as the Hydrometer, and by its height out of water, at once determines the exact weight of the disk, and gives it a position according to that weight. Near the loaded end of the beams are twelve openings, which communicate with twelve divisions in a drawer below, so that all the disks of equal weight, remain suspended when the beams come to rest, opposite to one entrance. The spaces between each of these openings, are one inch broad, and the loaded arms of the beams, are four times the length of the other arms; a movement of the rod $\frac{1}{4}$ of an inch represents a change of weight of $\frac{1}{8}$ of a grain, and to that minute quantity the disks are assorted.

To bring the machine into use, a normal disk is found by means of the simple Lever-balance. This piece is placed upon one of the beams, and the water level in the cups, in which the rods and plates are suspended, is so adjusted, that the disk takes its position opposite to the centre opening. When this is the case, the whole of the arms are in the same adjustment. The Hoppers are then filled with disks, and by the motion of a one hand lever, a disk is thrust from each Hopper to the beam opposite to it; another movement leaves the beams free, and they take up their positions according to the weights of the disks, each in front of some one of the twelve openings. In less than 20 seconds all are at rest, when by a rapid movement of one of the hand levers the whole of the disks are thrown into their respec-

tive openings and the beams rise to the level of the Hoppers to receive a fresh load.

By this beautiful apparatus, one man, with a boy to fill the Hoppers, is able to assort to the great minuteness of $\frac{1}{8}$ of a grain, no less than 60,000 disks in the day.

(Signed) W. G. MADDOX.

This machine was exhibited in London at the great Exhibition of 1851 where its delicacy of adjustment, and practical efficiency, were fully appreciated, and earned for its inventor a class medal. Had this reward not been already received, the Jury would have considered it their duty to recommend that a medal should now be awarded, as they consider that the machine stands unrivalled amongst the mechanical inventions of this Presidency.

Mr. Smith the Superintendent of the Government Printing Establishment, exhibits two American Presses imported and brought into use by him.

One of these Presses is a most complicated but beautifully arranged piece of mechanism, occupying a space of only 8 square feet, worked by one boy, and capable of throwing off 22,000 copies in a working day of 7 hours.

The other Press is in character the reverse of this, being remarkable for its extreme simplicity. The whole machine consists of a heavy iron cylinder with flanges, rolling upon rails just so high that the Galley containing the type can receive the weight of the cylinder as it rolls over it. In Printing the paper is laid on the type, and the roller is passed along the rails; the sheet is then removed, the type inked, another sheet placed, and as the roller is returned, a second copy is obtained.

This description of Press is called from the use to which it was originally applied "a Proof Press," as it was only employed as an aid to the larger Presses for printing proof sheets. Its use however has already greatly extended, and in this country it will probably do more for printing than the most perfect machines, since it will be readily made where the arts are in a rude state, and no part of India need be without its Press. It is not necessary that the cylinder should be of Iron which is difficult

to cast and turn; brass or even wood loaded with lead would answer every purpose, and Presses of one or the other of these materials could be made any where.

Mr. Smith has rendered the country a most important service by the importation of these Presses, and it must be admitted, that by his introduction of machinery and the admirable organization of the establishment under his charge, he has made a most important advance in the progress of printing in Madras.

The jury consider that although there is no original invention exhibited by Mr. Smith that his name deserves to be honorably mentioned.

JURY AWARDS.

2D CLASS MEDAL.

Number.	Number.	NAME.	Object rewarded.
		M. Orr.	Self acting punkah.
		F. L. Moncrieff, Esq.	Crane and Crabs &c.

HONORABLE MENTION.

Number.	Number.	NAME.	Object rewarded.
		W. B. Wright, Esq.	Self acting punkah.
		R. Kennedy, Esq.	Do. do.
		Mr. Smith.	American printing Press.

Madras, June 5, 1857.

T. T. PEARS,
Chairman.

CLASS VI.

MANUFACTURING MACHINES AND TOOLS.

JURY.

Lieut. Col. F. C. COTTON.
 Major G. Y. SIMPSON.
 Major J. MAITLAND.
 W. B. WRIGHT, Esq.
 R. KENNEDY, Esq.
 Colonel A. COTTON.
 Colonel P. HAMOND.
 Captain W. C. BAKER.
 General F. BLUNDELL. C. B.
 Mr. Commissary J. CURRAN, *Reporter*.

The present display of manufacturing Machines and Tools in comparison with those exhibited in 1855 wears a greatly improved aspect; being of a far superior, and comprehensive description, and more varied and perfect in kind. Native prejudice at least in Madras and in the neighbourhood of other localities of European operation and enterprise appears giving way to the superior appliances and contrivance of European skill and science. This is exemplified in many of the articles sent to the exhibition by native exhibitors, in which partially successful attempts have been made to copy the European style of work, although the means employed and method of application to effect the same result, appear and are defective in many respects. There can be no doubt that in the course of a few years hence, great advance will be made by the natives of the country towards substantial improvements in this most important branch of mechanical Art, if encouragement be held out, and European machinery more generally introduced. At present the sources of information on this subject are confined to the Railway Department; the Government works at Dowlaishwarum, and the individual efforts of the Civil Engineers in their employ. It is surprising and to be regretted that nothing in this Class (VI) is exhibited by the East Indian Iron and Steel Company from their Works at Beypore, which should be made one of the greatest agencies of improvement in this Presidency.

The Jury arrange the machinery represented by this class under three heads.

I. Machines imported from Europe.

II. Machines made in the country by Europeans or under their agency.

III. Machines made in the country entirely by natives.

I. Machines imported from Europe are the following, viz.

7335. Grooving or Rebating machine for timber, makers Brown Marshall and Co. Birmingham.

7336. Saw Bench by the same makers.

7337. Planing machine for iron 3 feet stroke. By Smith Peacock and Tannett Leeds.

7338. Slotting Machine for iron by the same makers.

These machines were sent out from England for the Madras Railway Company, Locomotive Department, and are exhibited by W. B. Wright, Esq. the Superintendent; they are machines in general use in England, and are essentially necessary and well adapted for the works of the Railway Department.

The Grooving or Rebating Machine is a very valuable one, as it not only performs these two operations; but is also adapted for cutting all sorts of moulding by arrangement of different kinds of cutting tools, as well as sawing Timber of small scantling.

The Saw Bench performs the work of cutting curves of various radii, which it does with facility, accuracy and neatness hitherto unequalled in the country.

The Slotting Machine is adapted for cutting slots in Iron for keys, cotter &c. as well as paring the sides of metal works either straight or curvilinear; the works executed by this Machine far surpass any thing that can be effected by manual labor, either for neatness, accuracy or despatch.

These Machines are the first of their kind that have been brought into operation in Madras.

The Planing Machine is useful for planing metal surfaces, which is done better and cheaper than by hand labor.

The Jury consider that the best thanks of the Committee are due to Mr. Wright for the very skillful arrangement of the whole series, and for bringing them into practical operation by means of Steam Power driven by a Portable High Pressure Engine of 6 H. P.

The working of the whole of this Machinery appears to afford the highest gratification to the visitors of the Exhibition, and especially to the natives; as every Machine in operation attracts crowds of spectators, some of whom are lost in

wonder, while there is no doubt that others are deriving instruction and durable information. The Jury award a 2nd Class medal to W. B. Wright, Esquire, 5463. Cotton Gin (English) exhibited by the Arsenal of Fort. Saint George.

These gins were manufactured in England, but of American pattern, and sent out to this country with the intention to introduce them generally and to supersede the present rude and primitive Machine called "churka" used by the natives for cleaning cotton, the gins were made to be worked by hand by a single person.

The Jury are unable for want of information on the subject to state whether the attempt had succeeded or not. There is however an impression that the sharp saw teeth injure the Cotton; and the Jury believe they are not popular. The best cotton cleaning machine the Jury consider to be that of the Chinese construction, introduced some years ago by Colonel Balfour C. B. In the absence of all reports the Jury are unable to enter more fully on this very important consideration.

9075. Circular Saw (Model) exhibited by C. V. Conniiah Chettiar.

Machines of this description perform the operation of sawing timber by circular motion instead of vertical: there is nothing new in its construction.

II. Machines made in the country by Europeans, or under their Agency.

9311. "The Campbell Hammer" exhibited by Captain Thomas Hay Campbell, Commissary of Ordnance, Bangalore Arsenal.

The Hammer of which this is the model appears to have been worked in the Arsenal at Bangalore for some months with satisfactory results. The mechanical arrangement, by which a continued circular motion is made to give a free rectilinear movement to the Hammer is very creditable to Captain Campbell.

The Hammer is so arranged as to give two different lengths of stroke, and any other length may be given by increasing the size of the drum; or the number of cog wheels on the intermediate spindle, and making a greater number of blanks on the circumference of them, corresponding to the different lengths required. The action of the Hammer is somewhat similar to that of the old Tilt Hammer, but is rather more unmanageable from the position of the framing.

To lessen manual labor and improve the ordinary means of manufacture is an effort always deserving praise, however short of success the result may prove and so in the present instance, for there can be no question that in working Iron more rapid blows with a lighter Hammer and an accumulated velocity are more to be desired than the operation of a weight falling through a short space and striking by the force of gravity alone, and that with considerable intervals, comparatively, between each blow.

The Jury consider this Hammer too complicated for temporary adoption under difficulties, and not perfect enough in its working to be recommended for use in the Arsenals.

The Jury have not received any data to enable them to compare the result obtained with this Hammer with manual labor and the sledge hammer, that is, the quantity of fuel, time, number of men required to turn out a certain amount of work by means of Captain Campbell's Hammer compared with a similar amount of work turned out by manual labor and the Sledge Hammer. This Hammer presents some features worthy of consideration as a Stamping Hammer for Dies.

With regard to this hammer the following is Mr. W. B. Wright's opinion, in which Mr. Curran coincides.

In the absence of Steam or water power, I consider the arrangement by which Captain Campbell's Hammer is made to deliver blows of power far exceeding that of hand labour as a very ingenious contrivance. It is no doubt a great desideratum, to have increased velocity, of blows, but I cannot concur in the remark, implying an objection to striking by the mere force of gravity. Look at Nasmyth's Steam Hammer, which is worked on the principle of gravity, the Steam raises the hammer only. Heavy blows are absolutely necessary to forge large works sound." The Jury award a 1st Class Medal to Captain Campbell.

Wood Turner's Lathe.
Cotton Spinning machine.
Rope making machine with hemp crushers complete.
Cotton Rope machine.
Model of a Saw Mill.

The first four machines are exhibited by E. L. Moncrief, Esq., in charge of the works at Dowlaishwarum, and the fifth by Mr. Malley the Superintendent of the same works. Mr. Moncrief's machines appear to have been designed by himself, and executed by the native workmen under his charge. In the whole of them there is nothing original, but the object of the exhibitor is evident; it is intended to shew these machines as improved specimens of native workmanship. As such they are very creditable; but still they are rough, and might with a little more care have been turned out more neatly.

The prices of these machines in the opinion of the Jury appear too high to admit of the possibility of their being purchased by native artisans.

The model of the Saw Mill is not constructed on sound mechanical principles, and the Jury are unable to urge any recommendation in its favor.

7842 Model of a brick-making machine exhibited by W. J. Addis, Esquire, Executive Engineer Chittledroog Division, Mysore.

This model does not appear to be perfect, it

merely exhibits the principles of brick-making, and the explanation appended to it gives the mode of working it in a general way without entering into details. At first sight it appears a machine of some promise, but on a closer examination many defects become apparent, such as the difficulty of expeditiously taking out the bricks after they are formed, as also the filling of the mould with clay of uniform consistence. It is however considered by the Jury as a praiseworthy attempt at improvement in the method of making bricks in this country.

Fibre crushing machine and Rope making machine exhibited by the Madras Industrial School of Arts.

This fibre crushing machine is an improvement on the one formerly used in the School of Arts; and is a good and effective machine for that purpose.

The Rope making machine is of the usual kind for making ropes of four strands

Tauning	Mill.
Buffing	"
Wheat	"
Rice	"
Buff	"

These are all models, and are exhibited by the Commissary General, Colonel M'Cally, they are all well made. Full size machines like these are in operation at Hoonsoor. The Buffing Mill is intended for the manufacture of all the belts for the Army. The machines were all projected, constructed and brought into operation by Sub Conductor Gage of the Commissariat Department, which the Jury consider very creditable to him and award a second Class medal.

These models were exhibited in 1855 and had received the notice of the Jury on that occasion.

51. A Large Bellows exhibited by Dr. Hilbers.

From the description and explanation given by the exhibitor, this Bellows appears to be a useful article, but the Jury have not had an opportunity of judging of its merits. Its usefulness can be tested only in a large workshop.* The remarks of the exhibitor are herewith appended.

"The model of constant action Bellows and blow pipe. The muster is made of a series of frames as being less likely to warp than planks are; but a similar bellows made of planks with metal valves, has been in constant use for 14 months past without requiring any repair. A Bellows of this description made of sheet Iron would cost but little, and as it is swung from the roof above it when in use, the additional weight of iron would only add to the steadiness of the action and efficiency of the blast.

A child of ten years of age can work it without previous practice and the Bellows Boy sits to his work. For Jeweller's and Brazier's work an inter-

mitting action is often required. This is obtained by working the small supplemental Bellows of the air chambers by the hand straps.

This muster bellows would probably answer well for an Organ, Seraphin or similar instruments."

Presented to the Madras Museum

By Assistant Surgeon W. HILBERS.

Hoonnor.

5464. Cotton Gin (Country) exhibited by the Arsenal of Fort St. George.

This gin has been made under European agency, and is an efficient machine for cleaning cotton; it is a modification between the Chinese hand Gin and the native "Churka" and is intended to be worked by a single person. It is certainly an improvement on the country instrument, and will Gin cotton cleaner, than the Chinese hand Gin, but perhaps not in such large quantities.

7361 40 pr. of Tongs assorted.

7362 1 Fore Hammer.

7363 1 Quarter do.

7364 2 Hand do.

7365 3 Set do.

7367 10 pr. of Fullers of sizes.

7368 1 Flat face.

7369 1 Flatter.

7370 10 Gouge chissels of sizes.

7371 6 Flat Chissels.

7372 5 Square Punches.

7373 5 Round do.

7374 1 Flat do.

7375 7 Pointed do.

7376 6 pr. of Swages assorted.

7677 1 Set of spanners from half to one inch.

These are manufacturing tools peculiarly adopted and suited to every workshop in which heavy iron is forged as they are for the works of the Railway Department, and were made there, and exhibited by W. B. Wright, Esq. Locomotive Superintendent.

8004 Large Loom.

8005 Warping Machine.

These are the same as an English hand Loom and Warping Machine, and are said to be made by a native, who learnt the Art of making and using them from a European. These Machines have become a source of ample remuneration and income to the owner, and there is reason to believe as the efficiency of these Machines become known to other natives, they will adopt similar means, and gradually abandon their present rude mechanism, employed in weaving.

III. Machines made in the country entirely by natives.

8445. Models of Paper Mills.

8446. Beating Engine.

* Since this report was written the Bellows has been tried at the Gun Carriage Manufactory and has not proved so satisfactory as the sanguine expectations of the exhibitor. It answers pretty well for small work but does not give sufficient blast for heavy work.—Reporter.

8447. Beam Cutting Press.
 8448. Glazing Machine.
 9074. Fibre Cutting Machine exhibited by C. V. Conniah Chettiar.

These models have all been designed from European patterns and made up by native workmen belonging to the exhibitor's Paper Manufactory at Paralore. The chief merit in them consists in the combination of the whole by means of shafting and gearing to be worked by Steam Power. The credit of this is wholly due to the exhibitor, who appears to possess some talent in Art, and takes great interest in all such matters, and practises himself as an Amateur Engineer. The arrangement of the models shews his anxiety to bring them out in the most striking and pleasing manner possible.

The execution of the work is imperfect, and admits of great improvement; it also points out the defective means at command in the hands of natives to produce superior manufacture and the necessity for introducing European appliances and Machinery into the country.

The Jury consider the whole as a very creditable undertaking and award a first class medal.

9314 Cotton model Churka.

9315 Do. Small, exhibited by Captain M. Davis, Superintendent of Police, North Berar.

These are the common contrivances of the country for cleaning Cotton, and are well known to all who have paid any attention to the subject of cleaning cotton, there is nothing peculiar in them to merit particular notice.

G. Y. SIMPSON.
 J. MAITLAND.
 P. HAMOND.
 W. C. BAKER.
 W. BAISON WRIGHT.
 F. BLUNDELL.
 ISAAC CURRAN, *Reporter*.

APPENDIX A.

No. 193.

From W. H. BAYLEY, Esq. Secretary to the Board of Revenue.

To Sir H. C. MONTGOMERY, Bart. Chief Secretary to Government.

Sir,—In anticipation of their Report on the cultivation of cotton in the Provinces during Fusly 1258, the Board of Revenue direct me

Rev. Dept. to request you will submit to the Right Honorable the Governor in Council, the accompanying Extract from the Reports received from the Collectors of Bellary and Cuddapah, and with reference to the observations of Mr. Pelly,

From Bellary 6 in Cons.
 29th April 1850 P. 4
 @ 6.

From Cuddapah 13 do.
 in Cons. 18th April
 1850 P. 21.

to solicit sanction for the purchase of 25 cotton Gins from Darwar, for experimental use in Bellary and a like number for Cuddapah. The cost of each Gin will be 40 Rupees, and the total amount for which sanction is now solicited, is 2000 Rs.

(Sd.) W. H. BAYLEY,
Secretary.

Rev. Board Office,
 Fort St. George,
 29th April, 1850.

No. 20.

From C. PELLY, Esq. Acting Collector of Bellary
 To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort St. George.

Sir,—I have the honor in obedience to the orders of the Board of Revenue received in your letter of the 28th February 1850, to submit the special Report of cultivation &c. of cotton in this District for Fusly 1258. The following is an abstract of cotton cultivation during the said year.

DESCRIPTION OF LAND.		CIRCAR LAND.			ENAM LAND.		TOTAL.	
		Acres.	Assessment.	Demand.	Acres.	Assessment.	Acres.	Assessment.
Dry.	Black Land. ...	1,25,142	Rs. 1,91,374	Rs.	88,870	Rs. 1,46,291	2,14,012	Rs. 3,37,665
	Mixed Land....	16,138	12,912		10,632	9,969	26,770	22,881
	Red Land....	23,617	8,114		5,579	2,689	29,169	10,803
		1,64,897	2,12,400		1,05,081	1,58,949	2,69,978	3,71,349
Irrigated.	Garden Land. ...	197	601		82	379	279	980
		1,65,094	2,13,001	1,61,843	1,05,163	1,59,328	2,70,257	3,72,329

There were it will be seen upwards of 2,70,000 acres sown with Cotton.

2. Though this Statement was inadvertently omitted to be entered in the Jammabundy Report, the subject has not been lost sight of by me. Since I took charge of the District, I have been engaged in endeavours to improve this great staple of the Bellary District. The Ryots have been advised to pay more attention to the picking and cleaning the Cotton and experiments to improve the staple by again introducing the foreign seed have been made and are still in progress.

3. In a letter dated 31st May 1849. to Dr. Wight, (copy of which I have the honor to enclose) I made a full report of some experiments made with the Mexican seed in Fusly 1258. These experiments I thought very unsatisfactory, but Dr. Wight attributed the failure to the blight and gave me much encouragement to prosecute them again. I have done this, and the result will be detailed in my next report for Fusly 1259. Dr. Wight forwarded a bandy load of seed from Coimbatore which has been distributed over the District and the produce of which is now gathering in.

4. Dr. Wight also promised to send me two saw Gins for cleaning the country Cotton. But these I have never received. It is very desirable that these Machines should be introduced into Bellary with as little delay as possible and I find I can procure them at Dharwar at a cost of 40 Rupees each and if the Board will allow me to order a few I shall exert myself to give them a full trial.

5. The manner in which I became aware that such Gins were procurable, was as follows. In the printed Book of Cotton experiments in the Southern Maratta Country lately sent to me from the Board of Revenue. I observed that the new Orleans crop of 1848 in the Dharwar District was almost an entire failure, and there the report ended. Desirous to know the result of the following year and the prospects of the present season I wrote a note to Mr. Bell the Collector enquiring about the crops. In a private communication with which I have been very kindly favoured by that gentleman he informed me that the new Orleans Plant had met with a very great check in the year 1848-49, but in the present year 1849-50 it was again recovering and at the same time he informed me respecting the saw gin and though only a private communication that Gentleman will not, I am sure, object to my quoting his own words. "We are making up in the factory a very excellent description of saw Gin, which can be worked all day by 2 men alternately and cleanse about 1½ Maunds (28 lbs. 1 Maund) of seed cotton the hour and costs only Rupees 40. If you have nothing of the kind to

"clean Cotton in Bellary you should introduce it
"The Department here will supply any number
"you require before the next season. This instrument does nearly three times the work which the
"Manchester Cottage Gin, of which you have read,
"is capable of performing."

6. I am not at all sanguine of general success in the Mexican Plant (the result of the present year will determine my measures for the future), but I entertain great hopes that the introduction of the saw Gin will be attended with as good results as at Dharwar or elsewhere, and I cannot do better, in concluding this report, than to request that the sanction of Government may be obtained for procuring, as soon as they can be got ready, 25 Gins from Dharwar.

Bellary District, Collector's } (Sd.) C. PELLY,
Office on Circuit, Raman- }
droog, 6th April 1850. } *Acting Collector.*

No. 379.

From C. PELLY, Esq., Acting Collector of Bellary.
To Dr. WIGHT, Superintendent of Cotton Farms
Coimbatore.

Sir—1. In accordance with your request I have the honor to report the result of the experiment made with the Mexican Cotton seed in the respective Talooks of this District where it has been sown, I beg to direct your attention to the enclosed statement.

2. It has been sown in both Regud,* Masub,† and Laul,‡ soils, and in one case only has irrigation been resorted to.

3. In the Hurponhully Talook experiment were made in Masub land only, almost all the plants were destroyed by blight and the Crop obtained from the few surviving ones was almost nominal. The seed in this case was not sown until September.

4. In Koodleghee Talook experiments were made in both Black and Masub soils, in the former the plants at first presented a very healthy appearance but before arriving at maturity were attacked by blights which injured the leaves Akulo jgi to a considerable extent but subsequently disappeared. This however no doubt prevented the produce being as extensive as it would otherwise have been. It gave an outturn of 6½ seers of uncleaned Cotton per each seer of seed sown. In the Masub it was a total failure, very few plants, ever appeared above ground, those which did were irrigated, but without success; in this case alone has irrigation been resorted to, the plants did not at any stage present a healthy appearance nor was there any produce.

5. In Hoomuhadagaly the seed was sown in fine Masub soil in two villages: in the month of July it was free from blight, most productive, averaging

* The Regud is the Black Loam or the common Cotton soil of Bellary, Dharwar, &c.

† Masub is as the term denotes a mixture of Red and Black: it is fine land, and in the Western Talooks as rich as the Black soils.

‡ Laul is the Red and generally the least productive soil unless irrigated.

27 seers of cotton for each seer of seed and the cotton of a superior description. The seed obtained from the cotton has been carefully preserved and will be sown again at the same time this year together with some fresh seed. The gathering took place from November to March and the result has been most satisfactory; but it must be borne in mind that the rains were very seasonable and the land selected for the experiment some of the best to be found for the purpose and that there was no blight. It is also to be noted that rains fall to the Westward under the Western Monsoon much more regular and earlier than in the other divisions of this District. July is the regular sowing season there, not so in the other Talooks noticed in the statement. Hoomuhadagaly is the most Western Talook. Hurponhully is equally favoured in this respect, but the crop there was lost by blight whether from being sown too late or not I cannot say.

6. Adoni. Experiments were made in this Talook in the Black land only, and were almost a total failure, the plants were much injured by blight called Jegee Rogum, and the produce very small averaging only $2\frac{1}{2}$ seer of cotton to a seer of seed: the seed was not however sown until October, the usual time of sowing in this Northern Talook.

7. Goollem. In this case also the seed was sown in Black land by special order as soon as I received it from you; the plants were fine and promising until they attained the height of about two feet when at least half of them were destroyed by blight but of a nature different from that alluded to, in the case of Adoni called Masee Rogum. In this case the plants became quite black crumbling in the hand like charcoal; whereas in the Adoni Talook the leaves alone were affected, and if rolled in the hand were found to be covered with a glutinous substance. The produce was only 5 seers of cotton per seer of seed.

8. Punchapollem. Experiments were made in the Black land some of the plants perished from blight. The produce notwithstanding would have been satisfactory had it not been for an unusual quantity of rain which fell in this Village and much injured the growing plant. The return was 8 seers of Cotton per each seer of seed.

9. Gooty. The seed in this case also was sown in the Black land in October, and though the growing plants suffered partially from blight the result was very satisfactory though by no means as much so as in the case of Hoomuhadagaly Talook. It yielded on an average 13 seers of Cotton per each seer of seed. The Amildar has applied for a further supply of 10 Maunds of seed, but the Ryots do not seem much disposed to repeat the experiment.

10. Tadputry. The experiments were made in two Villages belonging to this Talook, which is the most Eastern on the Cuddapah frontier; and contains fine Cotton soil and the finest race of cultivators. In the first village, Tadputry, from the

time the plants were about a foot high they were more or less affected with a blight called here Wodapa Rogum which though at first it only affected the leaves, eventually destroyed both the flowers and growing pods; there was not therefore any produce. In the second village, Pootloor, the same blight prevailed though not to the same extent and eventually partially left them, the produce was however but small averaging $4\frac{1}{2}$ seers of cotton for each of seed.

From the above it will appear that the experiments have been attended with success in three villages only, in Hoomuhadagaly, Soghee in Hoomuhadagaly Talook and in Conacondlah in the Gooty Talook; in the former Talook the seed was sown early in July, thereby obtaining an advantage from the Western rains which were remarkably fine in the Western Talooks this year.

11. From the unsatisfactory outturn in the other Talooks where the seed was sown in the usual seasons, and in the best selected spots I am afraid the experiment will if repeated not succeed. I propose therefore more particularly to try it again in Hoomuhadagaly and orders to this effect have been given, but should you supply me with any large quantity of seed I shall again try the experiment in the great Cotton Talooks. It is proper to mention that the cotton crop generally this year was bad.

12. Some seed was sent to the Sub-Division which is principally red soil, and I beg to enclose copy of a Report from Mr. Mayne who, you will see, speaks highly of the success of the experiment tried in the Anuntapoor Talook; but I entirely concur in his observation in the last para of his letter that it is desirable to have artificial irrigation to ensure the complete success of the growth of cotton in the red soils of those Talooks.

13. I shall be happy to receive any suggestions you may be pleased to favour me with for future experiments, but I am not sanguine that the experiments will prove successful in this District generally which perhaps is the driest District in the whole of India, and I fear that from that cause, unless irrigated it would be vain to try the sowing in April and May as suggested in your letter of 30th September. But with the present facts now before you, intimate acquaintance with all the details of cotton may enable you to suggest what would be the best mode to proceed in future.

14. But I am desirous that we should not confine our attention to the rearing of new and foreign seed but improve the cotton indigenous to the Districts by a better mode of cleaning and preparing it for the market. I should be obliged if you have any improved Gins, and are authorized, as I believe you are, to furnish them, by your sending me one or two for trial and favour me with such further advice as you think may be conducive to the great object of Government, viz: the production of an article of a quality suitable to the English market.

(Signed) C. PELLY, *Acting Collector.*

Statement showing the produce of the Mexican Cotton seed sown in the following Talooks.

Names of the Talooks.	Names of the Villages.	COTTON SEED SOWN IN CIRCULAR LAND.				DATE OF SOWING.		Quantity of seed sown.	Irrigated or not.			Time of gathering.			Number of gatherings.	Total Produce of uncleaned cotton.	Average produce of each gathering.	Average of produce in Col. 16 to each sect of seed sown Col. 8	REMARKS.	
		Description of Soil.	Numbers of the Field.	Acres.	Assessment of C. Pagodas.	Date.	Months.		Irrigated.	Not Irrigated.	Attacked with disease or not.	From.	To.	Date.						Month.
1		2	3	4	5	6		7	8	9	10	11	12	13	14	15	16	17	18	19
1 Hurponhully...	Hurponhully...				A. G. A. P. F. As.		Sept. 1848	Seer.	4	1	1	1	..	1849 Dec. Do.	1849 Feby. Do.	3	14	3	1	These Talooks are to the West of the Bellary District.
	Total...						Do.	5	1	1	1	2	
2 Uoddyghee...	Codehully	Regud.	11	7	8	1	30th Sept. 1848	5	1	1	1	1848 Feb. ...	March	5	34	6	3	
	Total...		406	3	..	5	15th Oct.	3	1	1	1	
	Total...			10	8	1		8								34				
3			297	6	..	1	20th July. 1848	4	1	1	1	..	1	1848 Nov. 28th Do.	February March	6	108	18	27	
	Total...		44	4	..	12	14th Do.	4	1	1	1	..	1	6	108	18	27	
	Total...			10	4	2		8								216				
4 Adonie.....	Mondgeny.....	Regud.	149	7	14	..	16th Oct. 1848	5	1	1	1	1849 March. Do.	April Do.	3	13	4	2	
	Purvatapoor...	Regud.	34	3	12	..	10th Do.	3	1	1	1	3	7	2	2	These are the Northern centre and Eastern Talooks.
	Total...			11	10	..		8								20				
5 Goollem.....	Huttebelgul...	Regud.	406	15	..	2	2nd Aug. 1848	9	1	1	1	1849 Jany. ...	March	4	45	11	5	
6 Punchapollem.	Pervaly.....	Regud.	227	12	6	..	7th Oct. 1848	6	1	1	1	1849 Feby. ...	April.	4	48	12	8	
7 Gooty.....	Conaondiah ..	Regud.	172	12	5	..	25th Oct. 1848	5	1	1	1	1849 March. 4th	March	3	72	24	13	
8 Tadputy.....	Tadputy.....	Regud.	18	1	8	..	5th Oct. 1848	3	1	1	1	1849 Jany. ...	March	2	28	14	4	
	Poothoor.....	Regud.	111	4	8	..	6th Do.	6	1	1	1	2	
	Total...			6	..	1		9								28				
Sub Division.																				
9 Anuntapoor ...	Anuntapoor ...	Regud.	71	11	11th Aug. 1848	6	1	1	1	1849 March 1st	April. Do.	3	36	12	5	This is the experiment tried by Mr. Mayne and reported on in his letter of the 26th February 1849.
	Cundacoor....	Red soil.	72	19	2	..	11th Do.	6	1	1	1	..	1	3	120	40	17	
	Total...			30	2	..		13								156				
	Grand Total...			234	11	1	4	14								621				

Bellary District Collector's Office, on Circuit, Toranangul, 31st May 1849.

(Signed) C. PELLY, Acting Collector.

No. 9.

From, D. MAYNE, Esq. Ag. Sub Collector of Bellary.

To C. PELLY, Esq. Ag. Collector of Bellary.

Sir,—In reference to the printed circular dated 6th March 1848 from "Robt. Wight Surgeon, Superintendent Cotton Farms," I have the honor to state that on assuming this office in June 1848 the ground was in so parched a condition that ploughing was impracticable and seed if sown would, without irrigation, in all probability have been destroyed: and an opportunity was not available until late in August when the amount of seed at hand was put in the ground and germinating gave very different results.

2. That sown in red soil produced very fine plants and an abundant crop to the extent of a half more than is attainable from the native country plant, afforded entire satisfaction and drew forth the unbounded applause of the ryot in whose land it had been raised as well as others who witnessed it.

3. The remaining seed was, contrary to positive orders, sown in black soil, germinated tediously and produced weakly plants with deficient flowers and inferior pods that became a prey to an insect of the weevil species that bores through the outside cover and destroys the embryo Cotton in the pod.

4. This insect was also, but in a less degree, very destructive to the first mentioned produce, in the same way as it prevails through the common Country Cotton crops, but probably will not be present in case of the seed being sown after the early rains of May.

5. It is evident that if conducted agreeably to the directions contained in the said circular the Mexican cotton would be found a very remunerative crop throughout the red soil lands of this District and highly satisfactory to the ryots who declared themselves astonished at the produce and most desirous of propagating the new plant.

6. Strict directions were given for preservation of all the seed that was produced for sowing *immediately* after the early rains shall have rendered the ground arable and I would suggest the propriety of procuring a large supply of seed from Coimbatore and encouraging the more general cultivation of the plant by particular orders to the heads of Villages strictly enforcing the necessity of attention to the description of soil and season of the year adopted, by which only can complete success and confidence of the ryots in the novel practice be ensured.

7. The nature of the climate is so arid that it certainly would be desirable always to have artificial irrigation by wells available, that in case of protracted drought obtaining as was the case in the past year, water might *occasionally* be applied and thereby render the crop certain instead of a hazardous speculation as it otherwise would too often

be found impelling the people to their time-revered practice of waiting for later rains.

(Signed) D. MAYNE, *Acting Sub Collector.*

Bellary District Sub Collector's Office, on Circuit,
Murrymakoolapully, 26th
February 1849.

No. 21.

From J. H. COCHRANE, Esq., Collector of Cuddapah.

To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort St. George.

Sir,—1. I have the honor to submit my special Report on the capabilities of this District as regards the cultivation of New Orleans Cotton.

2. The New Orleans or Mexican seed has been for the last two years experimentally sown in patches, in the rich black soils of the Cotton producing Talooks, after the setting in of both the S. W. and N. E. Monsoons in order to a fair trial being obtained in reference to the general peculiarities of climates and seasons. The same seed has also been sown in the lighter descriptions of garden soils which are moderately assessed and in lands under new wells bearing a dry assessment.

3. Samples of the produce have been sent by the Tahsildars for inspection, and they have been required to report from time to time on the state of the growing crops, and on the harvest result of the same and I have availed myself of the opportunity I have had of personally inspecting the plants in various localities.

4. The result of the experiments shews, that the plants sown in the early Monsoon in June and July have thriven the best, as regards such as are entirely dependant on the season and periodical rains, for means of moisture, crops sown at this season are gathered in September and October, and though deprived of the bright sunny weather experienced in March and April when crops sown on the latter or N. E. Monsoon come to maturity, still the disadvantage appears to be counteracted by the benefit derived from additional moisture obtained during the former season, following the setting in of the S. W. Monsoon.

5. In respect to crops so raised on dry land I fear the experiments do not give promise of a satisfactory result, as I at one time anticipated, and it was not until I visited the Cotton producing Talooks on Jamabundy for the current Fusly that my opinion has undergone this change. The plants sown in the preceding Fusly having on the whole thriven tolerably well, led to a hopeful conclusion, but the want of sufficient moisture which has impeded the growth of the plants for the current Fusly, has clearly demonstrated that the uncertainly attendant on a shower of rain being experienced when re-

quired, must at all times render the result of the harvest of these crops precarious.

6. It may safely be stated that high temperature is not injurious to the plant which has produced abundantly during the hottest weather when cultivated under irrigation. It however requires more moisture than the seasons generally prevalent in this District can lead us to expect will be experienced. It has been noticed (in respect to dry cultivation) that in such favoured localities where a good shower of rain has fallen at the time needed, satisfactory results have ensued, the plants having been enabled to strike their roots deep into the soil, which from its clay nature retains moisture for some time sufficient to render the plant independent of further rain, while other plants sown at the same time and in soil equally rich, but which did not derive the same benefit of a fall of rain yielded indifferently and partially failed. In this District periodical rains do not follow the setting in of either Monsoons to the extent required to ensure success in the culture of the American plant, partial showers may be received in the months of July, August during the one season, and in November and December during the other, and such would perhaps secure an average crops, but this is a contingency regarding which the cultivators would not like to run any risk, though in respect to the indigenous Cotton, they are indifferent on this score as these crops are not generally sown unless the fall of rain during the N. E. Monsoon has been sufficient, and, once sown, they afford a tolerable yield should no rain even have fallen up to the period they arrive at maturity, a circumstance which must be accounted for by the plant being more hardy, and from its striking its root more quickly into the soil.

7. The want of moisture periodically appears therefore to be the sole drawback to the successful production of Mexican Cotton on dry lands dependant entirely on the seasons, a disadvantage however in this District which, the experiments that have been made shews can be overcome, by means of irrigation. There can be no question that this description of Cotton may be produced to any extent under irrigation and in comparatively very inferior soils. The Plants that have been experimentally sown in lightly assessed Garden lands, and in new well lands, (on the latter of which the dry assessment is only leviable), have in all instances yielded abundantly. They were sown during the month of July, and received only 7 or 8 waterings at different intervals.

8. As the consumption of water sufficient to ensure a satisfactory crop is thus comparatively moderate, and as consequently there is little labour and trouble attendant on raising these crops compared with other descriptions of produce under irrigation, the most sanguine hopes may be entertained in respect to the culture of American Cotton in the

descriptions of land above mentioned, provided there was a ready demand for exportation a demand which as regards this superior quality of Cotton has not been locally experienced in the principal markets for all kinds of agricultural Produce. The additional cost of raising the produce in reference to labour and expence and to the rent leviable on the land, is fully compensated by the increased produce that is raised.

9. It is to be observed that the American Cotton is not so well suited to the wants of native manufactures as the indigenous kind while one of the objections (under the uncertainty of remunerative prices being occasioned by the demand) which the cultivators seem to have to the culture of the Mexican plant is that the seed does not possess the same oily substance and consequent nourishing property as an article of food for cattle, a matter, it must be admitted of some consideration.

10. Prejudices to be overcome, apathy or unwillingness to engage in agricultural pursuits out of the usual routine, cannot I think be justly imputed to the Ryots of this District. They seem willing enough to apply themselves to the production of an article of agriculture from which they are led to suppose such valuable results conducive to their interest will be obtained, but it is very necessary that they should be practically convinced that such will be the case, and this must be effected by the demand inducing parties to make advances and to agree with them for the produce at remunerative prices, for otherwise it can hardly be reasonable to suppose that they would be particularly anxious to apply their lands to the cultivation of an article required by the English Manufacturers, when they might turn the labour and industry to better account.

11. The advances that might be so made to the cultivators, and the purchases so effected by them at prices regulated by the demand in the open market, would greatly tend to effect a saving in the cost of production consequent on the non-employment of middle men, while it would place Ryots who may be in want of funds for the means of carrying on, or extending their cultivation, above the necessity of borrowing, and of giving security for such loans on the growing crops, which at maturity they would most probably be obliged to dispose of below the market price.

12. Premising that any quantity of Mexican Cotton might be produced, if English Capitalists employed their agents to make purchases at prices remunerative to the producers, the question is whether such prices would be profitable to the consumers whether in fact the article could be sold in competition with the produce of America.

13. The accompanying detailed statement has been prepared on the best information I have been able to collect from every enquiry made, from the

perusal of which some opinion may be deduced on so important a point.

14. The result as to the profit derivable by the cultivator is satisfactorily obtained by comparing the constituent elements in the way of Costs, that would make up the sum total of a candy or lb. 500 of indigenous seeded Cotton, grown entirely on lands dependent on the seasons, and of a candy of American seeded Cotton raised under irrigation with the prices of the two descriptions of produce. It is calculated that it requires 8 acres of dry land to produce 4 candies or 2000 lbs of seed Cotton of the indigenous kind, from which one candy of seeded Cotton wool is obtained, the cost of production including average assessment on this quantity of land (computed at 2 Rs. per acre) being it will be perceived 36-9-4. The price of 4 candies of this seed Cotton is estimated at 58-4-0 leaving a net profit to the cultivator of Rs. 21-10-8 for every 8 acres of land cultivated. It will be observed that the price per candy of seeded wool is entered at 47, Rs. 11-4-0 being allowed as the sum procurable for the seed.

15. The net profit derivable in raising the same quantity or a candy of American seeded cotton under irrigation is estimated at Rs. 26-12-6, the produce per acre being not only considerably larger but the proportion of wool to seed also greater being in the proportion of about 33 per cent while it is about 25 per cent as regards indigenous Cotton. The price of the seeded Mexican Cotton moreover is higher, being calculated at 63 Rs. per candy or about 34 per cent or $\frac{3}{4}$ in the lb over that accruing from the sale of the native cotton, though I believe the price in the British market in favor of Mexican Cotton has been as high as 1d and $\frac{1}{2}$ d the lb according to which the profit derivable would be proportionately greater.

16. It requires 3 acres of land (of the description specified) under irrigation to produce this quantity of seeded American Cotton, the average assessment on which being Rs. 18 (or 6 Rs. per acre) is very little higher than the assessment on the 8 acres of dry land on which this quantity of the indigenous kind can be raised, which trifling excess combined with the increase in the charges incurable, is more than counterbalanced by the price the superior article commands at the lowest calculation.

17. It will be observed that on the same computation the profits derivable in raising this quantity of seeded American Cotton on lands under new wells is considerably greater owing to the light assessment on the dry lands, but this profit of Rs. 41-2-6 is reduced to Rs. 32 on allowing the Ryot 12 per cent per annum on the cost and outlay expended in the construction of the new well estimated on the average at Rs. 100-0-0.

18. The assessment taken on the average above specified of Rs. 2 per acre as regard dry lands and at the rate of Rs. 6 per acre for lands under irrigation cannot be considered high compared with the price of the article, when it is considered that the cost of production including such rent is equal to 62 and 53 per cent respectively of the value of the produce raised on garden and new well lands. The yield of both descriptions of land under irrigation reckoned on a par, according to which as computed the cultivator derives 38 and 47 per cent of the produce of his garden and new well lands to reimburse his expenses.

Particulars of price at the place of cultivation as well as cost of transit, freight &c, for exportation.				Market price at which a Candy of 550 lbs of Mexican Cotton is sold in England calculated at an average rate of 54d per lb.	Comparison between Cols. 4 & 5.		Centage between Cols. 1 & 6.	Centage between Cols. 5 & 4.
Price per Candy of American cotton in the District.	Cost of Transit to Madras per Candy	Cost of freight per Candy calculated at Rs. 32 per Ton of 20 cwt. or 2240 lbs.	Total Cols. 1-2 and 3.		Increase or net profit at Home.	Decrease.		
1	2	3	4	5	6	7	8	9
63 0 0	8 0 0	7 0 0	78 0 0 or £ 7 9 6	119 9 1	41 9 1	0 0 0	66 0 0	66 0 0

Mexican kind and the average of Freight £ 3 per Ton of 20 cwt or lbs. 2240, the result, as marginally noted would exhibit a profit of Rupees 41-9-1 or £3-19-8 derivable on the sale per candy of 500 lbs. in the English market the price at which this quantity can be sold for being calculated at Rupees

119 or £ 11-9-2, while the comparative low price at which the same quantity can be brought to the English market, allowing a remunerative profit to the producer and including charges for cost of Transit to the Port of shipment and for Freight is Rupees 78 or £7 9s. 6d.

19. On reference to the commercial quotations of the money market in England it would appear that the new Orleans or Mexican Cotton has been selling as high as 6½ the lb. and Madras indigenous at 4 and 4½ assuming 5½ to be the average as regards the

20. The above on the whole appears to me satisfactory and I am therefore induced to think that so far as this District is concerned, the obstacles which are supposed to have retarded the cultivation of this staple of superior quality may be overcome, provided the difficulty under which the progress to improvement at present labours owing to the want of a ready demand in the District, was removed.

21. In respect to the improvement of the quality so much needed of the indigenous Cotton I fear the deficiencies in clearing and gathering will not be remedied unless the agents of capitalists place themselves also in direct communication with the cultivators of the soil make advances and exercise the necessary supervision. The introduction of the saw gin suitable for this variety will do much towards transmitting the article in a cleaner state to the Port of shipment, as also towards cheapening the production of cleaned Cotton by superseding the tedious method now in use.

22. With the system of agriculture no fault can reasonably be found and there is every reason to think that the indigenous Cotton though hitherto grown rather for the consumption of this country than for a foreign market, would not altogether be unsuited to the wants of the English manufacturers, if those who were most interested in its improvement and in extending its cultivation took the remedy in their own hands towards the attainment of a greater degree of cleanness in the article made purchases direct from the Ryots and rejected such

as they considered bad, thus supplanting middle men whose objects it is to mix up as much trash and leaves &c. so long as they can find purchasers for an article so deteriorated.

23. In my Annual Report of the Revenue settlement for Fusly 1258, para 54, the increase in the cultivation of Cotton of the indigenous kind is shewn to have been acres 12,568-1-12 the land assessment on which was 20,479-12-4, no further remarks appear in this place necessary further than to state that a still further extension of the culture of the article in the black soils may be anticipated from the circumstance of 2663½ acres having up to this period been taken up on cowle agreeably to the Rules in force and that I have availed myself of the opportunity I have had of impressing upon the Ryots the importance attached to careful picking and cleanliness of the article, and of keeping unmixed the superior from the inferior kinds of Produce. I beg here to rectify a clerical error in respect to the average assessment on the lands cultivated with cotton during the past Fusly which should have been entered as Rupees 1-10-0 and not 3-3-0 as specified in para. 54 of my Report dated 31st December last.

(Signed) J. H. COCHRANE,

Collector.

Cuddaph District Collr's. }
Office, on Circuit at }
Muddenpully, 13th }
April 1850. }

Statement shewing the Extent of land required to yield One Candy of American Cotton and the charge of Cultivation &c.

EXTENT OF LAND REQUIRED TO YIELD ONE CANDY OF COTTON AND THE CHARGES FOR CULTIVATION, &c.														
CENTAGE.														
QUANTITY OF AMERICAN COTTON RAISED IN 3 ACRES OF LAND IRRIGATED BY DIFFERENT SOURCES.						Between Cols. 3 and 4.			Between Cols. 3 and 5.			Between Cols. 3 and 6.		
Quantity of indigenous Cotton raised on 8 acres of black land solely dependant on the Season.						Quantity of Cotton raised in highly assessed garden land.	Quantity of Cotton produced in land under new wells liable to dry assess. only.	Average dry ass. of land under new wells together with interest at 12 per cent. calculated on the outlay.	Increase.	Decrease.	Centage.	Increase.	Decrease.	Centage.
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Quantity produced.		Can												
1	Quantity of Cotton produced at 1 } Candy of 500 lbs.....	4	3	3	3	...	1	25	...	1	25	...	1	25
2	Quantity of seeds.....	3	2	2	2	...	1	33	...	1	33	...	1	33
3	Remaining quantity of seed Cotton...	1	1	1	1
4	Average value of seeded Cotton } per Candy.....	47	63	63	63	16	...	34	16	...	34	16	...	34
5	Value of seeds at 3 Rs. 12 A. 0. P. } per Candy.....	11	7	7	7	...	3	33	...	3	33	...	3	33
6	Total Items 4 and 5.....	58	70	70	70	12	...	21	12	...	21	12	...	21
7	Cultivating charges.....	20	25	25	25	5	...	25	5	...	25	5	...	25
8	Amount of Assessment payable to } Government.....	16	18	2	10	2	...	12	...	13	6	...	4	27
9	Total of Items 7 and 8.....	36	43	28	37	7	...	19	...	8	310	...	12	2
10	Net profit derivable after deducting } charges as per Item 9 from that } of No. 6.....	21	26	42	33	5	...	24	20	7	10	...	11	710
11	Average yield per acre.....	2	8	14	11
12	Between Items 4 and 5.....	34	29	4	18

Cuddapah District Collector's Office, on Circuit,
Maddenpally. 13th April 1850.

(Signed) J. H. COCHRANE,
Collector.

No 63.

From the Military Board.

To Major General The Right Honorable Sir Henry
POTTINGER, BART. G. C. B. Governor in Council,
&c. &c. &c.

Right Honorable Sir,

Agreeably to the requisition contained in resolution of Government No. 349 dated the 23rd Instant passed on a letter from the Collector of Tanjore to the address of the Secretary Revenue Board, on the subject of a further supply of Cotton saw Gins, we have the honor to report for the information of your Excellency in Council that of the 42 saw Gins, 18 per "La Belle" and 24 per "Ferries," transferred to the Military Board in Extracts from Minutes of consultation dated 2nd and 6th November Nos. 935 and 1057 respectively, there are 20 now remaining in store, the others have been distributed as follows:

4 to the Collector of Coimbatore.
4 " " of Tinnevely.
2 " " of Tanjore.
12 to Dr. Wight.

—
22

2. The 12 Saw Gins sent to Dr. Wight were not repaired in the Arsenal as that officer preferred having the requisite repairs to them executed under his own supervision the cost of repairing the others has amounted in the aggregate Rupees (82-12-5) Eighty two, Annas twelve and Pice five, viz. 70-11-9 Seventy, Annas eleven, and Pice nine, for those brought out by the La Belle, and Rupees 12-0-8 Twelve and Pice eight, for those received per Ferries, as per detailed statements submitted to us by the Principal Commissary of Ordnance.

3. In addition to the 20 saw Gins above adverted to as remaining in store duly repaired, there are 24 now received in January last per Llewellyn, but these we believe have not as yet been repaired, no report to that effect having been made to our Board.

(Signed) P. MONTGOMERY, Brigadier,
Commandant of Artillery.

(Signed) T. T. PEARCE,
Major.

(Signed) G. BALFOUR,
Major.

Military Board Office, }
Fort St. George, 30th }
April 1850. }

No. 554.

Extract from the Minutes of Consultation, under date the 5th June 1850.

Read the following letters.

From the Secretary to the Board of Revenue.

(Here enter 29th April 1850, No. 193.)

From the Military Board,

(Here enter 30th April 1850, No. 63.)

1. In their Dispatches of the dates noted in the margin the Honorable Court of Directors advised this Government of the shipment for the use of this Presidency of 12 cases each containing two "Cottage Saw Gins" in each of the Vessels "La Belle," the "Ferries" and the "Llewellyn," being in all 72 Gins; of the number received by the "La Belle" 4 were sent to Tinnevely and 2 to the Chamber of Commerce, the remaining 18 Gins of this Consignment as well as those received by the "Ferries" and "Llewellyn" in all 66 were transferred by the Marine to the Military Board.

2. From the report above furnished by the Military Board, it appears that 22 Gins have been distributed and that 44 remain in store, of which 24, or those brought out by the Llewellyn, have not yet been repaired.

3. Dr. Wight in his letter to the Marine Board dated 20th March 1850 wrote favorably of the working of these Gins and requested that all those remaining in Madras should be sent up to Coimbatore, a requisition which does not appear to have been complied with.

4. At a subsequent date* Dr. Wight having received applications for the purchase of these machines desired to be informed of the price to be put upon them and in Extract Minutes of Consultation 22nd April 1850 it was intimated to him that 25 Rupees for each Cotton Gin was a price suited to the Market, that there would be no objection to his selling even at a lower rate if necessary to encourage purchasers, but that to European applicants Rupees 30 should be charged.

5. In their letter now before Government the Board of Revenue solicit sanction for the purchase of 50 Cotton Gins from Dharwar for experimental use in the Ceded Districts. The Collector of Bellary introducing the subject states that Dr. Wight promised him 2 saw Gins for cleaning the Country Cotton which he has not received, observing that it is desirable these machines should be introduced into Bellary with as little delay as possible and that he can procure them from Dharwar. The description given of the Dharwar Gin states that it "can be worked" all day "by 2 men alternately and cleanse about 1½ Maunds (28 lb 1 Maund) of seed "Cotton the hour, and costs only 40 Rupees." The total cost of the 50 Gins indented for by the Board will at this rate be Rupees 2000.

6. It does not appear to the Right Honorable the Governor in Council that so many as 25 Gins can be required, merely for experimental purposes, in each of the Districts of Bellary and Cuddapah and

he is not prepared to sanction so large an outlay as that proposed by the Board of Revenue. He directs that the Collectors be desired to communicate with the Superintendent of Cotton Farms, who will furnish them with as many of the saw Gins now under charge of the Military Board, as may seem to him to be requisite and can conveniently be spared, and he authorizes each Collector to purchase for trial in his District five of the Dharwar Gins, the expense of the whole ten at 40 Rupees a piece being Rupees 400.

7. The Military Board will at once communicate with Dr. Wight and obtain his instructions in respect to the repair of those saw Gins which have not yet been repaired.

(Signed) T. PYCROFT,
Secretary to Government.

COIMBATORE, 21st September 1850.

From Surgeon R. WIGHT, Superintendent Cotton Farms, Coimbatore.

To T. PYCROFT, Esq., Secretary to Government, Fort St. George.

1. Sir,—I have the honor to transmit copies of two letters received from the Acting Collector of Tinnevely conveying the intimation that neither the cotton dealers nor Ryots of Sevacassy seem disposed to avail themselves of the indulgence accorded to them by the orders of Government, of having their cotton cleaned at the Government Gin house free of charge.

2. Of this disinclination I have long been aware, both here and in Tinnevely, which I believe originates simply in an apprehension of the Gin supplanting the Churka and thereby throwing their families out of an employment adapted to their habits, and on which all the females and boys under 14 can find almost constant occupation. Under the influence of such apprehensions their aversion is not to be wondered at, nor can it be blamed. I can even recollect the time when riotous assemblages of the rural population of England destroyed Threshing Machines on the supposition that they would deprive them of their usual winter occupation. Time has shewn that they were mistaken and I believe the same will be the effect of the extended use of the Gin in place of the churka, but the change if ever brought about must result from European enterprize the natives will not of themselves adopt the Gin.

3. Up to the present time European merchants appear not to have interested themselves in the improvement of the cotton trade to the extent that they might and I think ought to have done; now however a change is in progress some are becoming aware that Gin cleaned cotton currently realizes from $\frac{3}{4}$ to $\frac{1}{2}$ d per pound more in the Liverpool market than churka cleaned not merely as looking better because it contains less refuse and is consequently intrinsically more valuable. The difference of outturn of weight between the Gin and churka is nearly 3 per

cent more from the latter, all of which consisting of sand &c., and becomes in the hands of the spinner mere waste and refuse. At this rate 97 lbs. of Gin cleaned cotton is at the lowest estimate worth 100 of charka, in addition to which there is a quantity of short nap attached to the seed which the churka removes and mixes with the proper staple but which the Gin leaves, that too is removed as waste by the spinner. Hence the higher prices obtained for Gin cleaned Cotton and if duly attended to by the local Merchant should I think induce him to give the preference to the Gin, the more so as he would thereby be saved the cost, freight and charges of 3 Bales of waste or "trash" as I believe it is called in America, in every 100 exported. These facts furnish the best reply that can be given to the preposterous outcry of the Gin cutting the staple, the value of which may be estimated by the fact that a sample of churka cleaned cotton I sent home was said to be cut in Ginning.

4. A further argument in favor of the Gin, which should weigh with the European merchant is its superiority over the churka in enabling him, by its speedy working to take advantage of favorable states of the market and its greater cheapness as shown by the table of comparative charges furnished in my letter of the 6th Instant and reproduced in the margin.

5. The inhabitants or rather Cotton dealers of Sevacassy have shown a nearly equal dislike to the introduction of the American Cotton into that neighbourhood, the

	RS.	A.	P.
Hand Gin by contract,	3	14	0
Cattle machinery,.....	4	1	2
Churka,.....	5	3	4

cause of which I cannot so satisfactorily account for but suspect that it originates in an aversion to have Europeans located among them, lest their superior knowledge, honesty, and perhaps command of money should enable them, to some extent to injure their trade by breaking down the monopoly they have so long enjoyed. But whether or not this is the cause, it is certain that they have not yet ceased to throw all the obstructions in their power in the way of Mr. Cuxton's success by preventing him getting land on which to cultivate American Cotton or Native Cotton to purchase. They have been so far successful that he has as yet only been able to purchase to a very small extent and to get some small patches of land, but these he has already sown and the crop so far appears most thriving. Judging from a very small field he had under crop in January last, I feel disposed to anticipate very favorable results from the trial in progress.

6. His predecessor Mr. Finnie took different views with regard to both growing and cleaning Cotton, but as his opportunities of trying either, while at Sevacassy were not extensive, his opinions can carry but little weight. I can only account for his preferring the churka to the Gin, on the supposition of its novelty to him, and his find-

ing it a more efficient machine than he had previously supposed, added to his imperfect knowledge of the comparative working properties of the two machines.

These combined with an aptitude or rather predilection for forming decisive opinions from first impressions, which he was not sufficiently careful to correct by after consideration, and subjecting them to experimental proof, led him into many mistakes, our experience as well as that of his brother planters in Dharwar is directly opposed to his views, and resting as it does on very extensive trials, must be preferred to his convictions based on reasoning not facts with such evidence as I have adduced in favor of the gin as a means of cleaning even native cotton it must if the cotton trade materially extends, come into general use: the churka is too slow.

7th. On the subject of growing American cotton at Sevacassy and Aroopocotta, he certainly succeeded in inducing several Ryots to attempt its culture, but did not show the way by setting the example. One of their fields that I had an opportunity of examining, left no cause for wonder at their want of success, as the land was bad, and so foul that the proper crop was choked with weeds and had the appearance of being very imperfectly cultivated. Mr. Cuxton's crop, though on land of the poorest description and sown nearly 2 months later, was, owing to better cultivation, much better. His land this season is better and being sown at a more favorable season will, I trust, tend to extend the cultivation of the exotic by convincing the surrounding Ryots of the much greater profit obtainable from growing the "new" cotton, after which all that will be required, to give it permanency, will be European merchants specifying that as the kind of cotton they wish to purchase. This course is now being pursued here with much effect, there being many more native growers this year than any former one.

(Signed) R. WIGHT, Surgeon.
Supt. Cotton Farms.

COIMBATORE, }
21st September, 1850. }

No. 1122.

From C. J. BIRD, Esq. Acting Collector.

To Surgeon R. WIGHT, Superintendent of Cotton Farms, Coimbatore.

SIR,—With reference to para 2 of Extract from Minutes of Consultation under date the 12th September 1849 and para 9 of that under date 22nd October 1849, I have the honor to report through you for the information of Government that Proclamation was published and every means used to advertize the Ryots and dealers concerned about cotton that the Government Gins and Machinery for cleaning cotton were available for their use, Mr. Cuxton, in charge of the Gin House was also made acquainted with the orders passed by Government in June 1849 on the subject.

2. It will however be seen from Mr. Cuxton's

* Copy enclosed. letter* dated the 30th Ultimo that the Ryots and dealers have not in the course of the past season availed themselves of the permission held out to them to use the foreign Machinery.

(Signed) C. J. BIRD,
Acting Collector.

COIMBATORE, }
4th September 1850. }

To C. J. BIRD, Esq. Acting Collector of Tinnevely.

SIR,—In reply to Memo. of date 27th August I beg to say that the Government Gins have not up to this time been called into use by either dealers or cultivators about here.

I took every opportunity some time back of informing both cultivators and dealers in Cotton that the Government Cotton Gins were at their service if they chose to have their cotton cleaned by them and moreover that this would be done for them free of charge for the use of the Machines.

This information I observed at the time did not at all take with them and one of the chief reasons for its being so was, as they said, "that they could not find a market for Ginned cotton." "They could not tell whether they could sell such cotton to the Merchants at Tutacurin with whom they chiefly deal." I advised them to make enquiry on the subject but they seem not to have troubled themselves any further with the matter. The Gins at present employed in cleaning cotton on account of Government are the small Gins (2 of 25 saws each and one of 20 saws) which are worked by Coolies at the rate of 8 men to a Gin.

(Signed) R. M. CUXTON.
In charge of the Gin House Sevacassi.
(True Copy.)

(Signed) C. J. BIRD,
Acting Collector.

(True Copy.)
(Signed) ROBERT WIGHT, Surgeon,
Superintendent Cotton Farms.

Gin House Sevacasse, }
30th August 1850. }

No. 972.

Extract from the Minutes of Consultation, under date 18th October 1850,

Read the following letter from Surgeon R. Wight, Superintendent Cotton Farms Coimbatore.

(Here enter 21st September, 1850.)

1 The Right Honorable the Governor in Council regrets to learn from Dr. Wight's communication that the people of the Tinnevely District have shewn a reluctance to avail themselves of the advantage offered by Government of having their Cotton cleaned at the Gin House free of charge. From the circumstances represented, it does not seem likely that the disinclination of the people will be soon or easily overcome and it is therefore desirable that Dr. Wight should report whether there will be

any utility in longer keeping up the Gin establishment in the Tinnevely District on its present scale and whether the Gins may not be more profitably employed elsewhere.

2. The Government would wish to be furnished at the proper time with a general report on the Cotton experiments in the Tinnevely District, the extent and results of Mr. Cuxton's operations there, and a connected view of the whole farming establishment in all its branches, with any suggestions that may occur to Dr. Wight for its extension or improvements.

3. The Government resolve to take an early opportunity of bringing Dr. Wight's communication to the notice of the Honorable Court of Directors.

(Signed) T. PYCROFT,
Secretary to Government.

FORT ST. GEORGE, }
18th October, 1850. }

No. 503.

Extract from the Proceedings of the Board of Revenue, dated 28th November 1850.

Read letter from the Collector of Bellary dated the 4th November 1850, forwarding, in consequence of the unfavorable report made by the

In Con: 28th Nov. 1850. Chamber of Commerce on the specimen of Native Cotton cleaned with the Dharwar Hand saw Gins and of the doubts expressed by Dr. Wight on their capabilities, copies of correspondence with the Collector and Superintendent of Experimental Cotton farms at Dharwar which in his opinion most satisfactory establishes the value of these machines, four of which have since been received at Bellary.

(Here enter No. 66.)

Resolved that the letter above recorded together with its enclosures and the previous correspondence noted in the margin be submitted for the information of Government with reference to para. 6 of Extract Minutes of Consultation 5th June 1850.

From Bellary 27th June, in Cons: 4th July 1850.
Pro: to Colt. Sea Customs: 4th July 1850.
From do. 27th July, in Con: 15th April 1850.

(A true Extract)

(Signed) W. H. BAYLEY,
Secretary.

No. 66.

From C. PELLY, Esq. Collector of Bellary.
To W. H. BAYLEY, Esq. Secretary to the Board of Revenue, Fort Saint George.

SIR,—In consequence of somewhat unfavorable report made by the Chamber of Commerce on the specimen of native cotton cleaned by the Dharwar Hand saw Gin as reported in the papers which accompanied the Board Proceedings under date the 15th August 1850, and in consequence of the doubts entertained by Dr. Wight respecting the capabilities of these machines, I wrote to the authorities at Dharwar on the subject, and now have the honor to

forward copy of that correspondence, which is most satisfactory, as establishing, I trust, the value of this new machine, four more of which have been since received at Bellary.

(Signed) C. PELLY, *Collector.*

BELLARY COLLECTOR'S OFFICE, }
4th November, 1850. }

No. 266 of 1850.

To the Collector of Bellary.

SIR,—In reference to the communication quoted in the margin in which I am directed to forward you five cotton Gins of 7 saws each, I beg to enquire if five gins in addition to those I sent you some time since are required.

I have the honor to inform you that we have made some alterations and improvements on the small Gin which render them more portable and convenient and by which a large amount of cotton is cleaned per diem, one of them is now at work at the Village of Hooblee in this district, the owner of it has written to me that it cleans, per diem 20 maunds of (26lb.) New Orleans and 28 do. of Native cotton.

2. The cost of the machines is Rupees 50 each. Should you wish to have some of them I shall have much pleasure in supplying you.

(Signed) J. M. BLOUNT,
Superint. of Cotton Expt.

A true copy
(Signed) C. PELLY, *Collector.*

DHARWAR, }
26th August 1850. }

No. 611.

From C. PELLY, Esq. Collector of Bellary.

To J. M. BLOUNT, Esq. Superintendent of Cotton Experiment, Dharwar.

SIR,—I have the honor to acknowledge the receipt of your letter of the 26th Ultimo offering to supply me with the improved Gins each containing 7 saws, and to request you will be pleased to forward at your earliest convenience 4 of these gins to Bellary. I request you will be particular in sending Gins adapted to the Native cotton, because I learn from Madras that the Native cotton cleaned by the gins last sent by you was so torn in the staple that the Chamber of Commerce could not value it and considered it as fit only for Wadding. This is a very serious evil and one to which I must draw your particular attention in order that a remedy may be adopted.

Much saving especially in carriage would be effected if the rough frame work of the machines were omitted; the same could be made at Bellary. If you see no objection to this I should be obliged by your sending 1 machine completed and 3 with

out the frame work and all might then be packed on one cart.

(Signed) C. PELLY, *Collector*.

No. 614.

From C. PELLY, Esq.

Collector of Bellary.

To W. W. BELL, Esq.

Collector of Dharwar.

SIR,—Two parcels of Native Cotton, the one being cleaned with the saw gin supplied to me by Mr. Blount Superintendent of Cotton Experiments in your District and the other worked with the common churka in use in the country were forwarded by me to the Board of Revenue, and sent by them to the Committee of the Chamber of Commerce at Madras for the purpose of ascertaining the respective value of the two specimens. The Committee of the Chamber of Commerce do not think that the cotton cleaned with the Dharwar hand Gin superior to that cleaned with the Native Churka. They also state that it is so much torn in the staple as to be in their opinion fit only for Wadding and that it would be necessary to submit it to the manufacturers in England to ascertain its value. Under these circumstances, I have the honor to request you will be pleased to let me know whether in Dharwar there is or not any difference made as respect quality and value between the Native Cotton cleaned by the Gin and that cleaned by the Churka: you will also oblige me at the same time by favouring me with the specimen of your District Cotton similarly cleaned with the two machines, and their respective value in the market. The evil alluded to in the cleaning by the Dharwar Gin has not I presume been experienced by you or noticed at Bombay but perhaps you can inform me whether it may be attributed to any defect in the Saw Gin, or to any mismanagement in the using the machine or to the Gin not being adopted to the Cotton in question. I beg to send a small parcel of the Bellary Native Cotton for inspection as also some of the same kind cleaned with the Dharwar Gin; as I have written to Mr. Blount for 4 more Gins, I trust every care will be taken to prevent any defect that may prove ruinous to the experiment.

I have on this occasion the honor also to enclose copy of a letter from Dr. Wight Superintendent of Cotton Farm at Coimbatore to the Secretary to the Board of Revenue Madras, dated 4th July respecting the working of the Dharwar Cotton Gin, you will observe that he is sceptical as respects the quantity they are supposed to clean daily. I would request your particular attention to this point and beg you will favour me with your view of the matter. The trial made at Bellary with the Dharwar saw gin resulted in cleaning 50 lbs. per hour and at

8 hours per diem would be 400 lbs. of Cotton with the seed Kuppas or Puttee.

(Signed) C. PELLY, *Collector*.

No. 1661 of 1850.

To C. PELLY, Esq., *Collector of Bellary*,

SIR.—I had the honor to receive your letter, No. 614, dated 7th instant in due course, but the specimens of Cotton reached me only this morning.

2nd. I can perceive no difference between the seed Cotton and that which has been saw ginned. The fibre of the latter is not in the least broken, as you will perceive if you will compare the two small specimens which I enclose. They have been simply repeatedly pulled between the fingers to straighten the fibre, one was pulled from the seed by the fingers and the other is the saw ginned Cotton which you sent me. I have sent the parcels to Mr. Blount and will forward his opinion of the specimens to you.

3rd. The belief that the Fibre of Cotton is torn in the saw gin is a curious fallacy long since exploded in America and always considered absurd. I believe, by the manufacturers in England. In fact it is a moral impossibility that the fibre can be torn by the gin unless the saws have become displaced and touch the grates. To a person unacquainted with the subject saw ginned Cotton will always appear on being pulled between the fingers to be irregular. This is caused by the Brush of the saw gin which as you are aware removes the Cotton from the saws and propels it from the machine, by which operation the fibres are laid crosswise, so that when pulled between the fingers a small portion only is stretched to its full length.

4th. There is no difference here, in the value of Cotton cleaned by the foot roller (the churka is not used) and that which is saw ginned. In quantity the latter is considered by those who have dealings with Bombay to be superior, for the dirt is removed by saw giuning and the leaf only left, whereas the foot roller does not separate the dirt.

5th. The opinion of the Chambers of Commerce should not be permitted to condemn any result of an experiment in cotton, for it is beyond dispute that the value placed by merchants in this country upon cotton is very incorrect. Some years ago a quantity of New Orleans cotton grown in Dharwar was bought in Bombay for 115 Rupees per candy and a quantity of indigenous Candish cotton for 132 Rs. per candy. In England the former was sold for 7 $\frac{1}{2}$ lb, the latter for 3 $\frac{1}{2}$ lb.

6th. I have sent you a parcel of native cotton cleaned here by the foot roller, and one cleaned by the saw gin as you request.

7th. Mr. Blount will send you in a day or two four saw gins made in the factory of our Experiment on an improved principle. Dr. Wight may be sceptical of the capability of these little machines

I can only assure him, that I saw the first of the kind now being made for you tried, and it cleaned with two men at the wheel, and one feeding 56 lbs. of seed cotton in 45 minutes. A merchant at Hooblee who bought some of the same description of gins, has written to me, that he can clean 28 maunds of country seed cotton and 20, of New Orleans, with one of them in a day, the maund being 28 lb.

8th. The improvement effected in these gins is, that the Driving wheel is proportionately far less heavy than that required for the large gins, and the brush being propelled by a friction roller, revolves more easily and far more rapidly than when it is turned by a band. There is no question of the superiority of the small seven saw gins in every respect: they are cheaper, they perform more work in proportion, they are more easily repaired, and do not involve the same loss by cessation of work for repair which large gins do (for in their case seven saws are stopped, in the other the whole number perhaps sixty, become inoperative) and lastly they can be used in any corner of a native's house, or in the open air.

(Signed) W. W. BELL, *Collector.*

(A true Copy.)

Collector's Office, Dharwar, 24th September 1850.

(Signed) C. PELLY, *Collector.*

No. 175 of 1850.

To W. W. BELL, Esq.

Collector, Dharwar.

SIR,—In acknowledging the communication noted in the margin under cover of

Letter No 614 of 1850 from the Collector of Bellary to the Collector of Dharwar dated 7th Sept. 1850. Letter from Dr. Wight Superintendent of Cotton Farms at Coimbatore to the Secretary to Government Fort St. George, dated 4th July 1850.

Letter from Dr. Wight Superintendent of Cotton Farms at Coimbatore to the Collector of Bellary dated 5th July 1850.

your letter No. 1605 of 1850, I have the honor to state in reply to the letter from the Collector of Bellary, that the action of the cotton gin in cleaning up laid or short staple cotton does not injure the fibre more than other description of machines used for separating the cotton wool from the seed. The superiority of the gin over the churkey consists in its making a cleaner cotton that is free of leaf dirt and seeds and perform a given quantity of work at a much less cost than any other process known.

2nd. In this District I have heard of no sales of saw ginned Native cotton, but in Bombay it is considered worth from 5 to 10 Rupees the candy more than the foot rolled cotton. I have often examined the saw ginned Cotton and compared it with fibre pulled of the seed by hand and the difference in length is not perceptible, and if the cotton is so badly cut as reported by the chamber of commerce, it must be owing to mismanagement of the gin not to any fault in its construction.

3. I have as requested forwarded two samples of Native cotton, one cleaned by the gin, the other by the foot roller: they were procured from a dealer at Hooblee and are fair samples.

4. In answer to the doubts expressed in the letter from Dr. Wight regarding the quantity of cotton cleaned on by the gin in this District, I have the honor to state that there is between 70 or 80 Gins at work in this District belonging to private parties. I cannot state the quantity cleaned on each machine, but those containing 14 to 20 saws clean from 700 to 900 lbs. of cuppas per diem according to the number of hours worked, the small gins of 7 saws (8 inches diameter) will clean from 350 to 400 lbs. and the improved gin of 7 saws 10 inches diameter 520 lbs. easily in 8 to 9 hours: the foregoing rates are all for native cotton, none of the gins will clean the same weight of American cotton in a day's work as a native.

5. I have a few gins at work on Government account and they clean per diem as follows:

18 saws 8 men at 2 As. each native 35 maunds of 28 lbs 980.

18 do. 8 do. 2 „ do. American 30 do. lbs 28 840.

(Signed) J. M. BLOUNT, *Supt. of Cotton Expt.*

(A true Copy.)
(Signed) C. PELLY, *Collector.*

DHARWAR, }
19th Sept. 1850{

Extract from a letter from the Superintendent of Cotton Experiment to the Collector of Bellary dated 17th September 1850.

4. I will dispatch you the four small Gins in a few days, I think you had best have them complete as a man unacquainted with their mechanism will not be able to make up the frames correctly; we have made such improvement and modification on them lately as make them more portable and I think I shall be able to get the whole on one cart. The price of the Gins is ten Rupees each above those I first sent you—which is more than compensated for in the workmanship and larger amount of work it can perform. In a day's work, say 8 or 9 hours, each Gin will clean 520 lbs. of Native Capps with three men. As much as 728 and 520 lbs. of Native and American respectively has been cleaned on one in 9 hours.

(Signed) J. M. BLOUNT, *Superint. of Cotton Expt.*

(A true Extract.)

(Signed) C. PELLY, *Collector.*

No. 1203.

Ordered that the correspondence received with the above Extract be communicated to Dr. Wight.

(Signed) T. PYCROFT, *Secretary to Government.*

FORT ST. GEORGE, }
17th December 1850. }

COIMBATORE, 9th January 1851.

From Surgeon R. WIGHT, Superintendent Cotton Farms, Coimbatore.

To T. PYCROFT Esq., Secretary to Government, Fort St. George.

Sir,—I have the honor to acknowledge the receipt of Minutes of Consultation No. 1203 under date 17th December 1850, transmitting copies of correspondence regarding the capabilities of the Dharwar Cotton Gin.

Since their receipt I have received one of the Gins and have subjected it to a moderate trial. It was worked two days 8 hours each day, the result, I regret to add, has confirmed the doubts expressed in my letter of the 4th July 1850. So unsatisfactory indeed has this been, that I almost hesitate placing it on record, after the high encomiums bestowed on these machines by the Dharwar authorities, fearing that they may repudiate my statements as being the onesided testimony of a prejudiced witness resolved to find fault. If however such a thought crosses their minds I can most truly and conscientiously assure them they are in error.

The Gin arrived on the 31st December and on the 2nd January it was brought into use. On that day the outturn of 8 hours very constant work was 200 lbs of Kuppas cleaned. On the 3rd, only the same quantity was cleaned. On the first day I paid somewhat less attention to the trial, as three well known and most steady men had been selected to make it, men who had for many months back been employed in working our gins and therefore well trained to that kind of work. On the second day I was most assiduous in my attendance, being present with them the greater part of the day, and can speak confidentially of their unremitting assiduity which was further stimulated by the knowledge that they were to be paid by contract for the work done not by daily hire.

Under ordinary circumstances I should perhaps have deemed it sufficient to report the circumstances to Mr. Pelly for the information of Messrs. Bell and Blount, but as their correspondence has been forwarded through Government I feel constrained, however unwillingly to trouble the Right Honorable the Governor in Council with my remarks, the subject moreover is an important one.

In my letter of the 4th July 1850 I ventured to express a doubt of the correctness of the report of the capabilities of the Dharwar Gin but still thought it must be very superior to ours and therefore solicited permission to get one to serve as a model by which to improve ours. Permission being granted one was applied for and obtained.

In the interval a copy of my letter was sent to Mr. Pelly and communicated to Messrs. Bell and Blount both of whom seem to feel I had almost said, displeased with me for hesitating to receive their report, which they emphatically reiterate, adducing

in support of it what seemed to me irrefragable proofs of its correctness. Under these circumstances I waited impatiently for their gin and actually stopped improvements I was making on our gins, under the conviction that they must still fall greatly short of the Dharwar model, though improved, in their working qualities, to the extent of from 40 to 45 per cent over the American model on which they were originally constructed. A 5 saw-gin (to be afterwards mentioned) for example, which under the original American construction cleaned 25 lbs. of Kuppas in an hour, afterwards on the new construction cleaned 30 lbs. in 45 minutes, thus gaining 25 per cent in time and 20 in work done.

The gin sent, possibly a very bad one, has not merely confirmed my former scepticism, it has done more, it has convinced me that with a mechanism so faulty it is incapable of sustaining a single week's work, and so far from cleaning 520 or 750 lbs. a day for a succession of days, I question if it is capable of cleaning 5,000 lbs. altogether without renewal of some parts of its driving machinery, and as regards its working capabilities I can only say that in place of 50 or 55 lbs. in 45 minutes it barely gave an average of 25 lbs. per hour during the 16 hours it was worked here.

On this subject Mr. Bell writes, "Mr. Blount will send you in a day or two four Saw Gins made in the factory of our Experiment on an improved principle. Dr. Wight may be sceptical of the capability of these little machines, I can only assure him that I saw the first of the kind, now being made for you, tried and it cleaned with two men at the wheel and one feeding 56 lbs. of seed cotton in 45 minutes. A merchant at Hooblie who bought some of the same description of Gins, has written to me that he can clean 28 maunds of country seed Cotton and 20 of New Orleans with one of them in a day the maund being 28 lbs. (that is respectively 784 and 560 lbs. per diem) Mr. Blount says the small gins of 7 saws (8 inches in diameter) will clean 350 to 400 lbs. and the improved gin of 7 saws, 10 inches diameter, 520 easily in 8 or 9 hours. The foregoing rates are all for native Cotton none of the gins will clean the same weight of American Cotton in a day's work as of Native."

In another letter he says, "The price of the Gins is 10 Rupees each above those I first sent you which is more than compensated for in the workmanship and larger amount of work it can perform. In a day's work, say 8 or 9 hours, each gin will clean 520 lbs. of Native Kuppas with 3 men. As much as 728 and 520 lbs. of Native and American respectively has been cleaned on one in 9 hours."

As regards the construction Mr. Bell writes, "The improvement effected in these gins is, that the driving which is proportionately far less heavy than that required for the large gins, and the brush

being propelled by a friction roller revolves more easily and far more rapidly than when it is turned by a band. There is no question of the superiority of the small 7 Saw Gins in every respect &c."

The above noted trials were made on the 2nd and 3rd Instant (Thursday and Friday) and on the 5th I was about to renew them but found the machine useless, the brush having ceased to act, and on closer examination I found that it was already virtually a worked out machine, as, unless I had had the means of renewing the brush machinery, it could not have ginned another pound of Cotton.

To a person unacquainted with the machine it is not easy to explain how this happened, but I trust with the aid of the accompanying diagrams to make this plain. The Diagram No. 1 is a plan of the working mechanism of the Coimbatore Gin, No. 2 that of the Dharwar Gin.

In No. 1 the circle marked S. C. is the end of the saw cylinder to which motion is conveyed from the driving wheel which moves all the rest. It turns from left to right. B is the end of the brush shaft which is turned from right to left by means of the band passing round the outer larger rim of the Cylinder-pulley and the Pulley marked P. The brush must turn in the opposite direction to the saws to sweep off the cotton from their teeth and at the same time act as a fanner to propel it into the "Lint room." To effect this double object it is made to revolve from 4 to 5 times for one revolution of the Cylinder hence the small size of its pulley. In our Gins the driving wheel is so adjusted that for each of its revolutions the Cylinder revolves about four times, and as in average driving it turns about 45 times the Cylinder must revolve about 180 times per minute. This we think ample speed perhaps too high, probably 140 would be better as being less likely to injure the Cotton.

The mechanism of the Dharwar gin is different, the object of which is to get rid of the brush band and turn the brush by friction on the supposition that is an improvement. To accomplish that the rim of the Cylinder-pulley is greatly enlarged so as to touch that of the brush. In the Diagram No. 2 the circle S. C. again represents the Cylinder-pulley, the outer one F. R. represents the large rim and B. the brush-pulley. C. L. is a Crank-Lever, one end of which is loaded to make the other act on the end of the brush shaft behind the pulley as indicated by the dotted lines. The object of this arrangement is to keep the friction Rollers in steady contact and by allowing some play to the brush shaft compensate for any slight inequalities of the surface of the friction Rollers. As in our gin, the brush revolves about four times for each revolution of the Cylinder: but the diameter of the Cylinder-pulley being much less than ours (in the proportion of 6 to 10) it revolves about $6\frac{1}{2}$ times for each revolution of the driving wheel giving a speed of about 280 revolutions of the saw per minute.

Regarding the principle of conveying motion to the brush by means of friction Rollers I am not mechanic enough to venture an opinion, but as regards the material of which they are composed, and the mode of constructing them, at least in the one sent here, I can have no hesitation in pointedly condemning both. The large friction roller 18 inches in diameter is made of a simple piece of plank and that in ours of apparently, unseasoned wood without the precaution of making it of two layers with the grain crossing to obviate literal shrinking. The consequence is, that within a week from its first exposure to the dry atmosphere of Coimbatore it had shrunk so much that the friction rollers only touched at the ends of a few of the fibres of the wood, while literally they did not approach within $\frac{2}{10}$ of an inch of each other, and at this time the transverse diameter, that is across the grain of the wood, is less by fully $\frac{3}{8}$ of an inch than the longitudinal. It is therefore no longer a circle.

The principle as worked out in this gin is open to another grave objection. During the two days work the Crank-lever though often oiled was worn to the depth of $\frac{1}{4}$ of an inch and the brush shaft to the depth of $\frac{1}{10}$ all round, at which rate three more such days would have cut through the Crank which is $\frac{3}{8}$ of an inch broad and half divided the shaft on which it acted. Full sized sketches of both are given in the Diagram. Very careful oiling might to some extent have obviated so much wear but could not materially prevent it, the friction being so very great.

Such being the defects of the mechanism employed to carry out this new application of the principle, its total failure can scarcely excite surprise. When thus disabled I removed the whole and substituted in the place of the friction rollers a driving machinery removed from one of our gins and then proceeded to test its capabilities as compared with the new Coimbatore model.

But before doing so I may advert to the fact that Mr. Bell distinctly states that he "saw one of these 7 Saw Gins clean 56 lbs of seed Cotton in 45 minutes." I cannot venture even to hint a question as to the perfect correctness of a statement so circumstantially made, but, assuming it to be literally correct, I trust I may be permitted to observe that I think it says little to the credit of Mr. H. Frost the maker to send out from his factory machines bearing so high a character untried and so very defective as I have found the one sent here.

I have just stated that I removed the friction rollers and adapted to the Dharwar Gin the mechanism of one of ours thus so far placing it exactly on a par with our Gins. Then proceeded to try its capabilities as compared with a five saw gin built about 3 years ago for location on a distant farm. That gin as originally constructed on the American

model generally cleaned about 25 lbs in the hour now it is capable of cleaning 30 lbs in 45 minutes when the driving coolies are fresh and work steadily. The Dharwar gin working side by side and most steadily driven required 52 minutes to clean the same quantity. That trial not being considered conclusive owing to some irregularities at first starting from the bands slipping, they were allowed to go on working between two and three hours until they had become perfectly steady when each was furnished with 100 lbs of Native Cotton and a fresh start given, the only difference being that the Coolies were changed to make sure that the slower performance of the morning did not originate with any inferiority of the drivers.

The 5 saws cleaned their 100 lbs in 168 minutes.

The 7 Saws required 189 to complete theirs being a difference if I have not miscalculated Saw for Saw of about 55 per cent. This I trust will be held conclusive as to the superior merits of the Coimbatore Gin as a working machine.

One other point remains to be very briefly noticed, it relates to the way they respectively finish their work. While the experiment was going on, it was noticed that the Coimbatore Gin cleaned the seed

better than the other. After it was over the two parcels of seed were weighed against each other, and the difference in favor of ours found to amount to 5 per cent. that is, the seed of 100 lbs of Kuppas, cleaned by the Coimbatore Gin, was 5 lbs lighter than that from the Dharwar Gin, owing to the latter having 5 lbs more Cotton attached to them. It thence appears that, could the gin sent here be viewed as an average one, ours is in every way superior. It works 50 per cent faster, and does its work better.


One question in regard to gins still remains to be solved it respects the speed at which they should be driven but this is an enquiry of great delicacy and many careful experiments will be required for its solution. It must therefore stand over for the present.

Apologising for the length of this letter and trusting that my remarks, which are not written in a controversial spirit and simply record facts may have the effect of leading to further improvements of the cotton Gin.


(Signed) R. WIGHT, Surgeon,
Supt. Cotton Farms.

COIMBATORE, }
9th January 1851. }

No. 1.



No. 2.



W

No. 144.

Extract from the Minutes of Consultation, under date the 11th February 1851.

Read the following letter from the Superintendent of Cotton Farms Coimbatore.

(Here enter 9th January 1851.)

Ordered that the foregoing letter from the Superintendent of Cotton Farms be communicated to the Board of Revenue in reference to the correspondence submitted with the Extract from their Proceedings of 28th November 1850 and that they be instructed to furnish copies of Dr. Wight's letter to the Collectors of Bellary and Cuddapah and to call upon them for a report upon the use which they have made of the Dharwar Cotton Gins which they were authorized to procure by Extract Minutes of Consultation of 5th January 1850 and upon the results of the working of these Gins in their Districts.

(Signed) T. PYCROFT, Secy. to Govt.

From Surgeon R. WIGHT, Superintendent Cotton Farms, Coimbatore.

To T. PYCROFT, Esq. Secretary to Government, Fort St. George.

Sir,—Subjoined I have the honor to transmit Memorandum of the disposal of the Cottage Cotton Gins which have come to this Establishment which, I trust, will be found satisfactory. I also append Copies of Correspondence with the Collector of Tinnevely which led to the transfer of six to that District.

The natives of this district I am happy to find have been watching with attention and interest the working of these little machines and a dealer has applied to me to let him have the use of some of them to gin a few Candies of Cotton thereby to learn by actual comparison in what respect they are superior to the Churka.

To this request, as being the first decided step taken by a Native to go out of the beaten track, I at once agreed on condition that the trial should be made on our premises. This condition being accepted a shed was fitted up for their reception in which 10 are now at work.

According to our experiment one gin steadily worked by two women can easily clean 100 lbs. of seed Cotton per day. At the average rate of working about 8 Churkas will be required to do the same amount of work in the same time. These 10 Gins and 20 drivers, therefore, are equal to about 80 Churkas with the further advantage that they take up but little more room in a Cottage than a Churka.

Should this trial prove satisfactory to the merchant, it is my belief the Cottage gin will soon be extensively used in this district, time being an item of so great importance in Commercial transactions.

One obstacle however remains to be got over. I allude to the impression among merchants in India

that the gin cuts the fibre of the Cotton. There can scarcely be a doubt of its being founded on error, and keeps its ground simply because they do not know how to examine ginned Cotton. The most convincing proof that I can adduce in opposition is the fact, that ginned Cotton of similar quality uniformly realizes from $\frac{3}{4}$ d to $\frac{1}{2}$ d per pound higher prices, than when Churked, in the English market.

(Signed) ROBERT WIGHT, Surgeon,

Supt. Cotton Farms.

COIMBATORE, 12th February.

Memorandum of the disposal of Cottage Cotton Gins.

Received,...	40
Sent to the Chamber of Commerce, ...	1
Sent to E. B. Thomas, Esq. Act. Prinl. Collector of Coimbatore, ...	2
Sold to Funre de Faud Clair, Esq. of Dindigul, ...	2
Sold to Lieut. Chauncey, ...	1
Sold to Captain Onslow, Mysore Government, ...	2
Sent to the Collector of Cuddapah, ...	6
Sent to the Collector of Bellary, ...	6
Transferred to C. J. Bird, Esq. Acting Collector of Tinnevely, ...	6
	—26

Remaining... 14

(Signed) ROBERT WIGHT, Surgeon,
Supt. Cotton Farms.

No. 118.

From C. J. BIRD, Esq. Acting Collector.

To Surgeon R. WIGHT, Superintendent Cotton Farms, Coimbatore.

SIR,—I have the honor to inform you that I have disposed of the three iron and one wooden Cottage saw Gins which were received from Government in April last. Two of the iron Gins were taken by Mr J. McTaggart of Tutacurin for 30 Rupees each. The 3rd iron Gin was sold to Mr. Brown of Tutacurin for 30 Rupees. The wooden Gin was disposed of also to Mr. Brown, but as I do not know the price fixed for the wooden Gin, I request you will be good enough to instruct me how much

I ought to take for it. I beg also to know in what way and at what prices the extra brushes &c., furnished with the Gins should be distributed to the purchasers.

I have had applications from Mr. McTaggart for one or two more of these Gins and Mr. David Lees who is growing American Cotton largely in this district requests me to procure for him five of the iron Cottage saw Gins.

I beg therefore to suggest that the three iron and one wooden cottage Gins now at Sevacassy may be

offered for sale, but as one or two of them arrived in a damaged state an abatement should be made in the price, also that a further supply of at least 2 sets each consisting of 3 iron and 1 wooden Cottage Saw Gins may be sent to me for distribution.

(Signed) C. J. BIRD,
Acting Collector.

Tinnevely Trichendoor, }
25th January 1851. }

From Surgeon R. WIGHT, Superintendent Cotton Farms, Coimbatore.

To C. J. BIRD, Esq. Acting Collector Tinnevely.

Sir,—I have the honor to acknowledge the receipt of your letter of the 25th ultimo and in reply enclose Copies of Correspondence regarding the price of the Cottage Gins from which you will perceive no latitude is allowed to me.

With respect to those at Sevacassy there seems no absolute objection why they should not be transferred to you, but as they may require to be replaced and as I am enabled to supply you with Gins from this Establishment in every respect perfect and whose qualities, as it occurs to me, that the more advisable course will be to transfer six or eight of them (one Bandy load) to your district to be disposed of as opportunities offer.

With regard to the spare articles, I find from a No. Memo in my Office that only those enumerated in the margin accompanied each set of 4 Gins which as regards wrenches is clearly insufficient, for unless they were ordered to be sold in sets, one ought to accompany each Gin. I shall therefore get some made and attach one to each of those I am about to send, I shall also get some more spare bands prepared as there is a person here who makes them very well, and without splice. Spare brushes I cannot supply for want of bristles which I can rarely procure when procurable, there are persons here who can make them up.

A cart conveying six iron and perhaps, one wooden gin will be dispatched about the middle of next week.

(Signed) R. WIGHT, Surgeon,
COIMBATORE, }
1st February 1851. } *Supt. Cotton Farms.*

Ordered that the foregoing letter be recorded.

Revenue Board Office, Fort St. George, 27th Nov. 1851.

No. 512.

From W. H. BAYLEY, Esq., Secretary to the Board of Revenue.

To Sir H. C. MONTGOMERY, Bart. Chief Secretary to Government.

Sir,—I am directed by the Board of Revenue to

acknowledge the receipt of Extract Minutes of Consultation 11th February 1851, enclosing copy of a communication from Dr. Wight, the Superintendent of Cotton Farms, contrasting the working of the Dharwar Cotton Saw Gins with the more favourable operation of those of Coimbatore, and directing the Board to furnish copies of that report to the Collectors of Cuddapah and Bellary, and to call upon them to state the use made of the Dharwar Cotton Gins which they had been previously authorized to procure, and the results of their working in their respective Districts.

From Cuddapah 23rd July in Cons 27th Nov. 1851, Bellary 18th Oct. in Cons. 27th Nov. 1851.

2. In reply I am directed to submit the replies of those officers to the reference made to them upon the subject.

3. In Cuddapah, six Iron Cotton Gins were procured from Coimbatore and Five Wooden ones from Dharwar, two of each were sent to the Talooks of Jummalmudooogoo and Koilgoontla, and the remainder retained in the Collector's Cutcherry. The Acting Collector, during the late Settlement, took measures publicly to show the working of those in the two Talooks mentioned, and offered to comply with any requisitions for them; and Mr. Forbes has himself also exhibited the working of the Gins in his Cutcherry, to Cotton Merchants, Ryots and others, and explained to them that the higher price they would obtain for better cleaned Cotton would counterbalance any outlay in the purchase of the Gins.

4. The inhabitants are however stated to be averse to the introduction of the Gins. 1st, On account of the extra expence they would be put to. 2dly, Because the Gins tear the fibre and render it useless for weaving, which is not so much the case with the use of the Churka; and 3dly, Because the Gins do not clean the Cotton wool off the seeds so perfectly as the Churka, but leave it adhering to the seed which their cattle will not, in that case, eat.

5. Mr. Forbes is of opinion that until some Capitalist settles on the spot to give the Ryots a practical proof that well cleaned Cotton will bring a higher price than the dirtier sort, and so induce them to feel that their interests are at stake, there is no prospect of substituting the Gin for the Churka generally throughout the District.

6. The Collector of Bellary attributes the failure of the experiment in his District partly to the want of co-operation on the part of the Ryots, but chiefly to their ignorance in using the Gin or in repairing it. Previous to the sanction of Government for the Five Dharwar Gins, which he has received but reserved for trial next year for one or two intelligent Ryots, the Collector would appear to have procured some Dharwar Gins for the wealthier Ryots, who paid for them, but who from their want of skill in using them have since been disheartened. Meantime that Officer requests early sanc-

tion for employing two Carpenters for six months, each at 17½ Rupees per mensem, to superintend the working of the Gins in the ensuing year, and to repair them when out of order; being quite satisfied that the experiment will be attended with successful results if the Gins are placed in proper hands, and that they will yield a net saving of 25 or 30 per cent. Mr. Pelly encloses copies of letters from the Collector of Dharwar and the Superintendent of the Gin Factory there, on the subject of these Gins, in which it is suggested that he should apply for an Apprentice from the Factory to train up persons to repair the Gins when out of order; on this point Mr. Pelly promises to address the Board if necessary.

7. The Board regret to notice the unfavourable results which have hitherto attended the operation of the Dharwar Gins in both the Districts of Cuddapah and Bellary, but are unwilling to abandon the experiment without giving it every reasonable trial. They therefore support Mr. Pelly's application for a further trial for one year, and for his employing the two carpenters for six months at a cost not exceeding Rs. 210-0-0, and would suggest that the Gins in Cuddapah be retained, pending the issue of the further trial in Bellary.

(Signed) W. H. BAYLEY, *Secretary.*
Revenue Board Office,
Fort St. George,
27th November 1851 }
From Cuddapah Collector's Office.
23rd July 1851.

—
No. 73.

From H. FORBES, Esq., Collector of Cuddapah.
To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort St. George.

Sir,—1. I have the honor to reply to the Extract from the Proceedings of the Board of Revenue, dated the 27th February 1851.

2. Six iron cottage saw gins have been received in this district from Coimbatore, and five wooden gins from Dharwar,—two of each kind have been sent to each of the two Talooks of Jummudoo-goo, and Koilgoontla, and the rest are in the Cuddapah Cutcherry.

3. During the late settlement in each of the two Talooks above mentioned, the Acting Collector took the opportunity of all the Ryots being collected, to show them the working of the gins, and offered to obtain any number of either sort for their use, if they expressed their willingness to have them, and to pay for them they were also subsequently shown to all the people at the Talook Cutcherry.

4. I cannot learn that any disposition was shown by the Ryots to avail themselves of this offer, and on the contrary, they appear to have been averse to the introduction of the new machines, objecting to the heavy extra expence they would be put to in working them.

5. Since I have been at Cuddapah I have

personally shown the gins now in the Cutcherry to cotton merchants, to ryots, and to others, and endeavoured to explain to them that although the extra labour of working a saw gin may be some drawback to its use, the higher price they would obtain for better cleaned Cotton, would more than counterbalance the loss. Of this however they do not seem to be convinced, and I failed entirely in my endeavour to induce them to give the question a trial.

6. The people further object to the gins that they tear the thread, and render it useless for the weaver, and on comparing the outturn of the saw Gin and the Churka, there appeared some ground for their objections, they also complained that the Gin did not clean the Cotton off the seed nearly so perfectly as the common Churka, from which they said that they lost about one sixth in quantity, and that owing to the mass of Cotton left adhering to the seed, their cattle would not eat it, and that this was therefore an additional source of loss.

7. At present I do not see any prospect of the introduction of the Gin by the mere force of argument, the people are strongly attached to their own ways, and to old customs, and have in the present case some objections to urge, which are practical, and if they stood alone would be sufficient their insufficiency would be shown if any capitalist were on the spot to give the Ryots a practical proof that well cleaned Cotton would bring a higher price than that which was dirty, and until they are thus led to feel that their interests are at stake, although any efforts shall not be relaxed, I am not sanguine of prevailing over prejudice by argument alone.

(Signed) H. FORBES, *Collector.*

CUDDAPAH,
Collector's Office,
23rd July 1851. }

Bellary Collector's Office.

18th October 1851.

—
No. 77.

From C. PELLY, Esq., Collector of Bellary.
To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort St. George.

Sir,—In reply to your letter of 9th Instant requesting me to report on the result of the working of the Dharwar Cotton Gins in this District I regret to be obliged to state that the experiment made this year with them has not been successful. But I attribute the want of success partly to the great difficulty always experienced in obtaining the cordial co-operation of the Ryot in any new experiment and partly and chiefly to their not understanding properly how to use the Machine, and to correct any thing when going wrong. I have been in communication with the Collector of Dharwar on the subject, and at his suggestion I have determined to give the Gins another trial during the Cotton season early in next year. And to confine the

experiment to one or two intelligent Ryots and I wish either to procure carpenters from Dharwar to superintend the working of the Gins and to be on the spot to correct any part of the machinery that may get out of order or to employ men hereafter being instructed at Dharwar and I hope the Board for this purpose will be so good as to obtain sanction for the employment of two Carpenters for six months on a salary of 35 Rupees per month for the two, 5 Pagodas each. I am quite satisfied that the Gins will succeed in proper hands as I know that a net saving of from 25 to 30 per cent. may be effected in using these Gins. But they must be introduced very gradually; and the success in the hands of one or two Ryots only must be fully established before attempting to distribute them more generally as done last year and by now adopting this method I hope to be able to send a more favourable report of them next year.

Trusting the very favourable and not exaggerated report of the Dharwar Cotton Gins I had procured several for the more wealthy Ryots who paid for them, but they have from want of skill in using them been disheartened. I have still the 5 sanctioned by Government on hand which I propose next year to give a fair trial to.

I beg to send copy of a letter on the subject of these Gins from the Collector of Dharwar with its enclosure from Mr. Frost the Superintendent of the work at Dharwar. I shall perhaps at a future time take into consideration the propriety of recommending to the Board the employment of one or more of the apprentices mentioned in that correspondence at present the employment of a couple of instructed carpenters to visit all the Gins distributed this year and which failed for want of this assistance is all that is needed for which I request early sanction.

(Signed) C. PELLY, *Collector*.

Dharwar Collector's Office, 13th November, 1851.

No. 1551 of 1851.

From J. S. LAW, Esq., *Collector of Dharwar*.

To C. PELLY, Esq., *Collector of Bellary*.

Sir,—In reply to your communication dated the 28th Ultimo, I have the honor to forward for your consideration the accompanying copy of a letter from the Superintendent of Cotton experiments dated the 8th instant, No. 151.

2. As some of the Districts of your Collectorate appear to be peculiarly well adapted for the cultivation of New Orleans Cotton which cannot be freed from the seed without Saw Gins I think it would be very much to be regretted if the experiments there were discontinued and I trust therefore that you may be disposed to adopt Mr. Blount's suggestion.

3. The Government of Bombay has recently sanctioned the appointment of four apprentices at Rs. 50 per mensem to be placed under Mr. Frost the Mechanic of the Gin Factory here who as soon as

they are sufficiently acquainted with the work are to be employed in other Collectorates. Perhaps on your representation the Government of Madras might be induced to sanction the appointment of at least one such apprentice who after being duly instructed here might be stationed in your Collectorate and might be expected in time to train up a body of native workmen capable of making all needful repairs to the Saw Gins.

(Signed) J. S. LAW, *Collector*.

No. 151 of 1851.

To J. S. LAW, Esq., *Collector of Dharwar*.

Sir,—With reference to the letter of the Collector of Bellary dated 28th August 1851 received under cover of your endorsements No. 1495 dated 5th September 1851, I regret to learn that the Gins have not been successfully worked and that Mr. Pelly despairs of the successful introduction of these Machines amongst the Ryots in his District.

2. The only difficulty in the way of their introduction appears to be the inability of the Ryots to alter or correct the Machine when going wrong. This difficulty might have been expected with a people so unacquainted with machinery as the Ryots and has often happens in this District but as the people are getting more used to the management of the Gin is not of so frequent occurrences as formerly. I suppose there is some prejudice also existing to the use of the Gin as was the case here, but by a perseverance in the use of the Gin I have no doubt both objections will be overcome.

3. I would therefore propose that Mr. Pelly be requested to give the Gins a further trial as I am confident the Gins will be approved of when seen properly at work.

4. As the Gins are out of order or need repairs I will as soon as the monsoon is over if requested send a workman from this establishment to do whatever is needful and put them to work and to remain there for a month or longer and during that time if a clever workman is put with him he will instruct him how to put up, repair, and work a Gin.

5. I am very anxious that the Gins should have a further trial as I am certain they will be found to answer as well as in this District where there are now owned and worked successfully by the Natives 70 of these small Gins.

(Signed) J. M. BLOUNT, *Supt. of Cotton Expts.*

(True Copy),

(Signed) J. S. LAW, *Collector*.

(True Copies),

(Signed) C. PELLY, *Collector*

DHARWAR, 8th September 1851.

No. 14.

Extract from the Minutes of Consultation under date the 6th January 1852.

Read the following letter from the Secretary to the Board of Revenue.

(Here enter 27th November 1851, No. 512.)

The Right Honorable the Governor in Council is unwilling to abandon the experiment with the Dharwar Cotton Gins until a further trial shall have been made of them and he is therefore pleased in compliance with the recommendation of the Board of Revenue to sanction Mr. Pelly's proposal for one year, on the positive understanding that the employment shall cease within that time if not resanctioned on fresh reports.

The Governor in Council grants authority for the employment by the Collector of Bellary for the purposes of the above experiment, of two carpenters for six months, at a cost not exceeding Rs. (210) two hundred and ten.

(Signed) T. PYCROFT,
Secretary to Government.

Having lately received from China a full sized Cotton Gin, I beg to offer it for the inspection and disposal of the Right Honorable the Governor in Council believing from personal observation that it is well adapted for cleaning Cotton in this country and being on the same principle as the Indian Churka, only modified and improved it would not meet with opposition from the prejudices of the natives.

This machine is so cheap, the price at Shanghai being only 1½ Rupees, that every Ryot with the smallest holding might have one in his possession.

It is so simple as to be easily constructed or repaired by a common village Carpenter, it is easily worked capable of cleaning 100 lbs. of seed Cotton daily and can be worked inside the house, thus giving employment to the women and children of the Ryot's family and admitting of the cotton being, according to the Chinese practice, cleaned the same morning on which gathered, before the fibres have dried and adhered to the seed, whereby the more easy separation of the seed from the cotton, fibre is ensured and if cleaned by the family of the ryot then on account of the additional trouble in cleaning the cotton, the ryot would probably be more careful when gathering the cotton to prevent the admixture of leaves, earth, sticks, &c. and other foreign substances to the great depreciation of our cotton, the value of the article would thus be enhanced to the ryot as the first buyer might then give a higher rate for the article as he would be able to distinguish the cotton which had been well cleaned, and the ryots finding it to their interest to bring perfectly cleaned cotton to market, might probably be induced to cultivate a superior description of cotton, always the Indian Cotton to be really of an inferior kind.

So perfect is the system in China of cleaning Cotton by this simple machine, that in all the hamlets round about Shanghai, in the neighbourhood of which the fine Cotton named Nankin Cotton is ex-

tensively grown, and during the Cotton producing season the poorest Chinaman will be seen carrying his Cotton gathered from his own fields cleaned by his own family to the receiving House, opened for the season by the Merchant; there it is at once weighed without the bag containing the cotton being even opened, and the owner then and there paid by a Cheque on a Banker, without any doubt being entertained of the Cotton not being clean. Limited as our trials have been at Madras, yet as several parties have turned the machine, there is no doubt that very little teaching and constant practice will soon render the young girls or boys of a family quite perfect in the use of this machine, and I hope it may supply a great want in our cotton districts, and aid our ryots in improving one of our most important articles of commerce.

(Signed) G. BALFOUR, Major.

Description and Instructions for the use of the Chinese Cotton Gin.

The Gin consists of two rollers, one of Iron and one of hard wood such as, Ache Ebony, Satin, both about 9 or 10 inches in length, the former one inch in diameter; and the latter about three quarters of an inch. The ends of the rollers rest on a wooden stand and they are placed horizontally one above the other, the iron one uppermost, with only sufficient space between to admit of the Cotton fibres passing, and preventing the passage of the seed.

The wooden stand supporting the rollers, is of sufficient height to admit of the machine being easily worked, as is done in China, by a boy or girl sitting on a three legged stool, and is on a sufficiently wide base, and of sufficient weight, to keep it steady when the rollers are in motion.

Attached to one end of the wooden roller is a small crank handle by which the rollers are turned the handle part about three inches, and the Crank six inches long.—At the opposite end of the rollers is a fly bar and the axis on which it turns is a projection about six inches from the iron roller, and at the end of this axis and outside the fly bar is placed small iron ring, to which is attached a string, communicating with a treddle fixed on a moveable joint at the base of the stand, and within four or five inches of the ground.

At each side of the rollers and in the stand there are two small reservoirs, one for receiving the cotton with the seed, before being cleaned, and the other for receiving the cotton when cleaned, and after passing between the rollers; the seed then falling back into the first reservoir and the cotton without the seed into the opposite reservoir.

When the cleaned cotton reservoir becomes full, the cotton is transferred to a bag the mouth of which is always kept closed to prevent the entrance of dust, but the seed reservoir seldom requires emptying during the day's work.

The worker of the machine being seated at the side with his face to the fly bar turns the crank

handle with his right hand, from right to left; whilst with the left he feeds the machine with cotton, and with his left foot on the treddle keeps in motion the fly bar, which revolves in the contrary direction to the handle. The main use of the treddle is to ensure the fly bar revolving in case it should be checked by the rollers being jammed up with cotton, but the foot should be applied to the treddle, as seldom as possible and this is a criterion of the machine being in an efficient working state.

Considerable power over the machine is acquired by standing up to work it; and it admits of frequent changes of hands by shifting from one side of the machine to the other. In order to keep the iron clean nothing more is required than to rub it with Cotton after it has been used, so as to make the iron perfectly bright, but care must be taken to keep it entirely free from rust; otherwise the rust will be liable to entangle the fibre round the rollers.

The chief points to be attended to in the use of the machine are cleanliness in the iron roller and the immediate cleaning of the cotton when gathered.

Some instruction should be given to the ryot before using the machine and one man well taught before distributing the Cotton Gins, otherwise difficulties may be experienced which are not found to exist in China where the machine is in common use in every cottage. Considering that the value of the Cotton sent from India to China is about 250 Lakhs and that an increase to the Madras Trade might be effected if we could supply a better cleaned article for commerce, I hope every endeavour will be used to introduce this simple, cheap and efficient Cotton Gin amongst the ryots of this country, and to give it a fair trial in its present state, either condemning or trying to improve upon it.

(Signed) G. BALFOUR, Major.

No. 481.

Extract from the Minutes of Consultation under date the 27th May, 1852.

Read the following Memo. from Major G. Balfour.

(Here enter May, 1852.)

No. 2. Ordered that ten sets of the China Cotton

Bellary.
Cuddapah.
Madura.
Tinnevely.
Coimbatore.

cleaning machine presented by Major Balfour be made up at the Arsenal and forwarded to the Collectors of the Districts noted in the margin

with a request that they will exhibit them to the natives of their District or if necessary have others made for distribution in the principal cotton villages and that a trial be made of the efficiency of the machine and the results reported to Government at the end of a year.

Ordered that one Gin be forwarded to Dr. Wight.

Ordered also that copies of Major Balfour's

Memo. be printed and circulated to the Collectors to whom the Gins, to be made in the Arsenal, are sent, and that a Memo. explaining the way of working the machine be prepared in the Arsenal also to be printed and circulated with the Gin.

Ordered that the following letter be addressed

To Major G. BALFOUR.

(Here enter — May, 1852.)

(Signed) H. C. M.

No. 482.

To Major G. BALFOUR.

Sir,—I am directed to acknowledge the receipt of a China Cotton Gin presented by you to Government together with a Memo. explanatory of its use and efficiency and in forwarding to you Extract Minutes of Consultation of this day's date to convey to you the acknowledgements of the Right Honorable the Governor in Council.

FORT ST. GEORGE, } (Signed) H. C. M.

27th May, 1852 }

MEMORANDUM.

Major Balfour begs to recommend to the Chief Secretary to Government to authorize two cotton clearing Gins of the Pattern in use in China to be sent to Messrs Longshaw and Co. who are a Firm from Manchester located in Tinnevely to obtain supplies of cotton for the Home market.

With the permission of the Chief Secretary Major B. will place with the Records of the Cotton Reports on the experiments, the application forwarded by Messrs Longshaw and Co. and also with it the reply which Major Balfour will make to the Firm and in which Major B. will offer some suggestions about the cotton.

As an improvement to the Cotton Gin Major B. suggests applying two small Cog Wheels which appear to improve its working and one of the Gins sent to Messrs. Longshaw and Co. might be supplied with these Wheels.

Major Pears, C. B. having applied for a cotton Gin, Major Balfour begs to recommend that two be sent to him, one with, and one without the Cog Wheels.

Probably it might be advisable to address Messrs. Longshaw and Co. and Major Pears, C. B. requesting that the results of the experiments with the Gins may be reported for the information of Government, the former communicating through the Collector of Tinnevely, and the latter direct to the Chief Secretary.

Major Balfour hopes the Government will allow the Arsenal to make up and supply to the Museum two of the Gins, one with and one without the Cog wheels.

Major Balfour recommends the republication of the Memorandum with an addition to it describing the improved Gin.

(Signed) G. BALFOUR, Major.

18th September 1852.

No. 975.

Extract from the Minutes of Consultation under date the 2nd October 1852.

Read the following Memo. from Major Balfour.

Here enter 18th September 1852.

As suggested by Major Balfour in the above Memo; the Right Honorable the Governor in Council resolves to direct that 6 sets of the China Cotton cleaning machine be made up at the Arsenal and distributed as follows:

- 2 Sets for Messrs. Longshaw and Co. at Tinnevely to be sent through the Collector of the District, one of which sets will be supplied with Cog wheels.
- 2 Sets, viz., one with and the other without Cog wheels for Major Pears, c. B.
- 2 Sets (as above) for the Museum.

2. The Government see no objection to Major Balfour placing with the records of the Reports on Cotton Experiments, Messrs. Longshaw's application and his reply.

3. The Government consider it very desirable to have reports on the results of the Experiments with these Gins and will apply for them to Major Pears, and through the Collector of Tinnevely to Messrs. Longshaw and Co.

4. Major Balfour will be pleased to furnish a copy of the Memorandum referred to in the last para when orders will be issued for its being printed.

(Signed) H. C. MONTGOMERY.

No. 482.

From B. CUNLIFFE, Esq., Acting Secretary to the Board of Revenue.

To Sir H. C. MONTGOMERY, Bart. Chief Secretary to Government.

Rev. Dept.

F. Bellary 30th Sepr. in cons. 10th Octr. 1853.

F. Cuddapah 30th July in cons. 11th Augt. 1853.

F. Madura 25th Augt. in cons. 1st Sept. 1853.

F. Tinnevely 9th Augt. in cons. 15th Augt. 1853.

F. Coimbatore 1st in cons. 8th Augt. 1853.

machines were forwarded for trial.

2. The Collector of Cuddapah represents that he is unable, at present, to furnish his report on the Cotton cleaning machines, as he has not yet been able to see their working, owing, it would appear, to there being no one in the district who can put them in order. Mr. Murray has written to Major Balfour for directions, but has not yet received a reply. The Board have also addressed Major Balfour on the subject.

3. The Collectors of the remaining four Districts report unfavorably of the machines, as the natives prefer the common country Churka, which is more

simple in structure, less expensive, more effective in working, and cleans a larger quantity of Cotton than the China machines.

4. The Collector of Tinnevely has furnished two very full reports from Mr. Cuxton, late in charge of the Gin House at Sevacassy in which the failure of the machines is attributed to the iron roller continually ceasing to revolve.

5. The Collector of Coimbatore states that he believes Dr. Wight also tried the machine, and was unsuccessful in introducing it.

Revenue Board Office, } (Signed) B. CUNLIFFE,
Fort St. George, } Ag. Secretary.
24th October 1853. }

No. 58.

From C. PELLY, Esquire, Collector of Bellary.

To B. CUNLIFFE, Esquire, Acting Secretary to the Board of Revenue, Fort Saint George.

Sir,—With reference to the Extract from the Minutes of Consultation under date the 27th May 1852 communicated in the Extract from the Proceedings of the Board of Revenue dated 14th June 1852 directing two sets of the China Cotton cleaning machines prepared by Major Balfour to be forwarded to me, and requesting that a trial be made in this District of the efficiency of the same and the result reported to Government at the end of a year and the letter of the Secretary to the Board dated 25th July 1853, calling for the above information, I have the honor to state that immediately on receipt at the end of last year of the machines together with a printed copy of Major Balfour's Memo: and a Memo: explaining the way of working the machine, I at the time of Jummabundy settlement for Fusly 1262 caused the machine to be shown to the ryots and others and the manner of working it explained to them and sent orders to the Talooks regarding the same.

I caused four cotton gins such as the two sent here to be made up at the rate of 4 Rupees each and made them over to some people of the principal cotton villages. But the machine does not seem yet to take, for ryots of other villages have not made up any of the Machines themselves in consequence partly of its being difficult to make them up in the villages, nor made application for them owing probably to their being too expensive and the advantage of them over their own not sufficiently established. The cotton cleaning machines that are commonly used in this District are procurable at four annas each and are worked with ease by both men and women. The China Gin is new to them and it must be left to time to see whether the people will approve of them. Encouragement will still be given to the people to give them a fair trial.

Bellary Collector's Office, } (Signed) C. PELLY,
on Circuit at Anantapoor, } Collector.
30th Sepr. 1853. }

No 66.

From M. MURRAY, Esq., Acting Collector of Cuddapah.

To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort Saint George.

Sir,—1. With reference to your letter of the 25th Instant, I have the honor to inform you that I regret exceedingly that it is at present out of my power to furnish you with the report called for in Minutes of Consultation dated the 27th May 1852, as I have not been able to see the working of Major Balfour's cleaning Cotton Machines.

2. On the receipt of those Machines, an attempt was made to put them in order, which no one has yet been able to do. A letter was in consequence forwarded to Major Balfour on the 11th September 1852, explaining the difficulty in making the roller revolve by means of the fly bar, and requesting that he would forward a drawing of the machine in work, with any further directions for working the flybar and treddle that he might be able to furnish; to this request no answer has yet been received, although daily expected. I therefore request you will, under the sanction of the Board of Revenue, apply to Major Balfour for the necessary information, together with the drawing, and furnish it to me at your earliest convenience. On receipt of which, a report will be forwarded without delay.

Cuddapah District Collr. } (Signed) M. MURRAY,
Cutcherry, 30th July 1853. } Acting Collector.

No. 1705.

Extract from the Proceedings of the Board of Revenue under date the 11th September 1853.

The Board resolve to forward a copy of the above letter to Major Balfour, with an intimation that they will be happy to be the medium of any communication which he may be desirous of making to the Acting Collector of Cuddapah, respecting his Cotton cleaning machine.

(Signed) W. H. BAYLEY, Secretary.

No. 88.

From T. CLARKE, Esq., Ag. Collr. of Madura.

To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort Saint George.

1. Sir,—In reply to your letter of the 25th Ultimo I have the honor to report that the China Cotton Gins received with Extract from the Proceedings of the Board of Revenue dated 14th June 1852 have not been approved by the Natives of this District who prefer the native cleaning machine already in use among them as more simple in structure, more effective in working and cheaper than the China one.

2. The machine as soon as received was exhibited to many Natives in Madura and circulated in the Cotton growing Villages of this part of the District in the Sub Division. I myself exhibited

and explained to the people its structure and way of working it, and was always told that if the expense of making and the impossibility of repairing it had not proved effectual bars to its general introduction, the difficulty in working it and the small quantity of cotton cleaned by it as compared with the common country Gin rendered them averse to adapt it.

3. Mr. Fischer the Moottadar of Salem also examined the Machine and made some alteration in it to adopt it to the use of the natives of this part of the country. He has kindly favored me with a report of the success attending his effort to introduce it among the cotton growers employed by him with his own opinion on the machine itself. I do myself the honor of forwarding a copy of his communication for the information of Government.

MADURA, } (Signed) T. CLARKE,
25th August 1853. } Acting Collector.

From G. F. FISCHER, Esq. Salem.

To T. CLARKE, Esq. Acting Collector of Madura.

Sir,—I have the honor to acknowledge the receipt yesterday of your letter of the 6th Instant.

I had a "China cotton Gin" very correctly made, after the muster of the one sent to the Madura Cutcherry, and afterwards improved it by enabling the party working it to sit down and have given it a very fair trial but it is so expensive,* costing 8 or 10 times as much as the common country Gin, requiring 2 people to work it and not doing by any means twice the quantity

of work, and that it is not so easily repaired or adjusted as the country Gin when it gets out of order; and for these reasons it has been condemned and given up.

(Signed) G. F. FISCHER,

(True Copy)

(Signed) T. CLARKE, Acting Collector.

SALEM, 15th August 1853.

No. 167.

From C. J. BIRD, Esq., Collector.

To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort St. George.

Sir,—With reference to Extract from Minutes of Consultation dated the 27th May circulated with the Board's Proceedings of 14th June last, I have the honor to forward for the information of Government copies of 2 letters* from Mr. Cuxton, late in charge of the Gin House, at

* Dated 1st March and 30th July 1853. Sevacassey, explaining the result of the trial made of the

efficiency of Major Balfour's Cotton cleaning Machine therein mentioned, and to inform you that of the 2 sets sent to this District, the one tried by Mr. Cuxton is now at Sevacassey, the other was retained at my Huzzoor Cutcherry at Tinnevely

and attempts were made two or three times after its arrival to put it on operation but without success. The failure was similar to what Mr. Cuxton describes, the iron roller continually ceased to revolve.

(Signed) C. J. BIRD,

TINNEVELLY, SEVACASSEY, } Collector.
9th August 1853. }

To C. J. BIRD Esq., Collector of Tinnevelly.

Sir,—I regret to be obliged to inform you that my Chinese Churka, notwithstanding it worked tolerably well for a time has now lost its working qualities. It was in working order when you were here a short while ago, and for some days after I had it at work in the Gin House by my Maistry and also took it into the Village to the Churkaing godowns whereas it was then working well, it attracted the attention of the people. But its working propensities do not seem to be of a lasting nature, and it gradually began to work slower and slower until at last it has come to the old story of the iron roller stopping. As the machine now stands there is no perceptible cause or obstruction on account of which the iron roller should stop as it does, and as no coaxing nor management of mine has succeeded, in getting it into working order, I have given up the machine in thorough disgust and despair. A clever blacksmith from Madura whom I have lately been employing here heard a few days ago of a Churka similar to mine being at work at Virdooputty and asked permission to go across and see it. I was but too glad of the circumstance and told him to go over and carefully examine the machine. The accounts he brought back were as follows. It would appear that Mr. Parker at Madura being in possession of one of the Churkas similar to mine gave it over to some Shanar people at Madura to make trial of it. I am informed that they tried and very soon gave it up in disgust from the same fault of the iron roller not working. They afterwards built a machine of the same sort, *lowe*, and by means of iron nuts attached to each roller, on which (within the compass of an inch) they filed out the endless screw heads such as they have on the common churka, I am informed the machine works well and both rollers keep on revolving regularly. They have also beside the fly bar to attach to the iron roller, but when the Smith saw it at work, they were working it without the fly bar on. It strikes me that without some such little assistance as a *small extent* of the endless screw head on each roller the machine as it is at present will not, or at least, does not seem to answer. I have myself spared no pains or attention to the machine as I have been much interested with it and was hoping that it would answer the purpose it was sent for, and supercede the common imperfect and slow working native churka. If you should think fit to

sanction my experimenting with the screw attached to each roller, I shall be glad to have it done as carefully and as economically as I can. The churka of the Shanar man was I believe built at Madura, and as he has friends and agents in business at Virdooputty and Arapoocotta he sent it down to them to try it in their churkaing godowns, and I believe it is eventually to go on to Arapoocotta. I should have made this communication to you earlier, had it not been that I have been laid up with an attack of bilious fever for the last 15 days, but now by the grace of a kind Providence, and the help of a few medicines I happened to have on hand, I have come round again reduced and still weak.

(Signed) R. M. CUXTON.

(True Copy.)

(Signed) C. J. BIRD.

SEVACAUSEY, } Collector.
21st March 1853. }

To C. J. BIRD, Esquire, Collector of Tinnevelly.

Sir,—I herewith beg to forward my report about the China Cotton cleaning Machine. As the result of a great deal of attention and trouble taken on my part with the machine in question. I am disposed to say that all the goodness and capabilities for work &c. of the machine lies no where more strongly displayed or developed than in the paper of instructions which accompanies it, as the machine itself I have found to be the most teasing and tantalizing one imaginable, inasmuch as it would work well for a while and then break off again, by the iron roller not continuing to revolve freely, as at times. I have, however, had the good luck to have it working properly at times during which period I have shewn it to the cotton cleaners of this place, and allowed them to handle and work the machine in my presence in their cotton cleaning houses. During even its best times however it could not compete with the common Churka for quickness or nicety of work, although it worked much easier than the common Churka. This has been tried by the two machines working side by side, on an equal quantity of cotton weighed out to each. On the cotton cleaners suggesting that an iron roller more proportionate to the wood one (than the small one originally sent) might be tried. I got one made up at my own cost. This likewise worked well and easily for a while until at last it also took to stopping every now and again, and this not from getting jammed by cotton, or any other perceptible cause, I was compelled at last from being unable to counteract this stopping of the iron roller to give up working at the machine. I have found that during the time it worked well, the use of treddle could be totally dispensed with.

I also beg to point out what seems to me some

discrepancies between the instructions and the capabilities of the machine. The paper of instructions makes the iron larger than the wood roller which is I fancy a mistake, neither were they as 1 inch diameter (which should be the wood) to $\frac{3}{4}$ inch diameter the iron, for as sent, the iron roller seemed very disproportionate to the wood one, and by referring to the accompanying slip of paper it will be seen than 1, and $\frac{3}{4}$ inches (diam) are by no means disproportionate dimensions for 2 rollers. Another discrepancy is the statement that from the machine "being on a sufficiently wide base, and of a sufficient weight" this was enough to keep it steady when the rollers are in motion which I beg to state I have not found to be the case on the whole the paper of instructions is very plausibly drawn out, but my best exertions have not succeeded in developing its many good qualities. The experiment on the rollers with the screw as sanctioned by you has been completed and I have had the machine at work at times as I could spare the services of my Maistry for the purpose. The result is that the two rollers revolve freely together now, and I would suggest that it should be handed over to any one of the cotton cleaners of Sevacausey for continual use in order to improve and bring it into good working order.

(Signed) R. M. CUXTON,

(True Copy)

(Signed) C. J. BIRD, *Collector.*

SEVACAUSEY, 30th July 1853.

No. 58.

From E. B. THOMAS, Esq., Collector of Coimbatore.
To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort St. George.

Sir,—In reply to your letter of the 25th Ultimo, I beg to inform you that the Cotton cleaning machine forwarded by Major Balfour has not succeeded as I had hoped it might. The common Native Churka, (of which it seems only a slight modifications in principle, though differing in shape) admits of being worked sitting on the ground, while Major Balfour's requires sitting on a stool, and the use of the foot also to which the Indian women, who alone clean cotton, are not inclined or accustomed at present. Dr. Wight also tried it, and I believe was unsuccessful in introducing it.

(Signed) E. B. THOMAS,

COIMBATORE, }

Collector.

1st August 1853. }

Ordered that the foregoing letter be recorded.

No. 109.

Extract from the Proceedings of the Board of Revenue, dated 13th March 1854.

Read letter dated 26th December 1853 from the Collector of Bellary, reporting upon the working of the Dharwar Cotton Gins.

In Cons. 13th March 1854.

(Here enter No. 87.)

Resolved that the letter above recorded be submitted for the information and orders of the Right Honorable the Governor in Council, with reference to Extract Minutes of Consultation dated 18th October 1853.

2. In the order of Government just quoted, the Collector of Bellary was required to explain his omission in not forwarding a report upon the working of the Gins at the close of the year for which they were sanctioned, and to state what use is now being made of them whether the services of a Carpenter from Dharwar are required and if so, for what period. The Government also wished to know if any of the machines are being worked in the Cud-dapah District and with what results.

3. In regard to the delay commented on, Mr. Pelly explains that the experiments with the Gins were tried only for 6 months in 1852, instead of a full year as authorized by Government; and that

6th January 1852.

therefore be deferred making a report till a further trial had been made; and that the delay has entailed no expense to the state.

4. The reports that 4 Gins were procured in all from Dharwar from the time the experiment commenced, and the two of these having been taken by the Commissioner of Kurnool and the Cotton Superintendent of Coimbatore, the remaining twelve were sold to native Merchants in the District without charge to Government, six of the machines being taken by Bussavangowd and Narrain Reddy, two wealthy residents in the Gooliem Talook. The Gins were used for a short time, but as they got out of order and no one was at hand to put them in repair, they were gradually disused, with the exception of those in the possession of the Gooliem Reddies, who employed a Dharwar carpenter at their own expense to keep the machines in repair, and worked them with considerable profit. The quantity of Cotton cleaned by these machines in 1852 and 1853 amounted to 2,016 maunds.

5. But the heavy outlay required for the purchase of the Saw Gins and the necessity of keeping them in working order (for which the necessary skill is not always available in the District) have hitherto retarded the general employment of these machines by the Ryots. The Collector however observes that as their use becomes better known, they will be more sought after, provided measures are adopted for instructing the local carpenters in the method of repairing them when put out of order.

6. For the furtherance of this object, the Services of one man from Dharwar as proposed by the Bombay Government would be hardly effectual Mr. Pelly therefore recommends an expenditure of 1260 Rupees to be laid out as follows.

Enclosure in from Government 18th October 1853.

	Rs.
Pay of 6 Apprentices to be sent to Dharwar to be instructed in the use and repair of the Gins at 10 Rupees each per mensem for 3 months. - - - - -	180
Pay of 12 qualified carpenters to be employed after the return of the former to the District for 6 months at 15 Rupees each, - - - - -	1,080
Total Rupees...	1,260

7. As the expenditure sanctioned in Extract Minutes of Consultation dated 6th January 1852 has not been availed of, and is on too limited a scale to effect much good, the Board of Revenue beg to recommend that the Collector may be authorized to incur the above expense of 1260 Rupees in the mode proposed, should he be able to find men willing to proceed to Dharwar for instruction. It will be observed that the superiority of the Saw Gin over the common churka of the country for the purpose of cleaning cotton is considered to be established, and that it only requires the capital to purchase and the skill and means of keeping it in repair to bring it into general use by the people.

8. The Board have not received a report from the Collector of Cuddapah to enable them to reply to the last clause of the order of Government, but that officer has promised to supply the information called for at an early period.

(A true Extract.)

(Signed.) W. H. BAYLEY,
Secretary.

No. 87.

From C. PELLY, Esq., Collector of Bellary.
To W. H. BAYLEY, Esq., Secretary to the Board of Revenue, Fort St. George.

Sir,—With reference to the Extract from the Proceedings of the Board of Revenue dated 2nd November 1853 forwarding copy of Extract from the Minutes of Consultation under date the 18th October 1853 in which it is observed that authority was given for the employment of two Carpenters for six months in this District for the purpose of the Experiment with the Dharwar Cotton Gins for another year as sanctioned by Government in their Extract Minutes of Consultation of the 6th January 1852 and that no report, as directed, was made after the expiration of the year of the result of the experiment and I am directed to be called upon to account for the omission and to explain what use is now being made of these Cotton Gins here whether the services of a Carpenter from Dharwar are required, and if so, for what period.

2. In reply, I have the honor to state that my not having submitted a report, as directed, is not from inattention to the order. But I deferred doing so to allow of a sufficient time for testing the experiment, it having been tried for six months only

in last year during the Cotton cleaning Season in the hope of being better able to make a satisfactory report as the Government had allowed a full year's Experiment, and as no expense has been incurred by Government, I trust I shall be pardoned for having deferred sending a Report on the subject.

3. From the time the Experiment of the Dharwar Gins commenced 14 Cotton Gins have been procured from Dharwar with the view to extending their use in the District; one of them was taken by the Commissioner of Kurnool and another by the Cotton Superintendent of Coimbatore the remaining 12 were taken by some of the more wealthy Cotton cultivators of the District without charge to Government.

1—By Mohodeen, a shop keeper at Bellary.

1—Goodadha Veerapah of Hirrayhadagalee in the Hoonenahadagally Talook.

2—One by Toombalabeedoo Kyroopalapa and the other by Madganoor Jumbana in the Adonie Talook.

6—Two small and one large (cost at 200 Rs.) by Holalagoondy Bussavanagoud and the other three as above by Joharapoor Narrainreddy of the Goollem Talook.

1—By Konakondla Iyanagoud of the Gooty Talook.

1—By Mullareddy garee Samerreddy and 7 others of Kasanoor in the Tandepatry Talook.

12 Total.

The price of the smaller Gins consisting of 6 saws each was 50 Rupees, and of the two larger Gins which contain 18 saws, each 200 Rupees, the amount has been all paid to the Collector of Dharwar.

4. The Gins were used for a short time but through ignorance and inability to put them into working trim when out of order the use of the Gins ceased, and the people were discouraged. To overcome the difficulty I represented the matter and obtained the sanction of Government to disburse 210 Rs. for the employment of 2 carpenters for 6 months. But in the mean time two wealthy Reddies of the Goollem Talook who were very desirous to try the experiment with the Dharwar Gins requested me to procure them an experienced carpenter offering to pay him themselves and I accordingly got one for them from Dharwar in Fuslies 1261, and 1262. The Reddies employed this carpenter for the time they required

Fusly,..... 1261 1262
Year,..... 1852 1853

	Maunds.
Narrain Reddy,	216 600
Basava nagound,	500 700
	<hr/> 716 1,300

his services on a monthly salary of 15 Rupees, and Batta at the rate of 3 annas per diem, and carried on the business with him for two seasons they succeeded in cleaning 716 Maunds with the 4 smaller Gins in the first year and 1300 Maunds with the 2 large Gins in the 2nd year. These two Reddies are

willing to employ the Carpenter in future.

5. The Cotton thus cleaned by the Darwar Gins was sold at Bangalore and Madras and realized a better price than cotton cleaned by the common churka, but not more (as stated by these Reddies) than about 3 to 4 per cent. The cost of cleaning by the Dharwar Gin is however much less but the expensive hire of the Carpenter swallows up much of the profit.

6. And the profit that remains with the attendant risks and heavy outlay for first cost of Gins is not sufficient to induce the ryots generally to adopt these Gins: seeing this I refrained from taking further measures to endeavour to promote the more general use of these Gins immediately, preferring to let the advantages develop themselves gradually. It must be left to time. The two Reddies have found them to answer to a certain extent, and they are willing to continue to use them if in the end they find them to be really profitable others will follow their example, and as they were in a position to pay the Carpenter themselves I refrained from making use of the sum sanctioned by Government. But it is obvious that the success of the Gins is dependent as any other machine more or less complicated must be upon the means at hand to keep them in a proper working state, in short the working of the Gins must depend upon the Carpenter, if he is not to be had, the work is at stand.

7. To remedy this evil and to enable a few of the more wealthy ryots only to use the machines, a certainty of being able at all times to command the services of experienced carpenters appears to me an essential point to be first gained. To depend upon the uncertainty of obtaining one or two carpenters from Dharwar on high salary at the time required is not sufficient. We must endeavour to train some dozen or more of the carpenters of the District to the business, and I would now recommend that Government, if they are disposed to give their further aid in promoting the use of these undoubtedly valuable machines in this District, should give that aid in expending a sum of money in training Bellary carpenters to the work at the work-shops in Dharwar after being properly trained there they would return to the district and be always available to render their services to any ryot who should require them at a more moderate cost, and they would train their sons and others also to the work. I may find difficulty in procuring proper carpenter for the purpose willing to undergo an apprenticeship at Dharwar. But I hope to be able to procure 6 men, the cost for training them would be about 180 Rupees, and they could train 12 more at a cost of 1080 Rupees for the sum amounting to 1260 Rupees the sanction of Government is necessary as follows:

180 0 0 Pay of 6 men for the purpose of procuring to Dharwar to be there trained at 10 Rupees each per month for the period of 3 months.

1080 0 0 Pay of 12 men trained here by the above parties after their return at 15 Rupees each per month for the period of 6 months.

1260 0 0 One thousand two hundred and sixty.

8. It is certain that the Gins when properly handled are remunerative the two Reddies above referred to prove this by the fact of their requesting me this year to procure for them the two large sized Gins of 18 saws, each of which cost 200 Rupees at Dharwar, and which had never been before introduced into Bellary when they already had 4 of the smaller Gins and by the fact, that they are quite satisfied to go on with the operation this year. Their example will probably in due course stimulate others. But others will not be able to undertake the work unless they can easily procure carpenters, and therefore I think the most desirable mode in which the assistance of Government can be given is by training men of Bellary in the manufacture, repair and use of the Gins and for this reason I would beg to recommend that sanction be granted for the disbursement of 1260 Rupees in the manner proposed should I be able to avail myself of it. I am of opinion that these machines may be introduced to a greater extent with advantage But at the same time I do not think they will be generally used by the ryots but their use will be confined to the wealthier class of ryots only.

(Signed) C. PELLY,
Collector.

BELLARY, Collector's Office }
date: 26th Dec. 1853. }

No. 450.

Extract from the Minutes of Consultation under date the 20th April 1854.

Read the following Extract from the Proceedings of the Board of Revenue.

(Here enter 13th March 1854, No. 109.)

Under the circumstances represented by the Collector of Bellary in his Report of the 15th December last upon the working of the Darwar saw Gins in his District and at the recommendation of the Board of Revenue, the Right Honorable the Governor in Council sanctions the employment of a temporary Establishment as per Margin for the purpose of instructing the people in the use and repair of these Machines and at a total cost of Rupees (1260) one thousand two hundred and sixty which will be in lieu of that authorized in Extract Minutes of Consultation 6th January 1852.

(Signed) T. PYCROFT.
Secy. to Govt.

No. 207.

From C. J. BIRD, Esq., Collector.

To Sir H. C. MONTGOMERY, Bart. Chief Secretary
to Government, Fort St. George.

Sir,—1. With reference to the correspondence noted in the margin, I have the honor to submit copy of a report* received from Mr. Lees at Trichundoor on the results of his experiments with the two Cotton Gins made over to him agreeably to the instructions of Government.

2. From this report as well as those of Mr. Cuxton, copies of which were submitted to the Board of Revenue on the 9th August 1853 for transmission to Government, it will be seen that the instruments in question is not found to answer in this Province.

3. As Mr. Lees has relinquished his attempt to grow New Orleans Cotton, and is about to return to England the Gins will be kept under my charge until any use may be found for them.

I have the honor to be, &c.,

(Signed) C. J. BIRD.

Collector.

TINNEVELLY, TENCASEY, }
11th July, 1854. }

To C. J. BIRD Esq. Collector of Tinnevelly.

Sir,—I promised a few days ago to give you the results of my trial of the Chinese Cotton Churka.

It was with great difficulty I succeeded in getting the women to work it, for any length of time.

They complain that they could not get it to steep the seed clean.

The only fair experiment I gave it was upon some Native Cotton.

One Woman turned out $1\frac{1}{2}$ lb of clean Cotton, working six hours for which she received 11 pice (Eleven). This was her best days work.

The upper roller which is of steel appears too smooth, it would certainly be an improvement to have that roller very finely fluted.

One great drawback to the machine in its present form, ever becoming much used in this District, is that a woman cannot sit to her work, as she usually does to the country Churka.

I have lately been ginning Sea Islands and Egyptian Cotton and have tried both through this machine, with very poor results.

The women work much better with the country Churka and get through a greater quantity per day with less fatigue whilst they are turning out 2 lb with the Chinese machine they turn out 5 lb with their own country Churka. The machine in its present construction is very much more difficult to work than the country Churka. But it might be made very much lighter.

I shall have much pleasure in handing over to you or to any one you name, the two machines which I have for further experiments or use.

Believe me to remain

Your obedient servant,

(Signed) W. ARTHUR LEES.

TRICHENDOO, }
7th July 1854. }

(True Copy)

(Signed) C. J. BIRD.

Collector.

Ordered that the foregoing letter be recorded.

(True Copies)

M. NORMAN.

Deputy Secretary to Government.

APPENDIX B.

No 505.

To the INSPECTOR GENERAL of Ordnance and Magazines, Fort Saint George.

Sir, With reference to your Resolution No. 862 of 4th instant, I have the honor to submit the following remarks.

Previous to the year 1855, no Hammers appear to have been used in the Bangalore Arsenal for welding or working iron; but those of the ordinary description weighing from twelve to fourteen pounds,

2nd. In consequence of the failure of several 4 inch square iron axles, belonging to 8 inch iron Howitzer wrought Iron Carriages, during the year 1855, I applied to and obtained permission from the Military Board to make an axle on a principle differing from that before followed my plan was to weld together, layers of flat iron 4×1 inch, of the full length required by which means, I hoped to ensure solidity throughout the entire axle including the shoulders. The result of my experiment was, as you are aware, in the highest degree satisfactory, all attempts to break the axle during its severe proof having failed. Regarding the hammers used in its construction, I quote as follows from my letter No. 519 of 21st June 1855 addressed to the Secretary Military Board. "In working the iron with the ordinary Sledge Hammers of from twelve to fourteen pounds, I found little or no impression made excepting on the surface and it appeared hopeless to attempt drawing out the metal by such means, I therefore erected a temporary Hammer for the purpose which I found to answer well, considering the difficulty under which it was worked: the Hammer was made from an old Foreign 13 inch Shell which was filled with melted lead, and a rod of $1\frac{1}{2}$ inch round Iron fixed in the mass; this was then attached to the apparatus for bouching Guns, and worked by means of two Bamboo Levers; the shell when filled with lead weighed about 350lbs and it could be worked by four or six Lascars,"

3rd. Being encouraged by the Military Board to persevere in my experiments in working Iron, I constructed and put in use a Hammer of my own invention, a model of which I exhibited at the Madras Exhibition of 1857 since its first construction (early in 1856) this Hammer has been constantly used for all heavy Iron work executed in this Arsenal, including the breaking up and rewelding wrought Iron Shot, and the reworking country iron purchased in its half wrought state, also, on this subject, I quote as follows from my letter no 756 of 17th November 1856 to the Secretary Military Board. "With reference to Extract from the Proceedings of the Military Board No. 2114 of 11th August 1856, I have the honor to report that in accordance with the Board's desire the broken cheek of the 8 inch Iron Howitzer wrought iron Carriage has been repaired, annexed is a copy of its proof which is highly satisfactory." * * * *

"The welding of the broken cheek of the 8 inch iron Carriage proved a very difficult operation. The original fracture was situated about a foot and a half above the turn of the trail, after welding together on the same principle as in the formation of the axletree, a sufficient mass of iron to form a new Trail, that is, the Trail end of cheek. I caused the broken end of the upper part of the cheek to be jumped up so as to obtain a sufficient body of metal to join the two pieces together, without losing thickness; but in this process, the old part of the cheek gave way about a foot and a half below the lower connecting bolt or Transom, and I was obliged to cut off about a foot of the old cheek, and add on to the new mass in proportion, and forced again to jump up the upper portion of the cheek, I may here remark, the great difficulty rests in jumping up the broken ends when performing a job of this kind, in the first attempt this was done by blows of the Sledge Hammer; but in the second, I caused a triangle of a 10 cwt. scale to be placed close to the forge, and with a rope passing over a pulley fixed to the top of the triangle, I caused the old half of the broken cheek (weighing about 300 lb.) to be raised about 2 feet and dropped heated end down upon an anvil sunk into the ground, when a sufficient thickness was obtained at the end, I caused the iron to be reheated, and then cooling about an inch of the extreme end in water I continued the drop hammering till thickness was obtained

higher up and so on till a thick and solid mass of iron was obtained."

"In the foregoing operation, the Hammer* machine lately constructed here, which works with great ease by means of cog and fly wheels (was used with much effect). The Hammer had a fall of about two feet and weighed full 500 lbs. giving on an average about 40 blows in a minute"

4th. In the present year under authority from the Military Board, I built a carriage for an 8 inch Iron Howitzer, according to my own plan, it is furnished with one of my welded iron axles 4 inch square with shoulders constructed from bars of one inch thick iron, as already described, this axle and all the heavy Iron works of the carriage were welded and worked under my Hammer* The

* The Campbell Hammer.
Carriage weights

	cwt. qr. lb.	
Body weight	12 2 23	} being 18 lb.
Wheel "	8 3 2	
Total...	21 1 25	

lighter than the wrought iron carriages now in use for the same piece

	cwt. qr. lb.
Body weight	13 0 15
Wheels "	8 2 0
Total...	21 2 15

and 7 cwt. 1 qr. 2 lb. lighter than those of wood the annexed copy of Proof Report puts the excellence of its iron work beyond doubt, and I have no hesitation in asserting that this result could not have been obtained had the ordinary Sledge Hammers alone been used.

I have, &c.

(Signed) T. HAY CAMPBELL, Captain,
Commissary of Ordnance.

ARSENAL BANGALORE, }
19th June 1857. }

(True copy.)

G. BALFOUR, Lieut. Colonel
Inspector Genl. of Ord. & Magazines.

Report of a proof of the undermentioned 8 inch iron Howitzer Carriage, by order of Major Frederick Burgoyne, Commanding the Artillery in Mysore.

DESCRIPTION.	Number of Carriage.		Nature and strength of powder.	Marks on the Ordnance.	Marks on the Carriage.	WEIGHT.								Elevation.		Recoil.		Time of firing.	REMARKS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
	Number of Firings.	1				Metal.		Carriage.		Charge.		Shells.		D.	M.	Feet.	Inches.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
						Cwt.	Qtrs.	lbs.	Cwt.	Qtrs.	lbs.	lbs.	Ozs.							lbs.	Ozs.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
8 Inch iron plated Howitzer carriage.	1	1	Service	A	THC.	22	„	13	21	1	25	4	„	46	„																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

BANGALORE, } (Signed) F. BURGOYNE, Major
13/A June 1857. } Comd Arty. Mysore.

N. B. by the Commissary of Ordnance.
The side beams mentioned as slightly fractured are merely used to fill up a space between the cheeks and the trail and have nothing to do with the strength of the Carriage.

(True copy)
(Signed) T. HAY CAMPBELL, Capt.
Commissary of Ordnance.

(Signed) E. COUCHMAN, Bt. Capt.
Superintending the Proof.

(True copy)
G. BALFOUR, Lt. Colonel.
Inspector Genl. of Ordnance and Magazines.

CLASS VII.

REPORT UPON ARTICLES EXHIBITED AT THE MADRAS EXHIBITION.

CIVIL ENGINEERING, ARCHITECTURAL AND BUILDING CONTRIVANCES.

JURY.

Colonel C. E. FABER,
 Captain G. C. COLLYER,
 Captain H. W. RAWLINS,
 Major A. C. SILVER,
 Lieut. P. P. L. O'CONNELL, *Reporter*.
 Major W. S. JACOB,
 B. McMASTER, Esq.,
 Colonel A. T. COTTON,
 Lieutenant-Colonel F. C. COTTON, *Chairman*.
 A. BEATTIE, Esq.

Under Class VII are exhibited Models of works of irrigation, and navigation, of Bridges, Canal-boats, Wind-mills, several simple Hydraulic and Hydrostatic machines, and a coffer dam.

Model of the Kistnah Anicut exhibited by Capt. Farewell, Executive Engineer.

This is a neatly executed Model of the most important irrigation work, of which this Class contains a model; it is on a scale of about an inch to 40 feet; it exhibits the Anicut itself, the head sluices and locks on either side, and shews the under sluices one at each extremity of the work together with the stone groins constructed, some, to lead a large body of water past each head sluice and through the adjacent under sluice, and thus cause a scour and remove deposit from the vicinity of the head sluice to the rear of the Anicut, and others to protect the face of the Anicut from the influence of the cross currents which works of this kind generally cause.

On the Bezoarah side on the left bank of the river may be seen a representation of the Hill, which has furnished stone for the work; at the foot of this Hill and a little to the eastward of it are the Work-shops and the houses of the Officers, and the sheds of the people who have been engaged in the execution of this great work.

On the southern bank is the model of the Sectanugaram Hill.

The site of this work is where the northern coast road from Madras to Calcutta crosses the river, which is here narrowed, by the projection into its bed of the Sectanagrum and Bezoarah Hills, from 2,000 yards to 1,350.

The length of the Anicut is 1,150 yards, its breadth, including the rear Apron of loose stone, appears to be about 200 feet; the under sluices already described as shewn in the model, one at either extremity of the main work, are each 132 feet between the abutments: the head sluices, one to each of the two main channels which are led off from the river, are also each 132 feet between their abutments.

The locks, of which there is one attached to each head sluice, are 150 feet between their gates, i. e. the chamber of each lock is 150 feet in length.

The river Kistnah is very low in March, April and May, but for eight or nine months there is always a sufficient quantity of water to supply the two channels, which have been taken off, and to irrigate the lands which will be brought under their influence as soon as the necessary branches are executed.

The following Table shews the average quantity of water which passed down the river in the Months mentioned, as calculated in 1856 by Capt. Orr, the Civil Engineer of the Kistnah Division.

Months.	Average depth during the Month	Probable quantity in cubic yards per hour.	Remarks.
May... 1852	10.3	14,000,000	The quantity required during these months when the whole is brought under irrigation will be 1,200,000 cubic yards per hour.
June.....	12.11	24,000,000	
July.....	22.3	55,000,000	
August....	28.4	90,000,000	
September..	22.11	58,000,000	
October....	19.9	45,000,000	No correct estimate can be made of the quantity of water in these months, but it is supposed to vary from 5,00,000 to 100,000 cub. yds. except in exceptionally dry weather.
November...	11.5	18,000,000	
December...	10.11	15,000,000	
January... 1853	8.3	8,000,000	
February...	7.0	
March.....	5.3	
April.....	6.8	

The amount of additional Government Revenue obtainable in consequence of the construction of this work has been variously estimated at between 40 and 45 Lacs of Rupees—its influence will be felt through considerable portions of the two Districts of Guntoor and Masulipatam; the total area which may be irrigated by it was estimated at the time the work was first proposed at 1,100,000 acres or about 1,700 square miles.

One of the most valuable works in the country, and the second in importance among those of which this class contains a model, is the southern branch of the lower of the two great Annicuts across the Colleroon river with the bridge attached; the total length of the model measured from one wing wall of the Annicut to the other is $10' - 10\frac{1}{2}"$ and its extreme height measured from the level of the apron of the Annicut to the top of the parapet of the bridge is 3 inches.

The Annicut itself measures 1233 feet between its wing walls, its design is exceedingly simple, a wall 8 feet in width and 8 in height, resting on wells sunk in the sandy bed of the river runs from the South bank to an Island in the centre of the river; the ends of this wall are protected by two others called wing walls: the bed of the river immediately below the main wall or dam is protected by an apron attached to and forming part of the dam itself.

The bridge runs close along the Annicut on its up stream side, its piers run into and are connected with the dam so that the water commences to flow over the dam the moment it leaves the bridge. It has 30 arches divided into five sets of 6 arches each by four smaller arches connected with four sluices in the annicut; the main arches of the bridge are segmental, span 33 feet 4 inches, rise 6 feet; the arches over the sluices each span 17 feet.

The jury would call attention to this model exhibiting as it does with great accuracy the details of one of the most important irrigation works in

Southern India; it cannot of course lay claim to originality as it is a simple copy of an existing work, but in the present state of knowledge of such works possessed by the general public, it may fulfil the office of drawing attention to the simplicity of the means already employed in producing great results, and in this way prove of even more immediate use than models explanatory of perfectly new but untried designs.

The northern branch of this Annicut will, after certain alterations now progressing have been completed, be similar to the Southern one:—

Some idea of the utility and importance of this work may be formed when it is stated that the area watered by the channels connected with it is about 60,000 acres; that the population fed on the produce of the lands thus irrigated cannot be less than 100,000, and that the Government revenue is about $3\frac{1}{2}$ Lacs of Rupees or £35,000 a year, and the gross income of the cultivators about 7 Lacs of Rupees or £70,000 a year, the number of cultivators including labourers is probably not above 35,000 or 40,000.

Of contrivances for facilitating the raising and distribution of water for irrigation purposes this class contains several examples, two of these are models of the wheel used in South Malabar and Cochin. This simple machine appears from its neatness of construction to have been introduced by the Dutch.

It consists of a paddle wheel one half of the lower portion of which turns in a curved trough, so placed that the water raised in it cannot fall again to the level from which it was raised. The wheel revolving lifts the water in the trough, and as the sides are higher than the back board a constant stream is discharged over the latter; such wheels are adapted to lifts of from one to three or even four feet.

The power applied to this wheel when profitably employed is the weight of one or more men walking upon the edge of the float boards, and is well represented in one of the models, the men employed using their feet as in the tread mill, while they balance themselves by the help of bamboo scaffolding raised on either side of the machine. When worked in this manner the wheel is most effective and exceedingly economical in its results, but as the labour is very great and skill required very considerable it would never probably have been introduced if the cultivators had not had at that time the command of slave labour.

By means of these wheels a great portion of the bed of a large lake is cultivated in the vicinity of Trichoor in the Cochin territory, for which purpose a dam consisting of stakes with cocoanut leaves or reeds twined in them supporting a narrow bank of mud is thrown round a field of many acres from two to two and a half feet deep in water. Two or more wheels are then fixed in the bank and the work being kept up night and day the space is soon cleared for cultivation.

As there is some leakage through the slight embankment the wheels remain in position, in order that the drainage may be effected as circumstances require, only enough water being left in the field for the rice crop growing.

The wheels have been used with excellent effect in clearing low foundations in Malabar, but they have never yet been brought into general use out of the locality in which they were first introduced.

Mr. Kennedy has exhibited a modification of the above wheel adding a handle to its axis to admit of the application of manual force.

There is a model of a Chinese Pump as it is called; it consists of a set of paddles attached to a rope working over two drums, situated at the upper and lower extremities of the Machine respectively; the revolution of the drums sets the rope in motion and draws the paddles along a trough: this instrument is only used for raising water to a height of two or three feet at the most as the upper side of the trough is left open—when used, it is placed so that the trough is inclined at an angle of about 5 degrees with the horizon, its lower extremity being placed in the water to be raised, a few of the lower paddles are thus dipped in the water and the moment they are set in motion they impel the water up the trough and out at its upper extremity on to the highest lands.

Mr. Overseer Liver exhibits the Model of a pump for clearing foundations by low lifts. This very simple Machine is composed of a box made by nailing four planks together and a piston rod working in it to which is attached at the lower end a leather bag or bucket. The planks are about one foot broad and any required length. The bucket is of leather square at the upper end to fit the box, and tapering to the lower end to fit close round the piston rod. The length of the bucket is about 18 inches—as the rod is thrust downwards the bag collapses and passes through the water, but as it ascends, the upper portion expands by the weight of the water till it fills the box. And as its form is square it fits closely into the corners carrying before it all the water that was either in the bag or above it when the up stroke commenced.

To prevent the edges of the bucket turning inside out a strap is led from each of the upper corners which is nailed to the piston rod about 18 inches above the bucket. These of course are so long as not to interfere with the bucket expanding.

The great advantage of this pump is that it may be made where a work is in progress in a few minutes and costs the merest trifle. It has been used in several Bridges in Ganjam with excellent effect, and will be very valuable to those who are at work in out of the way places.

The jury consider the exhibition of this pump worthy of a second class medal.

There is an interesting model of a moveable dam used in several parts of France, the model was made at the Gun Carriage Manufactory, at the suggestion of Major Boileau of the Engineers, and is exhibited by Major Maitland the Superintendent of the Gun Carriage Manufactory; it is thus described in the third volume of the Aide Memoire.

“ M. Poiree Engineer in Chief of the navigation of the Seine, introduced upon the Youne, and subsequently upon the Seine itself, a kind of moveable dam, whose application is spreading very rapidly in France, it consists in the use of a series of metal frames fastened together at the top, so as to be laid flat on the bed of the river by turning on their bases as hinges, the frames are let into a groove sunk in the floor of the dam, in such a manner that the frames, when laid flat, do not project above the bed of the stream.

“ The frames are maintained in their vertical position by a movable bar which fits down upon them and serves to keep the blades closing the waterway in their positions at the top; at the bottom the blades fit into a groove made in the floor of the passage. They are of wood from 4 to 5 inches wide and are pressed against the top bar by the weight of the water, the height of the frames may vary from 4 to 10 feet; their distance apart is made equal to their height with a small allowance for play. M. Poiree estimated the expense of such dams at about 40 £ per yard run.”

This is a valuable model exhibiting an important improvement in the construction of moveable dams; and it is on this account well deserving of commendation.

Among the models of the works of navigation are—

A lock and dam across the Munneyaur in Tanjore useful as exhibiting what has been done, but it has no features of novelty.

The Shediancoopum Lock: this is a substantial work; the only circumstance worthy of particular notice is that there are two sluice shutters in each gate raised by means of pinions working in upright bars toothed at their upper extremities and attached below to the shutters; by means of these simple sluices the Chamber can be filled and emptied in a comparatively short time, a very important advantage in Locks in Canals along which there is much traffic; there is however nothing novel in this arrangement.

There are two models of Canal boats from the Delta of the Godavery.

1st. An Officer's paddle boat.

Length of Model 4'— 4"

Breadth of Beam 1 — 1

It has two Cabins the first one provided with seats and cushions and capable of being easily converted into a convenient sleeping apartment; the second Cabin is in the stern; the men who work the

paddles stand in the space between the two Cabins; the diameter of the paddle wheel is 11 inches; there are ten paddles to a wheel, each paddle consists of two boards each 3 inches by $\frac{3}{4}$ of an inch.

There is no scale given with this model.

2nd. Model of the Dowlaishweram and Cocanada Transit Boat.

Length of Model.....	9'— 0"
Breadth of beam.....	1— 0 $\frac{3}{4}$
Depth.....	0— 6 $\frac{3}{4}$
Height of Cabin above side of boat.....	0— 6 $\frac{1}{4}$

The great advantage of this description of boat is that it can be used either in Canals or in the broad water of the rivers and can be worked wherever the most ordinary coolies can be procured. They are in great use by the Engineer Officers of the Godavery Division who live in them when moving about their districts. They do not attain a speed of above 3 $\frac{1}{2}$ or 4 miles an hour but as fresh coolies can be had in every village they can be worked day and night and will complete in four and twenty hours a voyage of 60 or 70 miles.

The model is nearly flat bottomed, it has a sail 20 inches in height by 42 inches in breadth and a mast rising 28 $\frac{1}{2}$ inches above the Cabin; it has 5 Cabins.

In the boat of which this is a model on a scale of 1 $\frac{1}{2}$ inches to a foot the dimensions of the first Cabin must be about 7 feet by 5 feet; the second must be 7 feet by 7 feet; these two appear to be private Cabins they are fitted up with seats and Cushions, and have venetian windows and doors.

The third Cabin must be about 12 feet in length 9 feet in width and 6 feet in height, it is not so comfortably fitted up as the first; it has seats along the sides of the boat, and instead of venetians it has only canvass blinds.

The fourth Cabin must be about 24 feet in length 7 $\frac{1}{2}$ feet in width and 6 feet in height; it has venetian windows, seats and cushions.

The fifth must be about 7 feet in length 7 feet in width and 6 feet in height.

There is a gangway about 1 $\frac{1}{2}$ feet in breadth going along each side of the boat by means of which all the Cabins can be communicated with.

The voyage from Cocanada to Dowlaishweram, a distance of 36 miles, is made in 10 hours and the boat charges are as shewn below. By night in 10 hours, distance 36 miles.

The first Cabin with two beds &c. &c. &c.

200 lbs. of baggage and one servant. 2 0 0

Second Cabin with two beds 200 lbs. of baggage and one servant..... 1 8 0

Third Cabin with two beds 200 lbs. of baggage and one servant..... 1 0 0

Single Cabin passenger with 200 } half the above
lbs. of baggage..... } rate.

General Cabin passenger with 50 lbs. of baggage each 3 Annas for 36 miles, or 12 miles for one Anna or one Pie per mile.

The comfort, and economy of these boats are alike striking; two passengers in the best Cabin with a quantity of light baggage make the voyage during the night with none of the usual annoyances of

a Palankeen journey, at a charge of 2 Rupees each, while their servants are carried at 1-12th of an Anna a mile or 3 Annas for the whole voyage and within call at any moment.

The boats are used by all classes, but the greater profits are made by the cheapest passengers and so cheaply are the vessels worked that while passengers are carried 12 miles for an Anna, the Company owning the boat have divided 30 per cent. per annum.

There are two models of wind-mills.

The first is exhibited by Captain McNeil, B. A., Civil Engineer, it is applied to the purpose of raising water by means of an endless chain and Buckets; the diameter of the Circle within which the sails revolve is 29 inches; there are 8 triangular sails each of which has a base of 10 inches and an altitude of 12 $\frac{1}{4}$ inches.

The motion of the main shaft is first transmitted by a pinion moving in a vertical plane to a large toothed wheel moving in a horizontal plane and then by means of another pinion which is attached to the axis of the wheel just mentioned and which moves with that wheel in a horizontal plane, to two large wheels or drums over which two endless chains traverse.

The second is a simpler mill having only four sails the motion of the main shaft is communicated by a large wheel moving in a vertical plane to a pinion moving in a horizontal one, the axis of this pinion is common to itself and to the mill-stone, so that the two necessarily revolve together.

DOPPING'S SHUTTER.

This is a model on a scale of two inches to the foot; the shutter closes a vent between two piers, the vent in the model is 10 inches by 10 inches; the shutter revolves on a vertical axis, which divides it into two equal parts the water pressing upon which has no tendency to cause motion in either direction as the pressure on one half of the shutter exactly balances that upon the other; when it is necessary to open the shutter a sluice provided for the purpose in one half of the shutter is opened, this operation diminishes the surface exposed to pressure on one side of the axis causing the other half of the shutter to yield to the pressure of the water and open the sluice.

This shutter has been tried in the head sluice to one of the Channels from the Paulaur Annicut, it was found to answer very well when the supply of water was moderate; it has not however been tried during freshes; it is a simple and ingenious contrivance and, if found to answer in all states of the river, may be generally adopted with advantage.

"The Jury consider this model deserving of "honorable mention."

There is another shutter but, in the absence of a description, its mode of action is not apparent.

Model of a Truss Bridge on the American principle.

This is a model of a Bridge designed on the principle adopted by the Engineer of the Utica and

Syracuse Railway in the United States, it is on a scale of an inch to a foot: the roadway is supported on three trusses dividing it into two parts, each $12\frac{1}{2}$ inches in width, the span of each truss is 93 inches and its height $10\frac{1}{2}$ inches.

This model was exhibited by Mr. D. Parker, Civil Engineer, in the employ of the Madras Railway Company.

There is a model of a Truss Bridge by Mr. R. Kennedy, Civil Engineer; it has two trusses, each consisting of upper and lower string pieces connected by vertical ties and further stiffened by inclined struts; a curved rib is attached to each truss.

The roadway is carried along the top of the trusses; the bridge of which this is a model has a single span of 60 feet, the depth of its truss is 6 feet and the breadth of its roadway $7\frac{1}{2}$ feet; it crosses the Eastern Coast Canal about two miles South of the Adyaur; the scale of this model is an inch to a foot.

There is a second model by Mr. Kennedy of a somewhat similar bridge it differs from that described above in having fewer vertical ties, and in having its roadway resting immediately on the lower string pieces instead of on the upper ones: it spans 60 feet, has trusses each 6 feet in depth, and a roadway $6\frac{1}{2}$ feet in width.

There is a third model also by Mr. Kennedy, it is of the brick bridge which carried the Guindy and Adyaur road over the Sadras branch of the Eastern Coast Canal.

Monsieur Louis Guerre, Chief Engineer to the French Government at Pondicherry, has exhibited a model of a Head Sluice, it consists of a bridge of five arches, each of which is fitted with a timber framing and shutters by means of which the whole of its waterway may be closed. No scale is attached to the model; each arch spans $5\frac{1}{2}$ inches, each shutter frame is $3\frac{5}{8}$ inches by $1\frac{3}{4}$ inches, the breadth of the roadway is $3\frac{1}{4}$ inches.

A wooden suspension bridge is exhibited by Colonel A. Cotton, it was made up at the Mint it spans 50 feet and has a verse sine or dip in the centre of $4' 2"$ or $\frac{1}{12}$ of the span: it consists of 7 chains formed of slips of teak, connected by pegs: the links of each chain are alternately of single and double slips, a link made of a single slip is thus connected at each end with a link made of two slips: in order to give the bridge uniformity and to distribute the strength equally, the chains are so made that when placed side by side in the bridge the double slip link in each chain lies between two single slip links one on each side of it: the chains being thus arranged the roadway may either be placed directly on them or suspended, as may be required; in the model a rough roadway of bamboos was placed immediately on the suspension chains.

The Section of each of the slips of which the suspension chains are made is 2 inches by 2 ins. the pegs by which these are connected are each $\frac{1}{2}$ an inch in diameter. An experiment was made to test the strength of one suspension chain, the pegs first used were of teak, and then of bamboo, but

in both cases they gave way with a weight of about 200lbs. placed on one chain which is equal to 1,400 lbs. for the whole bridge: Iron pins were then put in and $\frac{1}{2}$ a ton was put on one chain, this weight brought the posts to which the chain was attached at each end over very gradually but did not cause any injury either to the pins or the slips: this weight of half a ton for one chain is equivalent to $3\frac{1}{2}$ tons for the whole bridge—this experiment proves that two or three bandies might pass over such a bridge with safety: it was however incomplete as it did not fully test the strength either of the pins or of the slips as the posts gave way before sufficient strain could be brought upon these. As to the sufficiency of the slips there can be no question as their aggregated Section amounted $10 \times 2'' \times 2'' = 40$ square inches which would safely bear a direct tension of 20 tons; and it would require more than 10 tons placed on the bridge to produce this tension on the slips: the strain on a bridge spanning 50 feet and having a roadway 10 feet in width is generally taken at about 50,000 lbs. or about 23 tons, if it be situated in a Town; but a bridge of the kind here described is only supposed to be used through Jungles where timber is plentiful and traffic scarce: or it might be used some times by troops on a line of march. A bridge of this description would answer admirably for the passage of rapid nullahs which intercept communications while flooded and stop the traffic. A chain made with pins of some wood well suited to the purpose would answer well for a tappal bridge, but in most cases it would be better to use iron pins, for which the common bolt iron $\frac{3}{8}$ inch in diameter would be suitable.

The model of a Coffor Dam appears to be the same as that exhibited at the last exhibition, and described in the Jury report on that occasion.

List of articles for which 2nd Class medals are awarded.

Catalogue Number.	Name of Article.	Name of Exhibitors.
	Wooden Suspension Bridge.	Colonel A. Cotton.
	Pump for clearing foundations by low lifts.	Mr. Overseer Lever.
	Dopping's shutter.	J. H. Dopping, Esq. Civil Engineer.

List of models deserving of Honorable mention.

	Model of the Kist-nah Annicut.	Captain Farewell, Executive Engineer.
	Model of the South branch of the lower Colleroon Annicut.	W. Cadell Esq. Sub Collector, Tanjore.

These are the principal ones: but it may be said that all the models are deserving of Honorable mention.

F. C. COTTON,

Chairman and Jury.

Class VII.

Report by Lieut. O'Connell, *Engineers.*

CLASS. VIII.

NAVAL, ARCHITECTURAL AND MILITARY ENGINEERING, ORDNANCE, ARMOUR, AND
ACCOUTREMENTS.

His Excellency General Sir P. GRANT, K.C.B.
 Major General CRAIGIE, C. B.
 Colonel P. HAMOND, *Reporter*.
 Lieutenant Colonel G. BALFOUR, C.B. *Reporter*.
 H. D. E. DALRYMPLE, Esq.
 Colonel F. A. REID, C.B.
 Colonel F. P. HAINES.
 Captain W. C. BAKER, *Reporter*.
 Lieutenant Colonel G. TALBOT.
 Major G. ROWLANDSON.
 Major F. H. SCOTT.
 Captain C. BIDEN.
 Colonel A. SHIRREFF.
 W. EATON, Esq.
 J. J. FRANKLIN, Esq.
 Lieutenant Colonel C. A. DENISON.
 Lieutenant Colonel C. A. BROWNE.

Military equipments having been fully reported on with reference to the Exhibition of 1855, it is unnecessary to enter into further details connected with Artillery carriages, which in that year as well as in 1857 were the principal articles of Military equipment in the Exhibition. The arms however form a marked feature of interest; and as there are many interested in the arms of this country, it seems advisable to give a detailed description of each article, and it is only by minute description that they can be properly illustrated. With the object therefore of doing justice alike to the contributors and the contributions, each article of importance receives a separate notice, and although this form of reporting will make the report of Class VIII assume somewhat the appearance of a *catalogue raisonnée*, it is believed that this form is best adapted to the articles to be described.

There are several very valuable collections of arms, deserving notice; and we would recommend the award of 2d Class Medals, and certificate of honorable mention, to the Exhibitors as follows:

To the Right Hon'ble Lord Harris for a valuable collection of arms of all descriptions, consisting of weapons superior in quality to those commonly found in private collections.

To the Hon'ble W. Elliot, for a collection of arms of great variety.

To R. Burgass, Esq. for a collection of arms of various countries.

To Captain Campbell, for his models of carriage and Tilting Hammer.

The collection of arms from Kurnool also deserves honorable mention.

5565 Auger's Fuze brace with bit made at the Grand Arsenal; workmanship good, fully equal to the English made article, but likely to be superseded by an improved and more handy excellent little frame Auger proposed by Captain Bower.

4937 }
 to }
 4940 } Guages of 6 sizes, 2 in a set, for ascertaining the fitness of projectiles with reference to high and
 5567 } low windage, for 24 p. to 68 pr; of a good model, all well turned out, and if correct as
 5568 } to guage, very creditable to the workshops of the Gun Carriage Manufactory, Grand Arsenal
 5569 } and Vellore, where they were made. A machine for testing their sphericity and accuracy
 to } should be provided; rates of cost at which made, very moderate.
 5574 }

- 198 Screw Jack Double Traversing from Pondicherry.—A very strong and powerful machine for lifting heavy carriages or other heavy articles, such as large stones, heavy logs of timber; deserving special notice, the workmanship good and substantial.
- 9311 The Campbell Hammer.—A very ingenious invention intended for forging very large axles and drawing large pieces of iron for cheeks of Iron Gun Carriages; also well suited for driving piles made up by Captain Campbell, Commissary of Ordnance at Bangalore.
- 3091 Carriage iron for 10 inch iron howitzer made at the Gun-Carriage Manufactory, exhibits the great diminution of surface to the enemy's fire by the use of iron as compared with wood. Well adapted for the field.
- 5468 Shot round iron 32 pr. cast at the Indian Iron Company's works at Porto Novo: sphericity good, casting clean, and very fair as to weight and gauge; these are well reported upon in the Grand Arsenal.
- 5466 Musket Rifle, Percussion, bore, 577 of 1853, with Bayonet. This arm is considerably lighter than the old Brown Bess, and the barrel rifled, having 3 shallow grooves, has an immense range being sighted up to 900 yards; it is secured to the stock by means of 3 iron bands, the nose one serving to hold the steel rod securely in the groove; these bands passing over the stock and barrel are kept in their places with springs. The lock is of the swivel pattern, the actions free. The bayonet, a most deadly weapon, differs from that formerly in use, the blade being longer, and having three grooves; the way in which the bayonet is secured to the barrel is also different, by means of a ring of iron round the socket, which on being moved from right to left passes under the nose sight making a fixture for the bayonet.
- 4975 Pistol Revolver.—An imitation of Colonel Colt's well known weapon; barrel not rifled, action far from perfect. The maker by increased care could without doubt in gauging the various parts, turn out an efficient and superior weapon. Exhibited by Serjeant Hayes, Gun Carriage Manufactory.
- 5558 } Tier Sheet or Coffin's Grape.—Plates cast at the iron works of the Indian Iron Com-
to } pany, Porto Novo, for 18, 32, and 56 Pdrs. The Plates are well cast, and well secured
5560 } by the iron spindle, and sheet securely fastened.
- 5467 Shot heating Machine.—Made up in India from an English Pattern; parts cast at Porto Novo, Indian Iron Company's Work. Portable and well adapted for the Field.

ARMS FROM KURNOOL.

- 56 Sword called abbassee, tiger faced handle, gold gilt, enameled, having a fine Damascus curved blade, in red velvet scabbard with rich mounting.
- 57 Sword called Khandah; the handle gold gilt richly chased, the blade of watered Damascus steel, in blue velvet scabbard, handsomely mounted.
- 58 Sword, with handle beautifully wrought in the shape of an elephant's head, the trunk forming the guard, inlaid with stones; the blade curved, of fine Damascus steel, in blue velvet scabbard richly mounted.
- 59 Sword called abree abassee, has a fine Damascus blade square back $\frac{2}{3}$ of its length, ending with a double edge, the handle of steel finely inlaid with gold, and red velvet scabbard.
- 60 Sword, called Sorabee, having a richly worked handle in gold gilt, with beautiful lace worked straps and emerald tassels; the blade is fluted and inlaid, and the scabbard of red velvet has gold gilt mountings.
- 61 Sword abassee, Damascus blade greatly curved, has a richly worked handle, gold gilt, and red velvet scabbard.
- 62 Sword aseel; the blade, of well tempered Damascus steel, is set in a gold gilt handle; scabbard red velvet with gilt mountings.
- 63 Poignard Bunk or Beechwa; the blade of fine steel, well wrought, has a handle of red ivory richly mounted in gold gilt, and purple velvet scabbard beautifully mounted.
- 64 Knife Karabee, Damascus blade in gold gilt handle, and green velvet sheath richly mounted.
- 65 Steel cap; good and substantial workmanship.
- 66 } Steel cap and Steel breast } Helmet of steel, has an ornament in form of an arrow on the top; a
67 } called charnia. } curtain of steel rings is attached to protect the neck.
- 68 Pair of Armlets, or Gauntlets, made of fine steel inlaid with gold, and lined with red velvet.
- 2465 Fowling Piece from Salem, exhibited by Mr. Causaker; barrel of the ordinary quality of a low priced English piece; a plain sound gun, stock of a good looking hard wood.
- 2466 Walking Stick gun from Salem exhibited by Mr. Causaker.

1364) Gun Locks from Salem, Bellary, and Gun Carriage Manufactory, are fair plain pieces, of
 2467) work, evidently made from English patterns. The springs are single, not nearly so
 4970) good as the double springs.

ARMS FROM HYDERABAD.

6151 Poignard, Damascus blade, having two deep grooves running up the centre, giving it a light appearance; white ivory handle, and leather scabbard.

EXHIBITED BY THE HONORABLE W. ELLIOT, ESQ.

An interesting group of ancient weapons among which are several beautifully mounted Poignard Knives, Swords, &c.

- 24 Poignard, having a crystal handle, the blade Damascus steel, and a sheath with richly chased silver mountings.
- 2 Sword, the handle, of good workmanship, is inlaid with gold; and the blade, a very fine one, is greatly curved.
- 8 Sword, the handle of steel large and silver plated; the blade a long fluted one, is well tempered.
- 25 Coorg knife; the knife having an agate handle, blade of fine steel, has a strong back inlaid with gold.
- 28 Dagger; the handle richly chased, forms a case in which are deposited a set of drawing instruments: it has a yellow velvet scabbard.
- 36 Poignard; the blade is of Damascus steel finely wrought, fluted, and splendidly inlaid; the handle, of ivory, is set with stones, and the scabbard (of red velvet) is mounted with gold gilt open work.

46 A curious dagger; the blade being of watered steel; in wooden sheath.

There are among this lot several swords, the blades of which are fluted, and one elaborately chased representing animals.

Two Knives having finely carved ivory handle, are well worthy of notice.

There are 3 Flint lock Pistols having the barrels inlaid with gold, and the stock with Ivory.

Two curious swords with long handles, intended to be used by both hands.

A three bladed dagger; the handle curiously formed of deer horn.

Three Boomerrangs made of hard wood.

There is one curious old sword, the blade of which is long and straight, set in a long steel handle serving as an armlet; a vast amount of labour must have been spent upon this, as it is almost one mass of inlaying, the metal used being silver. This sword appears to be adapted for thrusting only, as the arm used in striking a blow would most likely be injured.

There are two swords the blades of which gradually widen to the point like a harlequin's wand. One of them has a false back rivetted on; they are old specimens, but have been costly, both having the handles inlaid.

Rifle match lock, contributed by Major Simpson; curiously carved, and has a beautifully figured Damascus twist barrel, which is secured to the stock by brass bands and having a steel ramrod.

The following Articles were arranged as a trophy; comprising a leather shield of good workmanship, inlaid; having two plates forming a breastplate. A broad sword, the handle inlaid with gold, the scabbard blue velvet.

Two swords, the blade of one broad; handle inlaid with gold, the scabbard of blue velvet; the other sword in leather scabbard has an ivory handle.

EXHIBITED BY R. BURGASS, ESQ.,

A lot of swords, 30 in number, some of Indian manufacture, but chiefly English of the last century; many have finely tempered blades, steel basket hilts, and most of them are in a state of good preservation. Among this lot is an Indian short sword, the blade beautifully inlaid, and the handle elaborately chased. Also 4 dress swords, 2 having the handles inlaid; the blades of fine steel, very light, and fluted the whole length. One blade of fine Damascus steel, has a broad back standing out considerably from the level of the blade, which is short. There are 5 other blades without handles; several of very excellent Damascus steel, are greatly curved and long: one sword, the blade of which is light and curved, is of fine Damascus steel; and the handle (of silver) is beautifully chased, as are also the mountings of the scabbard, which is covered with leather.

- There are 2 double handed swords, one with the handle chased with brass, and the other with a handle of wood covered with purple velvet; the mountings are of silver chased, and the scabbard is also covered with velvet of the same colour similarly mounted.
- One Sword has an ivory handle inlaid with silver; the blade, of fine Damascus steel, is inlaid with gold, and the scabbard of purple velvet is silver mounted.
- A short Sword with plain steel blade broad back, has a groove up the centre; the handle is buck-horn, silver mounted, and the scabbard (of leather) is also silver mounted.
- A Knife with the handle silver enamelled, has a blade of the best kind of Damascus steel having a furrow on either side about one third of its breadth from the edge, but reversed on each side so as to equalise its strength; the sheath of figured velvet.
- A curious native Bayonet, with a short broad blade engraved.
- A Helmet of steel, finely inlaid with gold, having an arrow of steel on the top for ornament. It has a curtain, made of steel rings running round to protect the neck.

EXHIBITED BY THE RIGHT HONORABLE LORD HARRIS.

- 8474 Sword blade of Konasummunder of fine Damascus steel.
- 8475 Do. do. do.
- 8476 Carnatic matchlock gun, the barrel neatly inlaid with gold, and the butt with ivory.
- 8477 Carnatic matchlock gun, the barrel long, with bill nose, and steel ramrod.
- 8478 Do. do. do.
- 8479 Strait sword with Goopthee handle, silver gilt; in red velvet scabbard, having a well tempered blade: the handle curiously wrought.
- 8480 Broad sword with Goopthee handle, and inlaid; Damascus blade.
- 8481 Do. do. do.
- 8482 Native bayonet with short blade, having a ring to the socket, as now used in the Enfield Rifle of the pattern of 1853.
- 8483 Straight sword; Damascus blade, the handle inlaid, and red velvet scabbard.
- 8484 Straight sword, handle inlaid, with yellow velvet scabbard.
- 8485 Spear, the handle finely inlaid with silver; blade 3 square, long, and also inlaid; having a red velvet scabbard, and handsome tassels.
- 8486 Saw sword, handle gold, with gilt leather scabbard; the blade double pointed.
- 8487 Broad sword tapering, with gold gilt handle, the blade having a broad back and bevilled edge.
- 8488 Sword with handle beautifully inlaid with gold; having a curved Damascus blade in green velvet scabbard.
- 8489 Do. do. do. do.
- 8490 Sword with handle inlaid with gold; having an excellent blade much curved.
- 8491 Sword with gilt handle, and long grooved tempered blade, in red velvet scabbard.
- 8492 Sword with gold gilt handle, finely wrought in the shape of an elephant head; having a curved Damascus blade in blue velvet scabbard.
- 8493 Battle axe with gold gilt handle; the head finely inlaid.
- 8494 Do. do. wooden handle silver mounted, the head beautifully inlaid with silver.
- 8495 Leather shield with lace work strap.
- 8496 Dagger, with handle gold gilt; in yellow sheath,
- 8497 Do. do. inlaid with gold, the blade having a curious device worked in relief.
- 8498 Dagger, silver gilt, in red velvet sheath.
- 8499 Do. with 2 blades, in red velvet sheath.
- 8500 Peishcubz or waist dagger, with green ivory handle, blade inlaid and purple velvet sheath.
- 8501 Peishcubz finely worked, with gold gilt handle, and green velvet sheath neatly mounted.
- 8502 Poignard or Beechma with ivory handle, fine well finished Damascus blade, and red velvet sheath.
- 8503 Do. do. do. good blade inlaid with silver, in red velvet sheath.
- 8504 Do. do. do. with Damascus blade, and silver gilt sheath.
- 8505 Knife, with ivory handle, the blade of fine Damascus steel, in silver sheath finely chased.
- 8506 Sword with handle inlaid with gold; Damascus blade and leather scabbard, with steel mountings.
- 8507 Sword with the blade long, and greatly curved; in ivory handle.
- 8508 Small sword with emerald handle; the blade finely inlaid with gold, in yellow velvet sheath.
- 8509 Goopthee sota, a curved kind of dagger.
- 8510 Steel sota, with iron tube handle containing a chain to which a pronged head is attached.
- 8511 Tubber with highly finished gold and silver gilt handles, into which a knife screws, with axe head spear, and soug finely inlaid.

- 8512 Tubber similar to the last, in red velvet sheath.
8513 Soug or spear head with steel handle.
8514 Steel sota, the head composed of 8 blades.
8515 Tubber knife with steel head beautifully inlaid with gold, the handle silver gilt; into which a dagger screws; and yellow velvet sheath richly mounted.
8516 Tubber with silver gilt handle similar to the last.
8517 Dagger with curious inlaid handle, and Damascus blade in red velvet scabbard.
8518 Poignard or Beechma, the handle finely inlaid with gold, and good Damascus blade with red velvet sheath.
8519 Curiously wrought taper blade, with broad steel handle and red velvet scabbard.
8520 Peishcubz with red ivory handle, and highly finished blade, in yellow velvet sheath with richly worked mountings.
8521 Dagger in broad steel with open worked handle, in leather sheath.
8522 Dagger with fluted blade, in red velvet sheath.
8523 Dagger, with curious broad silver gilt handle, and finely wrought Damascus blade, in yellow velvet sheath.
8524 Coorg knife in red velvet sheath.
8525 Chand Soorooj, sun and moon.
8526 Simotha dagger or nut cracker, also forming a dagger when the handle is reversed.
Pair of Armlets.
8527 Pair of shoulder flaps, lace worked, with steel shields in centre.
8528 Helmet with feathers.
8529 Covering for the chest or breastplate.
8530 Covering for the back, or black plate.
8531 Waist belt lace work.
8532 Pair of aprons.
8533 do do.
8534 Shield with lace work strap.
8535 Broad sword, in yellow velvet scabbard.
8536 Large Peishcubz, handle worked in gold, and purple velvet scabbard.

The last 10 lots form a very interesting group, the shoulder flaps, waist belt, and aprons being of velvet, worked with lace and spangles; the helmet, armlets, breastplate and back plate, of well wrought steel inlaid with gold in a superior style, and lined with green velvet worked with lace and spangles in a beautiful manner, the whole workmanship of this group is highly meritorious.

CLASS IX.

REPORT ON AGRICULTURAL AND HORTICULTURAL MACHINES AND IMPLEMENTS.

JURY.

Colonel F. A. REID, C. B.
 G. S. HOOPER, Esq. *Chairman*.
 H. F. C. CLEGHORN, Esq. M. D.
 A. J. ARBUTHNOT, Esq.
 Captain C. H. DRURY, *Reporter*.
 R. KENNEDY, Esq.

The first item of this class is represented by a few models from Hyderabad, of the primitive kind of implement in general use in all the cultivated districts of the Presidency, consisting of ploughs, drills, and clod-crushers or harrows.

No advancement appears to have been made in this Department since the Exhibition of 1855.

The little interest displayed by the Natives of India in instituting or promoting improvements in the present system of cultivation, although doubtless partly to be ascribed to their general dislike to innovation of any kind, may more fairly be considered generally attributable to the want of the necessary means on the part of individuals to avail themselves of a better style of implement.

Those now in use are adapted to the powers of the draught cattle, few and wanting in strength, kept by cultivators for agricultural purposes. The plough is therefore made as light as is consistent with any useful purpose, a single bar of iron or steel serving for share and coulter: the furrow made by it being so shallow as to tax but little the strength or endurance of the oxen. Any improvement therefore in the shape or make of the plough would, while adding to its efficiency, increase its weight, and while enabling it to turn a deeper furrow, would, to meet the increased resistance, necessitate the employment of a better breed of cattle or a larger team, both beyond the means of

the poorer and more numerous class of ryots, supposing them able and willing to pay for an improved and more expensive implement. It is moreover believed that deep ploughing has not been found to answer in India.

The Horticultural tools, with the exception of a few rough specimens used by the poorer class of native gardeners, though not numerous, afford good samples of such as are in every day use for gardening purposes. Those from the Fort St. George Arsenal, comprising mattocks or mahmoties, hoes, rakes, forks, hedge clippers &c., are well made and serviceable tools.

The Vellore Arsenal furnishes a strong well wrought spade, and Mr. Causaker of Salem contributes an ingenious implement which might be made serviceable in light gardening work, combining the uses of the pick axe, mattock and spade.

It is to be regretted that the skill of local artisans should not be represented in a class of implements so likely to prove highly remunerative to the makers in the larger towns and stations of the Presidency.

C. H. DRURY,
Reporter.

MADRAS,
 11th May 1857. }

CLASS X.

REPORT ON PHILOSOPHICAL INSTRUMENTS AND PROCESSES DEPENDING UPON THEIR USE,
MUSICAL, HOROLOGICAL AND SURGICAL INSTRUMENTS.

JURY.

Lieutenant Colonel A. McCALLY. *Chairman.*
 Major W. K. WORSTER.
 Major W. S. JACOB, *Reporter.*
 A. BLACKLOCK, Esq.
 W. J. VANSOMEREN, Esq., M. D., *Reporter.*
 Dr. W. FLYNN, G. M. M. C.
 B. CUNLIFFE, Esq.
 Captain J. W. HAY.
 Lieutenant Colonel G. TALBOT.
 P. ORR, Esq.
 H. W. PORTEOUS, Esq.

The Jury in introducing their report regret that they can only repeat the sentiments of the Jury on this class in the Exhibition of 1855. The very small present demand for Philosophical, Surgical, Musical, and Horological Instruments in this country, accounts both for the limited extent and inferiority of their local manufacture, and the class is consequently very poorly represented in the Exhibition, so far as Indian-made articles are concerned. Several English-made Instruments are exhibited, but these, being enumerated in the catalogues, need not be severally particularised here—none of them presented any novelty or special excellence.

I. *Five Dials on one block* were exhibited by *Sub-Conductor Skinner*. Only one of these is a correct indicator of Time—in the other four the gnomons are misplaced.

II. *An universal Sun-dial* from Hyderabad—is plated and well executed, but presents nothing new in principle. It merits *honorable mention*.

III. *A small dial* from Hyderabad—is constructed for the latitude of that city, but has nothing particular to recommend it.

IV. *A Meridian dial* is old in principle and rudely constructed.

V. *A dial* by Messrs. Jenkins is exhibited.

VI. *A Spherometer* by Liebhaver. This is an ingenious instrument but imperfectly executed—the

centre-screw works loosely in its nut—the micrometer head and scale are not numbered—and the steel rim being liable to rust, must furnish another source of inaccuracy and award a 1st Class Medal.

VII. *A Balance* by Sub-Conductor Skinner, is defective in the suspension of its pans, and scarcely turns with a quarter of a grain.

VIII. *A Chemical Balance* by Liebhaver, exhibited by Major Simpson, appears well constructed. It is said to indicate to three-thousandths of a grain, but in the absence of both key and weights the Jury were precluded from testing its accuracy.

IX. *Two Compasses*—one in a silver case and one in brass—are rather rudely executed and priced sufficiently high.

X. *A pocket case of Surgical Instruments*—is very inferior.

XI. *Several fracture-splints* and a *Saller's Fracture Cradle* made in the Gun-Carriage Manufactory are well turned-out.

XII. *A common Bugle* by Swamy of Madras.

XIII. *A common Bugle* by Swamy of Vellore.

XIV. *A Light Infantry Bugle* by Savigrey.

XV. *A Cavalry Trumpet* by Swamy.

W. S. JACOB,

W. J. VANSOMEREN,

Reporters.

CLASS XI.

TEXTILE FABRICS AND COTTON MANUFACTURES.

JURY.

W. E. UNDERWOOD, Esq., *Chairman*.
 W. U. ARBUTHNOT, Esq.
 E. LECOT, Esq.
 Major J. MACDOUGALL,
 R. O. CAMPBELL, Esq.
 H. CRAKE, Esq.
 W. BOYTON, Esq.
 R. W. NORFOLK, Esq.
 T. L. R. SHAND, Esq., *Reporter*.

The Cotton manufactures submitted at the present Exhibition, vary but little from those shewn in 1855: they are far less numerous, and inferior in quality and dye. The textile fabrics of the Madras Presidency are considered by the Jury to be very imperfectly represented. The Jury fail to perceive any marked improvement in any branch of the various manufactures which they have inspected. The suggestion made in the last report that "no prizes or medals" be granted, except for some new manufacture or very superior sample of ordinary "manufactures" should be adhered to, on the present occasion, with the hope that some marked novelty in the style, and getting up of some of the staple productions of the Presidency, be induced.

Two pieces of fine Punjum Cloth, forwarded by Gooroo Pariah of Rajahmundry are very wonderful specimens of Native skill, and of the extraordinary degree of fineness and evenness of weaving attained by the native hand looms. They are made from thread spun by the hand. The Jury desire to record their admiration of the above specimens which are priced at Rupees 100, one at 180. Similar specimens were exhibited at the last Exhibition.

A piece of Rajabader Cloth sent from Nellore by Pitheca Ramalinga Chetty priced Rs. 26 is considered by the Jury as entitled to favorable notice.

Pondicherry has again taken an advanced position amongst the various contributions. The Napkins and Table Cloths are deserving of praise, but the Jury cannot perceive any superiority over those specimens formerly exhibited. The Towels numbered 7189 are however worthy of especial notice, being of a most useful description and of excellent style and manufacture. Those numbered 8009 without name, are also deserving of commendation though inferior to the Pondicherry specimens.

The contributions of dyed goods are few in number, and inferior in quality, and the Jury are unable to specify any particular article as deserving of special notice except those undermentioned.

A piece of Trowser check cloth from Mr. P. Martin, Cuddalore, is deserving of approbation, the pattern being of a particularly neat design, and tastefully chosen for an article of wearing apparel.

The cloth is strongly and evenly woven, and the Jury consider this contribution to be entitled to honorable mention.

Seram, from Chingleput, cloth numbered 8015 is, on the whole, a favorable specimen of dyeing.

A gold embroidered Palempore from Masulipatam is worthy of notice as a fair specimen of gold embroidery but much inferior to the specimens exhibited in 1855.

A Damask table cloth contributed by the German Mission at Mangalore is entitled to favorable notice, but the damasking is rather of a confused character which however may improve under use.

South Arcot.—The damask Table cloth from Ragavelloo Chetty 9148 is considered by the Jury as worthy of favorable notice though the specimen numbered 7871 manufactured at Madras is by far the best article of manufacture that has been submitted to the notice of the Jury, and they would recommend the Exhibitor of this specimen to receive a second class medal.

Nellore.—A piece of Jean sent by Pitheca Ramalinga of Nellore priced Rs. 10 is a useful description of goods and deserves approbation.

T. L. R. SHAND,
Reporter.

JURY AWARDS.

2D CLASS MEDAL.

Catalogue No.	Names of Exhibitors.	Objects rewarded.
7871 Entered in the Catalogue by mistake as Marool fibre.	W. E. Underwood, Esq.	Table Cloth.
8391	[Chetty. Pitheca Ramalingum]	Rs. Cotton Cloth 26
8400	Do. do.	Jean 10

HONORABLE MENTION.

Catalogue No.	Names of Exhibitors.	Objects rewarded.
2392	Gooroo Pariah, Pondicherry.	Punjum Cloth Rs. 100.
8009	Name unknown.	Table Cloth and Napkins &c.
9140	Mr. P. Martin.	Towels.
7145	German Mission.	Trowser Cloth.
8015	Chingleput Jail.	Table Cloth.
		Blue dyed Trowser Cloth.

CLASS XII.

WOOLLEN AND WORSTED.

JURY.

Lieut. Col. A. M'CALLY, *Chairman.*

Captain J. W. HAY.

J. KELLIE, Esq.

J. T. MACLAGAN, Esq.

W. R. ARBUTHNOT, Esq.

P. VEERAPERMAILL Pillay.

SIRDAR JUNG BAHADOOR.

HAJEE AGA MAHOMED BAKIR SHERAZEE NEMAZEE.

Major NICHOLLS, *Reporter.*

To

Colonel A. M'CALLY,

President of Jury on Class XII.

MADRAS EXHIBITION OF 1857.

SIR,—I do myself the honor to submit Report of the Jurors on Class XII (Woollen and worsted) of which you are President.

Cumblies.—Amidst the variety exhibited the palm must be awarded to the Tahsildar of Koodleege Talook, Bellary. The Cumblly sent by him measuring $10 \times 3\frac{1}{2}$ Cubits, and priced at Rupees 9-3, was by far the finest and best specimen, in the opinion of the Jurors fairly entitling him to a 2d Class Medal. Those forwarded by the Hyderabad Local Committee, by C. Humpiak, Bellary, Kistnah-sawmy Iyengar, Mysore, Captain Balmain, Raichore Dooab, Captain T. Clerk, Mysore, D. Cotappah, Bunder and Captain Russell, Kurnool, are severally worthy of notice.

Blankets.—Three—two of Mundium Wool, and the third, of the Wool of a half bred Merino exhibited by Captain Loudon, Assistant Commissary General,—Manufactured at Hoonsoor—priced, the former at $2\frac{1}{2}$ Rupees each, the latter at 3 Rupees. The Jurors consider that a creditable approach to the European manufactured Blanket has been attained there is however still room for improvement, the defect to be remedied consists in a want of softness, the nap or fluff having a nearer resemblance to Hair than Wool.

Shawls.—A Worsted embroidered shawl exhibited by W. E. Underwood, Esq., manufactured at Madras, the Jurors would make very favorable mention of; and recommend that the Exhibitor receive the thanks of the Committee, and the manufacturer be awarded with a 2d Class Medal.

Mixed Fabrics.—Four Pieces, of different colors, manufactured by Thresher and Glenney of London, from Wool and Cotton, the produce of India, sent to England by Dr. Ratton. The Jurors are of opinion that the result is highly satisfactory as regards the wool, the produce of this Country they would suggest that a trial should also be made of working up the Wool *alone*. The texture of these fabrics is fine, the Article light, soft, adapted for Summer wear, but apparently not very durable.

In the absence of a classified List or Catalogue I prepared one containing, I believe, every Article exhibited in this Class (XII.)

I have the honor to be,

Sir,

Your most obedient servant,

H. J. NICHOLLS, *Major,**Reporter, Class XII.*

MADRAS EXHIBITION OF 1857.

CLASS XIII.

SILK AND VELVET.

JURY.

The Hon'ble Sir C. RAWLINSON, Kt.
 H. A. MURRAY, Esq. *Chairman*.
 W. E. COCHRANE, Esq.
 Colonel J. L. STEPHENSON,
 Major A. C. SILVER.
 C. LUTCHMENARASOO Chettiar.
 R. W. NORFOLK, Esq. *Reporter*.
 J. BINNY KEY, Esq.
 HAJEE AGA MAHOMED BAKIR SHERAZEE NEMAZEE.
 J. BROOMHALL, Esq.
 J. DESCHAMPS, Esq.

In submitting their report of that portion of the Madras Exhibition of 1857 which has been assigned them for scrutiny and comment, the Jury of Class XIII have pleasure in stating that the display of manufactured silk is such as to give the greatest reason for hoping that in every important silk-producing district of this Presidency the manufacture is in a state of improvement, and needs but care in the several localities to secure a great extension of trade, and consequently much material prosperity to the people.

Particular notice will be taken of each locality, but generally the Jury has been led to the above conclusion by the richness and beauty in color of some of the Hyderabad Silks, the useful character and the cheapness of those of Mysore, and the evident desire for improvement in the already good quality of those of Tanjore, shown by a departure from the old patterns and an endeavour to weave such as will command a general market.

The prices upon the silks exhibited seem to be the retail rates, and consequently though they afford a guide, they do not offer a full one, to the rates which these goods could be sold at by the wholesale producer. With the exception of those from Mysore the Silks cannot be styled cheap, but there are some from Hyderabad of great width and beauty the prices of which lead to the supposition, that, if made narrower, and without borders, they might compete in price as well as in quality, with any that could be brought forward, the borders which add much to the expense of the fabric, are useless for European wear. The colors of most of the silks are such as to call for unqualified praise, but the range of color is very limited, and it is evident that the happy combinations, both in dyeing, and in weaving, by which in Europe such extraordinary beauty and delicacy are imparted to the fabrics, are still unknown to the Indian manufacturer, instruc-

tion and care in these respects are much needed. The blacks in all cases are bad.

Of the Satins exhibited the Jury regret that they cannot give a favorable report, there is hardly a piece that deserves to be called good, and those that are superior to others are injured, as all are, by a dressing applied to the back, with a view of giving a seeming substance to the fabric. This practice should be at once discontinued, and the manufacturers should learn that by no amount of dressing, can a good Satin be formed where its original quality is defective.

It seems very desirable, if any great extension of trade is sought, that a standard of widths and lengths for different descriptions of Silk should be adopted, the widths recommended, are 24 and 36 inches, the former principally for dress Silks, and the latter for plain white silks for export, the length to be 48 yards, and 7 and 9 yards, according to the description of Silk woven.

The Jury would direct the attention of producers to a branch of trade which might become one of great profit, viz. the manufacture of plain white Silks for Export to Europe, similar but superior to those manufactured in Bengal under the name of Corahs, in length of 7 and 9 yards: the great complaints of the qualities of these Bengal Silks seem to open a door for the introduction into the Home market of a class of goods calculated in their quality to meet the demands of the trade, and the cheap rates at which it is evident that Mysore can put out its manufactures, seems to shew, that, in this branch it can enter into successful competition with the Bengal weavers.

As a guide to all that the Jury have recommended above, they would advise the obtaining immediately samples of silks of the manufacture of France, England, Bengal, and China, and that these should be exhibited in the several

districts, with an estimate of the prices that might be obtained for them, and that manufactures should be urged to try their hands at producing like goods in some cases, and excelling them in others.

The present amount of mechanical means may suffice, but the introduction of simple machinery where it may seem needed should also be had in view.

For the carrying out of the above suggestions, the Jury think that the Local Committees would cheerfully afford their aid, and so endeavour to give a practical effect to the exertions they have already made in furtherance of the objects of the exhibition.

It will be observed that the attention of the Jury has been given to the extension of the Silk manufacture for European use, it is probable that for native use the supply already equals the demand, and that in their richness and beauty of fabric the products of the looms of South India already furnish all that rank and opulence can desire, but even in this home trade it is by no means unlikely that the introduction of European models may work changes that may have their effect beyond a simple change in the style of the garments used.

MADRAS.

A most perfect specimen of weaving is exhibited in imitation of China *Pina Silk*, this piece made under the orders of Mr. W. E. Underwood is a counterpart of the Pina Silk made in *China*, it has been produced from Mysore Silk in a native loom of the kind commonly used for fine weaving, the imitation in texture and appearance is most exact, and does honor both to the capacity of the workman, and to the discernment and perseverance of the originator.

A small piece of Tusser Silk from the same gentleman, shows that with care this silk can be well made in Madras, the sample is uneven in texture.

HYDERABAD.

Attention is recommended to the preceding remarks, many numbers of these silks are particularized in order to render the decisions of the Jury useful to the manufacturers. In the Hyderabad Silks the hand of the skilled workman is clearly discovered, and it is hoped that much time will not elapse ere they possess the advantages of European models for silks intended for European wear; the borders and ends are in most cases very handsome, and as a whole the display is most creditable. Though as before remarked the satins cannot be praised, yet the qualities made are sufficient to show that much better can be produced.

VERY GOOD.

- 6076 A Crimson plain Silk suited for dresses if made in proper colors.
6078 Shot Crimson do.

- 6081 Plain Crimson.
6083 White, the only piece, attention called to remarks respecting weaving of white silk.
6088 Green stripe and border Texture excellent, would come into use for dresses if made in proper colors and without borders.
6228 Crimson, Superior in all respects.
6464 Crimson Silk, moderate in price.
6465 Crimson Silk.
6469 Do. particularly good, color and texture.
6472 Crimson Silk, would take the place of China Silk if made without border for furniture.
GOOD QUALITIES.
6077 Stried Silk.
6080 Crimson.
6092 Yellow, a Creditable Silk.
6094 Yellow, bad color but silk good, made in good colors would sell, not dear.
6094 Orange do.
6094 Orange do.
6996 Yellow, Handkerchiefs—pattern inferior.
6224 Crimson and Blue Shot stripe, rather uneven in texture.
6463 Crimson Silk.
6507 Crimson and Yellow Stripe if woven in English patterns would sell.
6510 Striped Silk, good substance, but apparently mixed.
6511 Green and Black stripe.
6514 Crimson and Black check.
6531 Crimson.
6532 Yellow and Black, mixed, cotton and silk.

MIDDLING QUALITY.

- 6262 Crimson stripe corded.
6416 Crimson black check, a harsh silk.
6515 Green and black check, mixed.
6517 Green, much too dear.
6534 Green, check faulty.
Besides all the above, there are 18 pieces of rich Crimson silk forming the Canopy.
It will be observed that all the superior silks are Crimson, and the Jury notice this the more particularly as bearing out their recommendation that a close attention should be given to the dyeing art in the Hyderabad districts. The Reds are excellent, but there is only one piece of merit in any other color, viz. the green.

SATINS.

- 6098 Inferior Satin.
6099 Do.
6241 Do.
6343 Crimson—middling.
6344 Green and Crimson stripe—better.
6345 Fair texture but wanting color.
6348 Red and yellow—middling.
6351 Crimson—Inferior.
6351 Scarlet and Black Stripe—a better article.

- 6350 Scarlet and yellow—a bitter article.
 6353 Green and White—middling.
 6353 Inferior.
 6354 Crimson and Black Stripe—fair texture wanting color.
 6355 Inferior.
 6357 Ordinary.
 6358 do.
 6359 Crimson Stripe—fair, rather coarse.
 6360 Inferior.
 6361 do.
 6384 Crimson Stripe—Inferior.
 6394 Green do.
 6359 Inferior.
 6396 Ordinary.
 6396 Pink and Black Stripe, middling.
 6397 Green—bad.
 6398 Inferior.
 6399 do.
 6399 Red Stripe. Color good.
 6399 Red, do.
 6400 Ordinary.
 6401 Yellow Stripe, middling.
 6402 Red and white do.
 6403 Green, fair.
 6404 Crimson Color, good, texture creditable, injured in dressing.
 6405 Yellow, fair.
 6407 Scarlet, bad.
 6410 White flowered, a fair attempt at style, texture coarse.
 6609 Crimson flowered, Color bad, coarse.

TANJORE.

These silks in this section particularly deserving notice are Nos. 2673, 4677 4679 5175. The attention of Tanjore manufactures is called to the remarks of the Jury, and every hope is entertained of a great advance in the production of these Silks.

- 4673 Green and Crimson, shot, recommended to be made in good colors without border.
 Hurry Row.
 4677 White Silk, Hurry Row: this silk shows that the white silks recommended to be made can be well made in Tanjore.
 4679 Red and white squares, very good silk, requires only change of pattern and its manufacture in modern colors to make it very saleable.
 5175 A flounced Dress Piece, the only thing of the kind in the Exhibition, deserves the highest praise; the style is plain, but it is evident that this first step, if well followed up will lead to rapid improvement. If made in other colors would be very saleable.
 4668 Red and Yellow, recommended to be made in good colors without border.
 4669 Green and Yellow stripe—good texture.
 4670 Good native cloth.

- 4671 Red and white squares, very good silk, requiring only change in pattern.
 4672 Recommended to be made in good colors without borders.
 4680 Handkerchiefs very creditable.
 4681 Good native cloth, mixed.
 4633 do. „
 4684 do. „
 6160 Buff twilled—this in suitable colors would be a most useful silk, G. Soobroy Chetty: this man could make white silk for export.
 5174 Sashes. As imitations creditable but require much improvement.

MYSORE.

The Jury in their general remarks have noticed the promising nature of the Mysore section, one great point, that of cheapness combined with quality has been attended to, and if persevered in, must be followed by remunerative results. The patterns here require modernizing and some change in texture is also necessary, whilst at the same time the present should be continued. Great attention to the important art of dyeing is necessary, the silks also are too narrow. Mysore exhibits no White Silks, but looking to the qualities and prices of its colored fabrics it could certainly take a leading place in a general trade in these.

- 4234 Black and Crimson, good and cheap, recommended to be made in colors suited for European wear.
 4235 Three pieces in Colors—bad taste.
 4236 Five pieces Check—deserving notice from their peculiarity above others and their cheapness, but recommended to be made of more durable substance.
 4237 Two pieces, require improvement in quality and color.
 4238 Check, requires greater taste in pattern, quality good.
 4239 Four pieces Shot, and others, quality middling.
 4240 Inferior but cheap, mixed.
 4268 Check requires better taste.
 4270 do.
 4271 do.
 4272 do.
 4275 Black very bad color, mixed.
 6812 Woman's cloth, good and cheap.
 6830 do.

SALEM.

- 2400 Man's cloth, material and texture very good, price moderate.
 2392 Woman's cloth, good and cheap.
 2393 Handkerchiefs—quality inferior, color bad.
 2500 Cloth of middling quality.
 2501 do.
 2502 do.

ADONI.

- 1900 Wanting in quality.
 1912 Good substance, thread badly spun. Cloth uneven, price moderate.
 1915 Wanting in quality.
 1916 " "
 1917 " "
 1918 " "
 1919 " "

BELLARY.

- 2008 Native cloth, coarse and dear.
 2010 do.
 2011 do.
 2013 White, very uneven.
 2015 Silk cholay, well made, good colors.
 2021 " middling.
 2023 " "
 1024 " "
 2027 Mixed Silk and cotton, middling.

CHINGLEPUT.

- 776 Native Cloth, nothing to recommend it.

VATAPOLLIUM GUNTOOR.

- 9304 Seems to have been in the last Exhibition and to have received a Medal. Very inferior to Silks now Exhibited.

MADURA.

- 1321 Gold and Silk Handkerchief—light texture, prettily made.

KURNOOL.

- 79 Orange and Red Square Cloth, indifferent.

MASULIPATAM.

- 4108 Two handkerchiefs—texture very creditable, cheap.
 4108 Two Black—not so good.
 4108 Two Blue—light texture, bad color, dear.
 One long ditto.

PARAMAGODY MADURA.

- 4751 Mr. Boalth, Moonsiff of this place, exhibits three pieces of Silk Handkerchiefs the produce of this Village, they are very good and moderate in price, Mr. Boalth says that the weavers are too poor to work otherwise than with advances, which is much to be regretted, as the specimens show that with means to do so an article could be produced that would stand well in the market.

W. R. NORFOR,

Reporter.

MADRAS, 29th April 1857.

JURY AWARDS.

MADRAS.

- No. Mr. Underwood, *Pina Silk*, 1st Class Medal.

HYDRABAD.

- | | | | |
|------|-------------|-------|------------------------|
| Nos. | 6228 & 6469 | Silks | One First Class Medal. |
| | 6088 & 6472 | ditto | One Second ditto. |
| No. | 6078 | ditto | Honorable mention. |
| | 6081 | ditto | ditto. |
| | 6464 | ditto | ditto. |
| | 6404 | Satin | ditto. |

TANJORE.

- | | | | |
|-----|------|--------------|--------------------|
| No. | 5175 | Dress piece, | 1st Class Medal. |
| | 4673 | Silk | Honorable mention. |
| | 4677 | ditto | ditto. |
| | 5170 | ditto | ditto. |

MYSORE.

- | | | | |
|-----|------|-------|--------------------|
| No. | 4234 | Silk | Honorable mention. |
| | 4236 | ditto | ditto. |

PARAMAGODY, MADURA.

- No. 4751 Silk Handkerchiefs, Honorable mention.

R. W. NORFOR,

Reporter.

MADRAS, 29th April 1857.

CLASS XIV.

MANUFACTURES FROM FLAX AND HEMP.

JURY.

The Honorable Sir. H. C. MONTGOMERY, BART. *Chairman.*

The Honorable WALTER ELLIOT, Esq.

W. E. UNDERWOOD, Esq.

Lieutenant Colonel G. BALFOUR, C. B.

H. F. C. CLEGHORN, Esq. M. D.

Colonel F. A. REID, C. B.

A. HUNTER, Esq., M. D.

Lieutenant Colonel T. T. PEARS, C. B.

J. D. SIM, Esq.

Colonel Æ. SHIRREFF.

Major J. MAITLAND.

Lieutenant Colonel W. H. BUDD,

Lieutenant Colonel A. M'CALLY.

Colonel P. HAMOND, *Reporter.*

Major G. SIMPSON.

Captain W. C. BAKER.

Captain C. BIDEN.

W. E. COCHRANE, Esq.

J. BINNY KEY, Esq.

W. ARBUTHNOT, Esq.

J. L. LUSHINGTON, Esq.

J. T. MACLAGAN, Esq.

A. T. JAFFREY, Esq.

E. BEAUMONT, Esq.

Lieutenant MITCHELL, *Reporter.*

T. PEACHEY, Esq., *Reporter.*

Dr. W. FLYNN, G. M. M. C.

W. B. WRIGHT, Esq.

G. WILLIAMS, Esq.

N. C. MOOROGASEN Moodelliar.

C. V. CONNIAH Chettyar.

C. RENGANADA Shastree.

Sub Conductor BRIGGS, *Reporter.*

W. B. LIDDELL, Esq.

Captain HAWKES.

The manufactures from Flax and Hemp and their immediate substitutes, although not extensive, are most of them excellent specimens, and exemplify in an interesting manner, some of the many uses to which Indian fibres may be applied.

The Jury while regretting, that the scanty means and imperfect mechanical appliances of India, must inevitably retard the development of her resources, and to a great extent operate against the reception of her manufactures, whenever cheapness of production and extreme strength and perfect workmanship are indispensable; yet, view the proofs displayed of the inherent value of Indian material as extremely valuable; and they are convinced that in fibre manufacture, nothing but the instruction of the people in the English methods, and the judicious introduction of the requisite machinery are required, to enable

the production of Cordage of a quality equal to, and at a cost far below the English supplies.

The production of fibre, its preparation and after manufacture, has, until lately, been very inconsiderably and unskilfully conducted, and the marked improvement now displayed in the raw material and manufactured cordage, establishes the value to be derived from periodical expositions of art and industry, and of the willingness of the native operatives to adopt European methods, when their value and usefulness are practically exemplified.

It is now almost universally admitted, that few countries can surpass India in the variety and excellence of its fibrous productions. That these have not sooner or more willingly met with acceptance by the European manufacturers is attributable, first to the difficulties which always

exist to the introduction of new and untried material, to the absence of information on the part of the manufacturers, as to the variety, quantity, quality, value and means of affording abundant supply of Indian Fibre, and *secondly*, to the imperfection (from unskilful treatment) of the samples and consignments forwarded to England.

The attention of many competent judges in India has long been turned to this unaccountable neglect, of what might be India's chief staple of production and export. The present compared with the preceding exhibition shews how much good has followed the endeavour to place the production and preparation of Fibrous substances on a proper footing.

The requirements of a large and populous country like India, must necessitate the use of cordage varying from extreme cheapness and simplicity of manufacture, to the expensive and trustworthy descriptions at present only procurable in Europe.

That the higher requirements of the public service cannot be satisfactorily supplied from local resources is easily accounted for, and is not at all surprising when the total want of capital and machinery and the little skill of the native manufacturers are considered. Whenever danger to life or property might follow the employment of inferior cordage, the use of the Europe manufacture is imperative; and this, less from the inferiority of the material employed in this country, than from its imperfect manufacture occasioning uncertain quality and irregular strength.

There is however ample evidence to justify the expectation, that when skilled labour and fitting machinery are employed, the working up of Indian Fibre into cordage equal to the English, is not only possible, but also, that the English will be surpassed in durability and strength, from the superior fitness of the Indian fibres to resist the effects of a tropical climate.

In the specimens of cordage and twine examined by the jury, they observed that chief care had been bestowed upon those Fibres*, which experiment have proved the best material for cordage. The more common, available and cheaper materials† are represented in a less ambitious form. The latter manufactures are interesting as shewing how cheaply and easily the agricultural requirements of the country can be supplied.

In the higher samples of native manufacture, the jury remark how evidently the production of superior samples has been the work of time and labour to the enhancement of the cost: and yet how unfitted they are to compete with the machine produced fabrics of Europe. With but few exceptions,

the fault so common in native rope when manufactured in imitation of the English, viz, too great a twist, hardness and consequent weakness, is observable; and the unevenness of the *strands* in many of the specimens, shew how insufficient the native methods of manufacture are, to ensure equal strength, or to bring out the full value of the material employed.

It is a question worthy of consideration, whether encouragement afforded to the production of superior native manufactures is likely to prove advantageous, while the sole means of production is by hand labour. The common requirements of the native population have been satisfactorily supplied by the rough and cheap manufactures of the country; and although improvement is commendable, it is very doubtful whether the greater cost occasioned by such improvement, would be appreciated, or prove remunerative. No solely native manufacture carried on in the present unscientific and desultory manner, would be acceptable in the higher requirements of the public service,—the mechanical means of England can alone ensure abundance of supply, equality and cheapness; in the existing social condition of India, no vents exist for the costly productions of hand labour.

While viewing, therefore, the samples of cordage manufacture, as evidence of the fitness of the Indian material for such employment, the Jury cannot award to the manufactured specimens the credit of representing a true and legitimate branch of India's industry. Excellence of workmanship is apparent in many, but no proof exists that extensive demands could be met, or that equality with the samples would be certain.

Great credit is due to all who have interested themselves in the exemplification of this branch of manufacture, and though it is to be regretted that the obstacles to a cheap and abundant supply of many very valuable among the samples are too great at present to render them of commercial importance, yet the proofs shewn of the excellence of the material employed, and its fitness for manufacture under more favorable circumstances, will be of great value and eventually fulfil the purpose for which their exhibition was intended.

Of all the fibrous productions of India, the Coir (*Cocos nucifera*) holds in native estimation the highest place: whether employed in the form of rough twine for trying on the roofing of huts, to fasten the rude equipments of the native plough and cart, or to withstand the hurricane as a cable it is found equally useful. Its extensive employment for secondary purposes in the Public Service and Marine is well known. The best Coir is procurable from the Laccadive Islands but being chiefly imported to, and worked up on western coast, the principal supply for Southern India is derived from the indigenous plant. The specimens of Coir Cordage are very good, and though none

* Coir. *Cocos nucifera*.
Aloe. *Agave species*
Marool. *Sansiviera zeylanica*
Yerkum. *Calotropis gigantea*
Ambaree. *Hibiscus cannabinus*
Jute. *corchorus*
† Wild date. *Phoenix dactylifera*
Palmyra. *Borassus flabelliformis*
Seemay cattalay. *Fourcroya gigantea*
Screw pine. *pandauns odoratissimus*

are of large size, the samples from Tanjore alone, are sufficient to shew its applicability for every purpose to which Cordage is applied, and its value as a cheap and useful manufacture, if the aid of machinery were brought to bear. Coir, from specimens shewn in the form of rugs and carpets, dyes freely, and this property suggests the applicability of the material for many of the requirements of social life.

From the light colour of most of the Indian Fibres, they are well adapted for dyeing, and many which, from the shortness of the staple are useless for Cordage, would prove valuable material in the manufacture of Carpets, Mats, Rugs &c., and particularly for the flooring of Railroad-Carriages. An immense amount of Matting is required by public Institutions in Europe, and for Railway Stations, Waiting Rooms, Offices &c. and which are at present mostly covered with a superior but very expensive description of Coconut matting, some of which is worked up with hemp. Many of the far cheaper Indian Fibres might prove equally useful, and the Jury are anxious that experiments may be instituted to discover the best material for these purposes.

The "*Agave species*" is represented by contributions from most of the Districts, and appears also a favorite material with the Native manufacturers; its applicability for the finer kinds of twine is well known. The fineness and length of the fibre from the young leaves, enables the production of a superior description of Cordage, but its tendency to rot, when exposed to moisture has proved a serious drawback to general use. Science and experiment may yet discover an antidote for this failing, and should such be the case few fibrous substances offer greater advantages for general manufacture. The *A. Americana*, appears best suited for Cordage and the *A. Vivipara* for woven fabrics. Many of the samples forwarded have been dyed of various colours, and appear well adapted for Punkahs, lamps and other internal uses in houses.

Marool "*Sansiviera Zeylanica*" is but lightly represented in a manufactured form; the chief exhibitor being Hurry Row of Tanjore. Good Cordage from Cuddapah and Guntoor is shown and a serviceable looking line from Masulipatam. Dr. Kirkpatrick forwards from Bangalore some excellent twine. The dyed Ropes from Tanjore are very good.

Palmyra. "*Borassus flabelliformis*" though useful as a material for common Cordage does not appear to promise much if employed for the superior descriptions. A few of the samples of Rope forwarded have been carefully got up.

Wild date, "*Phoenix dactylifera*," is useful for agricultural purposes; but two samples of rope have been forwarded.

Hurry Row forwards from Tanjore a specimen of Cordage from the Plantain Fibre: this beautiful material is however too costly for Cordage but admirably adapted for weaving.

Yercum, "*Calotropis gigantea*." Good specimens of

Cordage are exhibited by the Local Committee Masulipatam, Messrs Fischer and Co. of Salem and Dr Kirkpatrick; the value of this fibre, if machine treated, is well known.

Sunn or Janapa, "*Crotolaria Juncea*." This is one of the most useful of the Indian hems and is largely exported to England. Some good Cordage is exhibited by the Masulipatam Local Committee.

Ambaree, "*Hibiscus Cannabinus*," is represented in a manufactured form, by the Local Committee Masulipatam, Messrs Fischer and Co. of Salem and by L. Paupiah in Gunnies; the latter manufacture is the finest specimen in the Exhibition. Gunnies would make excellent corn sacks, and would afford them at a much lower price than is now paid at Home.

Some specimens of Rope manufactured in the Arsenal at Secunderabad from "Ambaree" and other of the Deccan Fibres deserve especial notice as strikingly exemplifying the value of scientific treatment in the manufacture of Cordage. In the early part of 1856, Captain Barrow and Dr. Riddell instituted a series of experiments at Secunderabad with the Deccan Fibres, and carried on the manufacture with native Rope makers. The Rope thus manufactured and tested at the Grand Arsenal, Madras, gave the following results:

Hingoollee Sunn,	Fibre $4\frac{1}{2}$ inch	Broke with	3272 lbs.
Ellichapore Burro,	do $4\frac{1}{2}$ do	do	3233 lbs.
Do Ambaree,	do 4 do	do	2657 lbs.
Hingoollee Sunn,	do $3\frac{1}{2}$ do tanned	do	1256 lbs.
Do do	do $3\frac{1}{2}$ do not tanned	do	3441 lbs.
Do Ambaree,	do $3\frac{1}{2}$ do	do	3609 lbs.
Ellichapore Ambaree	do $3\frac{1}{2}$ do	do	2701 lbs.
Hingoollee Sunn,	do 3 do	do	2165 lbs.
Do do	do $2\frac{1}{2}$ do	do	2713 lbs.
Do Ambaree,	do $2\frac{1}{2}$ do	do	2209 lbs.
Ellichapore do	do $2\frac{1}{2}$ do	do	2097 lbs.
Do Proharee,	do $2\frac{1}{2}$ do	do	2153 lbs.

A second experiment carried on with the assistance of a European Rope-maker and with machinery improved under his directions as far as the resources of the Arsenal would admit, gave still more favorable results.

Ambaree	5 inch	Broke with	9167 lbs.
Do.	$3\frac{1}{2}$ "	"	5117 "
Do.	3 "	"	4407 "
Do.	3 "	"	1720 "

The Jury while considering the samples of Rope from Secunderabad as the most perfect manufacture in this class, still view the purpose for which the Exhibition was established as intended to encourage and display the native industry of the country; and the above samples having been produced by European agency and with every assistance the resources of an extensive Arsenal could afford, cannot be placed in competition with the unaided efforts of native industry. Great credit is due to all concerned in the manufacture of this Rope, and the experiment is truly valuable as proving the great worth of Indian Fibre when properly treated. Considering, however the care and

attention bestowed, and the fact that it represents the only legitimate manufacture in this Class, that any amount of supply can be obtained, and that the purpose of the manufacture is to remove the prejudice existing against the raw material, and to shew the capabilities of the Country for carrying on manufactures if the requisite mechanical agency and trained skill be introduced; the Jury recommend that a first class medal be bestowed on Captain Barrow and Dr. Riddell and this high award being supplemental to the rewards the Jury propose for the superior manufactures in this Class, no injustice will be done to the other competitors.

A very superior description of Cordage, manufactured in the Arsenal at Bangalore is also shewn, but not equal to that from Secunderabad; the manufacture is very good, but the material employed does not appear equal in strength or well cleaned.

Allusion has been made to the large requirements of the Railways in Europe. There is one manufacture extensively required by them, viz. Canvas for making Tarpaulins wherewith to cover loaded Wagons. If any of the coarser kinds of Indian Fibres could be made up, of great breadth, of a texture that would resist the wet, retain the paint, bear folding up and knocking about, and the alternations of heat and cold, wet and dry, at a moderate price any quantity might be taken; the average cost of a Wagon Tarpaulin is in England 21 Rupees.

Of the finer Fabrics there are but 12 specimens contributed by two Exhibitors, viz.

W. E. Underwood, Esq.
Hurry Row, Tanjore.

W. Underwood Esq. has shewn the best manufacture and finest article produced, from two Fibres, viz.

* Marool. *Sansevieria Zeylanica* and one said to be, † Pine Apple. *Ananana Sativa*—as the prices are not affixed, it is impossible to decide on the merits of these fabrics as Articles of Commerce. The Pine Apple cloth is particularly beautiful, and would, if it could be produced at a reasonable rate, command a ready sale. The Marool cloth too, if it dyes well, might be very extensively used.

Hurry Row exhibits.

Marool	at	Rs. 5 7.0	per yard	No. 4698
Pineapple	at	Rs. 7 7.0	per yard	No. 4704 4705
Do.	at	Rs. 3.2.6	per handkerchief,	No. 4707
Plantain	at	Rs. 1.10.0	per do.	No. 4709
Agave Americana	at	Rs. 4.0 7.	per yard	No. 4701
Yerum	at	Rs. 9.12.0.	per yard	No. 4708

All these prices are too high, and can only tend to preclude the possibility of the manufactures ob-

taining a market in Europe, where equally good and infinitely cheaper fabrics are produced, although the first cost of the material and the labour in preparing it for manufacture, must occasion large outlay.

It is much to be regretted that the specimens in this class and of this description of fabric, are so few, as without doubt the flax spinners of Ireland, Scotland, Belgium, Holland and Germany must ere very long seek for Fibre elsewhere. Flax is the most exhausting crop that grows, on which account landholders, especially in the north of Ireland are prohibiting the cultivation of it, and in England the growth of flax has been prohibited for years and is made in most cases penal, involving the forfeiture of the Leases of the parties raising it. In India it might be produced in abundance, and there does not appear to be any valid or sufficient reason, why, with land so much cheaper, and the cost of labour so trifling, the Fibres of India, some of which equal, if they do not surpass, the best of Europe, should not with a little encouragement care and perseverance become a large and constantly increasing item of export from this country.

The Jury would be glad to see more strenuous efforts made to improve the Canvas manufactures of the country; and would point out to all interested in the manufacture of cordage, the necessity of employing none but good and well cleaned fibre. They must remember that it is easy by hand labour to make good looking rope, but that such, if of unequal strength, or not of the strength made the standard in Europe, is useless for the higher requirements of the country. Attention should also be turned to the many valuable and cheap preservatives procurable in the country. Tarring Cordage in this climate is highly detrimental, and any fermenting preparations inadmissible. The use of some of the metallic salts would prevent rot, resist insects &c., and some of the oils might prove of great benefit as preservatives.

The Jury recommend the following prizes be awarded.

To W. E. Underwood Esq., for the best fine fabrics, a 1st Class Medal.

To Hurry Row of Tanjore, for his fine fabrics, and very extensive contribution in this Class, a 1st Class Medal.

To S. Paupiah, for his very excellent Gunnies, a 2nd Class Medal.

and supplementary, and for especial approval, to the Secunderabad Rope a 1st Class medal, and the Jury suggest that the General Committee should take means to ascertain that the reward in this instance is given to the true producer.

CLASS XV.

REPORT ON MIXED FABRICS INCLUDING SHAWLS BUT EXCLUSIVE OF WORSTED GOODS.

JURY.

The Right Hon'ble Lord HARRIS.
 M. GALLOIS MONTERUN.
 J. KELLIE Esq.
 S. D. BIRCH, Esq.
 W. E. UNDERWOOD, Esq.
 R. O. CAMPBELL, Esq., *Reporter*.
 J. TAWSE, Esq., *Reporter*.
 Major STEWART.
 P. VEERAPERMAILL Pillay.
 Sirdar JUNG BAHADOOR.
 HAJIE AGA MAHOMED BAKIR, SHERAZEE, NEMAZEE.

In the Madras Exhibition of 1855 there was a fair display of Cashmere shawls which added much to the attractiveness of this class of Articles. On this occasion, however, the object being in a great degree restricted to the exhibition of the products and manufactures of this Presidency, and less encouragement having been given to the display of the costly manufactures of other parts of India none of the shawls of Cashmere or indeed of that description of manufactures are represented, and, as many of the most gorgeous and expensive of the mixed fabrics of this Presidency, consisting of Silk and gold floor cloths, table covers and saddle cloths and trappings, come under the designation of Tapestry and Embroidery and are dealt with in another class, the articles exhibited in this class consist principally of the beautiful Silk shawls and bed quilts of Mysore; of men's and women's cloths of cotton and silk, and cotton with gold embroidery from different parts of the country.

Silk Shawls of Bangalore.—Of these there was a very good display, showing considerable variety of pattern, the brilliancy of color, weight of material and softness of texture excited admiration. The range of prices was from Rs. 80 to Rs. 125.

The handsomest shawl was exhibited by Naikjee Sookaram No. 4,223 priced at Rs. 115. As is generally the case in these shawls the border was sewed on so as to exhibit the right side at both corners when folded for wear. The Jury considered this shawl entitled to pre-eminence, on account of the novelty of the pattern (a rare recommendation in native manufactures) and the beauty and harmony of the colors, and awarded for it a *Second Class medal*.

Another shawl exhibited by Koday Tooljee No. 4217, priced Rs. 125, similar in size to the above but of a more ordinary pattern and on which the colors were not so well harmonized attracted the notice of the Jury and they considered it worthy of *honorable mention*.

Silk Bed quilts.—These were also of Bangalore manufacture very similar in texture and style to the shawls and, like them, not in one piece but consisting of different pieces sewed together. The Jury did not consider any of these so remarkable as to deserve the distinction of a medal but they deemed the following entitled to honorable mention.

No. 4,216	priced Rs. 75	Exhibited by	Coday Tooljah.
4,218	" " 100	"	Dondalai Esorse.
4,222	" " 80	"	Naikjee Sookaram.
4,224	" " 100	"	Maikjee Munyapah.

A black Silk embroidered shawl of Chinese manufacture exhibited by *Miss Tatham* attracted great admiration, the embroidery in red silk being of the most perfect workmanship, alike on both sides, and covering the whole shawl. The Jury awarded a medal (second class) to the Exhibitor.

Men's and Women's Cloths.—Of these there was a very large and handsome display principally from Hyderabad, but also from the Mysore country, from Bellary, Chingleput, Madura, &c., In this description of garment, however excellent the manufacture there is little variety of color or style to attract the eye or call for special remark; accordingly there was only one which the Jury considered entitled to a second class medal. This was a red women's cloth from Conjeiveram No. 778 exhibited by Moonased manufactured of silk and gold. The weight and value of material and the elegance of design excited admiration.

The cloths of cotton and silk transmitted by the Hyderabad Exhibition Committee from Salar Jung Bahadoor and also by the Hyderabad Local Committee were numerous and good, and the assortment was considered entitled to honorable mention. There were also two cloths which attracted the notice of the Jury for their simplicity and elegance, viz.

No. 6,023 a Sadu of cotton with gold border and 6,103 a do. of silk and cotton both exhibited by the Hyderabad Local Committee. These were also awarded honorable mention. Likewise a woman's cloth from Bellary No. 2,007 exhibited by G. Narrappa, ornamented with a rich border of silk and, lace was considered worthy of honorable mention.

The Jury hope by awarding their commendation principally to improvements in pattern and style and to judicious departures from the stereotyped fashion in these universally used articles of native apparel into the manufactures to give their attention more to such improvements.

JURY AWARDS.

Progressive No. in Catalogue.	NAMES OF EXHIBITORS.	OBJECTS REWARDED.
<i>2nd Class Medal.</i>		
4,223	Naikjee Sookaram,.....	Silk Shawl.
9,087	Miss Tatham,.....	Embroidered Silk Shawl.
778	Moonasee,.....	Woman's Cloth Silk and gold
<i>Honorable Mention.</i>		
3,217	Koday Tooljee,.....	Silk Shawl.
4,216	do do	Silk Red quilt.
4,218	Dondalia Esarsee,.....	do.
4,222	Naikjee Sookaram,.....	do.
4,224	Meikjee Mungapah,.....	do.
	Salar Jung Bahadoor,	Men's and Women's cloth.
	Hydrabad Local Committee	do.
6,023 }	Hydrabad Local Committee	Sadee or Woman's cloth.
6,103 }		
2,007	G. Narrappah,.....	do. with lace border.

R. O. CAMPBELL, *Reporter.*
J. TAWSE, *Reporter.*

CLASS XVI.

LEATHER, INCLUDING SADDLERY AND HARNESS, SKINS, FUR,
FEATHERS AND HAIR.

JURY.

His Excellency Lieutenant General Sir P. GRANT, K. C. B.

Lieutenant Colonel W. G. WOODS.

The Honorable Sir H. C. MONTGOMERY, Bart.

Captain T. THOMPSON.

Captain R. W. RAIKES.

Lieutenant Colonel J. HILL.

S. D. BIRCH, Esq.

Captain H. A. HOPE.

Colonel A. SHIRREFF.

Major G. W. Y. SIMPSON, *Reporter*.

At a moment when the manufactures of this Presidency are in a transition state, passing from the old unaided manual labour system to all the great advantages conferred by the introduction of Steam Machinery, it seems imperative that one of the most important should not be overlooked. The manufacture of Leather in this Presidency, whether regarded with reference to the requirements of the Public Service, or in a commercial point of view, is scarcely second to any other manufacture either in extent or importance; but, before entering on the question of Tanning it may not be uninteresting, or unimportant, to submit a brief sketch of the Exports of Hides and Tannin substances, shipped at Madras for the last $3\frac{1}{2}$ years. Commencing with the years 1853-54 the number of untanned Hides exported, chiefly to England, Holland, and France, was 2,36,876, with a money value of 1,33,295 Rupees. In the years 1854-55, there were shipments of 24,95,463 Hides with a value of 6,42,035 Rupees; and in 1855-56 the exports were 12,38,079 Hides valued at 3,71,736 Rupees, exhibiting a total number of Hides exported during the last $3\frac{1}{2}$ years of no fewer than 60,03,086, of the estimated value of Rupees 24,71,379; it has before been observed that the largest exports have been made to England, Holland, and France, and to these may be added Arabia, Persian Gulf, the Indian French Ports, Scinde, and, strange as it must appear, to Bengal for re-shipment to North America; looking to these facts it is unquestionable that this Presidency possesses within itself the most ample means for meeting all its requirements so far as the supply of Raw Hides is involved; and, in concluding these remarks,

The annexed Extract from the Leather Trade Report at New York dated January last corroborates the impression that the consumption of Hides is exceeding the supply both in the Home and American Markets.

THE LEATHER TRADE IN AMERICA.—Hides and leather have lately gone up to a higher figure than at any previous time within the memory of our oldest boot-wearers. Buenos Ayres hides, the best quality in market, now sell for $34\frac{1}{2}$ cents per lb., while last June the price was 23 cents. This is a rise of fully 60 per cent. in eight months, though the present supply is not less than usual at this season of the year. There has been a gradual advance in the price of hides since 1849, when the best quality could be bought for eight to nine cents.

HOME LEATHER TRADE.—Since our last report both leather and hides have become more scarce, and a further advance in price has been realized. The opinion which has been frequently expressed—viz., that the consumption of leather is now greater than the production, is fully confirmed by the actual decrease in stock, and the anxiety of buyers to replace sales. The accounts by the last Brazilian mail report a greatly diminished supply of hides to this country, which circumstance has caused a considerable advance in all descriptions of sole leather.

THE BRAZILS.—Hides much inquired after, and stocks on hand insignificant; sales have been effected at 400 reis per lb.

one very striking fact may be added, that the declared value of the Hides exported from Madras, during the month of February last, reached the very large amount of Rs. 2,04,996; and in March last, Rupees 1,63,754; and the marginal quotation from the "Times" of the 9th March, gives reason to expect that still larger exports may be looked for. Turning now to the means for converting Hides into Leather, we find within the Presidency rich and abundant Tannin substances at our command, and to show how fully the value of these substances is appreciated elsewhere, it is necessary once more to refer to the export trade of this Port.

First taking the Tannin substances, catechu, cutch, terra japoninca, and terra, all terms, in general use with Tanners to designate one and the same substance, but not accurately so, for catechu,

for dry and 360 reis per lb. for dry salted, which, at the exchange of 28d, is equal to about 13.40d. per lb. for the former, and 11.73d. per lb. for the latter, free on board, without freight.

Bengal Catechu.	Bombay Catechu.
97.....	109 Tannin.
73.....	68 { Extractive Catechuic Acid.
16.....	13 Mucilage.
14.....	10 { Lime & Alu- mina.
200	200

while the Bengal produce of a lighter brown colour, is termed "Terra."

Catchu is also obtained in large quantities from Pegue, it is packed in large masses, and is noted for its excellent quality.

The Catechu exported from Madras to England, Bombay, France, and Ceylon, was in the years before referred to, that is, in

1853-54...	484 Cwt. at	1992 Rs.
1854-55...	1364 "	6984 "
1855-56...	2908 "	22971 "
Part only of the years. } 1864-57...	658 "	2704 "

or in $3\frac{1}{2}$ years 5,419 cwt. of Catechu valued at Rupees 34,657.

The next Tannin substance we find as an export is the "Gall nut." In the year 1853-54 the exports were..... 613 cwt. valued at 6,430 Rs. In 1854-55 ... 5,839 cwt. at 7,018 " In 1855-56 ... 6,866 " estimated at 6,891 " shewing a total quantity in 3 years of 13,318 cwt. of the value 15,339 Rs. Large shipments of Gall nuts have been made to Calcutta and Bombay.

The Gall nut does not rank very high in the Home market for Tanning purposes, consequent on the presence of Gallic acid in the nuts, which although soluble in water is useless in the tanning process, being incapable of combining with Gelatine, and Gelatinous tissue like Tannin.

The next substance found in our List of Exports, "Myrobalans," is perhaps one of the best Tannins procured in this Presidency, and possesses properties equal to any Tannin substance with which we are acquainted. Again referring to the same periods—The Export of Myrobalans 1853-54 amounted to 4,144 cwt. at the estimated value of Rs. 8,477.

In 1854-55—	5,217 cwt. at	Rs. 7,891
Part of 1855-56—	907 "	" 2,232

or in 3 years 10,629 cwt. of the value of Rs. 18,600. The chief shipments of this large quantify were made to England and France.

is the inspissated aqueous extract prepared, not only from the Bark and wood of the "Acacia catechu" and "mimosa catechu" but also from "Uncaria Gambir." The *Bombay* Catechu being obtained from the former, and the *Bengal* Catechu, from the latter. The *Bombay* produce is of a dark brownish red colour, and is stated to be the richer of the two in Tannin. The *Bombay* variety is commonly called "Cutch,"

The "Myrobalans" contain a very large proportion of astringent matter, but Tanners in using Myrobalans must guard against all circumstances which favour the conversion of Tannin into Gallic acid, which latter, as before observed, is inoperative in Tanning. Divi Divi altho' procurable also in the Presidency, and a well known Tannin in the Home Market, is not found among our exports, and it is difficult to determine to what extent it is used in local Manufacture.

The whole of the Tannin matter in Divi Divi is found in the rind of the Pod, or beneath the epidermis of the Pod. The Divi Tannin is stated to resemble that of the Gall nut, and soon enters into a state of fermentation when mixed with water.

Average quantities of Tannin in Catechu	Per Ct.
Bombay	55.0
Bengal	44.0
Kino Tannin and extractive	75.0
Nutt Galls...	69.0
Terra or Gambir.....	40.0
Tannin Substances obtained in Hyderabad Territory.	
Cassia Auriculata ...	Wurungul
Acacia Arabica	Wurungul and Neermul.
Cassia Fistula	Armoor.
Botia Frondosa	Armoor.
Thespesia Populuca..	Armoor.

The Leather Tanned by means of Divi; is generally very porous, and exhibits a deep brownish red colour; if however the Tannins, Divi, and Myrobalans, be used in *closed Pits*, discoloration of the Leather is avoided. Of the peculiar qualities of the Tannin from "Thanghede" Bark very little is known, and indeed with regard to all the Tannin substances found in the Presidency it is most useful that some systematically conducted series of experiments should be entered on, under chemical supervision, to determine their relative merits.

Sumach, the *Rhus Glabrum*, or *Coriari*, an excellent Tannin, seems confined to Mysore, where it is an Exotic, the Plant however thrives well and needs little care, the leaves and bark contain the Tannin. It is used in England for tanning the lighter and finer kinds of leather, and realises a good price in the English Market. A peculiarity of Sumach is that it *does not impart any color to the Leather in Tanning*. Having thus briefly referred to the Hides and Tanning substances found in the Madras Presidency, it may not be out of place to notice some of the stages of the process of Tanning, which appear least understood in local Manufacture. First to the *Liming process*. The action of the Lime is continued for too long a time, and in too sudden and in too strong solutions. To obtain a good leather this process needs the most careful supervision, it should be commenced by immersing the Hides in weak solutions, and passing them on to stronger, watching the indication of the completion of the process, that is the yielding of the Hair and Epidermis to the touch.

The *duration* of the liming being dependant on the state of the atmosphere, and the texture of the Hides. It is most important that Hides should

be thoroughly cleansed from Lime before immersion in the Tannin solution.

The Liming process is full of peril to the Hides in unskillful hands, as in over liming a portion of the Gelatinous tissue of the Hide is disintegrated, and removed in the form of Gelatin, or else so altered in structure as to become incapable of combining with the Tannin; the Leather produced (if over limed) is light, loose, and perishable.

Looking to the absence of skilled labour in this country it is very desirable that some other method than the dangerous one of liming should be followed. The same results may be obtained by means of acids in dilute solutions, sour milk may be effective, fermented Rice water, and some other Vegetable acidulous matters.

The greater portion of the Leather Tanned in this Presidency exhibits all the ill features of *over Limings*, and Leather too rapidly made.

In order that the animal fibre may thoroughly combine with the Tannin TIME is the one essential to produce a good leather; the Tanning process must be gradually and skilfully conducted in all its stages. It forms however no part of the Juries duty to enter more fully on the system of Tanning. Their remarks being confined to general points only, but they must observe that a *good practical Hand Book on Tanning* applicable to this country, would be of great value, and constitute the best means of leading Native Tanners to an intelligent knowledge of the work they carry on. The Jury now proceed to notice the Tanned Hides and skins included in this Exhibition, and, although several of the specimens are of a very satisfactory quality, it is unquestionable that the manufacture of Leather in the Presidency is still capable of great improvement and development.

Buffaloo, Bullock, and Cow Hides, have been contributed from the Hoonsoor Government Tannery, and from the Tannery under Mr. Coghlan, at Bangalore: from both Tanneries Calf, Goat, and Sheep skins have also been exhibited, and one Pig skin from Mr. Coghlan. The leathers of all descriptions taking the lead in this exhibition are those from the Hoonsoor Pits, some of the Buffaloo and Bullock Hides would bear comparison with the out turn of English Pits, the Goat and Sheep skins are

These Hides were closely rolled and kept in a dark part of the room. They were never exposed to the action of either Brilliant light or air, or perhaps the tendency to change might have been observed, as in other specimens less fortunately placed.

also admirably got up, and are the only leathers exhibited which have not shewn a tendency to that *fawn red discolouration* on exposure to the air, which is one of the distinguishing ill features of Country Tanned leathers, the Jury feel gratified in awarding a 1st Class Medal to the Superintendent of the Hoonsoor Pits.

The leathers next in merit to the Hoonsoor col-

lection are those exhibited by Mr. Coghlan from the Bangalore Pits. The Buffaloe and Bullock Hides are very well tanned, but have not preserved their colour in places exposed to the air, the Jury consider Mr. Coghlan entitled to a 2d Class Medal.

The Military saddle exhibited from the Body

This saddle has been subjected to a far more severe trial than any other article of Leather exhibited, having been for the last 2 months placed exactly in front of a Window—by which it was exposed to the full rays of the Sun, whereas all other leather was more or less, *some altogether*, sheltered.

It is the opinion of the Tannery that no leather prepared in India could have stood such a test.

Guard Pits is extremely well put together, and the Leather, when first placed in the Exhibition, was of excellent color and appearance, but, since it has stood on Exhibition, the leather, has assumed the fawn red colour in common with all the tanned leathers exhibit-

ed, with the exception of those from Hoonsoor; the leathers used are of good substance, but the discolouration prevents this saddle from taking the place it would otherwise have assumed. The Jury award a 2d Class medal.

The leathers exhibited by Mr. Crow are generally well tanned, some of the coloured skins exhibited by Mr. Crow are of a superior description to the ordinary productions of the local market. The two Harnesses exhibited do not appear to be superior to the usual descriptions of Harness at all times to be obtained at Madras. Some kid skins are of a fair quality, but do not admit of comparison with the kid skins of Europe, the same remark applies to the specimens of wash leather. The Jury award Honorable mention.

Noorasingadoo, at Ellore, has furnished a good variety of tanned leathers, several of fair appearance, but the time given to the Tanning process has been too brief to produce a good leather; over liming and too little time in the Tan Pits, can produce only an unsatisfactory result.

Collapa, at Bellary, has also exhibited a Buff Hide, and a fair variety of tanned skins, but the same remarks apply as above, large quantities of lime and 41 days only in the Tan Pits, can never produce a serviceable leather.

Rungiah Charloo, Sydapet, Chingleput, and Palavaram. Here again we find traces of over liming and rapid tanning, which are the characteristics of all the Native tanned leather exhibited. A *good Hand Book on Tanning* in Tamil is greatly needed.

There are several specimens of Sheep, Goat, and Deer skins, with some coloured sheep skins, exhibited by Veerasawmy Moodelly, at Palghaut, but the Jury cannot report favourably of them.

Some coloured Sheep skins from Hyderabad, exhibit good results with regard to the colouring matter used, but the tanning is not above the usual native standard.

Some Skins fairly enough Tanned have been exhibited by Meerapilla Lubbay, Chingleput, and some fair specimens by Cossey Rowl, Salem.

The Local Committee at Guntoor have exhibited specimens of Goat, Sheep, spotted Deer, and Antelope skins, and although the defects in Tanning before alluded to are found in those specimens, they are perhaps, superior to the general average of the Native Tanneries. The Jury observe some good specimens of Bear skins exhibited by J. Cotton Esq., Masulipatam.

To The Secretary Madras Exhibition 1857.

Sir,—I have the honor to represent on the part of Jury Class XVI, that to enable them to make their Report on leather of any practical value, it is necessary that information on the several points hereunder mentioned, be obtained from the Exhibitors, and to beg that the Exhibition Committee, will be pleased to adopt steps to obtain the same.

1st. The method adopted for removing the hair? if by liming, describe the process? the quantity of

lime used, and the time the Hide is exposed to its action? also the method followed in removing the meli from the Hide, prior to its immersion in the Tannin solution.

2ndly. The names and distinctive characters of the several Tannin substances used? to what extent, and where procurable? the prices?

3rdly. The system of Tanning? whether the Hides are immersed in one strong solution of Tannin, or to successive solutions of increasing strength?; the time allowed for the absorption of the Tannin?

4thly. The method of dressing the Hides?

5thly. The full time allowed for tanning? that is from the commencement of the liming, to the final removal of the Hide from the Pits.

I have &c.,

(Signed) G. W. Y. SIMPSON, Major,
Reporter Class XVI.

7th March 1857.

(True Copy.)

G. W. Y. S. Major.

Exhibitors.	Liming.	Removing the limes.	Tannin substances.	Tanning Process.	Dressing.
Mr. Crow	Removes the hair by the action of lime, the lime from 10 to 15 days according to proportion of Hides, does not state how the lime is applied.	Does not state how the lime is removed from the Hides preparatory to its immersion in the Tannin solution.	The Tannin used is called in Tamil 'Auveramputtay,' other country barks are used at Madras, names not stated.	The process is commenced by immersing the Hides in a weak solution, and gradually increasing the strength, the time allowed is from 3 to 4 Months; this quick Tanning only will pay in the Madras Market, but we beg to inform the Jury that the regular process of Tanning to turn out a good strong durable leather will take 10 to 11 Months, but this process <i>will not pay</i> in a Market <i>where all the leathers we have to compete with are turned out under the quick system.</i> We have 25 years experience in Tanning. The Hides are first placed in a weak solution of Tannin and water, about 2 Mercals of Tannin to 10 Hides with enough water to cover them in the Pit. This solution is removed every second day and the strength of the next and each successive solution increased by half Mercal more Tannin, until the solution reaches four Mercals of the Tannin, which is the maximum. The Hides being well handled throughout this period. This process is continued for 5, 6 or 7 Months, according to the size and thickness of the Hides, the solution being removed as they become weak. For the two last days, the Hides are placed in a solution of Sumach seed in pod, and water, and about 15 lbs. of well ground Sumach is used to 10 Hides with sufficient water to cover them.	Not stated how dressed.
Mr. Coghlan, Bangalore, ...	A solution of lime and water in the proportion of 36 Gallons of Water to each Mercal of lime, but before this a paste of lime and water $\frac{1}{2}$ an inch thick is spread over the flesh side of the Hide which is then rolled up, the Lime past inside, and the Hide is then placed in the lime solution. Every 2nd day the Hide is taken out of the solution and well handled, and this is continued till the hair comes off	The lime is removed by steeping the Hide in a mixture of Bran and water, in the proportion of 2 Mercals of Bran to 10 Hides, with sufficient water to cover them. The Hide is after this again scraped on the hair side, after which it is ready for Tannin solution.	The Tannin used is called "Avaram" in Tamil. Price about 1 Rupee for 10 Mercals. It is procurable throughout the Mysore country. The finishing 'Tannin' used is 'Sumach' which is grown for the purpose near the Horse Artillery lines. The Sumach seed* in pod is used.	The Hides taken from the pot are well washed in clean water, and both sides thoroughly scoured with "Scouring stones," and Stricker on the Carrying Table, it is then hung up until half dry, after which the wrinkles and remaining "bloom" are taken off. Europe fish Oil is then rubbed into the grain side, and mutton fat and oil mixed into the flesh side. The Hide is then hung up again, and when dry, the Hide is finished off by rubbing in the Mutton fat and Oil into the flesh side, with the scouring stone, and the oil into the Grain side with a Woolen Cloth.	

* Both the leaves and Bark of the Sumach, as also the warty excrescences under the leaves, contain Tannin.
G. W. Y. S.

Hide. The Hide is kept covered with the solution and should more Hides be Tanned at the same time, the same proportions of Tannin bark and water must be added, for each Hide 45 seers of the bark to 90 quarts of water; care being taken that the topmost Hide is 12 inches below the surface of the Tannin solution. The Hides are taken out every morning, and scoured for 25 minutes, they are then replaced as before. This operation is repeated for three successive days, and on the 4th day the solution having been thrown away the tub is again prepared with fresh quantities of Tannin and water as before. The Hides remain another term of 3 days, when the same removal takes place; this is done 4 times, occupying 12 days in all, on the 13th day the Hides having been well moved about in the Tub are taken out and the flesh side pared and smoothed. The whole time occupied in Tanning—that is from the commencement of the liming to the final removal of the Hide from the pit, is 27 days, that is liming 15 days and tanning solution 12 days.

The Tanning process in the tub or pit occupies 13 days—This applies to Buffalo and Bullock Hides—Goat and sheep skins are Tanned in same way, but $2\frac{1}{2}$ seers of lime only for the whole process, and 22 seers of Tannin bark to 55 quarts of water, for each skin—The Skins remain only 6 days in Tannin solution—the whole time including liming is 22 days.

The bruised bark of the "Tungady Tree" (the cassia serma) which must not be too young.

The Tannin bark is sold at Ellore at the rate of 45 seers for 4 annas.

The tree from which the Bark is obtained, abounds in the Jungle in the vicinity of Ellore.

This Tannin produces a ruddy-brown colour after dressing.

The Hide is placed in a Tub of clean water and pressed with the feet for 6 hours to take out the lime, after this it is hung up in the shades for 6 hours to dry.

ter for a day and well cleaned after which Lime, in proportion as above, is mixed with water and forms a paste and is spread over the flesh side of the Hide which is then rolled up the Lime inside, it is put into a Basket and remains one day, on the 2nd day it is immersed till folded up in a solution of Lime and Water, $\frac{7}{8}$ seer lime to each Hide, it is taken out each morning & scraped on flesh side, and again placed in the solution, this is done for 14 consecutive days, on the 15th day the Hair is readily scraped off with a knife. Both sides are then pared with a knife and smoothed.

Nursingadoo,
Ellore,

Detailed Statement of the several processes of Tanning and Dressing Leather as carried on by the Exhibitors.

Exhibitors.	Liming.	Removing the limes.	Tannin substances.	Tanning Process.	Dressing.
Callapa, Bellary.	<p>The Hide after washing is folded up and immersed in Chunam and water, in the proportion of $\frac{3}{4}$ a seer of Stone Chunam to each Hide, and the Hide is exposed to the action of the lime for 12 days, it being taken out every third or fourth day and handled, on the 13th day the hide is taken out of the lime Water, and the hair is removed with a blunt knife, the inner side of the Hide is scraped with a sharp knife.</p> <p>The only skins tanned are sheep and goats. The Hides of Oxen and Buffaloes are sold for exportation in their raw state.</p>	<p>The Hide is first well washed in clean water, and then washed again in water mixed with wheat Bran, in which it is left for one day; this removes all the lime from the Hide.</p>	<p>"Turwar" Bark. in Tamil. கூரைப்பருக்கி. கொழைக்காய். N. B. It is a shrub bearing a small yellow flower. This bark is procurable in abundance in and round the Town of Bellary. There are other Tannin substances procurable at Bellary, but not so good as "Turwar" Bark, such as the Babool Bark, Myrabolans and other.</p>	<p>The Hide is then placed in a solution of Turwar Bark and water, the former in the proportion of 8 seers, to each Hide. The Hide is kept in this first solution for 8 days, the solution being well stirred up every day, on the 9th day this solution is removed and fresh Bark and water in the same proportions substituted. The Hide is kept in the second solution for 10 days. On the 11th day this solution is thrown away, and fresh prepared in the same proportions, and in this 3rd solution the Hide is retained 10 days. So on to the expiration of 41 days from the commencement of "liming," The Hide is taken out of the Tannin solution and it is then ready for dressing. A fresh cow hide is worth 1 to $1\frac{1}{2}$ Rupees, a bull hide 1 Rupee.</p>	<p>The flesh side of the Hide is scraped and then rubbed over with a small quantity of "Tire" or "Card." The Hair side is rubbed with 2 pie worth of coconut oil, and the Hide is allowed to dry in the shade for a day or two.</p> <p>The skins are first smoothed by exposure to the air, the flesh side is well scraped with a blunt knife to prevent contraction of the skin, it is then rubbed over with chalk, in which state it is placed in the Market at the Presidency, or exported. The cost of Tanning 100 skins is Rs. A. 6 Parahs Chinnam 0 6</p>

<p>In Tanning goat and sheep skins—the skin is immersed in a solution of 10 Mercals of quick lime mixed with water, in a pit 4 feet diameter and 4 feet deep, lined with brick and chunam.</p> <p>The skins 100 at a time folded up, so as to expose the flesh side to the action of the lime, are then placed in the pit, every day 100 fresh skins and 10 Mercals of lime are added, at the end of 4 days the skins first placed in are sufficiently acted on by the lime to admit of the hair and epidermis being easily scraped off with a blunt knife.</p>	<p>After liming the skins are placed in a tub of cold water, and well trodden on by the feet, and are allowed to soak for 4 days—this removes all the lime, and the skin is then ready for the Tannin solution.</p>	<p>The powdered bark of the "Cassia auriculata" in Tamil "Avaram Puttay;" it is procurable in fair quantities in the Chingleput District, especially at Streehumcottah where the Trees are large and the bark superior.</p> <p>Powdered Gallnuts from Cuddapah, and North Arcot, are also used.</p> <p>The Cassia bark sells at 12 Mercals for 1 Pagoda, and the Gallnuts at 7 Mercals for 1 Pagoda.</p>	<p>The skins after being cleansed from lime are passed through the successive Tannin solutions.</p> <p>The first an infusion of 4 Mercals of powdered "Avaram" Bark in 10 Gallons of cold water.</p> <p>The second solution contains only half the quantity of bark, and the 3d solution only 2 Mercals of powdered Gallnuts in 6 Mercals of boiling water, in each of these solutions the skins remain for 4 days, and when taken out are on each occasion scraped and smoothed with a knife before put into the next solution. The last solution of Gallnuts is the strongest—The whole time allowed for the absorption of the Tannin is 12 days, and the time for the whole process, from the commencement of liming to the final removal of the skins from the Tannin, is 20 days.</p>	<p>2 Mercals Avaram bark. ... 1 12 2 Mercals Gallnuts. ... 1 0 3 Viss Gingelly Oil. ... 1 5 Chalk. ... 0 2</p> <p>Pay of a Cooly who can prepare 100 Skins in a Month... 3 0 Proportion of Rent for Buildings... 1 1 Price of 100 Raw skins at 3½ Annas each. ... 21 14</p> <p>Total... 30 8 100 Skins Tanned will sell at Madras for ... 35 0</p> <p>Profit on 100 Skins. ... 4 8 Profit on 10,000 Skins Annually at the Adambankum Tannery ... 450 0 Deduct Pay of Conacopoly ... 84 0</p> <p>Remaining profit ... 365 0 which sum constitutes the Annual remuneration for the personal labour, superintendence, and Stock of the Proprietors of the Tannery.</p> <p>The price of Raw sheep Skins has risen during the last four months to 4½ annas each, which leaves little profit to the Tanner. Raw Goat Skins formerly sold at 7 annas, now at 9 annas.</p> <p>The profits from Tanning are so slightly remunerative that it is better to sell the Skins for exportation in a raw state.</p>
---	---	--	--	--

Rungiah Charloo,
Sydapet, Chingleput and Palaveram.

BODY GUARD PITS.

- I. The Hides are steeped in lime Pit for ten days.
- II. The Hair is removed.
- III. Left to soak one day in clear water.
- IV. Scrape the inside of the skin.
- V. Leave it three days in clear water.
- VI. Put it in Bark Pit one day.
- VII. Transfer to another Pit with Bark and Bran, keep it there for five days.
- VIII. Take it out of the Pit and put it in the shade to let the water run off.
- IX. Put it into another Pit with Bark and Bran for thirty days.

I use Bran because it helps to clean the leather.

I use about one measure of lime to each hide.

I have tried a little gallnut on the leather of this saddle as an experiment to keep a good colour.

The Barks I use are "avarum" and "Vellum."

The flowers and Berries of the Divey Tree are better still, when procurable.

The kinds of Leather used in making up our Saddlery are as follows:—

Pilch and Pannels,	}	Sheep Skin.
Flaps.		
Sheep leathers.	}	Buffaloe Hide.
and wolf.		
Wallets.	}	Bullock Hide.
Baggage Bags.		
Bridles.		
Cruppers.		
Breastplates.		
Surcingles.		
Carbine sockets and all straps.		
Tree.—Trincomallee Wood.		
Girthing.—Cotton.		

CAPT. E. W. RAIKES.

25th February, 1857.

HOONSOOR TANNERY.

Tanning.

1st. To prepare Hides for tanning, the first operation, if they are dry, is to immerse them in water, a running stream if possible, till they are quite supple, and in order to cleanse them from all impurities removable by water, at intervals during the washing the Hides ought to be well broken over a wooden Tanner's Beam with a half round fleshing knife.

2nd. Neilgherry Buffalo Hides take from 2 to 3 days in washing. Cochin Hides the same time, or a little less. Country Buffalo, and all Bullock Hides from one to two: all Hides must be quite saturated and perfectly supple before they are removed from the water.

3rd. If the Hides are raw, that is fresh and supple from the carcase, it is necessary to wash them well in water, a running stream if possible, then to have a layer of 2½ lbs. of slaked Chunam laid in the flesh side of each Hide, which is then to be folded

up with the flesh side innermost, and allowed to remain in that state for about 8 hours, when it is to be opened and put into the lime pits.

4th. The second operation is to immerse the Hides in lime pits, in which they remain for from 10 to 15 days during which they must be handled daily. The lime pits are prepared by mixing with water 20 baskets of lime for 100 Cochin Buffalo Hides, 15 baskets of lime for 100 Bullock Hides, and 30 baskets of lime for 100 Neilgherry Buffalo Hides, each basket containing 24 lbs.

5th. After the Buffalo and Bullock Hides have been in these pits for about 8 days, they are fleshed and cleaned with a currier's knife, in 4 days more the hair begins to come off, the removal of which and of any flesh that may remain occupies about 3 days more.

6th. The Hides are then taken from the lime pits and well washed in water, and then immersed in a solution of Bran for 24 hours.

7th. The third operation is to put the Hides in to Tan pits filled with water, the Hides are to be put in one by one in regular layers one over the other, and as smoothly as may be practicable: as the Hides are put into the tan pits small quantities of pounded bark are thrown in thinly over each layer of Hides, viz.

For Pits holding 30 Bullock Hides.

1st day 6 Baskets or 108 lbs.	45th day 6 Baskets or 108 lbs.
5th do 6 do or 108 lbs.	75th do 6 do or 108 lbs.
30th do 6 do or 108 lbs.	90th do 6 do or 108 lbs.

Making in all 36 baskets of bark to be thrown in on 6 different occasions for Bullock Hides, which will be tanned in from 12 to 16 weeks.

For Pits holding 30 Cochin and Country Buffalo Hides.

1st day 8 Baskets or 144 lbs of Bark.	65th day 8 Baskets or 144 lbs. of Bark.
5th do 8 do or 144 lbs. do.	85th day 8 do or 144 lbs do.
15th do 8 do or 144 lbs do.	105th do 8 do or 144 lbs do.
25th do 8 do or 144 lbs. do.	120th do 8 do or 144 lbs do.
45th do 8 do or 144 lbs. do.	

Making in all 72 baskets of bark to be thrown in on 9 different occasions: these Hides will be tanned in about 4½ months.

8th. For pits holding 25 Neilgherry Buffalo Hides, 16 baskets of more bark is thrown in on the 140 and 160 days, making in all 88 baskets of bark to be thrown in on different occasions: these Hides will be tanned in about 5½ months.

9th. When the Hides are properly tanned they are to be taken out of the pits, and hung up to dry in the shade, but before they are quite dry they ought to be slacked down on a smooth floor or board to take out all creases or bags: they should then be doubled up with the grain side turned in, and again hung up in the shade to dry thoroughly.

10th. The tan pits should be made with sloping ledges on each side in order to drain the Hides and bark which should be taken out of the pits once in two days, or once every day if practicable, and

placed, the Hides on one side, the bark on the other, so that the water from both may drain back into the pits: the Hides, after they are sufficiently drained are again to be put into the pits, one at a time, and as each Hide is laid smoothly and sunk in the pit a double handfull of the bark should be sprinkled over it, leaving say a basket full of the bark to be sprinkled on the top layer of the Hide. A basket such as is herein alluded to will hold about 18 lbs. of bark in a dry state. The bark in use at Hoonsoor is that of the "Cassia Auriculata," and is considered the best of those found in India for tanning leather, it is ground in a mill similar to a large Coffee mill previously to its being put into the pits.

Dressing.

The hides are soaked in water until the water has penetrated to the centre of the Hide, they are then shaved on the flesh side with a currier's knife to the required thickness.

2nd. The Hides are then put into a soak tub with clear water for an hour or two, they are then put through the process of scouring by first sleeking them hard on the flesh side with an Iron sleeker, and well brushed two or three times with a good hard brush, then turn to the grain side and well stoned out with a smooth stone, and brushed over two or three times.

3rd. The Hides are then hung up till they are about half dry, after which one Hide, or half a hide, is laid upon a table and well stoned out on the grain side, then firmly sleeked out for the purpose of making a smooth surface, then an application of Fish Oil is thinly laid on with a brush, the flesh side is then turned up and the hide again firmly set out with the sleeker when an application of dubbing (composed of Fish Oil and Tallow) is put on with a brush according to the strength of the Hide, the Hide is then hung up to dry.

4th. When the Hide is thoroughly dry it is taken down and the refuse of grease is sleeked off, it is then blacked upon the grain or flesh side as it may be required with copperas or Iron Liquor, and immediately rubbed over with oil to prevent the Iron Liquor from burning the leather, or causing it to crack, they are then well stoned out with a smooth stone, well rubbed over with Tallow, on the blacked side, and then hung up to dry, when dry they are again rubbed over with a smooth round stone, then well brushed and the dressing is finished.

For dyeing 20 Sheep Skins.

The Sheep skins if dry should be immersed in water for 48 hours and then put in lime for the same time, they are afterwards put in clean water for 24 hours, after which they are put for 483 hours in raggey flour, boiled in water, 5 Seers of the former to 6 gallons of the latter.

The dye is after this applied composed of

Lack lbs. 9.
Alum oz. 2.

Saffron lbs. 3,
Ullick leaves lbs. $\frac{1}{2}$.
Soda oz. 4.

These are all well pounded and boiled for 10 hours in 2 gallons of water. When cool strain and rub into the skins with hand.

To fix the dye the skins are then put into an infusion of sumack and gallnut, 15 lbs. of the former to 30 lbs. of the latter, in this infusion they are kept for 48 hours, and should be frequently handled during that time.

Salt is afterwards rubbed into the flesh side, the skin folded over and worked with the hand, after 2 or 3 hours the salt should be washed off in clean water.

A polish is then given to the grain by rubbing it with a smooth stone and gingely oil.

WHITE SHEEP SKINS.

After the hair has been removed in the usual way the skins are laid in bran for 8 days, after which they are well washed and put in alum,* in which they remain for 8 days, or until thoroughly tanned, when they are again well washed, and worked in a composition† of eggs and arrowroot for about 84 hours.

After another washing they are dried and staked, and then finished off with a hot iron.

GUNTOOR DISTRICT,

Collector's Office,

Bauhetta, 7th April 1857.

From H. NEWILL, Esq., Acting Collector of Guntoor.

To EDWARD BALFOUR, Esq., Secretary to the Madras Exhibition.

Sir,—I have the honor to furnish you with the information called for in your communication of the 10th February last relative to the process of preparing leather.

2. The process of tanning is given for 10 sheep hides, six seers of rice flour are boiled into a conjee, with which a seer and a half of salt is mixed, and in this solution the hides, after being cleaned in good water, are kept soaking for 5 days. This process is adopted in order to facilitate the separation of the hair from the skins, on the 5th day the hair is scraped off with a knife; and after again being washed in clean water, they are exposed to the sun for about 5 or 6 days. They are again immersed in water and kept in that state for 3 days. The hides are again soaked in the rice conjee without the admixture of salt for 2 days, and are then again washed. Two seers of raw lac are pounded and the juice extracted therefrom. In this solution the ash of tuzza grain, turmeric powder, and the powder of alliaku (a dye leaf) seven Toolas each, are mixed. This solution is boiled so that one half of the liquid may

go off in evaporation. This prepared liquid is rubbed on the skins to which it gives a purple colour. On the same day they are soaked in water mixed with a basket full of well pounded Tungadoo bark, and allowed to remain in it for 3 days. This process of soaking is repeated twice.

Skins are prepared in this manner at Guntoor in large quantities according to the demand for them.

I have the honor to be, &c.

(Signed) H. NEWILL,

Collector of Guntoor.

(A True Copy.)

E. BALFOUR,

Secretary Madras Exhibition.

To Major G. W. Y. SIMPSON,

Reporter in Class XVI.

No. 878.

CHINGLEPUT DISTRICT,

Collector's Catcherry,

Sydapet, 7th April 1857.

To Surgeon E. BALFOUR, Secretary Madras Exhibition.

Sir,—With reference to your letter of the 10th Ultimo with enclosure to Muniputtah, Lubbay, Chingleput, I have the honor to inform you that though every effort has been made to procure the attendance of that individual with a view to his giving the information required by the committee on Class XVI, they have all failed, from, it is believed, an impression he seems to have that he is acquainted with a secret in the art of Tanning or dyeing leather, which he is not willing to divulge, as, frequently as he has been sent for he has promised to attend, but has every time failed.

In the absence of the information sought to be obtained from him individually, I beg to enclose a Memorandum on the subject drawn up by C. Runga Charloo, Tahsildar of Sydapet, which may prove interesting to the committee, and give them a full knowledge of the process of tanning as followed in this District, and the approximate cost and profits.

I have &c. &c.

(Signed) C. SHUBRICK,

Collector.

(A true copy.)

E. BALFOUR,

Secretary Madras Exhibition.

To Major G. W. Y. SIMPSON,

Reporter, Class XVI.

தினுசுவாரி தோல்கள் செய்யும் ஜாப்தா.

மகா-நா-பு. ஐயா, மதிராசு சர்ஜன் இ. பெல்போர்ட் செக்கிரட்டேரி அவர்களுக்கு பாலக்காட்டுச் சேரியில் தோல் ஷாப்பு வீராசாமி முதலி மிகவும் வணக்கத்துடன் வந்தனஞ்செய்து எழுதிக் கொண்டது என்னவென்றால்,

கடுக்காய்த் தோல் செய்யும் விவரம்.

முதல் ஆட்டுத்தோலைக் கொண்டுவந்து-க-அடி அகலம்-நு-அடி நீளமுள்ள சுண்ணாம்பு காரையாடிய கலத்தொட்டியில் கிளிஞ்சில் நீறு சுண்ணாம்பு-கூ-படி போட்டு அதற்குத் தகுந்த படி தண்ணீர்விட்டுக் கரைத்து வெள்ளாட்டுத் தோல் அல்லது செம்மரித்தோல்-நா-கொண்டு வந்து முதல் அழுக்கில்லாமல் தண்ணீரில் கழுவிக்கொண்டு கரைத்துவைத்த சுண்ணாம்பில் தோய்த்துத் தோய்த்து மேற்கண்ட தொட்டியில் ஒன்றின்பேரில் ஒன்றாய் விரித்து - ஷே-சுண்ணாம்பு கரைத்த தண்ணீரில் அடங்கியிருக்க விட்டு வைக்கிறது. மறுநாள் தோலைத் தொட்டியின்பேரில் ஷே தோல் ஒருமிக்க எடுத்துவைத்து முன் விட்டிருந்த சுண்ணாம்பைத்தானே மறுபடி கலக்கி, கலக்கின தண்ணீரில் மறுபடி அந்தத் தோலைத் தோய்த்துத்தோய்த்து அடுக்கி வைக்கிறது. கூ-நாள் அந்தத் தோலைக்களையில் எடுத்துவைத்துப் பனைமரத்தினாலாவது வீட்டு மரத்தினாலாவது செய்த சாபு மரத்தின்பேரில் போட்டு இரும்பும் எஃகுங் கலந்த இரண்டு பக்கம் பிடியுள்ள சாபு கத்தியினால் முடியைத் தள்ளுகிறது. நா-தோலும் முடியைத் தள்ளி வைத்து, உடனே மேற்கண்ட தொட்டியில்-உ-வது முன்போட்ட சுண்ணாம்பு தொகைக்குப் பாதி சுண்ணாம்புபோட்டு அந்தத் தொட்டியில் இருக்கிற தண்ணீரில்தானே கலக்கி மறுபடி அந்தத் தோலைத் தோய்த்து அந்தத் தண்ணீரில் அடங்கியிருக்கும்படி அழுத்தி வைக்கிறது. மறுநாள் அந்தத் தோலைத் தொட்டியின்பேரில் மொத்தமாய் எடுத்துவைத்து, அந்தத் தோலிருந்த சுண்ணாம்பு தண்ணீரைக் கலக்கி ஷேதோலை அந்தத் தண்ணீரில் தானே தோய்த்து வைக்கிறது. மறுநாள் அந்திதேரத்துக்கு ஷே தோலை வெளியிலெடுத்துவைத்து மேற்கண்ட விசாலமுள்ள வேறொரு கலத்தொட்டியில் ஷே தோல்-நா-ம் - வாரிப்போட்டுச் சுத்த கலத்தைத் தொட்டியில் நிறைய இறைத்து விட்டு அநாதாழிகை தேரம் மிதித்து அலசி மேலே எடுத்து வைத்துக்கொண்டு அதுபோலொத்த வேறொரு தொட்டியில் நிறையத் தண்ணீரை விட்டுத் தோலை வாரிப்போட்டு வைக்கிறது. மறுநாள் தண்ணீர்த்தொட்டியில் இருக்கிற தோலை சாபுமரத்தின்பேரில் ஒவ்வொன்று

கப்போட்டுச் சவ்வுபுறமாக மேற்கண்ட சாபு கத்தியினால் சீவுகிறது. அப்படி சீவப்பட்ட ஆள் ஆவிரம்பட்டையில் ஊறிக் காய்ந்த தோல் அகரையில் கட்டிகொண்டு சாபுமரத்தின்பேரில் எதிராகச் சாய்ந்துகொண்டு சீவப்பட்ட தோல் நகர்ந்துபோகாமல் வயற்றினால் அழுத்திக்கொண்டு சீவுகிறது. இவ்விதமாக-அ-தோலையுஞ்சீவித் தண்ணீரில் போட்டு வைக்கிறது. மறுபடி ஒரு தொட்டியில் தண்ணீரை நிரப்பி அரைநாழிகை மிதிக்கிறது. மிதித்து அந்தத் தோலைத் தொட்டியின்பேரில் எடுத்துப்போட்டுத் தண்ணீரை வடியவைத்து அந்தத்தோலைச் சாபுமரத்தின்பேரில்மோதிப் புறம்மேல்வைத்து ஒன்றின்பேரில் ஒன்றாய் அடுக்கிச் சீவுகிறது. சீவி-௩-அடி உயரம்-௨௨-அடி அகலமுள்ள மரத்தொட்டியில் தண்ணீரை நிரப்பி இரண்டாள் கூடி இரண்டுநாழிகைவரையில் மிதிக்கிறது. மிதித்துச் சாபுமரத்தின்பேரில் மறுபடியும் ஒவ்வொன்றாகப்போட்டுச் சவ்வுபுறமாகச் சீவுகிறது. சீவி எதிரில் ஒரு தொட்டியில் தண்ணீரை நிரப்பி அதில் போடுகிறது. அப்படி-அ-தோலுஞ் சீவிப் போட்டு முன் தோலுருந்த அழுக்குத் தண்ணீரைத் திறந்தவிட்டு மறுபடியுஞ் சுத்தசலமாக நிரப்பி-௩-௪-௫-தோலாகப்போட்டு - ௨ - ஆள் கூடித் தொட்டியில் இறங்கித் தண்ணீர் இல்லாமல்-சுண்ணாம்பு காரம் கக்கும்படி தோலை ஒரு சாம பரியந்தம் மிதிக்கிறது. மிதித்ததோலில் மறுபடி-௨-குடம் தண்ணீர் விட்டு-௨-ஆள் தொட்டியிலிறங்கி-௨ - நாழிகைவரையில் மிதிக்கிறது. மிதித்த தோலை ஒரு தொட்டியில் ஒருமிக்கப் போட்டுக்கொண்டு - ௪-நாழிகை பரியந்தம்-௨-ஆள் கூடி மிதித்து, மிதித்த தோலைத் தொட்டியின்பேரில் எடுத்துப்போட்டுத் தண்ணீர் வடிந்தபின்பு அந்தத் தோலைச் சுத்தமான தொட்டியில் போட்டுக்கொண்டு தண்ணீரை விட்டுமிதித்து அலசி எடுத்துவந்து, பீப்பாத்தொட்டியில்-௪-படி ஆவிரம் பட்டை போட்டு இரண்டுருடந் தண்ணீர்விட்டு-௪-தினம் ஊறவைத்த தண்ணீரில் மேற்கண்ட தோலைக் கொண்டுவந்து சுத்தமான இடத்தில் வைத்துக்கொண்டு அந்தப்பட்டையை ஒரு சின்னத் தொட்டியில்வாரி வைத்துக்கொண்டு அந்தத் தோலைப் பட்டைத் தண்ணீரில் ஒவ்வொரு தோலாகத் தோய்த்துத் தோய்த்துப்போட்டுத் தோலுக்குத் தோல் ஒவ்வொரு கை பட்டைப்போட்டு அந்தப் பட்டைத் தொட்டியில் ஒன்றின்பேரில் ஒன்றாய்ப்போட்டுத் தோல் சுருக்கம் தண்ணீர்க்குள் அடங்கி இருக்கும்படி விழாமல் ஊறவைக்கிறது. மறுநாள் ஒரு பலகையைத் தொட்டியின்பேரில் வைத்து, ஷே தண்ணீரும் பட்டையுஞ் சேதப்படாமல் அந்தப் பலகையின் பேரில் - ௪-தோலும் எடுத்துப்போட்டுக்கொண்டு பின்பு அந்தத் தோலை மேனிபுறம் மேல்வைத்து ஒவ்வொரு தோலாகப் பட்டையைத் தெளித்துத் தெளித்துச் சுருங்காமல் தண்ணீர்க்குள்ளடங்கி இருக்கும்படி தோலை ஒன்றின்பேரில் ஒன்றாய்ப்பாத்திவைக்கிறது. மறுநாள் அந்தப்பட்டையுந் தண்ணீரும் நீக்கிப் போட்டுச் சுத்தமான மரத்தொட்டியில்-௨௪-குடந் தண்ணீர்விட்டு ஆவிரம்பட்டை பட்டணம் படி-௩௪-படி போட்டு அந்தப்பட்டை ஒரு நாழி

கைபரியந்தம் ஊறியபின் கைதொட்டியில் அந்தப்பட்டையை வாரிவைத்துக்கொண்டு முன்பட்டையிலிருந்த தோலை உதறி எடுத்துப் பட்டைத்தொட்டியில் ஒவ்வொருதோலாகப்பட்டையைத் தெளித்துத் தெளித்துச் சுருக்கமில்லாமல் தண்ணீர்க்குள்ளடங்கியிருக்கும்படி பாத்தி வைக்கிறது. மறுநாள் அந்தத்தோலைத் தொட்டியின்பேரில் பலகையைவைத்து அந்தப் பலகையின்பேரில் தோலையெடுத்து ஒருமிக்கவைத்துக் கொண்டு தொட்டியிலுள்ள பட்டையைச் சின்னத் தொட்டியில் எடுத்துப்போட்டுக்கொண்டு அந்தப் பட்டைத் தண்ணீரில் தோலைப்போட்டு தோலுக்குத் தோல் பட்டை தெளித்துத் தெளித்து ஒன்றின்பேரில் ஒன்றாய்ச் சுருக்கமில்லாமல் அடுக்கித் தண்ணீர்க்குள் தோலடங்கி இருக்கும்படி அடுக்கிவைக்கிறது. இப்படி-௩-நாள் பரியந்தம் காலமே காலமே திருப்பிக்கொண்டுவருகிறது. ௩-நாள் தோலைத் தொட்டியின்பேரில் எடுத்துவைத்துக்கொண்டு முன்னுள்ள பட்டையுந் தண்ணீரும் ஒழித்துவிட்டு ௨-வது- ௨௪-குடந் தண்ணீர்விட்டு-௪௪-படி ஆவிரம்பட்டைபோட்டு-௪-நாழிகை ஊறியபின் ஒரு சின்னத் தொட்டியில் பட்டையை எடுத்துவைத்துக்கொண்டு அந்தப் பட்டைத் தண்ணீரில் தோலைப்பாத்தி பட்டை தெளித்துத் தெளித்து ஒன்றின்பேரில் ஒன்றாய்ப்பட்டைத் தண்ணீரில் அடங்கியிருக்கத் தோலைத் தொட்டியில் அடுக்கிப் பிரதிதினம் அந்தத் தோலைக் காலமே காலமே திருப்பிக்கொண்டு வருகிறது. இப்படி-௩-நாள்-௨-ம்-பட்டையில் ஊறவைத்து-௩-நாள் அந்தத் தோலையெடுத்துச் சுண்ணாம்பு படாத சாபுமரத்தின்பேரில் போட்டுச் சவ்வுபுறமாகச் சீவியெடுத்து அடுக்கிவைத்துக்கொண்டு கடுக்காய் இந்த ஊர் தண்ணீருக்குப் பட்டணம்-௪௫-படி கடுக்காய் கல்லிவைத்து நருக்கிக் கொட்டைமுதலாகச் சேதமில்லாமல் பட்டையில் ஊறிய மாட்டுத்தோலின்பேரில் போட்டு இடித்து வைத்துக்கொண்டு ஒரு செப்புஅண்டாவில் எரு-படி தண்ணீர் விட்டு எரித்துத் தண்ணீர்கொதித்த பிற்பாடு முன்கண்ட அளவுள்ள மரத்தொட்டியில் நருக்கிவைத்த கடுக்காய்த் தூளைப்போட்டு அண்டாவில் கொதித்த தண்ணீரை நருக்கிப்போட்டிருக்கிற கடுக்காயில் ஊற்றி அந்தத் தண்ணீரில் கடுக்காய் வெந்தபின்பு பட்டையிலிருந்து சீவிவைத்த தோலை எடுத்துக் கடுக்காய் போட்டிருக்கிற தொட்டியின்பேரில் பலகைபோட்டு அந்தத்தோல் ஒருமிக்க எடுத்துவைத்துக்கொண்டு கடுக்காய்த்தூள்போட்டு இருக்கிற தண்ணீரில் குடாயிருக்கும்போதே தோல்களை ஒவ்வொன்றாகத் தோய்த்துத் தோய்த்து ஒரு பக்கமாய் வைத்துக்கொண்டு அந்தத் தொட்டியிலிருக்கிற கடுக்காயைச் சின்னத்தொட்டியில்எடுத்துப்போட்டுக்கொண்டு அந்தத்தொட்டியில்தானே கடுக்காய்த் தண்ணீரில்தானே தோல்முழுவதும் ஒன்றின்பேரில் ஒன்றாய்ப்போட்டு மாத் தி கடுக்காய் முழுவதும் அந்தத்தோலின்பேரில் சேதப்படாமல் போட்டு ஊறவைத்து மறுநாள் அந்தத் தொட்டியிலிருக்கிற தோலைத் திருப்பிக் கொடுக்கிறது. மறுநாள் கடுக்காய்த்தொட்டியிலிருக்கிற தோலையெடுத்து ஒவ்வொன்றாக முறுக்கிப் பிழி

ந்து தண்ணீர் போகப் பிழிந்து சாபுமரத்தின்பேரில் அடுக்கிச் சாபுகத்தியினால் சீவியெடுத்து வைத்துக்கொண்டு அந்தத்தோல்-ஈ-க்கும் - கூ-படி நல்ல எண்ணெய் கொண்டு வந்து முன் சீவின தோலை-கூ-அடி உயரமுள்ள விசிப்பலகையின்பேரில் ஒன்றின்பேரில் ஒன்றாய்ச் சுருக்க மில்லாமல் அடுக்கிக்கொண்டு தோல்மோத புறமும் சவ்வுபுறமும் தெளித்துத் தெளித்துக் கையால் தேய்த்துத் தேய்த்து எடுத்துச் சுருக்குமில்லாமல் தடவிக்கொடுத்து நெடும்பறையில் கொட்டி அந்தத்தோலை மடித்துப்போட்டுக் காற்றுலரலாக உலர்ந்தபிற்பாடு எடுத்து மும்மும் தோலாக எடுத்துச் சுருட்டி ஒரு கல்லின்பேரில் அடித்துத் தோல் நெகிழ்ந்துவந்தபிற்பாடு திமிர் வாங்கியென்கிற ஆபுதத்தினால் திமிர் வாங்கித் தோலையிழுந்துப் பின்பு சவ்வுபுறமாகச் சீமைச் சுண்ணாம்பு தேய்த்துச் சக்கரமென்கிற சுற்றிலும் கூருள்ள ஆபுதத்தினாலே சவ்வுபோகும்படி சீவியெடுத்து வைத்துக்கொள்ளுகிறது. இந்தக் கடுக்காய்த்தோல் - உய-நாளையில் தீரும்.

முதல் - சுண்ணாம்பில் விடுகிறது தோல் வெந்து மயிர்வரும்படி.

உ - வது. இளங்காரத்தில் விடுகிறது சவ்வு வேகிறதற்காக.

கூ - வது. மிதித்துச் சீவுகிறது சுண்ணாம்பு காரம் கக்கும்படி.

ச - வது. பட்டையில் விடுகிறது தோல் மிருது உண்டாக.

ரு - வது. கடுக்காயில் விடுகிறது சொகுசான நிறங்கொடுக்க.

சு - வது. நல்லெண்ணெய் போடுகிறது சயன் வரும்படி.

எ - வது. சுருட்டி அடிக்கிறது தோல் நீண்டு கொடுக்க.

அ - வது. திமிர்வாங்குகிறது தோல் அகன்று விசாலங்கொடுக்க.

க - வது. சீமைசுண்ணாம்பு போட்டு சக்கரத்தினால் அடிக்கிறது தோல் சவ்வுபுறம் பட்டுப் போலாக்கும்படி.

இதற்குப் பட்டுபடி சிலவு.

வெள்ளாட்டுத்தோல் ஈ-இ-கி-ரு ௨௭
சுண்ணாம்புபடி - - - - - ருச-இ-கி-ரு ௧௨பீ
பட்டைபடி தடவை ௨ரு-ப-இ-கி-ரு ௧௩
கடுக்காய்துலான் க-இ-படி-யரு-இ-கி-ரு ௧௩
நல்லெண்ணெய்ப்படி - - - - - கூ-இ-கிரயம்-ரு ௧௪
சவ்வின் புறமாகத் தேய்க்க சீமை சுண்ணாம்பு கிரயம்-ரு. வ.

இந்த ஈ-தோலுக்கும் பத்து ரூபா-சம்பளமுள்ள ஆளுக்கு பூராவாக ௧-நாளைய வேலைக்கும் சம்பளம் - - - - - ரூ ௩௪பீ-து-க
ஆ-தோல்கிரயங்கூட்டி - - - - - ரூ ௩௪-து-க
இதற்குத் தோல் ஈ-இ-வண்டி செலவு ரூ ௨
இதற்கு விறகு செலவு - - - - - ரூ ௪
இந்தத்தோல் அடிக்களில் ௪௫ - ஆக விற்கும் ஈ தோல்.

படிக்காரத்தோல்விவரம்.

முதலாவது தோல் செம்மரித்தோல் கொண்டு வந்து சுண்ணாம்பில் மேற்சொல்லியபடி ஊறவைத்து முடிதள்ளி மறுபடி சுண்ணாம்பில் விட்டுச் சவ்வு புறஞ் சீவி, சீவின தோலைத் தண்ணீர் தொட்டியில் போட்டு ஒருநாழிகை பரியந்தம் மிதிக்கிறது. மிதித்து மேனி புறஞ்சீவித் தண்ணீர் தொட்டியில் போட்டுக் கழுவி வெளியிலெடுத்துத் தண்ணீரை வடியவைத்துத் தோல் ஈ-க்கு-ரு - வீசை படிக்காரம் இடித்துக்கொண்டு ௨௨-படி உப்புப் போட்டுக் கலந்து நல்ல தண்ணீர் ௧௫-படி தண்ணீர்விட்டு ஒரு அண்டாவில் போட்டுக் காய்ச்சி உப்புப் படிக்காரமுவ் கரைத்து கொதித்து வருகிறவரையில் துளாவிக்கொடுத்து ஒரு பீப்பாத் தொட்டியிலெடுத்து ஊற்றிக்கொண்டு ஒரு நாழிகை ஆறப்போட்டு முன் வெளியிலெடுத்து வைத்த தோலை அந்தப் படிக்காரத் தண்ணீரில் ஒவ்வொரு தோலாகத் தேய்த்துத் தேய்த்துத் தொட்டியில்பேரில் பலகைபோட்டு அதின்பேரில் தோல் முழுவதும் எடுத்துக்கொண்டு மறுபடியுந் தொட்டியிலுள்ள படிக்காரத் தண்ணீரில் ஒன்றின்பேரில் ஒன்றாய் அடுக்கி ஊறவைக்கிறது.

மறுநாள் அந்தத் தோலை வெளியிலெடுத்துச் சாபுமரத்தின்பேரில் சவ்வு புறம் மேலாக அடுக்கிச் சீவி அந்தத் தண்ணீரில்தானே மறுபடியும் பாதி விடுகிறது. மறுநாள் கரையேற்றி வெளியிலெடுத்து இரண்டுகால் புறமும் தவாரஞ்செய்து கயிறு சோத்து வெய்யிலில் கட்டி விடுகிறது. நன்றாய்க் காய்ந்த பின்பு அந்தத் தோலை எடுத்து மேலே தண்ணீர் தெளித்து ௨-நாழிகை தோலை வைத்துத் தோல் நமத்த பிற்பாடு அந்தத் தோலைக் காலில் மிதித்துக்கொண்டு இழுக்கிறது. இந்த ஈ - தோலும் இழுத்து ஒரு நாழிகை வெய்யிலிற் போட்டுத் திமிர்வாங்கி என்கிற ஆபுதத்தினால் திமிர்வாங்கி மறுபடியும் வெய்யிலில் வைத்து ஒரு நாழிகை இருந்த பின்பு மறுபடியுந் திமிர்வாங்கி சக்கரமென்கிற ஆபுதத்தினால் சவ்வுபுறம் பட்டுப்போல் சீவி எடுத்து வைக்கிறது.

படிக்காரத்தோலுக்குப் பட்டுபடி.

செம்மரித்தோல் - - - - - ஈ-இ-கிர-கூ ௧௩௨
சுண்ணாம்புபடி-தடவை ௨-இ-படி-ருச-இ-கூ ௧௨பீ

படிக்காரம் வீசை - - - - - ரு-இ-கிர-கூ ௧௩௨
உப்பு படி - - - - - ௨-இ-கிர-கூ ௧௩-து ௧௨

எரிக்க விறகு செலவு - - - - - கூ ௪
இதற்கு ௧-கூ-சம்பளமுள்ள ஆளுக்கு ௬-நாளைய வேலைக்குச் சம்பளம் கூ-௨.

ஆ-கூடிய கூ-௧௩-து-௧௨.
சென்னப்பட்டணம் போக வண்டி செலவு கூ-௨

ஆ-கூடிய கூ ௨௧-து-௧௨.
இந்தப்படிக்காரத்தோல் ௧-நாளையில் தீரும்.

நீலத்தோல் விவரம்.

கடுக்காய்த் தோலுக்கு எழுதிய விவரத்தின் படி மேற்படி தோல் பட்டைத் தொட்டியில் ஊறின பின்பு கடுக்காய்த்தண்ணீரில் தோய்க் கிறபதத்தில் எடுத்துச் சீவி நல்லதண்ணீரில் அந்தத் தோல்களைக் கழுவித் தோலை நீண்ட வாட்டில் சவ்வுபுறம் உள் வைத்து மடித்து நீலச் சாலைடியில் காங்கு புடைவை தோய்க்கிறதற் கான நீலத்தில் தோய்த்துக்கொண்டுவருகிறது. கொண்டுவந்து காலபுறந் துவாரஞ்செய்து கயிறுகோத்து நிழலிற் கட்டி விடுகிறது. கட்டின பின் ௨ - நாழிகை உலரவிட்டுத் தோலை மேசைப் பலகையின் பேரில் போட்டுத் தாராப்பலகை யென்கிற ஆபுதத்தினால் சவ்வுபுறம் சுருக்கமில் லாமல் தள்ளி நிழலில் கட்டுகிறது. மறுபடியும் ஒரு நாழிகை ஆறவிட்டு நல்லெண்ணெய் மேனி புறந் தடவிச் சற்றேரம் ஆறவிட்டுத் துணியினால் மேனி புறந் துடைத்துவிட்டு எலுமிச்சம் பழத தைப் பிழித்து பிங்காய்கோப்பையில் வைத்துக் கொண்டு ௩௦ ரசத்தைத் தெளித்து வெண்மை யான துணிகொண்டு நன்றாய்த் தேய்க்கிறது. பி ன்பு ஷே சயன் கல்லினால் தேய்த்து ஷே சயன் வரும்படி செய்து பாலக்கட்டையினால் வரிவி மும்படி கடைச்சல்வேலைசெய்திருக்கிற குண் டினால் கிற்று கட்டுகிறது.

நீலத்தோல் வேலை.

இதற்குப் பட்டைபடி ஈவு விவரம்.

வெள்ளாட்டுத்தோல் - ௩ - இ - கி - நூ ௨௭.
சண்ணம்புபடி - - - ௩ - இ - கி - நூ ௧௨படி.
பட்டைபடி - - - ௧ - இ - கி - நூ ௧௩.
நீலந்தோய்க்கத் தோல் ௩ - இ - கி - நூ ௧௨.
தோல் ௩ - இ - எலுமிச்சம் ௩ - இ - கி - நூ ௧௨.
நல்லெண்ணெய் பட்டைபடி செல - நூ ௧.

இதற்குச் சயன் வேலைக்கு ஆன் அதிகஞ் செல் வுகிறபடியால் ஷே வேலைக்கு ௨௦ - ஆளும் மற்ற வேலைக்கு ௩ - ஆளும் ஆ ௨௩ - ஆளுக்குச் சம் பளங் கூடிய - நூ அவு ௨ - து - க.

ஆ கூடிய - நூ ௩௪. து - க.

இது. ௨௨ - நாளில் செய்து முடிக்கலாம்.

சிவப்புத்தோல் விவரம்.

தோலைக்கொண்டுவந்து சண்ணம்புத் தொட் டியில் விட்டு முடிதள்ளி மறுபடி சண்ணம்புகா ரத்தில் விட்டு மறுநாள் தோலை அந்தக் காரத் தொட்டியில் ஒருதடவை திருப்பிக்கொடுத்து மறுநாள் வெளியிலெடுத்து விசாலமுள்ள தொ ட்டியில் தண்ணீரை விட்டுவாரிப்போட்டு இரண் டொழிகையிதித்துச் சாபுமரத்தின்பேரில் போ ட்டிச் சவ்வுபுறமாகச் சீவுகிறது. சிவினபின்பு புதுத்தண்ணீர் விட்டு மிதித்து எடுத்து நல்ல அரி கி - ௦ - படி கொண்டுவந்து பாணையில் ஊறப்போ ட்டி இடித்து ௩ - படி உப்புபோட்டு கூழாக ஆக்கி கொள்ளுகிறது. அந்தக் கூழைப் பீப்பாத்தொ

ட்டியில் ஊற்றிக்கொண்டு ஆறப்போட்டு அந்த க்குழில் ஒவ்வொரு தோலாகத் தோய்த்து அந்த க்குழில் தானே தோலை ஒன்றின் பேரில் ஒன்றாய் மாத்தி ஊறவைக்கிறது. அப்படி விட்டது லு எட்டுநாள் பரியந்தம் திருப்பிக்கொண்டே வரு கிறது. பின்பு தோலையெடுத்துக் கழுவித் காயப் போட்டு விடுகிறது. நன்றாய்க் காய்த்தபிற்பாடு ஒரு பீப்பாயில் நல்ல தண்ணீர் நிரப்பிக் காய் ந்த தோலைத் தண்ணீரில் அழுத்துகிறது. அழு த்தி ஊறின பின் மிதித்துக் கழுவி எடுத்துக் கொண்டு மறுபடி - ௦ - படி அரிசிபோட்டு உப்பு சேர்க்காமல் கூழாக்கிக்கொள்ளுகிறது. கூழை ஒரு மரத்தொட்டியைச் சுத்தமாக்கி அதில் விட்டு நன்றாய் ஆறினபின் முன்கழுவி வைத்திருந்த தோலை ஒவ்வொன்றாகத் தோய்த்து ஒன்றின் பேரில் ஒன்றாக மாத்தி அந்தக் குழில் ஊறவைக் கிறது. ஊறப்பட்ட தோலை அநாள்பரியந்தம் தினத்துக்கு ஒரு தடவை திருப்பிக்கொண்டே வருகிறது. எட்டுநாளானபின் அந்தத் தோலை எடுத்துக் கழுவி வைத்துக்கொள்ளுகிறது.

இப்படிக்கு - வீராசாமி முதலி.

சிவப்புத்தோல் விவரம்.

கொம்பு அரக்கு - வீசை - ௨௦.
கடப்பைகாரம் - பலம் - ௩.
காசா இலை - - - - பலம் - ௩.

இவைகளை இடித்துத் தூளாக்கிக்கொண்டு ௩ - படி நல்ல தண்ணீர் விட்டுப் புதுப்பாண்டத்தில் வைத்துக் காய்ச்சும்போது தூளாக்கிக்கொண்டே வருகிறது. இந்த ௩ - படி தண்ணீரும் ௧௦ - படி யாகக் காய்ச்சிக்கொண்டு சாயங்கொடுத்துவரும் போது இறக்கிக்கொள்ளுகிறது. இறக்கி வடிசட் டிக்கொண்டு மறுபடியும் ௪ - படி தண்ணீர் விட்டு அந்த அரக்கைக் காய்ச்சிக்கொள்ளுகிறது. இந் தச் சாயத்தைச் சாலில் வைத்துக்கொண்டு முன் கழுவிவைத்திருந்த தோல்களை நிகளவாட்டா கச் சவ்வுபுறம் உள் வைத்து மடித்து ஷே சாயத் தைக் கொஞ்சங் கொஞ்சமாய் விட்டுச் சாய மடிக்கிறது. சாயமடித்தபின்பு ஒரு தொட்டியில் ௬ - குடம் தண்ணீர் விட்டு ௨௦ - படி ஆவிரம் பட் டை போட்டுச் சாயமடித்த தோல் முழுதும் பட்டைபோட்டிருக்கிற தொட்டியில் ஷே தோ லைத் தோய்த்துத் தோய்த்துப் பட்டையைத் தெ ளித்து ஷே தொட்டியில் ஊறவைக்கிறது. மறு நாள் அந்தத் தொட்டியில் இருக்கிற தோலைத் திருப்புகிறது. மறுநாள் அந்தத் தோலையெத் துத் தண்ணீரில் கழுவிப்போட்டு இரண்டு கா லிலுங் கயிறு கோத்துக் கட்டி ௨ - நாழிகை ஆறினபின் மேசையின்பேரில் போட்டுத் தா ருபலகையென்கிற ஆபுதத்தினால் சவ்வு புற மாகத் தள்ளிச் சுருக்கமில்லாமல் செய்து மறு படியும் நிழலில் கட்டி ௧ - நாழிகை ஆறவை த்து மேனிபுறம் நல்லெண்ணெய் தடவித்தேய்த் துக் கட்டிவிட்டு ஈரமில்லாமல் ஆறவிட்டு சயன் கல்லினால் சயன் வரும்படி தேய்த்து எலு மிச்சம் பழம் ௩ - கோழிமுட்டை ௩ - கொண் டுவந்து ஷே வெள்ளை அம்பிலி எடுத்து முதல்

எலுமிச்சம்பழ ரசத்தை அழுக்கில்லாத மெல்லிய துணிபினால் நனைத்துத் தேய்க்கிறது. ஆறவிட்டுக் கோழிமுட்டை அம்பிலியும் அப்படியே தேய்க்கிறது. தேய்த்துச் சயன்கல்லினால் சயன் வரும்படி செய்து குண்டு கட்டையினால் வரிகட்டி எடுத்துவைக்கிறது.

வெள்ளாட்டுத்தோல் ஈ - இ கி-நூ. ௨௭
சண்ணம்பு படி - - - - - ருச-இ கி-நூ. ௧௨படி
பட்டை படி - - - - - ௨௫-இ கி-நூ. ௭படி - துக.
தடவை - - - - - ௨-இ அரிசிபடி ௨௫-இ
நூ. ௨.
உப்புபடி - - - - - ௭-இ கி-நூ. பி துக.
அரக்குவீசை - - - - - ௨௫-இ கி-நூ. ௧௨வறு
கடப்பைகாரம் காசாயிலே நூ. ௧
எலுமிச்சம்பழம் - ஈ - இ கி-நூ. ௧௨வறு
முட்டை - - - - - ஈ - இ கி-நூ. ௧
தல்லெண்ணெய் வீசை க-இ கி-நூ. ௧
மேற்படி ஆளுக்கு - ௨௭-இ நான்வேலைக்கு சம்
பளம் - - - - - நூ. ௧௨வறு துக-௨
ஆக கூடிய - - - - - நூ. ௧௨வறு பி
துக.

இது கூய-நாளில் செய்துமுடிக்கலாம்.

ஊதாதோலினுடையவிபரம்.

மேற்கண்ட சிவப்புத்தோல் பட்டையில் ஊறிய சமயத்தில் நீலந்தோய்த்தால் ஊதாவாகின்றது. இந்தத் தோலுக்கும் சயன்செய்து குண்டுகட்டுகிறது உண்டு. இதற்குச் சிவப்புத் தோலுக்கு உண்டாகிய பட்டுபடிச் சிவவுக்கு மேல் நீலத் தோய்க்கிறதுக்கு ஈ - க்கு யுக-௫ பாப் அதிகம் செலவு.

தோலுக்கு முடியோடு

சவ்வுபுறம் படிக்காரம் போடுகிற
வி வ ர ம்.

மான் தோலைத் தண்ணீரில் ஊறவைத்து மறுநாள் சாபுமரத்தின்பேரில் போட்டிச் சவ்வு புறஞ் சிவிமிதித்துக்கழவி தோல் - ஈ - க்கு ௭ - வீசை படிக்காரமும் ௧௨ - படி உப்புங் கலந்து தகுந்தபடி தண்ணீர்விட்டுப் படிக்காரமும் உப்புங் களாய் கொதித்தபின்பு தொட்டியிலெடுத்து ஊற்றிக்கொண்டு முன் கழுவிவைத்திருந்த தோலைப் படிக்காரத்தண்ணீர் ஆறவிட்டு அதில் தோய்த்துத் தோய்த்துத் தொட்டியில் ஊறவைக்கிறது. அந்தத் தோலை கூ-நான் காலமே காலமே திருப்பிக் கொடுத்து எடுத்து இரண்டுகாலிலும் கயிறு கட்டி வெய்யிலில் காயவைத்துக் காய்த்த பின் தோலைச் சுருட்டி அடித்துச் சக்கரம் போடுகிறது.

இப்படிக்கு-வீராசாமிமுதலி.

Referring to the several Native processes of Tanning recorded above, the Jury may briefly (to afford some clue to their comparative merits) touch upon the general principles which regulate similar processes in England.

Liming.—the Pits containing the Lime water, or milk of Lime, of three or four different strengths, are arranged together in a series; the softened and washed hides are introduced first in the weakest lime Pit, and, after having remained there one or two days, are transferred to the next in strength, and so on until the hair and epidermis yield readily to the touch, and the hides present indications of a sufficient action of the Lime; during the whole of this process it is necessary to “handle” the hides daily, to equalize the action of the Lime. The handling consists in taking the hides out of the Pit, squeezing and allowing them to drain for an hour or two, after which they are returned to the Pit. The Lime water should be well stirred each time the Hides are returned to the Pit after handling.

The time required for the Liming of Hides varies from one to two weeks, and for Sheep and Goat skins from two to five days. The time being dependant on the texture of the Hides, and the state of the atmosphere.

The practice of covering Hides with *Lime Paste*, rolling them up, and then immersing them in the Lime water, appears to be unknown in England, and seems calculated to realize all the evils attendant on over Liming, and there can be no question that such an over use of lime is pernicious; for reasons before given over Lined leather is loose, light, and spongy, features exhibited in too many of the native Tanned Leathers under Report. On the continent of Europe Lime is not universally used. The softening of the epidermis, and roots of the hair, being effected by means of acid solution—an acid liquid is prepared by digesting spent bark in water for five or six months, until the liquid becomes as sour as ordinary vinegar. Acid mixtures besides detaching the hair and epidermis, without injury to the Hide, prepare it at the same time by swelling the pores of the Hides, to receive the Tannin. While alluding to this subject it may be observed, that if any lime be allowed to remain in the Hide, when placed in the Tannin solution, the Leather will be rendered *hard and inflexible*.

The Jury may now proceed to offer a few remarks on the next process, the application of the Tannin to the Hide.

In this process, as generally practiced in England, Hides are first introduced into an infusion which has been previously almost exhausted of its Tannin, and are after this, subjected gradually to the progressive action of several stronger infusions, until the Hides are perfectly tanned; the usual test of which is the absence of the white streak in the middle of the section of the Hide. Some Tanners complete the process in the pits, by the use of the Tannin solution only, and others by introducing a lit-

the ground bark between the Hides while in the pits. During the finishing period of the process of passing the Hides through the Tannin infusions, they should be taken out frequently and 'handled,' that is suffered to drain thoroughly, the last Hide taken out being the first returned to the Pit.

It is believed that the free access of air to the Hide when draining has an injurious effect. The manner of drying Hides, after the Tanning, is one which, simple as it appears, requires care and intelligence, Hides dried too slowly in damp places, are liable to mildew, while those dried too rapidly, or which have been exposed to the sun, become hard and brittle.

Hides should be dried under cover with a free current of air and good ventilation. Whilst the Hides are drying they should be taken down daily, and beaten with wooden mallets to compress their tissue, and render them more compact in substance.

The old Tanning process in England occupied a period frequently of 18 months. The present system is completed within 12 Months.

In the best leathers the relative position, and arrangement, of the fibres, after receiving the Tannin, is as nearly as possible the same as in the fresh Hide or skin.

The section of a piece of inferior leather, prepared by the *quick* process, presents a much more perpendicular structure of fibre than that of leather properly tanned. This is occasioned by the Hide becoming swollen in one direction only, by sudden immersion in a strong Tannin infusion, and not returning to its original form again.

There are some other point in Tanning worthy of notice.

1. The constant agitation of the Hides and Skins while in the Tannin infusion, and thorough draining of the Hides when removed from one infusion to another.

2. A warm Tannin infusion in preference to cold?

3. The exclusion of Atmospheric air from the Pits; for tannin exposed to the influence of water and air forms Gallic and Ellagic acids; which acids perform no part in Tanning.

4. If the Hides are *not crowded* in the Pits they will tan better and sooner.

5. Is the Leather to be Tanned so as barely to secure a sale in the Local market, or is it to be so tanned as to secure a *firm, solid, durable leather*?

The Jury have offered the above general remarks in connection with the several specimens of Leathers submitted for their examination, and Report, with the view of exciting enquiry and discussion, and so giving some stimulus to a Branch of manufacture, which, as now generally followed, is, it must be admitted, in a very unsatisfactory condition.

G. W. Y. SIMPSON,

Reporter, Class XVI.

TO THE SECRETARY MADRAS EXHIBITION.

Sir,—I have the honor to acknowledge the receipt of your letter and in accordance with it, to annex a short description of the process by which the birds sent to the Madras Exhibition were preserved.

Had I possessed the time I would also have done, what I can now, only suggest might be accomplished, if the Committee should think it worth while, which is, to have birds in all the different stages of bird preserving take off by the Photograph.

The appended description of the process of bird preserving having been drawn up very hastily, is thus difficult to be understood in some parts, as an apology for which I must state that it had to be done on the line of march, whilst proceeding from Bungalow to Bungalow.

I have the honor to be,

Sir,

Your most obedient servant.

FRANCIS DAY.

NUGGER. }
Feb. 17th 1857. }

The specimens of birds sent by me to the Madras Exhibition were collected in Mysore and the Decan, and are not intended as a perfect collection of any tribe, but merely as specimens of bird skins, as those from the East Indies are not numerous in British Museums, all sent were prepared by myself, for which purpose, the only requisites are, a penknife or scalpet, pair of scissors, hook suspended by a cord from the ceiling, needles, thread, cotton or tow, bradawl and arsenical soap as a preservative for the skins, and which is far superior to any other known, if it is wished that the birds should be even set up. The next best bichloride of mercury, or corrosive sublimate, causes them to be brittle and increases the difficulty of stuffing. The plan pursued in preparing the foregoing specimens was as follows:—first the bird's mouth having been opened, by gently pulling the upper and lower bill asunder, two incisions are made with the penknife, in the inside of the upper jaw, from behind forwards, one along each side of the palate, dividing both the soft and hard, these are joined together in front and the whole of the palate being now detached, except its most posterior part, it is easily pushed backwards, which being done, the mouth is filled with cotton, to prevent any fluid exuding from either the nostrils or mouth, during the process of skinning, which would most probably destroy the specimen.

Placing the bird on a clean sheet of paper, and gently pushing the feathers away from the right and left of the breast bone, which is here only covered by skin, an incision is made through the skin from the most anterior, to the most posterior extremity of the breast bone and along its most

elevated part (the heel of the sternum), the skin is detached from off the muscles of the chest (pectorals) partly by pushing the fingers between the two, or assisted by the knife should the cellular tissue attaching the skin to the flesh, be very dense; this having been done on both sides, a pair of scissors having blunt extremities should be inserted along the front of the breast bone, just before the merry thought (interclavicular bones) and by it the neck should be divided, being careful not to include the skin. The hook which is fixed by a piece of whipcord from the ceiling, is now to be inserted between the merry thought and breast bone, passing completely from one side of the bird to the other, so as to have a good hold, and the bird is to be thus suspended at about level with the operator's chest. The skin can now be easily detached off each shoulder, and whatever of the neck remains undivided may be completed by the knife, at this period the neck is altogether detached (except by the skin) from the body, and the operator has to proceed with his skinning backwards, towards the tail, in which process he will first come to the wings, next to the legs, and lastly to the tail.

The skin covering the muscles of the wings is everted, proceeding as nearly to the outer extremity of the wing's bone (humerus) as is possible; the tendons of the muscles are to be there cut through, and the muscles cleared from the bone, which is to be divided at its inner extremity, or that nearest to the bird's body; the same rule applies to the leg the bone of which is to be left, the same as the wing bone was; and on having proceeded as far as the tail, the end of the vertebral column is to be cut through, by which the body will be left suspended, the skin of the bird remaining in the operator's hand close to the tail on the upper surface and extremity of the back bone are two pea shaped bodies (oil glands) which must be cleared away, and all the fat should be removed from the inner surface of the skin; a little cotton ought now to be placed inside it, for the purpose of preventing the feathers adhering to the skin during the process of finishing the head and neck. Skinning the neck and head is the most difficult part of the process. The extremity which was detached from the body (the root of the neck) should now be securely fixed to the table, by a bradawl, and the skin everted like the finger of a glove on being drawn off, and the operation proceeded with by gently dividing the attachments between the skin and the neck by short strokes of the knife, until the skull is reached, over which as the skin is tighter more care is requisite to prevent the skin being torn, and no force must be now employed, prolonging the dissection forwards, and on either side; the ear is arrived at the skin covering the inside of which being continuous with that of the body, (the membrana tympani of all birds is covered with a thick layer of mucous membrane, a prolongation of the skin) it may be drawn out in-

tact, in some species of birds (as the *Tringæ*) this is difficult; then it may be divided as close to the skull as possible, and the forward dissection continued. The eyes are the next part reached, the conjunctiva has to be cut through, by which (a sort of thin skin) they are adherent to be eyelids, and the eye is exposed; if the dissection is carried a little further the bill is approached, beyond this the operator must not proceed, for if he should he will detach the skin from the skull, and the specimen will be spoiled.

The back of the skull (occipital portion) must be cut off with a knife, detaching the neck, and occiput, from the rest of the skull, by this, the brain becomes exposed and through the hole in the skull thus formed the brain is to be removed, the tongue and palate should be now cleared from the mouth.

Only the eyes now remain to be removed, and considerable care is requisite, not to burst the eyeballs, the knife must be carried around the eyeball, between it and the orbit, by which all the superficial attachments will be divided, it should then be passed behind the eye, from above (inside the orbit) and the deeper ones cut through, after which the eye intact, can be easily drawn out, arsenical paste is now to be rubbed over the whole of the inside of the skin of the head and neck, and the orbits filled with cotton—the most difficult part of all is without doubt returning the skin over the skull, for now it is inside out, and practice is required for this purpose; first the skin from the front of the skull should be very gradually returned over the back portion, and sides, from the inside as far as practicable, then keeping the extremity of the birds' bill firmly held between the finger and thumb of the left hand, the skin may be gently returned by the right hand into its natural position.

Skins of ducks and other birds with large heads and small necks cannot be so treated, the neck in them must be divided as close to the skull as the operator can proceed from the insides, this is to be finished by an incision made through the skin in the middle line from above, below, at the back of the skull through which the head may be brought, and the skinning completed as before described. The whole of the inside of the body must be rubbed over with arsenical soap, and some cotton wrapped round the bones of the legs to preserve them their natural size. The bones of the wings should be tied together at about the same distance they were at when the bird was alive—some flesh still remaining on the wings, has to be removed through an incision made along their inside for that purpose, the arsenical paste must be rubbed in.

No. 606.

All the flesh having been now removed from the body, the wing and leg bones and skull being the only bony portions retained, it is now necessary to make a skin; about this, unfortunately, few appear

to know how to proceed, the skin should be stuffed out to about the size of the bird *but no more*, whilst the neck must be distended to its natural size, for if the skin from each side adhere together, consequent on no stuffing being inside, it is almost useless subsequently to attempt to stuff them, a piece of stick (or thin bamboo,) should be taken, a little less than the bird's natural length, this should be wrapped round with cotton or tow, so that a body may be formed thus :



This is gently pushed into its proper place. The extremity marked *A* going into the skull, that marked *B* resting against the tail, a little loose cotton is

placed along its sides, and the skin sewn over all; a little cotton is also placed inside the mouth, the bills tied together—the skin should be encircled by a piece of paper sewn to the proper size until it is dried, which may be done by placing it in the sun.

FRANCIS DAY.

AHMEDNUGGER, }
Feb. 17th, 1857. }

The stuffed Birds exhibited although containing no rare specimens, yet form a very interesting collection; the specimens have been prepared with great care and skill, and are in excellent preservation. The Jury attach a very useful memo: describing the several processes of Bird preserving by Francis Day, Esq. The Jury award honorable mention.

G. W. Y. SIMPSON,

Reporter, Class XVI.

The list prefixed to this report will at once show that the contributions to the department were not only very liberal, but also of a high order of merit. Looking at the small collection which was sent in, with the exception of a few small and unimportant contributions, the following list of works and articles is given. The twenty kinds of white and colored paper sent from the above place are of a very high quality. It is to be regretted that the specimens were not sent in the same way as the others, and were attached to the list in a very hasty manner. The list of books and articles is given below.

The specimens of printing in English, French, and the various kinds of the country, sent from the above place are of a high order of merit. The list of books and articles is given below.

Two specimens of book binding from the above place are of a high order of merit. The list of books and articles is given below.

- LIST OF BOOKS, PAPERS, &c.
- Manual of Gardening of Southern India by H. B. Hall, Esq.
- Paper's first lessons in Tamil.
- St. Mark's Gospel in Telugu.
- The Tamil Book.
- English first book.
- The young Communicant's guide in Tamil.
- Pope's first Catechism of Tamil Grammar.
- A conversation on the origin of Hinduism.
- Tamil.
- Tamil questions in English and Tamil.
- New Testament History.
- Scriptural teaching in Tamil.
- First Geography in Telugu.
- "Dissertation" in Telugu and Tamil.
- A Sketch of the Gains of Mysore with (4) parts.
- Four illustrations.
- 4 French Books.
- 3 Black Books from Hyderabad.
- 3 Books from Hyderabad.
- Paper and card bound manuscripts at the printer.
- Paper Mills.
- Medical Journal in Hindustani edited by Dr. S. M. D.
- Lat and Lat Book with Tamil Vocabulary.
- Lat. do.
- Tamil literature in sheets.
- Map of India.
- Hindus literature in sheets.
- Lat. do.
- Lat. do.

CLASS XVII.

PAPER AND STATIONERY, PRINTING AND BOOK BINDING.

JURY.

The Honorable Sir H. C. MONTGOMERY, *Bart.*, *Chairman*.
 C. F. CHAMIER, Esq.
 W. EVANS, Esq., M. D.
 P. R. HUNT, Esq.
 W. R. ARBUTHOT, Esq.
 SOOBROYALOO NAIDOO.
 REV. P. PERCIVAL, *Reporter*.
 REV. T. BROTHERTON.
 H. SMITH, Esq.
 H. FORTEY, Esq., M. A.
 JAYARAMA CHETTIAR.

LIST OF BOOKS, PAPERS, &c.

Manual of Gardening of Southern Indian by R. Riddell, Esq.
 Pope's first lessons in Tamil.
 St. Mark's Gospel in Telugu.
 The Third Book.
 English First Book.
 The young Communicant's guide in Tamil.
 Pope's first Catechism of Tamil Grammar.
 A conversation on the origin of Hindoo Caste in Tamil.
 Tamil questions in mental Arithmetic.
 New Testament History.
 Spiritual teaching, American Arcot Mission.
 First Geography in Telegu.
 "Dinavartamani" in Telugu and Tamil.
 A Sketch of the Coins of Mysore with (44) forty-four Illustrations.
 4 French Books.
 3 Black Books from Hyderabad.
 3 Do. do. from Musulipatam.
 Paper and Card board manufactured at the Peralore Paper Mills.
 Medical Journal in Hindustani edited by Dr. SMITH, M. D.
 1st and 2nd Book with Tamil Vocabulary.
 3rd do.
 Tamil lessons in sheets.
 Map of India.
 English lessons in sheets.
 1st do.
 2nd do.

The list prefixed to this report will at once shew that the contributions to the department under notice are very limited, both as to extent and value. Looking at the small collection with reference to *utility* the specimens of paper and card-board manufactured at the Peralore Paper Mills claim the first attention. The twenty kinds of white and colored paper sent from the above place are bound up in a volume. It is to be regretted that the specimens were not sent in the *ream* with *weight* and *price* attached; as in that case some idea might have been formed of the prospect there may be of a supply of indigenous paper for commercial and literary purposes.

The specimens of printing, in English, French, and the Vernaculars of this country, sent from various Establishments are not numerous; nevertheless among them are found some excellent examples of the art. The works sent from the American Mission Press in Madras are got up in a style equal to that attained by the best printers in Europe.

One or two of the Vernacular books, executed with a view to artistic effect, are singularly beautiful; a fact the more remarkable, since the type was cast by Native Artificers, and the works turned out by Native Printers. Some of the French books from the Pondicherry Press are very well printed.

Two specimens of book binding from the American Mission Press merit special notice, they are bound respectively in Morocco and Russian leather. The execution is not quite so neat as work done by

the first class workmen in London—that cannot be expected as the binders here have not the same opportunity of practising the art—but they are very well done, and the charge is about 50 per cent below London prices.

There are several specimens of Lithography from Mauslipatam. The Jury think some of them well executed, especially those representing animals.

Specimens of Vernacular Journalism in Tamil and Telugu are exhibited. The English notice of the head of "Dinavartamani," such being the name of both papers, may be here inserted as the best exposition of the Editor's purposes in the conduct of these periodicals: "This Journal is designed to convey interesting and useful information on such topics as are usually contained in those of Europe; and

thereby to promote the advancement and civilization of the Hindoo community." The Journals contain two or three specimens of word engraving executed by a student of the School of Arts, who, when he engraved the blocks under notice, had been under instruction only three months. The Journal is beautifully printed on good paper, contains eight pages small folio, and is published weekly at the small sum of four annas a month.

The Jury in making this report of the articles they have been called to examine, are of opinion that the specimens of printing and binding from the American Press are entitled to the recognition of the General Committee: and they beg therefore to commend the subject to their consideration.

P. PERCIVAL.

CLASS XVIII.

REPORT ON WOVEN, SPUN, FELTED, AND LAID FABRICS, SHEWN AS SPECIMENS
OF PRINTING OR DYEING.

JURY.

J. BINNY KEY, Esq.
Major T. A. JENKINS.
W. E. COCHRANE, Esq.
E. LECOT, Esq.
Captain W. R. NEWLYN,
R. BARCLAY, Esq.
N. C. MOOROOGASEM MOODELIAR.
Sirdar JUNG BAHADOOR,
H. TOLPUTT, Esq., *Reporter.*

It is a matter of regret to the Jury, that the manufactures exhibited in this Class so feebly represent the Dyeing and Printing of this country; although possibly many Fabrics such as Madras Handkerchiefs and Conjeveram cloths, which might legitimately have been included in this Class, have been exhibited in Class XI as specimens of weaving.

Probably, few arts have made so little progress in India since their introduction, as those of Dyeing and Printing; still, crude and imperfect as are the modes of Dyeing practised, the brilliancy and permanency of some of the simple colours produced, are unsurpassed in any part of the world. This may be in a great measure owing to the freshness of the raw materials used, since it is a well ascertained fact that many of the Dye stuffs imported into Europe, particularly those required for the more sensitive colours, deteriorate considerably during a voyage. The application of chemical science to this art during the last 20 years has, however, given the European dyers an immense advantage by enabling them to produce a rich variety of delicate intermediate shades, utterly unknown in India.

In the art of Printing perhaps less progress has been made than in that of Dyeing. The Palampores

exhibited in this Class, are in styles as old and as universally known as the Chinese "willow pattern," and all of them are printed from rudely cut blocks. There is also a blotched appearance noticeable in these fabrics, arising evidently, from a want of ordinary attention to the face of the blocks during the process of printing.

The application of wood engraving as taught in the School of Arts to designs on blocks for printing, would doubtless in course of time become a profitable branch of industry. A constant succession of new designs to keep pace with the changing tastes of the people, would enable the Printers of this country, with the advantages they possess in cheapness of labour and printing material, to compete with the European Printers in the production of the cheaper kinds of block-printed fabrics now imported.

The Jury do not consider any of the articles exhibited in this Class deserving of reward. They would only mention that the Palampores exhibited by Agi Emmendi Masulipatam are better printed than those from the Rajahmundry district.

H. TOLPUTT,
Reporter.

CLASS XIX.

TAPESTRY INCLUDING CARPETS AND FLOOR CLOTHS, LACE AND EMBROIDERY, FANCY
AND INDUSTRIAL WORKS.

JURY.

The Right Honorable Lord HARRIS.

M. GALLOIS MONTBRUN.

H. A. MURRAY, Esq., *Reporter*.

FINDLAY ANDERSON, Esq.,

J. B. NORTON, Esq.,

J. KELLIE, Esq.,

J. ROHDE, Esq.,

Colonel M. CARTHEW.

P. VEERAPERMAILL PILLAY.

SALAR OOL MOOLK BAHADOOR.

W. E. COCHRANE, Esq.,

MADAR OOL OOMRAH, BAHADOOR.

HAJEE AGA MAHAMED BAKER SHERAZEE NUMAZEE.

A. COLE, Esq.,

In considering the merits of the principal articles exhibited in this Class, viz. Embroidered Fabrics and carpets, it will be necessary to judge them by very different standards, the former being intended more for ornament than use, the latter more for use than ornament, again work that can be executed well by the hand in Embroidery it would be impossible to produce by the machinery and coarser materials employed in the manufacture of carpets. This being the case it is only requisite that a design for embroidery fulfil the following conditions. That the pattern be well proportioned to the space covered, that the lines be graceful and flowing and that the colours be well blended and harmonized. A carpet should when placed in the position it is intended to occupy not only serve as a covering to the floor, but as a ground work to support and set off the Furniture and occupants of the room to the best advantage, and not be of such a nature as to attract the eyes, to the detriment of other objects; to obtain this result it is necessary that the general effect be considered rather than the individual details. The pattern should be proportioned to the size and distributed equally over the whole extent. All strongly pronounced, or hard forms should be avoided and the pattern should either spread from a central form, or be dispersed over the entire surface not forming decided lines either lengthways or breadthways. The forms used should also have a flat treatment, all attempts at shadow or relief being avoided.

As a rule, Carpets having a centre and border, are good in effect especially in large rooms. The

general result produced by the combination of the different colors employed in the design of a carpet, should be negative, when bright colors are used, it should be in small quantities and they should be so arranged and proportioned as to neutralize each other. The primary colors when employed in the leading forms should be attended by their secondaries, and when the secondary colors are made use of for the principal patterns, the ground should consist of the tertiaries.

All colors should be separated from those in juxtaposition by lines of black, white, or yellow.

One fact shown by the present Exhibition is much to be regretted, namely: That some specimens of carpets evince a decided inclination on the part of the makers to attempt an imitation of European patterns; if this be persisted in, it must inevitably produce the degeneration of that manufacture of which the natives of India have for ages possessed an unrivalled reputation, the beauty and truthfulness of their designs have been the bases on which many of the generally received rules regarding design and color have been founded. The carpets made in this part of India are the Setrangi or cotton carpet commonly used for tents and somewhat resembling venetian carpetry in texture. A similar carpet with a cotton web but covered with woollen instead of cotton thread, and the pile carpets generally on a cotton ground but with silk woollen or cotton pile as in the Axminster and Turkey carpets.

The principal manufactures of the better descriptions of woollen carpet are at Ellore in the district of Masulipatam, at Bangalore and Mysore,—carpets

similar to those of Ellore are also made at Warungul a town 86 miles N. E. of Hyderabad in the Deekan, at Masulipatam at Mayaveram in the district of Tanjore and probably in small quantity elsewhere.

The wool about Ellore is of a harsh description and of short staple, that of Mysore is of much better quality, and white wool is more readily procured in Mysore; when a soft carpet, as for an Ottoman is required, at Ellore, it is necessary to procure Lamb's wool.

In texture the best Ellore carpet is very superior to that procurable elsewhere, a square space containing $80 \times 80 = 6,400$ distinct threads composing the pile white in a Bangalore or Mysore carpet the same space would contain only $20 \times 20 = 400$ such threads; there is therefore sixteen times that amount of work in an Ellore carpet that there is in a Mysore one of the same dimensions. Besides this, the web threads of an Ellore carpet are stronger than those in a Mysore one. Of late years a practice has been introduced into the Bangalore carpet of using a hemp woof, this is objectionable when hard twisted thread is employed as it cannot, then be driven up as a softer substance might be, if the hemp were used for the weft well washed and not hard spun it might be advantageous, indeed the importance of having a weft less yielding than cotton is instanced in the carpets made under the orders of S. Nummiah Naidoo and A. Sashia Gauroo of Masulipatam by the Ellore and Masulipatam weavers for the enterprising house of Wastan, Bell & Co. of Bond Street, this house has paid attention to the importation of the best qualities of these carpets and in order to avoid the inconvenience of sending carpets in long rolls and to secure the carpets from the effect of unequal strain in folding they send out *flax* weft, which is used either in the weft only, or in the weft and woof, two specimens of carpets so constructed are exhibited and are certainly of excellent quality. Carpets with woollen weft, as in the Turkey, are not made in this part of India, (but one said to be from Mirzapoor) has this peculiarity. The Mysore carpets exhibited this year are inferior. In general it may be remarked that the wool of the Mysore carpet is dyed with very little care, and this is very remarkable in the *grounds* in which patches of various shades are discernible. The same remark on the inequality of colouring is applicable to the silk carpets exhibited. Two carpets with cotton pile from Warungul shewed want of attention in washing out the surplus dye which has run and stained the ground.

GOLD EMBROIDERY.

MYSORE.

Two magnificent Elephant Joohls are exhibited No. 4205, by Kristniah and No. 4261, by Lutchmen Row.

These are beautiful specimens, both have a crimson ground diapered with gold in the centre, surrounded by a border. The latter though less costly is the best design. In No. 4205 Black Elephants are introduced. These produce a very spotty effect, and spangles are made use of to such an extent as to give to the tout ensemble an appearance tawdry in the extreme. The border of No. 4261 is remarkably good, the ground being of gold with a crimson pattern; figures are skilfully introduced in which silver is employed with good effect. No. 4195 A. Shamianah, by Thunnegee Row is well designed, consisting of crimson silk diapered with gold supporting a centre ornament and corners, the whole being surrounded by an exquisite border of gold with the pattern in crimson, black and silver.

No. 9089 is a piece of gold embroidery exhibited by W. E. Underwood, Esq. manufactured by Jetting Row, worked in crimson velvet and having the middle portion diapered with a finely designed pattern in gold with star centre and corners surrounded by a border. This work is more bold and free in treatment than any other exhibited, the centre and corners are magnificently imagined, the border in which small quantities of green are introduced is very good. No. 4202. A Palankeen cover by Venkajee Row is cleverly designed containing more varied effect; crimson, black, green and silver being used on a gold ground.

The centre ornament is very good surrounded by a crimson and gold edging with a crimson fringe.

The whole design shows a very skilful treatment of a simple form.

No. 4203 is a gold cloth, or Musnud with pillows by Kristniah—with the pattern in crimson and green, the centre has the character of a diaper, the corners and border are crimson with a pattern in gold. This work shows a good arrangement of colour, but the effect would have been enhanced had the green employed been darker and less yellow. The fringe is dark orange, this colour does not in any case either contrast or harmonize well with crimson or gold.

No. 6691. This is a very satisfactory work in crimson and gold exhibited by the Resident of Hyderabad, the corners and centre remarkably good, but principally worthy of notice for the masterly way in which the green lines in the border are introduced; their effect is perfect, harmonizing beautifully with the crimson and gold employed on the embroidery.

No. 4201. Exhibited by Sooba Row, Bangalore, although some portions of this work are pleasing the whole design is not good, the centre wants power and the orange fringe employed (as in No. 4203) is in bad taste.

No. 6124. Exhibited by the Local Committee of Hyderabad, is crimson with a border and corners in gold well arranged; the effect is much injured by the mean looking fringe surrounding it.

No. 4208. Exhibited by Burmajee Row, Bangalore, consists of a cushion and pillows in crimson, gold and green; the green fringe around the cushion has a pleasing effect.

SADDLES AND SADDLE CLOTHS.

Of these the best exhibited are Nos. 4230, 6745 and 2228.

No. 4230. An Elephant Saddle exhibited by Sooba Row, is very rich in appearance consisting of a gold ground diapered with crimson green and white. The border consists of the same colours, edged with gold and crimson, and surrounded by an orange fringe.

No. 6745. A Horse Saddle exhibited by Poonaghee Row, Bangalore, is good in design having a crimson centre with a scale pattern diaper in gold thread, with corners, a border composed of crimson and gold, and an orange fringe.

No. 2228. A Horse Saddle, Chennagee Row exhibitor, though better than some exhibited is poor in design.

EMBROIDERY ON MUSLIN.

No. 6387. A Gold Doopatah exhibited by Nabob Salar Jung and the Hyderabad Local Committee is handsome, the arrangement of the spangles, both as to design and color, is very clear; the border consists of a very good shawl pattern.

No. 9236. Two pieces of gold and silk embroidery exhibited by the Poodocotta Rajah worked on muslin consisting of a diapered pattern in yellow and crimson silk, with gold thread and spangles. The effect is most beautiful.

CARPETS, SILK, WORSTED AND COTTON.

Six silk carpets are exhibited.

Nos. 1573, 6171, 5173, and 5172 are the best in design.

No. 1573, exhibited by the Tanjore Local Committee is very beautiful consisting of a centre and border. In the middle is star composed of red, blue and yellow; the colors are so well balanced and black lines are employed so judiciously to separate them from each other that (although very bright) all gaudiness of effect is prevented. The star is surrounded by a pattern filling the whole central space in which the colors are so skillfully blended that no one predominates over another. The border is well proportioned to the centre harmonizing with it. The white introduced is well placed.

No. 5173, exhibited by the Local Committee of Tanjore is very good in design: the color of the silk is very bright. The pattern is Geometrical, the colours used red, blue, yellow, and a little green, are well arranged, separated by black lines, a little white being also introduced. Nos. 6171 and 5172 are also good; in the former white is used more liberally than in any others exhibited and with good

effect. The designs of the two other silk carpets seem intended to produce as gaudy an effect of colour as possible without any consideration either of harmony or contrast.

ELLORE.

WORSTED CARPETS.

Nos. 4114-4115. Exhibited by S. Nummiah, are very fine specimens of design, and are good examples of different ornamental beatment.

Nos. 4114. Although of greater price and less striking in appearance than No. 4115 is much better calculated for wear. The design of No. 4115, of Persian character is excellent. The pattern consists of a beautifully designed centre ornament and corners in orange blue and green supported by a dark crimson diapered ground. The colours are well arranged excepting that the orange predominates rather too much over the blue; the primaries employed, viz. red and blue, are of a neutral tone: the whole is surrounded by a border in which white has been employed too liberally. In No. 4114 the colors used are almost the same as in the above with the exception of the border in which a cream colored ground is introduced, edged and divided from the centre by colored bands. The design of the whole carpet is excellent, the colors being remarkably well distributed.

NORTH ARCOT.

WORSTED CARPETS.

Nos. 1132, 1133, and 1134, exhibited by Kristniah. Of these No. 1133 is the best, the centre is very rich in colour, the border consisting of coloured bands well arranged contrasts effectively with the centre portion. The ground of the pattern is of a dark purple hue: this sets off the brighter colours of the design to advantage.

In No. 1132, the colors are well grouped, but the design is of too large a character for the dimensions of the carpets. The border is good in itself but unsuited in the size of the details to the pattern it surrounds.

In this carpet and in No. 1133 the colour employed for the ground is of a mottled description: this is judicious as it prevents the heaviness in appearance generally remarkable when a great mass of dark color is employed.

HYDERABAD

WORSTED.

Of the carpets exhibited the most satisfactory are Nos. 6119 & 6110 exhibited by the Hyderabad Local Committee, the former has a colored pattern and a white ground and a wide border rich in colour contrasting well with the light centre.

No. 6110, has a diaper pattern on an orange ground. This diaper would have a very scattered effect were it not for the introduction of skilfully arranged right lines. The border is particularly good, it consists of several bands well proportioned to each other and well coloured.

Of the Cotton carpets exhibited the best designed is No. 6108 from Warungul, these carpets have a much better effect when viewed at a distance than on a closer inspection.

The dyes employed do not seem to be fast, the yellow especially has in many places run into the white; notwithstanding this disadvantage, it is probable that these carpets may be serviceable for bedroom purposes.

TANJORE.

WORSTED CARPETS.

The large carpet No. 4596 exhibited by H. Hurry Row is not good, and would appear to less advantage if placed on the floor than in the position it now occupies. The design consists of a monotonous repetition of a hexagonal form, the arrangement of colour is faulty, the border is good but too narrow in proportion to the size of the carpet, the design with exception of the border is an imitation of a bad English manufacture.

BANGALORE.

A large carpet No. — exhibited by Mr. Rhode is better in treatment, though this shows a want of systematic arrangement and unity in design: the border is remarkably good.

No. 4598, is a well designed carpet, the centre pattern being the same as in the silk carpet, No. 5173, more contrast is required in the colour, the lines are of too uniform a tone, the yellow lines especially want power, the border is rather narrow.

Two worsted rugs from Mirzapore are worthy of notice.

MYSORE.

Six long pile carpets are exhibited, the best being No. 6819, a pair exhibited by the Bangalore Local Committee: these have a good general effect of a grey tone, the patterns employed are of too large a description for the size of the carpets. The texture of the manufacture is coarse but they are remarkably low in price.

A carpet made by the prisoners in the jail at Amherst is deserving of notice although far from good in design and dull in colours.

MATting.

The specimens exhibited of this manufacture are few in number and inferior to the samples sent in 1855, they are nevertheless creditable and exhibit care and ingenuity in manufacture, those which appear most deserving of notice are No. 223 exhibited by Nellikerry Sevarama Iyer having a centre

with a pattern in black bordered with crimson. At either end is a wider border containing brown, yellow, crimson, black and white.

No. 205 by Nellikerry Sevarama Iyer of Paulghant is similar in design.

No. 216, a crimson mat by the same exhibitor with a pattern in black and white.

No. 227 by the same, is a dark colored mat of good design.

No. 227 and 224 by the same maker are also good.

EMBROIDERY.

The Jury are indebted to

Lady MONTGOMERY,

Mrs. UNDERWOOD, and

Mrs. KELLIE,

for their kind assistance in this department of the Report:—

There is a marked improvement in the Embroidery exhibited this year compared with the specimens contributed to the Exhibition of 1855. It is pleasing to find that the rewards given in this class and the sale of most of the articles, have had the effect of stimulating to greater exertion. There is on the present occasion a great variety of patterns and much taste and elegance of design which, combined with the moderate price, in most cases, affixed to the articles have led to their rapid sale.

One of the richest pieces of embroidery is No. 9043, a child's jaconet muslin frock, made by the girls in the Military Female Orphan Asylum. The work on the body and sleeves is very elaborate and the tucks on the skirt show from their neatness that the girls in this institution are taught useful as well as ornamental work.

An embroidered collar, pair of sleeves and bands worked for Mrs. Binny Key, at the same institution are also deserving of notice.

A quilted basinette cover by the Jewesses of Cochin is neatly executed and pleasing in effect, though there is a harshness and angularity of design in the pattern.

LACE.

The best specimens of the manufacture are No. 3454 and No. 3464 lace and imitation Valenciennes lace from Quilon. This collection contains a considerable variety of patterns, but they are inferior in quality to those exhibited in 1855 from the Nagercoil Mission School Travancore, and the Edyengoody Mission School Tinnevely.

The thread in use at Quilon appears to be rather coarse.

CROCHET.

There are large and interesting contributions of this manufacture from several quarters; the best collection is from Mrs. Sewell's School at Bangalore, there is a great variety of patterns and several of them are rich and tasteful; the whole collec-

tion is deserving of notice ; more particularly two collars worked by a Christian girl Anna and priced respectively Rs. 3 and Rs. 2 and a chemisette by a Canarese girl Esther priced 5 Rs. The work upon this is very fine and the pattern very elaborate.

No. 4194. A piece of edging from Mrs. Sargent's School, Bangalore, is neat and tasteful.

Some very fine knitting is exhibited from the Native Female Central School, Madras, particularly five collars, of which No. 7405 is the best.

There is a large and creditable contribution of Crochet Anti-macassars made by the girls in the American Mission Boarding School at Jaffna. Most of these are made of Jaffna Cotton.

Some good samples of braiding and worsted work are exhibited from the Civil Institution Madras ; the best are a cushion marked No. 2, a richly colored pattern upon a dark ground, and a pair of slippers No. 17.

BONNETS.

Some tasteful Bonnets are exhibited by Mrs. Harding, the best of which is a white one, priced 30 Rs., neatly trimmed.

The Jury recommended the following awards.

GOLD EMBROIDERY.

jore Carpets" &c.

To Nos. 4205 & 4261. Two Gold Embroidered Elephant Jhools.... } A first Class Medal each.

To No. 4195. A Shamianah, by Thunnajee Row. } A first Class Medal.

To No. 9089. A piece of gold embroidery exhibited by Mr. W. E. Underwood and manufactured by Jetting Row. ... } 1st Class Medal.

To No. 4202. An embroidered Palankeen cover by Venkajee Row. } 2d Class do.

To No. 6691. A piece of embroidered work exhibited by the Resident of Hydrabad. } 1st Class do.

TANJORE CARPETS.

To No. 1573..... } 1st Class Medal.

To No. 5173..... } 2d do.

ELLORE WORSTED CARPETS.

To Nos. 4114, 4115. Exhibited by S. Nummiah, ... } 1st Class Medal.

EMBROIDERY.

To No. 9048. A child's jaconet muslin frock by the girls of the Military Orphan School, ... } Reward of 25 Rs.

To a quilted Basinette by the Jewesses of Cochin, ... } Honorable mention.

CROCHET.

To the collection from Mrs. Sewell's School at Bangalore, ... } Reward of 20 Rs.

KNITTING.

To the specimens from the Native Female Central School Madras, ... } Do. 15 Rs.

CLASS XX.

ARTICLES OF CLOTHING FOR IMMEDIATE PERSONAL OR DOMESTIC USE.

JURY.

COLONEL F. A. REID, C. B., *Chairman.*

F. J. LUSHINGTON, Esq.

Major H. J. NICHOLLS.

T. G. CLARKE, Esq.

Major J. MACDOUGALL, *Reporter.*

Captain J. W. HAY.

Major J. JENKINS.

Specimens of Burmese Hats made from the spathe of the large bamboo. Interesting. These are light and well adapted for tropical climates.

A few hats and a bonnet sent by the Rajah of Vizianagrum as specimens of an approach to the straw bonnet manufacture of England. Much room for improvement.

Some Anti-macassars, have been reported on by another Jury.

The same remark applies to Bonnets &c.

Mr. Crowe, Boot and Shoe-maker of Vepery, exhibited some very creditable specimens of his art; as also, did Mr. Egan of Bangalore, and Narsengadoo and Polalados of Muslipatam.

Soldiers' Boots sent by the Local Committee from Bellary, are most excellent of their kind, unusually cheap. This consignment, is deserving of especial notice.

F. A. REID,
President.

CLASS XXI.

CUTLERY AND EDGE TOOLS.

JURY.

Major J. MAITLAND.
 Major J. MACDOUGALL, *Chairman*.
 Captain J. W. HAY.
 Captain W. C. BAKER.
 A. BLACKLOCK, Esq., M. D.
 R. KENNEDY, Esq.
 J. URQUHART, Esq., M. D.
 W. B. WRIGHT, Esq.
 J. ROHDE, Esq., *Reporter*.
 Major G. W. SIMPSON.
 Colonel P. HAMOND.
 A. LOWE, Esq.
 Lieutenant Colonel G. BALFOUR, C. B.
 Lieutenant Colonel T. T. PEARS, C. B.
 A. HUNTER, Esq., M. D.
 H. F. C. CLEGHORN, Esq., M. D.
 Lieut. Colonel F. C. COTTON.
 General F. BLUNDELL, C. B.
 Mr. Commissary J. CURRAN.
 Mr. J. C. PATERSON.

In this series were exhibited a large collection of tools chiefly from the Government workshops in the Gun Carriage Manufactory and Arsenals of Madras and Vellore; a few articles from the Masulipatam Arsenal were exhibited; several excavating tools as well as Carpenter's planes were exhibited by the Railway workshop at Paulghautchery.

It appeared to the Jury that in the manufacture of most of the artificer's tools more attention had been devoted to finish, than to more essential properties. In many the proper forms had been neglected; several had been made up without due regard to strength where it was most required, while some which the jury tested gave way. It was evident to the members present that the tools had not generally been made up by persons who understood the working of them. From the prices having been omitted in many cases, they were not able to express any opinion in regard to the

economy of such tools as seemed suitable. There were several planes made at the Arsenal and Gun-carriage Manufactory, and a large number exhibited from the Railway workshop at Paulghaut, in most of these it was evident that a most important quality in a good plane that of retaining its form had been lost sight of in the formation of the stock. In a well made plane, the medullary rays of the wood should be perpendicular in the centre of the plane, the annual rings being consequently as nearly as possible in the direction of the sole, any twist would in this case be in one direction only, and the sole could with great facility be brought true. The Jury are aware that in planes made up in England by inferior makers,—by makers the Jury do not mean vendors or as they call themselves manufacturers, who often have a stock of good and bad mixed, the former are selected by those who know any thing about a tool while the name is quite

enough to induce others to buy the rubbish—this precaution is often neglected, and that where wood has been exceedingly well seasoned, and the instrument is not liable to exposure a tool so constructed may answer its purpose; but in articles evidently made up for exhibition they naturally expect that such precautions should be attended to. The Jury regret to observe, that there was no originality displayed in this department; there was not an instance of improvement on any of the ordinary native tools, which are often very effective, and with a little alteration might be improved, almost all were copies, and these, form by no means good English patterns.

To illustrate more particularly these remarks the Jury would refer to their notes on articles specially observed in the order in which they found them placed 5433 } 2 pairs of scales, these were not
5434 } correctly adjusted, and attention to minor matters as the connection of the chains with the scales had not been attended to.

5230. A drill bow when very moderately bent flew to pieces, it seemed to have been formed of cast steel drawn down.

A garden trowel. This seemed a very clumsy article, but might be useful in transplanting.

5497-98. 2 Pairs of garden sliding scissors. In these the construction of the jaws does not allow a branch to be received sufficiently low down for the tool to be effective; in the same tool made and exhibited by Major Maitland, No. 4977, this error is avoided and that article appears to be of a superior description.

3 Cold chisels were tested on a bar of Bypoor iron, but the edge did not stand.

5565, Callipers No. 2. In these the points were too square, consequently, when opened to any extent, the heel instead of the point of the tool would come in contrast with the object to be gauged.

Chisels, socket. These are as slight as firmer chisels while their great length would require their being of greater substance than the English socket chisel with which they were compared. The face of the chisel was not true.

5511. Tank digger's Mamooty (Col. Ottley's). This would be an excellent tool for certain purposes if more substance were given where the helve is fixed: as it is, it would rapidly destroy the wood while no leverage could be used.

5501. Pitch fork. This is not made on a proper pattern, and in use would be found inconvenient.

5385. 81. Axes. The blade being of the same substance throughout the breadth would not answer for rough work and would be found inconvenient: Axes for carpenters and general work should have greater substance in the middle. This is most im-

portant in felling axes of which an excellent form No. 4778 to 4781 is exhibited by Major Maitland but with this serious defect.

5509. A Mamooty "English pattern." The neck of this should be swaged; when forged square and bent, iron has a tendency to become hollow in the middle and to crack in the outer angles; by swaging the neck so that the thickness was greater in the middle much greater strength would be obtained.

5963. A country saw when bent remained in that position, it has evidently not been hammer hardened or planished as such saws usually are.

4861. A wrench. This is a cumbrous affair and not sufficiently strong or well proportioned.

4838 } Pliers. Gave way on being put to a test by
4839 } no means severe.

4977. A well made and to all appearance effective garden scissors or shears: very creditable.

4964. A spade probably twice the weight of an English spade.

4798. Bill hook. In this the edge and blade generally was much too thick.

A wrench made after a pattern represented in a Mechanic's Magazine some years ago, the object of the several parts of this is evidently not appreciated, the screw is much too far from the end of the jaws, which are too weak, while the screw which elevates the tail of the jaw and causes it to act as a lever is proportionately much too near the fulcrum.

4043. A Sapper's knife and bill-hook from Masulipatam were of good quality.

The Railway excavating tools were good specimens of iron work, but were highly finished and of course not such as would be issued for use.

There were a large number of hammer heads chiefly from the Government workshops, the appearance of which was good, the faces however were very unevenly tempered.

2 Centre bits exhibited by the Arsenal had the cutting point equi-distant from the centre with the outer edge of the opposite side, the point too was not sufficiently long, nor was its outer edge parallel to the centre of the tool, consequently the diameter of the hole would vary after each sharpening, and the point would soon have described a circle inside that described by the outer edge of the opposite side.

A digging fork of iron made after a pattern of one of Parkes's Patent cast steel flexible forks was very creditable in point of workmanship, it was light and handy, but being bent by the hand remained in that position while the English steel fork flew back to its original form. It will form part of the duty of the Jury on horticultural implements to report on the effectiveness of this tool.

The Jury having illustrated their remarks on the defects observable in many of the tools must now express their satisfaction with several articles exhibited by the Vellore arsenal, particularly, the vices which appeared as good as, and better finished than, articles of the description ordinarily met with in England. They would have been pleased to see this article constructed free from the very serious defect of the English vice as commonly constructed (with the whole strain on the upper half of the thread of the screw and the box containing the screw in a position the least favorable to strength and endurance) and they would suggest to the makers an improvement in this respect, whereby the screw is maintained in a position parallel to the strain instead of forming an angle with it as at present, the shoulder of the screw box in this case bears evenly by a socket joint against the back of the vice.

A hand vice from the same Arsenal and a pair of shears or large scissors equally showed that good instruments may be made with a little attention in the country. A Ratchet drill from the Gun-Carriage Manufactory though considered by the Reporter and some others of Jury as cumbersome was approved by the practical members of the Jury: this article was well and truly made; it is a tool in common use in every machinist's shop in England, and from its efficiency and the facility with which it may be applied in any position ought to be introduced into every workshop in this country; there can be no doubt that with proper appliances these tools might be constructed of excellent quality at small cost in the country, the shot gauges seemed well and accurately made. The Jury had no means of testing them, but were informed that they had been found accurate, the hammer heads were as already stated of good appearance.

PRIZE FOR SMITH'S TOOLS.

From the Railway workshop were exhibited a large collection of smith's tools, hammer swages, top and bottom tools, tongs &c. sufficiently well made, but without any pretention to finish and just such as a working establishment would prefer; in these utility was combined with the least possible expenditure of labor, they were generally on a scale too large for common work, but afford an excellent series of patterns for Native smiths to copy on the scale best suited to their wants. The Jury would award a second class medal to Mr. Wright for this collection, and they consider the vices exhibited from Vellore entitle the maker to the same distinction.

PRIZE FOR KNIVES.

The knives by Aranachellum of Salem maintain their character, but the prices put upon them are

such as to preclude their ever competing with similar articles of European manufacture; as specimens they certainly surpass any articles of the kind produced in the country, and the Jury would therefore award a second class medal to the maker.

Major Maitland exhibited some friction blocks which were to all appearances excellent. In these the bushing consists of a number of rollers packed in a grove, where they are secured by a cap or washer; the block rolls round the axis on these rollers instead of rubbing upon it. It is to be hoped that such articles for facilitating labor will be available, so that heavy masses may be adjusted without risk and the enormous expenditure of time, noise and stupidity with which they are at present put in their places both in these and the Ratchet brace. The Jury think the Gun-Carriage Manufactory have made a good selection for introduction.

Unless the Jury had an opportunity of seeing the whole process of manufacture of several of the articles exhibited, or knew the real cost of production, they could not express any detailed opinion on the economy of making such in the country: they very much doubt the practicability of competing with England in the manufacture of such cutting tools as chisels, plane irons &c., but they are decidedly of opinion that with a little more attention to the most suitable forms all the heavier tools may be produced in this country better suited to its wants, and better in quality than those ordinary supplied from England: the iron of this country is far better suited to this purpose than the English iron. Steel, it will still be desirable to import for articles in great demand, it would be advisable to divide labor to a much greater extent than is ordinarily done, and more pains should be taken to turn out the work finished from the anvil. The Jury would particularly urge attention to one branch of Manufacture for which the native hand seems particularly suited, that of file cutting; at present files are cut in the intervals of other work by smiths, but they are generally such as would not be saleable: by reducing old files to blanks and re-cutting them a very considerable saving would be effected in every workshop; if hand cutting were found impracticable, probably machines might be advantageously introduced as in the case of Ravulli's Files. The wootz (gulti) of Indian manufacture is very well adapted for rough files, though often ill-suited for sharp cutting edges.

The Jury are of opinion with reference to the display of tools from Government workshops, that it would be desirable that a really good selection of the best descriptions suited to the country should be made in England, and that a complete series should be available for samples; for it is very evident that at present the makers in this country have not good models to guide them: they would also desire to see a more general knowledge of the princi-

ples on which tools should be formed, and they would particularly commend to all who have the superintendence of workshops. Mr. Holtzapffel's work on tools and mechanical manipulation as giving very full instructions on all points most necessary to those whose knowledge must be much more diversified than is needed in an English workshop.

A very great drawback to the making of good cutting tools is the want of good steel; very little of superior quality finds its way to the Indian market, Aranachellum's cutlery is generally believed

to be formed from sword blades, some of the heavier articles only being of Indian steel.

The Jury would again express their hope that attention may be paid to the improvement of the native forms of tools, few instruments are so effective as the Adze (Badidi or Badsti) of the Northern Circars, and one somewhat different in form in use in Mysore and the broad chisel in use about Paulghaut, only one such adze is exhibited: the Jury did not observe any such chisel as they refer to.

JOHN MACDOUGALL,
Chairman.

CLASS XXII.

IRON AND GENERAL HARD WARE.

JURORS.

Major J. MACDOUGALL.
 Captain W. C. BAKER.
 A. BLACKLOCK, Esq.
 R. KENNEDY, Esq.
 J. URQUHART, Esq., M.D.
 W. B. WRIGHT, Esq.
 JOHN RORDE, Esq.
 Major G. W. SIMPSON.
 Colonel P. HAMOND.
 A. LOWE, Esq.
 Lt. Col. G. BALFOUR, C.B. *Reporter.*
 Lt. Col. T. T. PEARS, C.B. *Do.*
 A. HUNTER, Esq., M.D.
 H. F. C. CLEGHORN, Esq., M.D.
 Lt. Col. F. C. COTTON.
 Mr. Commissary W. CURRAN.
 Mr. J. C. PATERSON.

The articles exhibited in this class may properly be arranged under two distinct heads; viz. those for mechanical, and those for culinary or household purposes. It is to be observed in the case of many articles coming under the first head, that the attention and skill of the manufacturer has been directed more to the finish, than to the design or ultimate utility of the work; and with the exception of some locks, in no single instance can claim be laid to novelty, either as regards construction or design. On the contrary it would appear, that in many instances, the exhibitors have not even availed themselves of the best models or patterns.

The articles in the first section have been contributed principally by Government workshops, and other large establishments; viz., the Gun Carriage Manufactory, the Grand Arsenal, the Vellore Arsenal, the Railway, the Dowlaishwaram Workshops, and Pondicherry. Speaking generally, those from Vellore are superior in excellence, whilst those from the Grand Arsenal are the more numerous; and those from the Gun Carriage Manufactory most diversified in pattern. The tempering of the Vellore tools is somewhat defective; but otherwise the whole are well made.

BLOCKS, IRON AND WOOD.

Blocks, Iron and Wood, exhibited from Dowlaishwaram, the Grand Arsenal, Gun Carriage Manufactory, and Pondicherry. These are all creditable, and more or less excellent in design and finish. Those from Dowlaishwaram are six in number, and comprise one pair of single, one pair of double, and one pair of treble sheaves. The whole are well made and of great strength; and the hooks well formed. The rings of the double and treble blocks to which the ropes are intended to be secured, would however be better placed in the centre, than as at present placed in the blocks.

The blocks from Pondicherry comprise one pair of iron, and one of wood. The iron blocks are well made and strong, though perhaps rather disproportionately so, the hooks being over large. The

wooden blocks are also well made, and the sheaves strong and serviceable.

The above remarks are applicable in some measure to the blocks from the Grand Arsenal, particularly Nos. 5561 and 5562; these latter are strong and have brass sheaves, but would be improved by the application of shackles. The workmanship is good, but the best models have not been selected, nor have modern improvements been adopted.

The blocks from the Gun Carriage Manufactory numbering from 4918 to 4929, are varied in kind. The workmanship is good, and the rates at which turned out, very moderate; all are of considerable power, but as with those from the Grand Arsenal, a better selection of patterns might have been made.

HAND CUFFS.

Of different patterns exhibited by the Gun Carriage Manufactory, and Grand Arsenal. Those numbered 4141, 4942, and 5506, are well turned out. The workmanship, as in most of the articles exhibited by this Establishment is good, but the construction of the spring locks is very defective, rendering the opening of them too easy.

LOCKS, PADLOCKS.

Padlocks, Iron and brass.—Door locks, Almirah locks, and Drawer locks, are exhibited by the Gun Carriage Manufactory and Grand Arsenal; all are creditable as to workmanship, and those from the manufactory moderate in price. The greater portion of them however are easily picked. Of the padlocks made up at the Grand Arsenal, Nos. 5576 and 5577 are strong well made, and very difficult to unlock; displaying in their construction a creditable amount of ingenuity. These are the invention of Overseer Lee, employed at the Grand Arsenal. There is also a padlock from Vellore, which though strong and well made, was easily opened by using a two pronged fork.

498. Six hinges cast at the Gun Carriage Manufactory, entire, without joints, are deserving of notice, on account of the small amount of labor required in their construction, as compared with that of the old design.

FORGE BELLOWS

No. 1999. Forge Bellows from Bangalore exhibited by Dr. Hilbers, without laying claim to novelty of construction, are neat and portable, and would doubtless be found useful in the field.

RATCHET WRENCH.

No. 4969. Ratchet Wrench of improved construction from the Gun Carriage Manufactory: a useful and ingenious tool, well made and moderately priced.

WRENCH SCREW.

No. 4976. Wrench Screw for 4 sizes of nuts: a handy tool, easy of adjustment, made at the Gun Carriage Manufactory.

WEIGHING MACHINE.

The next article which claims attention is a weighing machine for treasures, proposed by W. H. Bayley, Esq., and made up at the Grand Arsenal. The beam and pedestal exhibit workmanship of a high order, and highly creditable to those employed.

WEIGHTS, BRASS AND TIN.

5442 to 5461. Weights in brass and tin from 16oz. to 56lb, also from $\frac{1}{8}$ of an ounce up to standard Indian maund of 3200 Rs. weight; also a set of weights of pállams and tolas. The above are neatly turned out, and manufactured in the Grand Arsenal.

5433 to 5435. Scales copper weighing. Of various sizes and kinds made at the Grand Arsenal, tolerably accurate, sufficiently so for ordinary purposes, but not highly finished.

Nos. 5238 and 5239. Vices Bench and Stand from the Vellore Arsenal, are deserving of great praise, and fully equal to English manufacture. The hand vices would however be improved if not case hardened.

Nos. 5235 and 5236. Pliers cutting and common from Vellore; workmanship very fair, and pliers well finished.

Nos. 5237, 5255, 5256, Stock Drills with Drills. Carpenters squares with steel Blades from Vellore, very well finished.

No. 5242, Braces Carpenter with bits from Vellore; well made, but has the eye soft. The hammers from that Arsenal are well shaped, but the faces appear soft, as if not sufficiently steeled.

The chisels, firmers and gauges made up at the Gun Carriage Manufactory and Grand Arsenal are very fairly turned out, as also the adzes, which are of a good pattern; those made from Europe steel being more free from cracks than those manufactured from the country article. As a general remark applicable to most of the above class of tools, it may be observed that the tempering appears much too low.

Nos. 5387 to 5392, Augers Iron carpenters; these are well shaped, but not highly finished.

Nos. 5397. Braces Smith with bits; are strong, but rather coarsely made. The same remarks are mostly applicable to the other tools belonging to the class now treated of.

In the second section of Class XXII comprising Native Brazen utensils, there are few articles worthy of notice; in fact with the exception of a spirit lamp with cups for cooking purposes, a cabin lamp from Pondicherry, and a few other articles from the same place, the whole list is made up of jemboos, cups, goglets and cooking pots, also a few bells and hookah bottoms. This collection has been chiefly contributed by Hyderabad, Madura, Malabar and Chingleput, and deserves notice chiefly on account of cheapness; many of the articles are well turned and well got up, particularly those from Madura and Chingleput. A set of cooking pots from Salem are well made.

Nos. 9277 and 9281. Comprizing cooking cabin lamps. A spirit lamp and cabin lamp from Pondicherry, are articles of rude construction and but indifferently finished; they possess indeed no novelty of design, and are far inferior to many articles for the same purposes purchasable in the Bazaars; in addition to which they are high priced.

Some wire sieves and wire net for meat safes is also exhibited from Pondicherry. The manufacture of these articles appears still to be in its infancy in India; the whole being very coarse, and far inferior to the Europe article; but still, with care and attention and the cheap labour obtainable in India, we may hope shortly to see great progress made.

AWARDS FOR CLASS XXII.

The Jury recommend that the following Public Establishments should receive honourable notice for the general excellence and variety of articles exhibited.

Grand Arsenal of Fort St. George.

Locomotive Department and Workshops of the Madras Railway.

Gun Carriage Manufactory.

Dowlaisweram Foundry and Workshops.

Artillery Depot of Instruction.

Arsenal of Bangalore.

Arsenal of Vellore.

Messrs. Bulliard and Godefroy of Pondicherry, both deserve honorable notice, for the metallic cloth exhibited by them.

Overseer Lee of the Grand Arsenal, and Serjeant Chalk of the Gun Carriage Department, deserve second class medals for their ingenious Locks.

Sub-Conductor Skinner and Serjeant Hayes of the Gun Carriage Department, deserve honourable mention for the general superiority of the workmanship of the articles exhibited respectively by them.

G. B.

CLASS XXIII.

WORKING IN PRECIOUS METALS IN THEIR IMITATIONS, JEWELRY AND ALL ARTICLES OF VIRTUE, AND LUXURY, NOT INCLUDED IN OTHER CLASSES.

JURY.

The Right Honorable LORD HARRIS, *Chairman and Reporter.*

M. GALLOIS MONTBRUN.

The Honorable WALTER ELLIOT, Esq.

FINDLAY ANDERSON, Esq.

Lieutenant Colonel F. C. COTTON.

J. B. NORTON, Esq.

Lieutenant Colonel W. P. MACDONALD.

J. ARATHOON, Esq.

G. J. SHAW, Esq., M. D.

NANA THAKOOR.

H. A. MURRAY, Esq.

HAJEE AGA MAHOMED BAKIR SHERAZEE, NEMAZEE.

A. COLE, Esq.

R. W. NORFOR, Esq.

The articles exhibited in this class are inferior both in variety and in merit to those exhibited in 1855.

They occupy portions of four cases.

Among the manufactures in silver the filagree work from the Hyderabad Territory attracted the greatest attention.

A pândan or spice and betel tray No. 6,698 consisting of a central box surrounded by eight smaller ones, the whole contained in a large tray or tabbak manufactured at Yelgundel, and a Kulmdân or ink-stand both partially gilt were particularly deserving of commendation. The former valued at Rs. 217-14-0 was bought by the Resident for the Museum at the India House. The latter was purchased at the Exhibition for Rs. 138-11-0.

A gilt rase No. 6,142 from Hyderabad of silver open work handsome in form but coarse in workmanship afforded a good specimen of this kind of Native work.

Next in merit was the filagree work from Travancore. But the articles consisting of bracelets, pins, a bouquet holder (the latter exhibited by T. Madava Row, Dewan Peshcar) Nos. 3,476 to 3,488 were inferior in design and fineness of workmanship to those of Hyderabad.

A filagree casket in the shape of a fish resting on a filagree stand of similar form No. 9,029 exhibited by Anthiah Chetty of Madras was noticed for its quaint and not inelegant conception.

The best article of silver plate was a vase exhibited by Messrs. Orr & Co.

The design seems to have been taken from different sources not always in keeping with each other and is wanting in simplicity and lightness. But many of the ornaments are elegant and natural when viewed in detail particularly the foliage at

the base. The figures of deer are well modelled and display considerable truth and spirit. The whole was executed by Native artists.

The workmanship is of the best description and is highly creditable to Mr. Orr's establishment.

The Jury recommend a Medal of the first class for this article.

Mr. Scriven contributed a claret jug of silver and various other articles. The form of the jug was good but the workmanship was somewhat inferior and wanting in finish.

Sri Vencatesa Chetty exhibited a number of articles of silver such as figures of animals, birds, figures holding lamps, more curious than beautiful. Among which a metallic mirror, No. 5691, deserves remark as a specimen of the kind of mirror in universal use before the invention of glass. A similar article was also contributed by T. Madava Row, No. 3503 from Travancore, and Lt. Puckle from Bangalore exhibited a third.

A gold jeddepilli sent by Chokalingam Chetty, No. 9897, was a good ordinary specimen of the handsome ornament worn by Hindu women on the back of the head. The same person also contributed four quaint looking silver spoons with ornamented handles terminating in Hindu deities like old apostle spoons.

A silver jug so constructed as to contain 3 different liquids at once and exhibited by Somasoondram Chetty was noticed for its form and purely Hindu style of design and ornament.

A model in silver of the Madras Light House was exhibited by Captain Baker, and appeared to be a correct representation of that elegant structure.

The principal exhibitors of Electrotypes were Messrs. Lowe & Co., and Scriven & Co.

Some dish covers of the former were of very good

workmanship, but the smooth surface of such articles renders the process of easier execution than when applied to elaborately chased patterns as in the article next noticed.

A centre piece for a table representing a fountain with large pieces of coral lying at its base exhibited by Mr. W. E. Underwood, was a very fair specimen of electrotype work executed by Lowe and Co.

The jury is of opinion that Messrs. Lowe & Co. are deserving of a second Class Medal.

A case exhibited by Mr. Western of articles electrotyped by himself was considered to be a creditable specimen of Auvatem art. The gold work on a dagger handle and mounting was particularly good. Some native lamps in silver were also deserving of notice. The jury recommend a 2d Class Medal to this exhibitor.

Mr. Deschamps exhibited a number of ornaments of Parisian manufacture in mother of pearl and gold, marble, &c.

Mr. Binny Key exhibited several articles of good jewellery in the shape of brooches and other articles of female ornament, some of which particularly a large and very fine amethyst cameo of Cleopatra appeared in the Exhibition of 1855.

An extensive stock of English made jewellery displayed by Messrs. Orr and Co. did not call for particular notice.

The native jewellery sent by Anarda Chetty of Malabar and Jaggematha Batten of Madras contained many tolerable specimens of articles in use both in European and Native Society but none of such marked excellence as to call for special remark, unless an exception be made in favor of a gold filagree bracelet by Anarda Chetty.

A pair of bracelets and other articles formed of stones set in silver were exhibited as specimens of "an attempt to get rid of the sameness of appearance in the Cuttack Jewellery." But in this object the projectors do not appear to have been successful.

The stones which were of an ordinary description being set in silver had a heavy commonplace appearance and the lightness and delicacy so conspicuous in the Cuttack filagree jewellery were wholly lost.

The Jury desire to notice with approbation a small silver Hookah in which the Sirposh was supported by an elephant's trunk rising from the head which was inserted into the Hookah.

Although in no wise conspicuous for workmanship, the design is commendable for its novelty and elegance of application. The mouth piece was in the form of a bird.

Among the articles sent from Travancore were some gold and silver wire which though entered in the catalogue under the head of Embroidery appear to fall properly within the scope of Class XXIII. These which are numbered 3446 and 3447 appeared to be so delicate and fine that the Jury requested Mr. Mitchell to measure their diameters by the

aid of the micrometer of a very excellent microscope, the result showed that of the gold wire to be fr. $\frac{1}{32}$ nd to $\frac{1}{32}$ th of an inch or Decimal .00185 to .00190 and that of the silver to be fr. $\frac{1}{32}$ th to $\frac{1}{32}$ nd of an inch or .00177 to .00185, the slight difference being owing probably to an inequality in the aperture of the drawing plate, the result of imperfect construction or of abrasion from use. It is probable that the same hole served for both kinds of wire and that the silver being more elastic expanded slightly after passing through the hole.

This result must be considered very creditable to native workmen with inferior tools when it is considered a feat in England to have drawn a silver wire of great length by means of machinery through a hole in a ruby of .00330ths of an inch in diameter, the nature of the plate ensuring uniformity of thickness throughout.

MADRAS EXHIBITION 1857.

MADRAS LOCAL COMMITTEE,

20th March 1857.

MY DEAR SIR,—The enclosed Memos. from Mr. Underwood were unfortunately omitted from our Catalogue and I promised him to send them to the Reporters of the various Juries with a request that they might be inserted in the Reports. Would you therefore kindly ask Lord Harris, if he would think proper to insert these in Class 23, of which His Lordship is Reporter.

Your's very truly,

J. T. MACLAGAN.

H. A. MURRAY, Esq.

MEMORANDUM.

The fountain was manufactured by Mr. Lowe and I understand he purposes taking out a patent for it. It was made for the Exhibition.

MEMORANDUM.

The Silver Ornament made with stones inserted in them, was a trial to get rid of the sameness of the appearance of the Cuttack Ornaments.

MADRAS EXHIBITION 1857.

MADRAS LOCAL COMMITTEE,

31st March 1857.

MY DEAR SIR,—I have just sent to Major Snow three articles of Jewellery (two bracelets and a brooch) made by Juggenatha Batten, and exhibited by the Local Committee. They are the things we purchased with part of the money subscribed for the purpose, and the delay in forwarding them was caused by the late date at which they were ordered. Under these circumstances, and as the maker is anxious they should be reported on, I hope the Jury in Class XXIII of which Lord Harris is Reporter will be able to notice them, though they are late in appearing.

Your's very truly,

J. T. MACLAGAN.

H. A. MURRAY, Esq.

CLASS XXIV.

GLASS.

JURY.

Major J. Maitland.

Lieutenant-Colonel C. A. DENISON, *Chairman.*

Major W. K. WORSTER, *Reporter.*

Captain H. W. RAWLINS.

The Honorable A. E. HARRIS.

The Jury have only to notice two contributions to this Class; a very neatly engraved and gilt dessert service of French manufacture from Messrs. Griffiths and Co.; and a stained glass circular "light" by Mr. Deschamps.

Although articles of this description are not likely at present to influence native art, the Jury would expressly recognise the good will of the Exhibitors in their desire to afford illustrations of these particular branches of manufacture.

(H.)

W.

No. 1. A glass service for 12 persons with ice plates, all of which are surrounded with neatly cut patterns of flowers and foliage, and subsequently dead gilt—the borders being in burnished gold.

2. A circular light about 3 feet in diameter of blue and ground glass cut in the usual ornamental "fan light" pattern.

CLASS XXV.

CERAMIC MANUFACTURES, CHINA PORCELAIN, EARTHENWARE, &c.

JURY.

W. U. ARBUTHNOT, Esq. *Chairman.*
 B. CUNLIFFE, Esq.
 Capt. H. W. RAWLINS, *Reporter.*
 R. O. CAMPBELL, Esq.
 Capt. G. C. COLLYER.

The art of making Pottery and Porcelain has received the patronage of Royalty, and the attention of eminent men from the earliest ages. It was first introduced into Europe from China, Japan, and Persia by the Portuguese and Dutch; who imported splendid collections of the finest manufacture. They were afterwards superseded by the English, A. D. 1600, who established their first entrepôt at Gombroon in the Persian Gulf, and traded largely in Porcelain, until the enterprize of De Botticher discovered the composition of the manufacture, which had long been a mystery known only to the Chinese. The way in which the discovery was made curiously illustrates what important results often spring from the most trifling sources. De Botticher was of an enquiring disposition and drew conclusions from the simplest facts. One day noticing the unusual weight of his wig, he found that instead of being powdered with flour some white earthy mineral had been used. This he analyzed, and immediately discovered it was the veritable clay with which the whitest Porcelain could be made.

Great Britain, however, is indebted to Wedgwood—the lame Potter Boy—for its pre-eminence in Porcelain. His talent and industry were noticed by Queen Charlotte, who so admired the articles he made that she ordered them to be called “Queen’s ware.” From that time improvement rapidly followed; and now foreigners declare, that the “excellent workmanship of English Porcelain, its solidity, the advantage which it possesses of sustaining the action of fire, its fine glaze imperishable to acids, the beauty and convenience of its form, and the cheapness of its price; have given rise to a commerce so active and universal; that the traveller, from Paris to St. Petersburg; from Amsterdam to the farthest part of Sweden; or from Dunkirk to the extremity of the south of France; is served at every inn with English ware. Spain, Portugal and Italy are supplied with it.

Ship-loads are annually sent to both the East and West Indies, and to the Continent of America.” There are about 190 manufactories of Pottery and Porcelain in Great Britain alone, giving constant employment to 80,000 persons, while the annual value of the articles produced exceeds 2½ crores of rupees.

It is certainly a reproach to the industrial character of India that the Ceramic art is so imperfect; notwithstanding the advantage derived by the example of neighbouring countries, where the manufacture has been so successful and renowned. For many centuries the Pottery of this country has been of the rudest description, and until very lately no improvement has taken place either in design or workmanship. The great mass of the people have been contented with the coarsest wares, while the cleanliness and comfort resulting from the general use of finer descriptions have been lost sight of in apathy and ignorance. This is the more extraordinary, as it is well known, that the best raw materials for Pottery abound in India, whilst the people themselves are quick in imitation and dexterous in works requiring lightness of hand and delicacy of touch.

The Government of this Presidency, seeing the importance of this branch of industry, and the necessity for its improvement in connexion with the welfare and progress of the people, have within the last few years established a School of Instruction and Design at Madras; where many young persons are taught the higher branches of the Potter’s art; and the value of scientific tuition, aided by the practical application of European machinery. Much good has undoubtedly resulted from the School, but much still remains to be done, which must emanate more directly from the people. The Government can only sow the seed. The nurture of the germ must depend upon the energy and industry of the recipients. In all national advancement the people must help themselves and rely upon their

own exertions. It is to be hoped that the native aristocracy of this great country, by a philanthropic and personal influence, will endeavour to develop the resources of their districts in this useful branch of art and manufacture.

In Class XXV. there are upwards of 200 specimens exhibited of manufactures brought chiefly from the territories of Burmah and Hyderabad; and from the districts of Arcot, Cuddapah, Chingleput, Coimbatore, Nellore and Madras. They embrace articles in Porcelain; stone ware, glazed and unglazed; white, brown, and other coloured earthenware; Terra Cottas for vases; Flower Pots, Ballustrades, Encaustic tiles, water pipes, and other miscellaneous articles of domestic and ornamental use. There is also a large collection of the raw materials, the joint contribution of several parties. The Jury especially draw attention to a valuable series of Porcelain earths from Bangalore exhibited by Lieut. Puckle, and they beg to recommend that Officer to "honorable mention."

The principal ingredients for pottery are clay and flint, but their proper combination can only be determined by practical experience. The best clays are colourless and free from oxide of iron. They stick to the tongue and emit a peculiar smell when wet. By gentle burning they become lighter, but heavier and harder when exposed to intense heat. Clay shrinks from $\frac{1}{3}$ th to $\frac{1}{2}$ th when dried and burnt. Both in Europe and China the process of washing the clay is conducted with great care by merchants, whose business is to prepare the material for the potter's use. Too much attention cannot be bestowed on this part of the manufacture, and carelessness in it is one of the principal causes of failure in Indian pottery. The Chinese were so convinced of the necessity of properly selecting and manipulating their clays, that they kept them for years in damp state before using; and every head of a family considered it necessary to make a large collection of the pure material, to bequeath to his descendants and to perpetuate his name.

The Kaolin, a decomposed granite or Felspar, bears the strongest heat, and is procurable at Arcot, Hyderabad, Trivatoor, Tripetty, Naggery, Bimlapattam, Cuddapah, Bangalore, Chittoor, Madura, Cochin, and indeed almost anywhere in the vicinity of the primary granite rocks. This substance, however, is but little used by the natives, from their ignorance of the mode of giving it strength and from the intense heat it requires. Excellent clays abound in India, and the following are a few of the best localities.

White plastic clay, similar to the Ball clay of England, is procurable at Conjeveram, Chingleput, Pelaveram, Cuttapaikum, Cuddalore, Coringa, Cuddapah, and the Neilgherries.

Tough yellow plastic clay, at the Red Hills, Poonamallee, Chingleput, and Cochin.

Grayish white, at Streepermatoor, Tilaveram, Bangalore, and the Neilgherries.


Red clays, at Burmah, Bezoarah, and the Guntoor District.

True fire-clays, or white slaty shales at Streepermatoor, Cuddapah, Tripasore, and Chingleput.

Clunch or Bastard Fire-clay, at Madras, Poonamallee, St. Thomas's Mount, and Paupautangulum.

Nothing can be more unsatisfactory than the slovenly way in which the native potters select their clays and prepare them for the wheel. They only use the toughest description of brown alluvial soil and are quite indifferent as to its composition. They seldom dig deep enough, and many of the best ball and pipe clays are neglected, from the want of knowledge of their working properties. Particular care should be taken in tempering the clay before using it, and in seeing that it is thoroughly cleansed. In European potteries great care is bestowed on mixing the ingredients with the purest rain or river water. To free clay from gravel, lime, roots and impurities it should be blended or blunged with a large quantity of water till it acquires a thick creamy consistency. It must then be run off or decanted through a sieve and exposed for a day or two on a large paved surface called a sun-pan, till it begins to dry and crack, when it should be collected into a heap and subsequently tempered—common brown clays are sometimes run out to dry upon a level piece of ground sprinkled with sand.

The best flint or silica is of a dark gray colour. This is not obtainable in India, but white quartz is a good substitute, and is procurable in all primitive formations. Quartz bears intense heat and must be burnt in a furnace till red hot, when it is plunged into cold water and becomes brittle. It should then be ground to an impalpable powder either with the common native hand-mill or by flint-mills worked by coolie or steam power. The following kind of Flint Mill




has been in use in the Madras School of Arts for some years and is very serviceable for grinding glazes. A pint of pure clay should weigh 24 ounces, and the same measure of powdered flint 32 ounces. It is by these specific gravities that the proportions of the ingredients are generally determined. Immediately before using the paste it should be well tempered or wedged to expel the air bells; other-

wise the composition would expand, by heat and spoil the Ware.

The great defect in native pottery is the want of a stony ingredient. There is too much alumina, and not enough flint or silica to open the pores of the clay, so that its moisture may evaporate. In consequence of these defects country pottery can hardly bear the heat required even for the common-

est glaze, as the clay begins to lose its shape before the glaze is sufficiently melted. There are two ways of correcting this evil. The one is to procure a finer description of clay by digging deeper into alluvial formations. The other is, to mix with the mere unctuous clays fine sand, road dust or some silicious powder without any lime in it.


The Native Potter's Wheel,



is a defective and clumsily constructed implement. It consists of a wheel $3\frac{1}{2}$ feet in diameter with four spokes and a rounded centre, on the under side of which is a pointed piece of hard wood on which it revolves. The support for the wheel consists of a rounded mass of clay and goats hair in which is embedded a piece of hard wood or stone with a slight depression for the axle to move in. The defects in the wheel are; 1st, its size, which requires the potter to stoop over it in an uneasy attitude; 2d, the irregularity of its speed with a tendency to come to a stand still and to wave or wobble in its motion; and 3d—so much time and labor are expended in turning the wheel that little work can be performed. Notwithstanding, however, the rudeness of the implement the native potters are expert at throwing; and some of their small wares are thin and delicate.

There is another fault in native pottery which cannot be too strongly deprecated. When the chatty or vessel has been thrown, and the neck and upper part completed; the lower portion is cut off; and after partially drying in the sun, the bottom is reconstructed by tapping and drawing out with a wooden mallet and a round stone, the thick edges of the upper part of the vessel until the orifice is closed. The clay composing the bottom of the vessel thus becomes dense and hard; while the upper portion is soft and coarse; and from being of different consistances, the article cracks and will not bear the heat required for glazing. Cheap as Indian pottery is, it would be much more so if this part of the process could be improved. A native potter rarely finishes more than 8 or 10 chatties in the day in consequence of the tediousness of separately closing by hand the under part of each vessel. In Eu-

ropean manufactories this inconvenience is obviated by the "potter's lathe, which is a great improvement on the clumsy native wheel, and should be more generally adopted in India." The following illustration represents the potter's throwing wheel for heavy wares. Fig 2.



The dix or top *a* is placed in the middle of a strong table with a massive frame work support, *bb*, the legs of which are bound together by strong bars, *cc*. The dix consists of the head *d* of wood or plaster of Paris the spindle or axle of iron *e* and a heavy wheel *f*. Attached near the lower end the point of the axle revolves in a piece of hard stone *g*, cemented to the floor with plaster of Paris, while the upper end *h* is kept steady in a collar of brass. The thrower or potter sits upon an inclined board *k* and supports himself against the foot board *l*. Motion is given to the wheel by the feet or by a lad turning the spokes with his hand.





Fig: 3 is a sectional sketch of the kiln in use for burning common pottery. The ware is first carefully packed in seggers and placed in the furnace which continues to burn from 30 to 40 hours according to the thickness of the ware. The cost of constructing such a kiln would not exceed Rupees 100, and the expense would soon be saved in the diminution of fuel.

The Throwing Machine, fig. IV,



or the potter's wheel for light wares, consists of an upright shaft *a, b*, revolving vertically between two fixed sockets. On the top of the shaft is a flat circular board, whereon the clay is placed, and the whole is worked by a pulley and detached fly-wheel, which a boy can turn at any speed. For making circular dishes, saucers, bowls, and such like wares, a mould of plaster of Paris is used. This mould is placed on the board and sprinkled with a little flint dust. The clay required is cut and weighed, and the thrower works it about against the mould to get it into a plastic state and to expel the air bubbles. He then presses it against the mould, and with a profile gauge gives it the requisite form. It is afterwards carefully taken off the stock and placed in the shade to dry, and not in the sun where it would crack and warp. When dried sufficiently it is transferred to the common turning lathe, where all excrescences are removed, and the thickness of the ware reduced to the most accurate gauge. The motion of the lathe is then reversed, and the article is smoothed and polished ready for the furnace.

Nearly all the European machinery used for pottery can be as easily worked by hand as by steam. The different implements are so simple and inexpensive, that it is a matter of regret they have not been more systematically introduced into India. An English workman assisted by two boys, can make 600 or 700 plates per day, at the rate of one a mi-

nute; whereas a native potter would take a week at least to manufacture the same number of the coarsest and simplest articles. The native potters give the preference to their own rude wheel, although with strange inconsistency they acknowledge that more work, and of a better description, can be executed with European machinery. To the native potter original outlay for tools, furnaces, &c., is a matter of serious consideration. He finds it a long time before he can learn the European method, and he is put to great expense for fuel and labor before his returns prove remunerative. There is little demand among his countrymen for wares of an improved description, and it would be some time before he could produce articles which would compete with those imported from Europe.

Many native potters have been lately under instruction at the School of Industrial Arts, and have returned to their villages with a fair knowledge of some of the European methods of manufacture; and it is encouraging to feel that a decided progress has been evinced in several Districts since the Exhibition of 1855. There are many creditable attempts at glazing, but most of them are defective in the mode of preparing and firing the wares in their biscuit state. The pottery of India may as yet be all classed under the head of soft porous earthenware. The clay undergoes but little preparation, being merely moistened with water for a

night, and then worked about with the hands or feet for a short while before use. It contains so much iron and other impurities that it will not bear exposure to strong heat. Most of the clays used by the natives for making the common red porous earthenware melt into a grey spongy slag at the temperature required for glazing. The reason is because they are not sufficiently dense. To obviate this defect, it is necessary to mix with the clay about one third part of very fine sand, road dust, or which is best of all, some of the silicious or sandy clays that can usually be found under the brown potter's clay, at the depth of 8 or 10 feet.

The materials must be well mixed in considerable quantities in the above proportions and placed in a tub, in which they should be freely blended with water and strained off through a coarse sieve upon a flat surface paved with bricks, and surrounded by a low wall. The tub should be replenished with water and materials every ten minutes and in this way two or three tons of fine clay can be prepared daily. As the washed materials subside, the water may be drawn off through a series of holes made at different heights in the wall. In this way materials may be prepared to almost any degree of fineness, and by using various mixtures of clay, colored bodies of a variety of pleasing tints may be produced. The brown clays are the most abundant, then the yellow, drab, blue, grey and white. On exposure to heat these all undergo certain changes, and as a general rule become darker in firing. The following is the usual succession of tints according to the degree of heat employed—whiteish clays, if not pure, burn to a cream color, pink or yellow. Buff colored and yellow ochrey clays, to a red. Brown and black clays, to a deep red, purple or black.

Mr. Brongniart divides clays into four classes, viz. :—Fire proof, fusible, calcareous, and ferruginous. The first class includes kaolins, white ball, and true fire clays or shales. The second is composed of buff colored and dark soapy clays, which usually contain a little iron, with alkalis which render the mass fusible. The calcareous are those which effervesce considerably with acids from containing a large proportion of earthly carbonates, particularly lime. This class includes the marls. The ochrey and ferruginous clays are most common and contain a large proportion of peroxide of iron, which renders them fusible.

The peculiar properties of clays can only be ascertained by carefully testing, examining and working with them. Some are smooth, soft or soapy, some tough and pliant while others are poor, dry and meagre many are sandy or gritty and few combine two or more of these impurities. By mixing them in various proportions different qualities of ware are produced. The smooth soft soapy clays, like the white kinds at Arcot, Bangalore and Travancore, have no strength when used alone. They require a little tough clay and a good deal of granite

and quartz to be added; when they yield a strong sonorous biscuit ware that takes a good glaze. For wares manufactured from these clays, the proportions ought to be,

Washed Kaolin,	3 parts.
Washed tough white clay,	2 „
White granite,	1 „
„ Quartz,	1 „

Both the latter must be heated to redness then plunged into cold water and ground to a fine dust before being sifted into the liquid clay.

The brownish and yellow tough clays like those from the Red Hills, Poonamallee, Cochin, &c., require to be mixed in the following proportions:—

Tough clay,	5 parts.
White Quartz,	2 „
„ Granite,	1 „

The marls and calcareous clays like those from the Mount and Chingleput require the addition of Kaolins or white ball clays with less of the stony material.

They usually burn to dark buff or red colours and may be mixed in the following proportions:—

Grey marl,	4 parts.
Kaolin or white ball clay,	2 „
White Granite,	1 „
„ Quartz,	1 „

A very good Terracotta ware can be made with Cuttapaukum clay, ... 2 parts.

Grey felspar from near the Marma-long bridge, 1 „

This stands great heat, and when glazed resembles the ordinary stone ware of China.

A good serviceable ware for cups, jars, bowls, plates and dishes can be made with:—

Cuttapaukum Ball clay,	4 parts.
White Granite,	1 „
„ Quartz,	1 „

The hard materials must be calcined, ground and sifted before being mixed with the clay.

The common brown yellow and red loams so much used by the natives require the addition of road dust or sand to give them strength, and the materials should all be washed and sifted together in the following proportions:—

Brown loam,	4 parts.
Road dust,	2 „
Fine sand,	1 „

This enables them to bear more heat and to stand a glaze.

A mixture of loam,	4 parts.
Cuttapaukum ball clay,	2 „
Road dust,	2 „

gives pleasing grey and stone coloured wares, if the materials be finely sifted together.

Some interesting specimens of Antique Pottery dug out of the old Tombs, Kairns and Cromlechs on the Neilgherries, and in the Coimbatore district, are exhibited by the Honorable Mr. Walter Elliot, and the Madras School of Industrial Arts. This pottery is of great interest on account of its undoubted an-

tiquity; the curious and often elegant forms of the vessels; the great variety of their shapes, the quality of the wares and their decorations, which bear a strong resemblance to those found in the old Etruscan Tombs sketched by Mr. Brongniart in his famous work on Pottery. The Tombs themselves have also the same general form and character as those discovered in Etruria being composed of four long slabs of stone for the sides, top and bottom; with two smaller stones for the ends of each tomb. It is reported that in two or three instances the under surface of the top stone has lately been found carved with figures, and attempts were made to procure one of those carved stones from Mr. Fraser, Civil Engineer at Coimbatore, but it was not dispatched as it would have been too late for the Exhibition. The tombs are not confined to one District.

The Pottery belongs to the class Red porous Earthenware, but is made of a finer description of clay than that now in common use, and the surface is in most cases highly polished and ornamented with wavy streaks of two or three different colors. The wavy lines seem to have been produced by scratching the surface of the red clay with a coarse toothed instrument, similar to a comb. The vessel appears to have been set aside to harden, after the surface had been smeared with white soft clay. It has then been replaced upon the potter's wheel and scraped and burnished with some hard instrument. A few of these vessels were found to be cinerary urns filled with human bones, teeth and ornaments carefully deposited there after having been burnt. In the collection, exhibited by the Honorable Mr. Walter Elliot, is a great variety of implements of iron, steel, brass, and a few coins; all much corroded. The Pottery collected by Mr. Thomas and Mr. Boswell at Coimbatore is various in shape and well finished, but not hard fired. There is no attempt at glazing or smearing, and the ware can all be cut with a knife, one of the large cinerary urns is of a yellowish clay $3\frac{1}{2}$ feet by $2\frac{1}{2}$ feet.

The strongest and best glazed native pottery is contributed from Burmah by the Honorable Mr. Walter Elliot, on breaking the bodies and examining them carefully, they are found to be strong, heavy in specific gravity, and close in grain, with a proper mixture of stone. Two descriptions of ware are exhibited; one, a strong pale buff colored biscuit, used for porous chatties and such like domestic vessels; the other, a dark red strong earthenware, which has been glazed with Galena, Quartz and Manganese in different proportions. The glaze is a raw one (i.e. not fritted or fluxed with Felspar and Alkalies) hardened with manganese and exposed to a great heat for several hours. The quality corresponds with the common glazed Rockingham wares of England. They are strong and serviceable though coarse in finish and quaint in shape. The Jury recommend a second class medal for this series, of which the best samples are some glazed cooking dishes, shallow bowls and lamps.

There are some yellowish white goglets and butter coolers made by Mahomed Ghouse Shereef of Vellore. The material is decayed pegmatite and the raw glaze consists of Red Lead and Felspar. The glaze is soft and crazed from the ware having been short fired, and is deficient in stone. There are some well glazed buff coloured jars made by the same person of a yellowish tough clay. These forms are elegant and praiseworthy. This ware does not require such strong heat to prevent crazing as the white ware. The jars, however, are observed to be slightly mottled from cold air getting into the furnace while the glaze was melting. Some green glazed goglets, cups, butter pots covered cups and basins hookah tops &c., are made of white Kaolin glazed with red lead, copper and felspar. They are well fired and the green colour is of a pleasing hue. Although the above wares are any thing but perfect, and are susceptible of very considerable improvement, yet the jury consider Mahomed Ghouse Shereef entitled to a 2d Class medal as the best native manufacturer of Madras glazed pottery.

Several articles exhibited by Aroomooga Woodayar of Arcot are worthy of "honorable mention." Some white porous earthenware goglets, and some butter pots and dishes are serviceable and of pleasing shapes. The quality of this ware can be greatly improved and strengthened by adding ground quartz or white granite to the clay and exposing it to a stronger heat.

T. Kistna Row of Tanjore contributes a few specimens of cream coloured wares, but they are soft and rather coarse in finish.

Some red wares from Travancore are exhibited by Peishcar T. Madava Row. They are made of a fine description of clay, but are soft and short fired. A few of these articles have been painted with red lead which soon comes off, and none of them are glazed.

An interesting series of plain glazed and lackered wares is shewn from Hyderabad. The greater portion of them are made in the Raichore district by a native family of Christians, of the village of Raichore, who have long been celebrated for their superior manufactures. The clay appears to be of an excellent quality, and admits of being thrown to an extreme thinness. It is also purer and more plastic than what is generally found in use amongst the natives. It is of a buff colour when fired, but the wares are short fired and will evidently not bear much heat. This is in consequence of an excess of iron, and an insufficiency of stone, or what the Chinese term "all flesh and no bones." The jury think the Raichore collection entitled to "honorable mention."

A few of the articles exhibited from Hyderabad are painted or lacquered with sealing wax, which is bad, and has a sham effect. In the manufacture of these wares more attention has been evidently paid to superficial and ill-designed ornament than to the

quality of the material. This is to be deprecated, more especially as it is a common defect in all native workmanship. Embellishment should be subservient to usefulness, and any thing which detracts from this primary qualification should be avoided.

There is a large and miscellaneous collection of pottery from the "School of Industrial Arts," and the jury have pleasure in recording the marked improvement manifested since the last Exhibition. The Superintendent, Dr. Hunter, reports that much of this improvement is due to the zealous manner in which the pupils have been instructed by Sergeant M. Chesterfield; and they beg to express their sense of his usefulness by recommending the award of a 2nd Class medal.

Many of the articles manufactured at this establishment from the common red clay of Madras, are well finished, and there is a solidity and ringing soundness in them characteristic of good material and workman-ship. The heavier the ware and closer the grain, the stronger the pottery, and this elementary principle has not been forgotten in the above manufactures. There are some excellent specimens of vases, goglets, chatties, milk, and cheese pans, cups, saucers, jars, evaporating dishes, crucibles, cylinders for galvanic batteries and filters. Many of these articles are novel in adaptation, and most of them are very creditably finished and chaste and simple in design.

A Terra Cotta vase attracted attention from its size and pleasing shape, but it is faulty in construction, and the pedestal is slightly out of the perpendicular, and the whole is smeared with a cream coloured paint, which does not improve its appearance and gives the idea that it was resorted to for the purpose of hiding defects.

There is also a vase made by a native bricklayer, contributed by R. Kennedy Esq.—The shape is tolerable but the material is brittle, and the pattern somewhat elaborate.

Some Italian roofing tiles of a new form introduced by the late Captain Best, and exhibited by Mr. Rohde, attracted attention. Also some encaustic tiles, well made and of pleasing designs, together with several patterns of neat cornices, picture frames and large balustrade tiles.

The well known firm of Messrs. Griffiths & Co., of Madras exhibit a beautiful Porcelain Tea service manufactured by Kerr and Co., of Worcester, who call it their "Egg-shell China." It is an imitation of the Serres Porcelain, and is exhibited to shew the perfection to which the potter's art may be brought by industry and science, with only the same raw material as abounds in India.

The Jury beg to close their remarks on Class XXV. by appending a few receipts kindly furnished by Dr. Hunter, for the manufacture of some of the articles exhibited from the "School of Arts," and they express a hope that the native potters may practically benefit by the information they contain.

White biscuit chemical ware, a strong body with a sonorous clear ring when struck, resists acids and intense heat; burning to a cream colored white.

No. 1. Cuttapaukum ball clay, ... 6 parts.
Mount Felspar, ... 3 "
Chingleput Granite, ... 1 "
White Quartz, ... 1 "

materials to be sifted through silk lawn made at Hoonsoor.

No. 2. Brown jasper body.
Arcot yellow Granite, ... 3 parts.
Cuttapaukum ball clay, ... 1 "

finely sifted and ground together.

No. 3. Pale jasper body.
Arcot yellow Granite, ... 2 parts.
(Used as ballast for the railroad.)
Cuttapaukum clay, ... 2 "

This mixture kept its shape better than the last, and did not melt so readily;—when broken it was found to be vitrified all through, like porcelain.

No. 4. Pale drab colored ware.
Arcot Granite, ... 2 parts.
White Quartz, ... 4 "
English ball clay, ... 4 "

The materials finely ground and sifted through Chinese silk lawn. Ware strong and of a good color. The Cuttapaukum and English ball clays are found to be very similar in every respect.

Quartz calcined, ... 3 parts.
Granite, ... 1 "
Flint glass, ... 4 "
Red lead, ... 4 "

No. 5. Large Chemical Evaporating Dishes.
Cuttapaukum ball clay, ... 2 parts.
Chingleput sandy clay ... 5 "

were drab colored and strong, but too sandy.

No. 6. Drab Glazed Ware.

The following mixture was found to be better than the previous one.

Chingleput sandy clay, ... 4 parts.
Cuttapaukum ball clay, ... 2 "
Mount felspar, ... 1 "
The raw glaze consisted of red lead, 2 "
Quartz, ... 1 "

Exposed to a strong heat the glaze ran well.

No. 7. Pink Biscuit Terra-Cotta.
Red Hill clay, ... 1 part.
Cuttapaukum ball clay, ... 1 "

No. 8. Drab Terra-Cotta used for improved Cooking Chatties.
Cuttapaukum ball clay, ... 1 part.
Chingleput sandy clay. ... 1 "

Another good mixture for jam and pickle jars.

Cuttapaukum ball clay, ... 2 parts.
Mount Felspar, ... 1 "

finely ground and sifted Raw glaze for do.

Galena from Kurnool, ... 4 "
Arcot white granite, ... 1 "

Rockingham or reddish brown glaze for do.
 Galena, 4 parts.
 White granite, 1 „
 Bimlipatam manganese, 1 „
 No. 10. Salt glazed stone ware.
 Cuttapaukum ball clay, 6 parts.
 White Quartz, 3 „
 White Granite, 3 „
 Glazed by throwing common salt into the furnace when the wares were at a white heat.
 No. 11. Salt glazed ware second quality.
 Cuttapaukum clay, 2 parts.
 Mount Felspar, 1 „
 finely ground and sifted.

Articles glazed, when at a white heat, by throwing refuse salt from the Powder mills into the furnace. Glaze strong and serviceable but rather

dirty, salt too impure, and mixed with earth and sand.

No. 12. Common strong earthenware.

Tough Brown Potter's clay, ... 4 parts.
 Road dust, 2 „
 Fine sand, 1 „
 materials all washed and sifted together.
 Raw glaze for do.
 Galena, 4 parts.
 Quartz, 2 „
 Black glaze for do.
 Galena, 4 parts.
 Quartz, 2 „
 Manganese, 1½ „

H. W. RAWLINS, Captain,
Reporter.

LIST OF AWARDS IN CLASS XXV.

District or Country.	Name of Exhibitor.	Manufactures for which Awarded.	Award.
Madras School of Industrial Arts.	Serjeant M. Chesterfield.	For considerable improvement in the manufacture and glazing of Pottery.	2nd class medal.
Burmese Pottery.	Hon. Mr. Walter Elliot.	Strongest and best glazed native Pottery.	2nd class medal.
Vellore.	Mahomed Gouse Shereef.	Best native manufacture in Madras Presidency.	2nd class medal.
Bangalore.	Lieut. Puckle.	Best collection of raw materials.	"Honorable mention."
Raichore.		General improvement in Pottery.	"Honorable mention."
Arcot.	Aroomooga Woodayar.	Do. Do.	"Honorable mention."

CLASS XXVI.

DECORATIVE FURNITURE AND UPHOLSTERY INCLUDING LACQUERED GOODS.

JURY.

Mr. W. ELLIOT, *Chairman*.
 Mr. W. U. ARBUTHNOT.
 Mr. A. COLE.
 Lt. Col. TALBOT, *Reporter*.

The articles exhibited in this class were not remarkable for their number or variety.

There were no specimens of paper hangings or papier maché.

The largest contributor was Mr. Deschamp, who sent a number of articles carved in ebony by native artists and a few pieces of modern furniture.

The native carving was, for the most part, in that style for which Madras has for some years been celebrated. Its general character is that of minute and crowded ornament, so elaborate as almost to preclude freedom of outline or lightness of design. The articles are generally heavy, even clumsy, in form. The artist puts forth his whole strength in covering the surface of the wood with a delicate tracery of flowers, leaves, and fruits. But as all are cut in the same plane, there is a total absence of the freedom and luxuriance of natural foliage, and the effect produced is that of a clipped hedge in the old-fashioned gardens of the last century.

An attempt to get rid of this formality has been made with some success in a "Lotus flower stand," exhibited by Lady Rawlinson; but the leaves which more resemble those of an Arum are too fragile and slender to endure the risks to which they must be exposed by every-day use. At the same time while strength has been sacrificed to secure elegance in one portion, the three serpents entwining the stem in parallel gyrations, impart an air of stiffness to the centre which contrasts unfavourably with the lightness of the lower part of the design.

The Mahogany Candelabra by Balny of Paris in the collection of Mr. Deschamp, exhibits a more just appreciation of the description of ornament combining durability with elegance, suitable to ornamental wood-work.

A Davenport in ivory, lined with sandal and satin wood, prepared by Mr. Deschamp under the instructions of the Madras Committee, for the Paris Exhibition, for which it was too late, is a work of more pretension than taste. The ivory was added by the workmen of Vizagapatam, and was covered with superficial tracery of the patterns employed by them on work boxes, desks, &c., which however suitable to articles of small size, has a poor and mean effect

when employed as the sole ornament of a large surface in an article of such large dimensions.

Sir Patrick Grant exhibited a punkah carved in Burmah. The Burmese are celebrated for the rich designs in wood with which their monasteries and schools are ornamented. The designs are generally arabesques and are defective in the truthfulness and proportion of the figures introduced which are chiefly deserving of praise for the rich elaborate tracery of the pattern.

A richly carved Chinese bedstead was exhibited by Dr. Porteous which is deserving of mention as a characteristic specimen of Chinese Art.

We give designs of both these objects from photographs taken by Captain Tripe. It was intended to have added one of Lady Rawlinson's flower stand, but it was packed up for transmission to England before Captain T. had time to bring it under his camera.

Some specimens of richly gilt lacquered work were contributed to the exhibition by the Newab of Banganapilly, viz.

Two lacquered *charpais* or bedsteads.

One lacquered cabinet.

Although far inferior to Chinese laquered ware these were good examples of the Indian style of workmanship. The former is conspicuous for the brilliant black polished ground, covered with delicate gilded tracery, the latter exhibits a profusion of coarse gilding with the pattern in relief set off by colors of the most brilliant tints, vermilion, white and green. The workmanship of the articles as regards their construction is clumsy and rude, and there is a general want of finish perceptible throughout, both in this respect and in surface ornament.

THE JURY RECOMMEND THAT 2D CLASS MEDALS
BE AWARDED TO

Lady Rawlinson for a carved Lotus flower stand.

Mr. Deschamp for the number and variety of articles exhibited by him, including a Parisian candelabra by Balny.

The Newab of Banganapilly for specimens of Indian laquered ware.

The following is a detailed list of all the articles submitted to the inspection of the Jury with special remarks appended to each.

No. Mr. J. DESCHAMPS.

- 7792 Lady's book case, perforated pannels, inside with satin wood.—Good in workmanship.
- 7793 Pier Glass, with birds, reptiles, fruits, and flowers of India.—Beautifully carved, the proportion appears somewhat faulty.
- 7794 Flower stand, with fruits and flowers of India.—Carving good, but it would appear that proportion has been lost sight of.
- 7795 Do. large with do do.
—Well executed but poor in design.
- 7796 Lady's Devonport, with do do.
—Good in workmanship and in part also design.
Do. in Ivory.—An elaborate specimen of Indian workmanship made for Paris exhibition. Style of ornament not suitable for the description of articles to which it is applied.
- 7797 Do. Armoire á glace combining a Lady's wardrobe and a cheval glass.
- 7798 Arm chair, with figures of children, eagle and flowers.
- 7799 2 Corner Cabinets.—Pretty and of good workmanship.

- 7800 Sofa, with fancy rattan seat and back.—Very good and suitable for the Indian climate.
- 7801 2 Drawing-room Arm Chairs, with fancy rattan seat and back, do do.
- 7802 2 Hall Chairs, rattan seats.
- 7803 Carved Bracket "Chimera."—Very good.
- 7804 Do. Bracket "Rocaille."—Very good.
- 7805 Dressing Table, Pompadour style, elegant in design, finish, &c.
- 7806 6 Mountings for Photographs on French and English frames.
- 2 Pier Tables, with Marble tops, remarkably good in design, taste, and workmanship.
- Flower stand, made by Balny (Paris) and exhibited by Deschamp.—Light and elegant in design and manufacture, good.

LADY RAWLINSON.

- Flower stand, in Rosewood, native manufacture.—Good in workmanship, but the design more suitable for metal than for wood.
- Ornamental Punkah, of Burmese carving.

CLASS XXVII.

MANUFACTURES IN MINERAL SUBSTANCES USED FOR BUILDING OR DECORATION, AS IN MARBLE, SLATE, PORPHYRIES, CEMENT, ARTIFICIAL STONES; &c.

JURY.

Colonel FABER, *Chairman*.
Colonel COTTON.
Lt. Colonel PEARS, C. B.
Major W. J. JACOB.
Captain RAWLINS.
Captain P. O'CONNELL.
A. BEATTIE, Esq.
B. McMASTER, Esq.
Major SILVER, *Reporter*.
Lt. Colonel ATKINSON, *Joint Reporter*.

There is a considerable variety of good building stones contributed to the present Exhibition and the display contrasts very favorably with the contributions to the Exhibition of 1855 which were very meagre; many of the Marbles Slates and Porphyries called for by the Jury in their last Report have been forwarded to the present Exhibition, and on being examined they proved to be for the most part highly ornamental when polished.

GRANITES.

Some fine varieties of Syenite Gneiss and Porphyritic granite are exhibited from Hyderabad, these have been slightly polished and are found to be suited for ornamental slabs or pavements. Grey, pale pink, and white syenites of good quality are also contributed by the Bellary Local Committee, and dark red and grey syenites from Cuddapah and Bangalore.

Pink and green porphyries are contributed by Captain Puckle from Seringapatam, Mysore, and from near Chittoor: these are of pleasing colors and take a good polish. Compact chlorite and chlorite slates of good quality are contributed from the Godavery, and from Jowk near Bellary, Chloritic paving and roofing slates from Bangalore and Guntoor, some of these are of excellent quality, and much used by the Natives in building.

GREENSTONES AND WHINSTONES.

There is a great variety of rocks of this kind and many of them are suited for paving purposes, they are plentiful in the Chingleput, North and South Arcot, and Nellore districts, and are much used by the Natives for paving and grinding stones.

SANDSTONES.

Beds of sandstone of considerable extent occur in the Chingleput, North and South Arcot, Nellore, Cuddapah, Bellary, and Guntoor districts, but they are not much used by the Natives on account of the labor and expense of quarrying, and because other stones are usually available in the same districts cropping out of the hills.

Very good compact white free stone is exhibited from Naggery and Nellore. A softer variety re-

sembling the Bath stone, occurs in the Cuddapah collection, and coarse and fine grained sandstones from Guntoor. Yellow and red sand stones occur in the Trichinopoly and South Arcot districts, apparently of different periods of formation. Very compact slaty sandstones are exhibited from the Bellary and Kurnool districts, and these are much used by the Natives for building purposes, on account of the facility with which they are worked. The best qualities are used as whetstones. A very compact granular quartz rock resembling sandstone is exhibited from Naggery, Nellore, and Cuddapah, this resembles the Diamond sandstones of the Hyderabad and Masulipatam districts, it is a hard durable rock fit for building purposes and answers well as a substitute for chert, for paving flint and felspar mills. Some fine slabs from Nellore cut for such purposes are exhibited from the Madras School of Arts.

Colonel Woods exhibits a fine slab of slaty sandstone covered with deudritic manganese from Nagpore.

MARBLES AND LIMESTONES.

There is a large and interesting collection of marbles which, though much inferior to those at the Madras Museum, contains several deserving of special notice. White granular statuary marble of very fine quality is exhibited from Nagpore and Jubbulpore, by the School of Arts, and the Revd. Mr. Hyslop, reports that it is procurable at a cheap rate, but at present the expense of inland carriage is so great that it could not be profitably used in Madras. One specimen resembles the finest Carrara marble, the other is coarser in the grain but white. They are both used for mural tablets and take a good polish. Slabs of 2½ feet by 18 inches broad cost from 2 to 3 Rupees delivered in Nagpore. White granular marble is also exhibited from Tinnevely, but it is harder and in larger crystals than the true statuary marble, it is slightly blueish in color when polished and shows the crystals on the surface.

White crystalline marble from Ava exhibited by the Madras School of Arts is very similar to the last and has the same defects, being hard and

almost flinty, blueish in color and showing large glistening crystals on the smooth surface. This is the marble of which the Burmese images are carved, and it is equal to the 2nd and 3rd qualities of Italian marble, it is suited for mural tablets in which it could be used as the back slab or support for a finer kind of marble. It is difficult to work but stronger than the fine grained qualities.

Whiteish and grey marbles are exhibited from Datchapilly in the Guntoor District. These are rather silicious and slaty in fracture, they are susceptible of being cut and polished but are only fit for backing slabs or for inferior descriptions of ornamental work.

They might be used for paving but are muddy in color.

Yellow marbles of different tints are exhibited from Guntoor, Cuddapah and Ghooty. They are all more or less Magnesian limestones and compact not granular in fracture. The samples from Datchapilly and Guntoor are very wavy and uneven in surface. Those from Cuddapah are dull greyish yellow in color and very hard. The specimens from near Ghooty are the best and most pleasing in color bordering on a lemon yellow, they are susceptible of a good polish.

Green marbles of various shades are contributed from Cuddapah; one of these is a dark green highly ornamental marble.

Pink, red, and white streaked marbles are also contributed from Cuddapah, they are slaty or tabular in fracture, but dull and muddy in color.

Brown, liver-colored and purple silicious limestones are exhibited by the Guntoor Local Committee, they are hard tabular in fracture, but dull in color.

Grey limestones are contributed from Cuddapah, South Arcot, Kurnool and Sirey, the last is the most pleasing in color and very like a limestone exhibited by Major Maitland from above the Coal measures at Patricroft, near Manchester.

The specimens from Cuddapah are dark grey slaty limestones, containing more or less Sulphuret of Iron.

Those from South Arcot are somewhat similar to the limestone from Patricroft, but on one surface they are covered with numerous fossil baculites.

Good black marble is contributed from Nundial in Kurnool, and is said to be plentiful and very cheap near Tarputre in the Cuddapah District; attempts were made to procure a good slab of this for the Exhibition but without success.

A dark grey slaty limestone that becomes nearly black when polished is very abundant near Cuddapah, it is easily worked and can be obtained in slabs of 8 feet by 4 at a moderate price. This is much used as a building and paving stone at Cuddapah.

Yellowish grey Magnesian limestone are equally plentiful at Kurnool, Ghooty and Datchapilly. At the former locality they are extensively used for

building purposes, and many of the samples are fit for lithography, others make good whetstones. These marbles vary considerably in texture and hardness, most of them are too silicious for lithographic uses and resemble the German hone, but soft kinds can be obtained from the same localities.

The criteria of a good lithographic stone for

MEMO.

Several attempts have been made to bring the Datchapilly stone into use at the Government Lithographic Press. No fault is to be found with them as to readiness of receiving and transmitting ink, but hitherto with few exceptions they have soon broken under repeated pressure and 50 impressions is a high number for the Datchapilly stone to yield without fracture.

Planes are then discovered and a want of homogeneity in structure.

most purposes are that it should be easily scratched with a knife, that it should absorb water freely and effervesce uniformly on the surface when washed with weak acid and water. The hard dense flinty varieties that strike fire with steel and hardly effervesce with acid are not good for lithographic purposes, though they answer for hones or burnishing stones for polishing copper or brass.

MOUNTAIN LIMESTONE.

The true Fossiliferous Mountain Limestone of the lower carboniferous strata with silurian fossils and lumps of black carbonaceous matter is found to be plentiful in some parts of this Presidency, but the locality of the quarry has not yet been discovered, though it is probably not far from Madras, as there are numerous and large slabs of it lying about in different places. The following illustrated circulars regarding it have been freely distributed with samples of the Limestone, and it is hoped that some clue may be discovered to the bed ere long. The specimens exhibited from the Madras School of Arts are dense, compact and susceptible of a good polish. It has lately been ascertained that there is a large Tombstone of the same Mountain Limestone with similar fossils at Ootacamund.

Compact grey and white streaked marbles are exhibited by Major Bisset from Juggiapett in the Masulipatam district. These appear to be older than most of the other marbles and to be accompanied by transition slates and granites.

Grey fossiliferous marbles are contributed from Trichinopoly. These vary in color from a yellowish brown to nearly a black. They are composed of shells of the green sand or lower cretaceous group and are much used for making table ornaments, rulers and table tops. The colors are rather dull and muddy.

Mr. Deschamps contributes a very fine series of polished marble table tops and pier tables of various sizes and colors. These have been imported from France and have been much used for making ornamental furniture. The best samples are a white slab two varieties of grey and a red and yellowish marble.

The Jury would recommended a Second Class Medal for this series.

LIMES AND CEMENTS.

There is a great variety of limes and other materials of this class suited for cement, but the samples are too small to admit of satisfactory experiments being made with them. Southern India is well supplied with limes of every quality. Nodular lime or kunkur seems to be the most plentiful and to occur in almost every district. Some of the dark grey and blue varieties are hydraulic. A yellowish dense variety from the banks of the Godavery is eminently hydraulic, and some of the Septaria or hollow balls of blue lime from beds of black and blue clay near Madras and Cuttevaulkum are also hydraulic. A small nodular lime common in the beds of dry tanks is a strong lime and slightly hydraulic.

The Hydraulic Lime exhibited by Mr. Carriot of Pondicherry has been tested in different ways, and is found to be of excellent quality. When made up into balls and placed in water about a minute after being mixed, it retains its form and begins to harden acquiring considerable solidity within 24 hours.


One third part of river sand added to it makes it set harder in the same time after immersion. One third part of river sand and one third part of shell-lime added yield a very excellent adhesive lime that cements bricks firmly together and is possessed of hydraulic properties. The sample of this cement that has been exposed by Mr. Carriot for a year to sea water is of very good quality and has acquired a firmness and solidity which prove that it is well adapted for hydraulic engineering purposes. The Jury remark that the cement is very superior to what was exhibited by Mr. Carriot in 1855, and they recommend the award of a Second Class Medal. Most of the Magnesian and Lithographic Limestones are hydraulic, and it has been ascertained by Captain Young at Vellore, that the addition of a little steatite or soap stone (a bisilicate of magnesia) to ordinary limes imparts to them hydraulic properties. The durability of some of the polished chunam of Madras is also owing to its being rubbed with steatite or balapum, which leaves a thin coating of silicate of magnesia on the surface.

MANUFACTURES IN CLAYS.

BRICKS.


No. 1. Large building bricks of 16 inches by 8 ins. by 4 ins. made in the School of Industrial Arts of the common black loamy clay of the country as existing in the College compound, they are not sandy but of a tough clay apparently well burnt, but although they may save much chunam in construction, it is not certain whether such thick bricks would be economical in practice on account also of their weight, liability to crack in drying

and from the expense of burning them. It is under-




stood that the same kind of brick has been made in the Northern Division with 2 or 3 longitudinal holes in it to facilitate the burning. There are some glazed specimens of the same large bricks for paving from the School of Arts.

No. 2 is a large key brick of similar dimensions but narrow in the middle thus. They were



made also in the College compound to be formed into solid blocks of masonry to let into the sea or into the beds of foundations where water is present being considered preferable to the ordinary, cubes of well bricks and chunam on account of their binding better with four adjoining bricks. These key bricks have not yet been made in large quantities but are submitted to the opinion of the Jury.

No. 3 is another kind of ordinary shaped brick, the material of which is obtained from the



same locality measuring out of the mould 11 inches by $5\frac{1}{2}$ inches by 3 inches. This is for the coping of walls between pillasters and has been used for the Horticultural compound wall and elsewhere; they have been also used in the Railway Works.

No. 4 are common building bricks still thicker than the last, viz. $3\frac{1}{2}$ inches, but it is found to be difficult to fire them thoroughly when so thick unless they are made of very sandy or open materials. These have been supplied to different parties and approved of.


No. 5. Facing Bricks. These are made of a better clay obtained from a depth of 14 to 20 feet. They were dipped into liquid fine clay before burning; a few of them have been glazed on each end and one side; some of the samples are white and others black, the latter from the introduction of manganese into the glaze which is composed as follows.—

Galena from Kurnool.....	2 parts.
Felspar from the Little Mount....	1 do.
Manganese from Bimlipatam.....	$\frac{1}{10}$ do.

No. 6 are specimens of white bricks to be used for the facing of a wall. The peculiarity of these is to save plastering by dipping the moulded brick into white fine clay before burning, as the common chunam plaster is found to corrode in a saline atmosphere like that of Madras.




No. 7. Plain clapped bricks, so termed because they are clapped or struck with beaters before burning to make the edges sharp, and thus save chunam in placing them.

No. 8 are termed kick bricks having a con-




siderable hollow in the side in the form of a reversed hipped roof to hold cement.

No. 10 is Prince Albert's hollow brick, it is well known that these were used for building his model lodging houses. They may either be used flat as intended for building hollow wells with, or on edge (as they) are $2\frac{1}{2}$ inches thick for trelles work.




These are made upon a bench with a raised



piece of wood upon which the brick mould fits and upon the centre of which is the kick.


The bricks are shaken out of the mould and removed from the bench upon palettes.

No. 9, circle and well bricks, being the seg-



ment of a circle of 10 feet diameter or more. There are various sizes of them which it is needless here to dwell upon.

No. 11 is a hollow pillar brick the invention



of Lieutenant Puckle, the hollow being 4 inches, out of the 12 inches diameter.

These have been found serviceable for building light pillars, but the hole in the centre appears to be too large.

No. 12 is another brick somewhat larger than the standard size made in Madras by one Casoo Moodelly. It seems a fair kind of brick and has been much used lately in new buildings at the Arsenal at Madras and the Penitentiary.

BUILDING BRICKS.

No. 13 made by the Railway Contractors measuring 9 inches by $4\frac{1}{2}$ by $2\frac{1}{4}$. These are of different qualities; the sample marked I I I I is of good Clay and well burnt, those marked I I I look too sandy to be recommended for adoption.


No. 14 are of different sorts of fire bricks from the School of Arts, for Iron and Coke furnaces, Potter's ovens and Bake houses.

No. 15 are samples of fire bricks from the Gun Carriage Factory, in the unburnt state: on exposing these to heat they are found to be too sandy in texture to be durable.

The paving tiles from Chingleput seem to be of a superior quality, but the size and thickness being in excess of what is usual for Natives to burn, it would seem almost doubtful whether they could be economically manufactured.

Among the building materials deserving of notice are some perforated verandah and cornice tiles, from the Madras School of Arts, of the accompanying forms; also some long Italian roofing tiles, 12 inches by 5, plain and glazed: these have the advantage of covering a large space and affording a comparatively light roof; the original samples were furnished by the late Captain Best.

Pantiles, coping, and ridge tiles, garden and draining tiles, of the following shapes, are also exhibited from the School of Arts, and plain and glazed



ed earthenware and stoneware water pipes with joint elbows and sockets; these water pipes have been advantageously employed in the Sepoy lines



at Perambore and the glazed water pipes are being used in the officers' quarters in the Fort.

Encaustic paving Tiles of several patterns are contributed by the School of Arts. The designs of some of these are good, but the colors are dull and the manufacture is far from being perfect.

1ST CLASS MEDAL.

Pro. No.	Catal. No.	Name of Exhibitor.	Object rewarded.
		Dr. Hunter,	For improved Building material.

2ND CLASS MEDAL.			
Pro. No.	Catal. No.	Name of Exhibitor.	Object rewarded.
		Mr. Deschamp,	For Series of Marbles.
		Mr. Newill, Gunttoor	For Marbles.
		Mr. Murray, Cuddapah.	Do.
		Mr. Carriot, Pondicherry.	For Hydraulic Lime.
		Lieut. James Puckle, Executive Engr. Department P. W. Mysore....	For the discovery of good roofing slates and whet slates near Bangalore, and for the display of ornamental Porphyries and Granites from the vicinity of Seringapatam and Mysore, by the same Contributor.

A. C. SILVER, Major,
Reporter Class XXVII.

NOTES OF THE EFFORTS MADE IN THE MADRAS PRESIDENCY TO OBTAIN HYDRAULIC CEMENT.

In no country in the world is it of greater importance that an ample supply of Hydraulic cement should be procurable than in India. The grand scale upon which Hydraulic works are formed, and the dependence of the great bulk of the population upon their stability and efficiency, not for prosperity alone, but the very means of existence, and their influence on the condition of the revenue of the state, all prove its inestimable value.

Accordingly the attention of the Madras Government has been frequently given to the subject, and the practical knowledge of their Engineer Officers has been made available to work out the problem, by experiments and trials extending over a considerable period.

Those experiments have been attended with varying results, occasional failures alternating with success, when the conditions were apparently the same. Guided however by experience to a better choice of materials, and due proportions of admixture, a degree of certainty has been attained, which bids fair to place it in the power of every executive officer

to provide for himself an independent supply for all his requirements.

The late Dr. Macleod introduced magnesite as a base for cement in 1826, but the results of numerous trials and experiments were so conflicting, that it was impossible to form a definite opinion as to its merits. Those early experiments were conducted by that gentleman in conjunction with Capt. Sim, the Supg. Engineer Presidency Division.

Lieut. Col. Monteith continued the experiments in 1834 with the same results, upon a parcel of 60 Tons of Magnesite brought from Salem, at no less a cost than 80 Rs. per Ton, being 30 Rs. more than the market price of Parker's patented cement.

The Local Government and the Court of Directors continued to press the question on the attention of the Military Board, and in 1847-48 further investigation was entered into under the direction of Major G. N. Underwood, who tested its efficiency as a competing mortar with the chunam in common use.

In a report to the Military Board dated 28th

October 1847, that Officer says, "In certain localities the Magnesite has stood very well and I am not able to account for the diversity of effect, since in those places where it originally failed the same care was exercised as in the places where it has succeeded, the aspects and conditions being nearly similar."

The nature of the experiments may be gathered from the directions of the Military Board, dated 5th November of the same year, in their letter to the Governor in Council. "We have instructed Major Underwood to endeavour to ascertain the exact proportion of ingredients respectively, and make further trials in dry buildings, and in such as are exposed to wet, fresh or salt, and we hope the result may enable us to submit a more satisfactory report than we are at present able to do."

The tests of those experiments may be worth recording for future guidance or warning, they are contained in a memorandum, enclosed in letter to the Military Board under date 26th September 1848, in which Col. Underwood repeats his former opinion regarding the inapplicability of those cements for the intended purposes, they are as follows:

1. "Medical Stores—East face. Three samples of plaster were applied in March last, viz:—

10 Square feet, Magnesite	1,	Sand	1½
28 do.	do.	1 do.	2
84 do.	do.	1 do.	1

The above plaster was laid on in two coats; the cement for the second coat was ground very fine, and well rubbed on the wall with Bullapum. The experiments made with equal parts of magnesite and sand, appear harder and in better preservation than the others, but even it has begun to scale off in some places, having been laid on over the old masonry.

2. West office of same building opposite the Superintending Engineer's Office.

Two specimens were laid on here at the same time as the above in the following manner.

44 Square feet, Magnesite	1,	Sand	1½
96 do.	do.	1 do.	1½

The latter sample is in good preservation. The cement in this case was mixed with jaggery, and was applied over a first coat of coarse chunam.

3. Gun shed.

In my last a small quantity of this cement was applied to the new masonry of the Gun shed.

10 Square feet, Magnesite	1,	Sand	1½
18 do.	do.	1 do.	1

This was applied in two thin coats and it is still quite firm, but there has not elapsed a sufficient time since its application, to judge correctly of its qualities."

These quantities are of measure, not weight.

Further information being called for from the Board of Revenue, the then Secretary Captain J. H. Bell responding to the Secretary of Government, forwards under date the 11th June 1849, the opi-

nions of the most experienced Engineer Officers whose attention had been given to the subject.

Amongst others those of Major Cotton and Capt. Lawford, the latter of whom stated that in the course of experiments made by him in the formation of cement from Magnesite, he found, that mixed with sand alone it was of little or no use; but mixed with Laterite it formed an excellent cement. The reports of other officers agreed also in this particular. The former objections to its use on the score of expence and uncertainty of effect were still however unsurmounted.

Major Cotton's experiments seem to have been of a somewhat elaborate character as Rs. 500 were expended in their prosecution; and it appears they succeeded materially in deciding the point at issue, as the Military Board reviewing those efforts in their report to Government of 11th June 1849 state, "it is certain that cements more or less Hydraulic may be made everywhere if wanted, and that all the Kunkurs from which lime is principally prepared in the interior, will without admixture of other materials besides sand, set under water after a lapse of time."

At the same time the Government of Bombay was requested to have experiments initiated in that Presidency. The application was disposed of as unnecessary; on the ground of their being in possession of a much better and cheaper Hydraulic Cement, which could be made in ample quantities for their requirements, and was easily procurable in any part of the Bombay Presidency.

Occasional investigations into the subject continued, and Col. Underwood in March and April 1850, reported to nearly the same effect as before; additional experience inducing the opinion that this magnesite cement was likely to prove valuable for floorings as a substitute for common chunam. This view however has not been substantiated.

A good share of the difficulty experienced, seems to have been ascribed to the opposition of the Mairies and native workmen, who as usual disliked innovations on their ancient habits and customs, such prejudices were probably more marked in their characteristics at that time, than at present, and there seems to be some ground for believing that a change for the better is coming over the national mind, contact with truer ideas; increase of European superintendence with the introduction of European modes of work; creation of large establishments rendered necessary by the introduction of railways; and improvements in the large Government establishments, are evidently telling upon native habits, and lending a helping hand in the upward and onward progress of this important branch of the human race.

Little more was done in the matter till 1854, when Colonel C. E. Faber becoming Chief Engineer, commenced anew the agitation of the question with a keen eye to practical results, a memorandum drawn up by that gentlemen dated 19th October 1854, contains a comprehensive review of the efforts

previously made, combined with the communicated opinions of the most eminent officers in the Department of Public Works on the subject, and the conclusion Colonel Faber arrives at so far as magnesite is concerned is, "I do not see any sufficient cause for adopting magnesite as a base of future hydraulic cements, and think that good compounds may be made of unquestionable efficacy by a much more economical process."

The opinions of the Officers above referred to strengthen this conclusion; and the pith of the whole matter is arrived at in an extract from the letter of Capt. Boileau Chief Engineer's Memo., page 15,—where that gentleman states "it seems to have been settled by Monsieur Vicat, that if any kind of Limestone whatever be slaked, mixed with pure clay, then balled and baked, it will produce a good hydraulic cement."

Magnesite and sand were now given up as the ingredients, and lime and alumina or pure clay adopted.

The advantage to be derived by organizing an establishment for the purpose of manufacturing hydraulic cement was then mooted, discussed, and eventually submitted for the sanction of Government, both by the Military Board and Board of Revenue, in October and December, 1854, respectively.

Government, on the 12th March, 1855, acquiesced in the proposal, and Captain Applegath, 33d Regt. N. I., was appointed Superintendent of the depot, which was to be constructed near to Cochrane's Canal Basin.

That officer accordingly set to work, and by the month of July communicated his belief, that a hydraulic cement could not be made from shell lime, and the blue clay found in the plains along the Coast of Madras, in the bed of the Coom, the Fort Ditch, and Cochrane's Canal. But he had succeeded in his object by using a Kunkur or Nodulous Limestone, found in the village of Coopoor, Chingleput, and clay.

The cement was examined, and its quality favourably reported upon, by a committee appointed for the purpose.

After an examination into the circumstances and the cost at which the cement could be supplied, the Chief Engineer, under date the 12th October, declares the whole trial a failure, and solicits Government to sanction his directing Capt. Applegath to close his accounts, and deliver over charge of his office to Captains Hitchins or Rawlins.

The cost of manufacture may here be noted, namely, Rs. 1-1-4 per parah, as per Capt. Applegath's letter to Chief Engineer, dated 24th September, 1855.

In the course of discussions consequent on these investigations, it incidentally came out, that in 1823 Colonel Garrard not only succeeded in making a good cement from the blue clay and shell, but also published a pamphlet on the subject, which latter, with all office records of his proceedings

bearing thereupon, appear to have been entirely lost.

While Captain Applegath's attempts were progressing and resulting in unfortunate failure, another officer, Lieut. Morgan, attached to the Eastern Coast Canal, was making and using successfully a hydraulic cement, in the construction of a lock at Shedian Coopum on Cochrane's Canal, 6 miles North of Madras.

The ingredients used were the identical blue clay and shell lime referred to.

On the failure of the other, this officer was called upon for a report of his process, and the data given are so interesting and practical that it may be worth while to record them here.

It will be seen that it is identical with that of Capt. Man, detailed in the memorandum of the Chief Engineer above alluded to. The difference in quantities of the respective ingredients used by the two officers being owing doubtless to the difference in the qualities of the limes and clays, and strengthening the conclusion, that these ingredients used in proper proportions, and properly manipulated, will always give a good hydraulic cement.

Lieut. Morgan, coming to the point at once, says:—

"Para. 1st. Shells obtained from beds in the Putlicat lake, and blue clay.

2d. To 7 parabs of shell lime, add 5 parabs of blue clay, mix well in a mill, make into balls not exceeding $2\frac{1}{2}$ inches in diameter, bake in an oven or burn in an open kiln, with billets of wood and cowdung cakes, (when burnt the balls are of a light yellow colour;) the balls are then reduced to an impalpable powder, and the cement is applied either pure or mixed with an equal quantity of fine brick dust; the pure cement is chiefly used for pointing and stopping powerful springs.

3d. If the cement be applied under water it will require 24 hours to become indurated; if applied dry and the water be let on in half an hour about 8 or 10 hours will be the time. If the cement be mixed with equal quantities of brick dust, and applied under water, it will require 48 hours to become well indurated; but if applied dry and the water let on in half an hour, from 12 to 24 hours will be the time required for induration.

4th. The cohesion of the cement is superior to that of common mortar, the adhesion (if at the time the bricks have been saturated with water) is equal to that of common mortar, but every thing depends on the freshness of the cement, and its being reduced to an impalpable powder. It is hardly necessary to be observed that sand should on no account be mixed with the cement.

Lieutenant Morgan then enters minutely into the items of cost; but it is unnecessary to give the details here, as they will differ in different localities; indeed too much importance need not be attached to the calculation, as the Supt., Lieut. Chambers, points out omissions in the charges. It may be sufficient to state generally that Lieut.

Morgan gives the cost at $2\frac{1}{2}$ annas per parah of 4,000 cubic inches, which Lieut. Chambers increases to 4 annas; even that will be allowed to be a very small figure for such a valuable article.

The value of such a report consists in the precision with which quantities of ingredients, method of manipulation, time of induration, and such like facts are given.

Capt. Applegath's data are not recorded, which is much to be regretted. There is as much experience to be gained at times from failures as successes. They might at least prevent the same ground being needlessly retreaden, to the loss of both time and money.

With Lieut. Morgan's system of manufacture may be contrasted that of Capt. Man, Executive Engineer, Singapore, which is as follows:—

“Mix 5 measures of slaked lime, with 2 of blue clay fresh from the bed. These are thrown into an ordinary mortar trough: the clay should be cut up into small pieces by a mamoty, and roughly mixed with the lime, and the whole should then be punned till no trace of the lime can be observed. I always pass my composition through a Pug-mill, as the incorporation is far more complete by this machine, which is very easily constructed. The mixture must then be divided into cubes or balls of about $2\frac{1}{2}$ inches diameter, to prepare them for the kiln. General Sir C. Pasley allows the balls sufficient time to dry, so that they will not adhere to each other; but I have always omitted this precaution, as exposure to the air weakens and eventually ruins the raw cement, and every inconvenience is avoided by a little extra care in packing the kiln and using a gentle fire at the commencement till the whole of the moisture has been driven off. The colour of the smoke forms the best criterion for the regulation of the fire. About 8 or 9 hours' strong heat will be sufficient for the due calcination of the cement. Should it not be required for immediate use, it had better be retained in its then state, as there is this remarkable difference between cement and quicklime, which latter rapidly absorbs moisture from the air and falls into a powder, while the former altogether resists the action of water. As soon however as it has been reduced to powder, it becomes exceedingly susceptible of atmospheric influence. I have found the common Chinese baker's mill and sifting apparatus exceedingly well adapted for the subsequent operations, which consist merely in reducing the balls or cubes to powder, and sifting it to a perfectly impalpable state. Care must be taken not to mix more at one time than is sufficient for the supply of the masons; as if not at once applied, it speedily begins to set and then becomes unfit for use.

For stuccoes I have always used sifted coarse sand 1 to 1, and this appears to answer better than either fine or mixed sand.

I constructed a roof with this cement 4 years ago, which has stood perfectly, it was formed of

3 courses of tiles about 5 inches square, $\frac{1}{2}$ inch thick, held together with pure cement. As the cement stucco would not have adhered to the cement joints I interposed a stratum of mortar composed of 1 lime to 2 parts of brick dust, over this I put a coating of about $\frac{3}{4}$ inch of 1 cement and 1 coarse sand.

The roof had a low pitch, but might have been made much flatter had it suited the elevation of the building.”

Captain Man has to the above appended the following useful rules:—

1st. The powder must be kept perfectly dry.

2d. It must also be in a perfectly impalpable state.

3d. In preparing it for use add no more water than is sufficient to bring it to the consistency of fresh putty. It must then be worked up into a thoroughly homogeneous mass.

Until the workmen are expert in the manipulation of the compound, it had better be prepared in small quantities; I would suggest a seer as affording a suitable measure for the supply (in pointing) of 2 or even 3 masons.

As soon as the cement has so far set as not to adhere to the agate, it should be carefully polished.

I will now succinctly point out the inconveniences that may be expected to arise from a neglect of these injunctions. Should the cement be exposed to the air or damp, it will speedily become perfectly inert, and will require to be recalcined before it regains its energy.

The best cements will fail if not reduced to a perfectly impalpable powder.

Cement powder on being converted into a hydrate must either be used immediately or thrown away as effete; it will not bear remixing.

Should the final polishing be neglected, the whole surface of the cement will, in a few days, be found covered with innumerable cracks, and though the cement may have set in the most perfect manner, and its adhesive qualities remain uninjured, its cohesive properties will be entirely destroyed.

I will only add one further general remark, admitting however of no exception, that all cements are weakened by the addition of sand; it may however be used when required as stucco, in the proportion of 1 to 1, and coarse sand gives a better result than fine.”

Considering that these definite and clear directions were published before the trials and experiments of Capt. Applegath and Lieut. Morgan, it seems surprising that difficulty, much more that failure, should have occurred.

These extracts may serve as a trustworthy basis on hydraulic cement manufacture, as facts which may be relied upon and as safe guides to success.

On the 6th November, 1855, Captain Applegath closed his accounts, and gave over charge of the hydraulic works to Captain Hitchins, who subsequently restricted himself to making cement from

shell lime and blue clay; apparently following in the wake of Captain Man and Lieut. Morgan, and with a like result.

In reporting the result of his operations in a memorandum dated March 4th, 1856, Captain Hitchins shows that a superior cement to that of Parker's could be produced at one sixth of the cost, the price of the latter being Rs. 2-15-1 per parah, while that made by himself on the spot cost under 8 annas. And he earnestly urges the advantage of constructing cement works, for the alterations and repairs of Fort St. George, in which he is warmly seconded by the Chief Engineer; who points out that it would effect a saving of about 2½ lacs of Rs. on this work alone.

The element of carriage cost, as shown by Captain Hitchins, renders it highly improbable that it will ever become advisable to create large works to manufacture and supply cement to any great distance inland, as, at the very moderate computation of one pie per parah per mile of cart hire, the prime cost would be more than doubled at a distance of 100 miles.

From the attention which has been given to the subject, the preparation of hydraulic cements has now been reduced to a matter of certainty both in quality and cost.

R. KENNEDY,

Executive Engineer.

OFFICE, ADYAR, }
5th May, 1858, }

CLASS XXVIII.

MANUFACTURES FROM ANIMAL AND VEGETABLE SUBSTANCES NOT BEING
WOVEN OR FELTED OR INCLUDED IN OTHER SECTIONS.

JURY.

The Honorable Sir H. C. MONTGOMERY, Bart.
The Honorable WALTER ELLIOT, Esq.
W. E. UNDERWOOD, Esq.
Lieutenant Colonel G. BALFOUR, C.B.
H. F. C. CLEGHORN, Esq., M.D.
Colonel F. A. REID, C.B.
A. HUNTER, Esq., M.D.
Lieutenant Colonel T. T. PEARS, C.B.
J. D. SIM, Esq.
Colonel Æ. SHIRREFF.
Major J. MAITLAND.
Lieutenant Colonel W. H. BUDD.
Lieutenant Colonel A. McCALLY.
Colonel P. HAMOND, *Reporter*.
Major G. SIMPSON.
Captain W. C. BAKER.
Captain C. BIDEN.
W. E. COCHRANE, Esq.
J. BINNY KEY, Esq.
W. ARBUTHNOT, Esq.
J. L. LUSHINGTON, Esq.
J. T. MACLAGAN, Esq.
A. T. JAFFREY, Esq.
E. BEAUMONT, Esq.
Lieutenant MITCHELL, *Reporter*.
T. PEACHEY, Esq., *Reporter*.
Dr. W. ELYNN, G.M.M.C.
W. B. WRIGHT, Esq.
G. WILLIAMS, Esq.
N. C. MOOROOGASEN MOODELIAR.
C. V. CONNIAH CHETTIAR.
C. RANGANADA SHASTREE.
Sub-Conductor BRIGGS, *Reporter*.
W. B. LIDDELL, Esq.
Captain HAWKES.

The articles in this class are necessarily of a very miscellaneous character. As however they are many of them peculiar to India, exhibiting not only the materials indigenous to the country, but also the skill and workmanship of the Natives, they come immediately within the purposes of the Exhibition.

Many of them are of little intrinsic worth, but yet are valuable inasmuch as they shew the large amount of labour which the Natives are willing to bestow on them, and point at the vast benefit which might result were the same care and patience directed to works of a more useful and more valuable description.

There is a large show of statuettes, groups, and models in pith, which, considering the material, are on the whole very creditable. Some of the figures are particularly well executed in parts, but it is to be regretted that the same care was not bestowed throughout, the feet and hands being mostly very rudely cut, no doubt to some extent owing to the slightness of the material, which however does not present an insurmountable difficulty, as is proved by the superior finish of the extremities of several of the figures. The models of Buildings, Pagodas, &c., are, generally speaking, not so creditable as the figures.

The Jury commends highly—

No. 5117. A figure of the Rajah of Tanjore in full dress, and

No. 6845. A group of three Native gentlemen.

The Jury also commends—

No. 5129. A model of a State Palankeen, very well carved, and is of opinion that there can be no question as to the comparative merits of figures and models, and the difficulty of representing, in such a material, animate and inanimate objects.

There are a great many articles of ordinary and ornamental use, manufactured out of a variety of substances, viz., tortoiseshell, ivory, elk and buffalo horn, porcupine quill, grass, sandal, rose, palmyra, satin, and ebony woods; in many of them several of the materials are combined, and some of them are inlaid, chased, and etched, with a very considerable amount of skill and taste. It is, however, to be regretted that many of them are spoiled by being roughly and carelessly put together, the exquisite carving of some of the sandal wood boxes, exhibited by the Right Honorable Lord Harris, is disfigured by the coarse brads and sprigs, most unnecessarily driven through the mouldings, and by the very bad mitreing. The four writing-desks, Nos. 8809, 8810, 8814, and 8815, are all mutilated by the addition of a button catch, which from

the form of the article is quite unnecessary, and has occasioned in the fixing the disfigurement of the moulding in the most prominent part. The locks and hinges are also, for the most part, of a very trumpery description. The articles comprise Writing Desks, tea caddies, work, knitting, cotton, jewel, card, envelope, glove, and Empty Boxes, work, worsted, fancy, flower, and other baskets, Ink and Flower Stands, cribbage and backgammon boards, Letter Files, Paper Weights, Folders, Rulers, cigar Cases, &c., &c., &c.

The Jury commends, highly—

A large and a small sandal wood box, the small one especially for its very beautiful carving, and two card cases. The property of the Right Honorable Lord Harris.

No. 8801. A folding backgammon board, enclosing three ivory boxes, containing chess and draughtsmen and dice boxes. The squares of ivory and tortoiseshell; the board and boxes, of ivory, buffalo horn, sandal and rose-wood; a very handsome, and remarkably well-finished article, made by Sedashoo of Vizagapatam, the largest exhibitor of articles of this description, which are nearly all equally good.

A small sandal wood box, and a paper weight, both carved out of the solid, exhibited by W. E. Underwood, Esq.

The Jury also commends—

A flower stand, made of elk horn particularly well put together.

A very curious collection of carvings in ivory and horn, is exhibited by his Highness the Rajah of Travancore. The animals, birds, flowers, and insects are very creditable, although not equal to European work of the same description. The fruits and vegetables are very good, and a snake and four ivory paper folders are beautifully carved and would do credit to any artist; Four groups of figures in this collection are also very good.

The Jury commends, highly—

9560. A carved ivory snake.

3561-4. Four carved ivory paper folders.

The Jury also commends:

3591. Ants and flies.

Articles carved and turned are plentifully exhibited, there are toys, cups, goblets, perfume bottles, jumboos, goojahs, boxes, rulers, sticks, flutes, bangles, &c., in ivory, buffalo horn, tortoiseshell, and various woods, plain, colored, and lacquered, some of them very good imitations of tortoiseshell. The peculiarity appears to be, that they are mostly turned out of the solid, a very expensive method of working, as far as ivory is concerned, there can however be no doubt of its very great superiority, over the European system, in point of strength:—one ivory bottle, rendered elastic by its excessive thinness, is curious. 2326 is a very beautifully carved cocoanut-shell, these articles are from Ceylon; 3487 is a well carved, silver-mounted, cocoanut-shell from Travancore. 5994, a set of lacquered ornaments of Scinde manufacture, are very beautifully colored. 4968, a set 25 pieces of geome-

trical solids for the use of schools; these are priced "not less than 30 Rupees," which the Jury considers too dear to admit of their general introduction into schools. Some of the figures, particularly a double cone, are not true, and they might all be made on a much larger scale with advantage. 4177. Six specimens of ornamental turning are remarkably well executed. 9091 an ivory vase, is the best piece of turning in the Exhibition. 4987 a set of carved ivory chessmen, on concentrically turned bases, are tolerably well executed, so far as the turning is concerned, and cheap at the price. There is also a statuette in ivory of Hercules, after a copy in Serpentine, this is very beautifully got up.

The Jury commends, highly—

9091. Mr. Rohdes turned ivory vase.

The Jury also commends:

4177. Mr. Cotton's specimens of ornamental turning, and

2326. A carved cocoanut shell from Ceylon.

In Caoutchouc there is nothing, and in gutta-percha but few specimens. Nos. 7652 and 7841 are indifferent articles of English manufacture. Nos. 7653-4 are a fire bucket and pitcher made at Singapore.

There are boxes and baskets in bamboo, grass rattan, &c. of a variety of shapes, and sizes.

2814-5. Two covered baskets, are well made and cheap.

Hats and bonnets are exhibited, of which the workmanship cannot compete successfully with the well known Manilla article.

Among the miscellaneous articles there are, 6177 a curious pair of rosewood clogs, in which a flower is made to open and shut by a spring under the heel. 5130, a serpent of horsehair, 9249-9251, platters made of cloves, as beads are strung in England, and 4710, goblet and platter of paddy made in the same manner. 1096, a vasaputum or reading stand, framed and hinged out of the solid, which opens in the centre as trestles do; a curious piece of carpentry.

The Jury recommends that the following prizes be awarded:—

2ND CLASS MEDAL.

To Sedashoo of Vizagapatam, for 8801 a folding backgammon board, and the other articles exhibited by him.

To the maker of a small carved sandal wood box, and a paper weight, carved out of the solid, made in Madras, exhibited by W. E. Underwood, Esq.

To the carver of No. 5117. A pith figure of the Rajah of Tanjore, and, if not the same person.

To the carver of No. 6845. A pith group of three native gentlemen.

2ND CLASS MEDAL.

To the carver of Nos. 3560 @ 3564. A snake, and four paper cutters carved in ivory.

The Jury has not deemed it necessary, advisable, or in consonance with the purposes for which the Exhibition was established, to award prizes to the exhibitors of the other articles specially noticed in the foregoing report, although there can be no doubt of their excellence.

CLASS XXIX.

MISCELLANEOUS MANUFACTURES AND SMALL WARES.

JURY.

Major General P. E. CRAIGIE, C. B.

A. H. MURRAY, Esq.

R. W. NORFOLK, Esq., *Reporter*.

E. LECOT, Esq.

W. H. CRAKE, Esq.

SIRDAR JUNG BAHADOOR.

C. V. CUNNIAH CHETTIAR.

B. CARDOZO, Esq.

Lieutenant MITCHELL,

G. B. SHAW, Esq.

Dr. J. W. MAYER, M. D.

FINDLAY ANDERSON, Esq.

The collection of Vizagapatam ware, in ivory and elk horn, shows an improvement so great in shape and finish of the several articles as to make it evident that European taste and judgment has come largely in aid of the workman's skill. The old and clumsy shapes, though previously much improved upon, seem to be fast giving way, and a taste has, beyond doubt, been introduced among the workmen, which will exclude effectually the old and faulty style. There are some articles of quill and horn work in the past style of Vizag., and only moderately good in their way. Ivory chessmen exhibited are not of sufficient merit to require particular notice.

Travancore exhibits some ivory carvings of animals which are curious and good. A snake is very good, and some flowers and insects in ivory and horn show much skill and deserve every praise.

An ivory figure of Hercules, exhibited by General Cullen made by a native, is probably well copied, and exemplifies the capacity of the Travancore workmen under good guidance; the symmetry, however, of the model is questionable.

Some carved sandal wood boxes, exhibited by Lord Harris, are very fine specimens both in pattern and execution.

An elastic ivory bottle from Ceylon is very curious, and a Ceylon sandal wood box is good.

In ivory and wood turnings, an ivory cup, executed by Mr. J. Rohde, C. S., is the most perfect specimen of turning in the Exhibition.

The pith figures and models brought forward are of the usual class, from Trichinopoly, but all are carefully and beautifully made.

Tanjore has sent in one specimen which in delicacy of workmanship and general effect surpasses all others, and is entitled to great praise, viz. a marriage palanquin with all its ornaments of wreaths and carvings.

The lacquered ware exhibited from Kurnool is very good; much improvement might be effected

in these productions, had the workmen, like those of Vizag., the advantage of European taste to aid them in their designs. The articles are very cheap, and the ware should come into great request for many articles of domestic use.

The English lacquered ware exhibited is ordinary, and, if shown as specimens for imitation, or as marking the progress of the art, they by no means meet the object.

A few small specimens of lacquer from Scinde are very good in quality.

Some leather lacquered table mats from Cuddapah are very good, but they require to be thickened and finished at the back to make them useful.

Mysore, Masulipatam, and Hyderabad exhibit some good toys, but without novelty.

Tinnevely models of fruit and vegetables are very inferior. Bangalore also sends some poor imitations of fruit, but Poodoocottah sends some creditable wax vegetables.

Some fans are shown from various quarters, but none of merit.

Mats are shown from Vizagapatam and Tanjore, but a Kandian mat, No. 2321, is by far the prettiest specimen exhibited.

Some hats and a bonnet, with sundry baskets, are exhibited by the Rajah of Vizianagram. The baskets are good and sufficiently pretty, but the intention in exhibiting the bonnet is difficult to determine.

Cuddapah, Guntoor, and Malabar exhibit specimens of sealing wax of the usual good quality produced in these districts; when wax is used for letters, these waxes can be recommended as harder and superior to the home made.

South Berar exhibits a very inferior wax and some very bad wax candles.

Malabar exhibits some good candles, but as they are not moulded they cannot compete with the highly-finished composition candles of English make, though but little care seems needed to render

the Malabar candles very saleable articles, and give them something of their old standing in the Indian markets.

Specimens of bead work are exhibited of European and Native make of various degrees of merit. One teapoy cover in beads and crotchet by Miss Locher is the best of all and is very good.

A set of geometrical solids, from the Gun Carriage Manufactory, deserves notice.

A large collection of papier mache, meats and fruit made by Mr. Kormareck.

A Spaniel in worsted work, exhibited by Mrs. Kormareck, is very well worked.

Some gutta percha articles from England are good. Some from Singapore are of useful kinds, but want shape and finish. It is to be regretted that attention is not given at Madras to this branch of manufacture.

A collection of sticks, exhibited by E. Balfour, Esq., is very good; the object is to show that for a small expenditure, a collection may be made, without trouble, of any or of all kinds, and this object is fully answered.

Some sections of elephant's teeth, exhibited by Mr. Rohde, are remarkable for their size.

An assortment of shoes and slippers from Messrs. Crowe, do great credit to their makers; a variety of native slippers, from various quarters, have nothing remarkable about them.

An assortment of uttas from Aurungabad, can only be called middling; another from Madras is very inferior.

Some paddy and clove trays from Cuddapah and from Tanjore are very good.

A leather desk from Condapillay promises much from that quarter in this description of goods.

A complete set of figures from Trichinopoly are good.

A bouquet of paper flowers, most tastefully mounted, merits notice, exhibited by Mrs. Nicholls.

JURY AWARDS RECOMMENDED.

8801 to 8839 Sedashia, Vizagapatam ivory and horn ware, 1st Class Medal.

3682 to 3981 Pith work, Veerasawmy Naick, 2nd Class Medal.

5129 Ditto T. Kistnah Row, Exhibitor, 2nd Class Medal, recommended for maker.

R. W. NORFOR,

Reporter.

CLASS XXX.

FINE ARTS, INCLUDING ALSO COINS, BOOKS, ETC.

JURY.

The Right Honorable Lord HARRIS.
 M. GALLOIS MONTBRUN.
 His Excellency General Sir P. GRANT, K. C. B.
 The Honorable WALTER ELLIOT, Esq., *Reporter*.
 R. O. CAMPBELL, Esq.
 W. E. UNDERWOOD, Esq.
 G. ELLIS, Esq., *Reporter*.
 FINDLAY ANDERSON, Esq.
 S. D. BIRCH, Esq.
 EDWARD BALFOUR, Esq.
 H. W. PORTEOUS, Esq.
 Captain J. W. HAY.
 Colonel HAINES.
 J. P. NASH, Esq., M. D.
 A. COLE, Esq., *Reporter*.
 J. W. BREEKS, Esq.
 R. H. POWYS, Esq.
 J. G. GARRETT, Esq.

SUB-JURY.

PAINTINGS, DRAWINGS, PHOTOGRAPHS AND ENGRAVINGS.

FINDLAY ANDERSON, Esq.
 S. D. BIRCH, Esq.
 J. W. BREEKS, Esq.
 Captain J. W. HAY.
 A. COLE, Esq., *Reporter*.

The Collection of Pictures exhibited at the Banqueting Hall may be divided into two classes.

Firstly. Those executed by the hand, viz. paintings in oil and water colours; drawings, and engravings.

Secondly. Those executed with the aid of the camera, namely, the various descriptions of photographs, and daguerotypes.

This second class, containing contributions from the three Presidencies, and from Europe, and embracing portraits, groups and animals from life, landscapes, buildings, architectural details, microscopic objects, and copies of engravings, is so superior to the first, both in number and merit, that it is entitled to the first consideration.

Although having in a great measure the same objects, the arts of painting and photography are diametrically opposed to each other, the very qualifications necessary in a good photographer are widely different from those required to constitute a good Artist; whereas the former requires good taste and judgment, combined with skilful and careful manipulation, depending for success on the quality of his apparatus and materials; the latter must possess talent, knowledge, and conception, combined with such skill in using, and power over the implements and materials he employs as can only be attained by long and laborious study and practice.

The works executed by their means are entirely dissimilar, the very points which would constitute the chief merits in a picture might be blemishes or faults in a photograph. The aim and object of pictorial art must be to idealize, to paint nature not as she is seen at any particular time, but as she *might* appear under such circumstances as would most conduce to the effect of, and aid in developing the impressions intended to be conveyed by the picture. Hard lines and unpleasing forms must be softened, lights and shadows must be arranged and subdued, and the whole subject be so composed and treated as to produce a harmonious whole; this being of far more importance than mere transcription of detail. In a good photograph, the reverse of this must necessarily be the case, its chief beauty and value will consist in the exactness, and distinctness, with which the objects it may represent, even to the finest details, may be rendered. Much of the beauty of a photograph as a picture must depend on its light and shade; the greatest care should therefore be taken, and judgment exercised in selecting the objects and determining on the most advantageous position and aspect in which they can be taken.

These remarks are borne out by the present Exhibition, particularly in the examples from life, consisting of portraits, groups, and animals. The success of portraiture must depend on

the skill with which the expressions and characteristics of the sitter are expressed in the picture, rather than on the mere copying of feature, in these beauties must be brought out, and defects subdued. In a photographic portrait good expression is invariably wanting; this is unavoidable, the sitter must, for however short a time, assume a fixed attitude both in form and feature. The picture will therefore be only a portrait of one phase of expression, generally of a very sombre nature, or when a smile is called up for the occasion, resulting in a meaningless grin. Though photographic portraits must be likenesses they are invariably unpleasing.

The collodian portraits exhibited are generally indifferent specimens of the art, the most successful, however, are those executed by Geo. Latham, Esq. The specimens contributed by J. Tawse, Esq. are much too sombre in tone. In the Portraits by W. E. Cochrane, Esq. the back grounds do not contrast sufficiently with the flesh tints, and consequently the pictures have a poor effect. The animals photographed by the same gentleman are remarkably good.

Some very characteristic groups of Figures, well taken, are exhibited by Dr. Scott.

The groups by A. Williamson, Esq. are good, especially "the Girl's School." J. Rowe Esq. exhibits some Daguerotype Portraits, that are very successful, being unusually free from the metallic appearance observable in Pictures taken by this process.

Passing from these to the examples of Landscape Photography, it would appear that (owing to the difficulty of focusing any extensive view so as to preserve the aerial perspective, and render the foreground, middle and extreme distances with effect, to the absence of colour, and to the heaviness of appearance invariably observable in Photographs,) these subjects are not, if considered as Pictures alone, the most successful; but as studies for casual effects, light and shade, Perspective, Foliage and details applicable to foregrounds they are invaluable. If in the highest departments of Art Photography cannot compete with painting, its inferiority, in that respect is amply compensated for by its success in delineating such subjects as appertain to the more mechanical branches. No amount of graphic skill, or expenditure of time and patience could produce such marvellous delineations as are comprised in the examples executed from Architectural works, Microscopic and other objects.

The greatest strength of Photography lies,

and is likely to lie, in its perfect applicability to such subjects; its value for scientific purposes in Architecture, Botany, Minerology, Anatomy, &c., is incalculable.

The contributions by Capt. Tripe, Capt Greenlaw, J. Mitchell, Esq. Dr. Murray, Dr. Mantell and others, show the great importance of Photography in representing objects so well adopted to the art as the subjects chosen by those exhibitors.

The Architecture of India was until the publication of Mr. Fergusson's work on the Temples, and the Chapters devoted to the subject in his "Hand Book," almost unknown and unstudied, and, although much has been accomplished by him, in recording the History, grouping the styles, and illustrating the superb Buildings existing in the country, there must still remain much to be studied, and much to be illustrated. The series of views by Capt. Tripe are remarkable not only as excellent photographs, but as examples of the Burmese style of Building and ornament. The elaborate wood carving pictured in some, bears a striking resemblance to the later Renaissance styles the ornament on a Balcony No. 95 both in arrangement of lines and general treatment being almost identical with them.

The views by Capt. Greenlaw from the magnificent ruins at Humpy are most valuable illustrations of Hindu Architecture with its multitudinous details. Many of them are also fine studies for light and shade, and perspective.

It would be supposed from the nature of Photography that all pictures executed by its means must possess a similarity of style; it is however a curious fact, that this is not the case, the works by one operator being perfectly distinct in character from those by another, even when the same description of apparatus and the same process has been used; this may be observed, when two pictures have been taken by different exhibitors from the same view—the best Indian Photographs in the Exhibition, those by Capt. Tripe and Capt. Greenlaw, exemplify this in a marked manner. The views by Capt. Tripe excel in finish and delicacy—those by Capt. Greenlaw in boldness, freedom and effect, the former are perhaps the best photographs, but the latter are the best pictures.

The Calotypes taken in Burmah and exhibited by Capt. Tripe are excellent; remarkable for great distinctness and also for their unusual and beautiful tint. When all are so excellent it is difficult to particularize any as especially

worthy of notice, at the same time Nos. 64 and 104 as specimens of the Landscapes and Nos. 43, 85, 92 and 95, as examples of the buildings and details may be designated as very good.

In No. 85 the perfection with which the elaborate carvings on the Balcony and cornices are brought out, is perfectly marvellous. No. 92, part of the Balcony of Kyong No, is remarkable both as regards the beauty of its detail and the picturesqueness of its effect. The Balcony No. 95 is a very fine example of ornamental treatment; and is photographed with the greatest delicacy.

The Views by Capt. Greenlaw taken near Belary and at Humpy exhibit great boldness of style, the subjects are well chosen and many of them are superb studies of light and shade.

No. 9, a Tank and Garden, is remarkable for its beautiful atmospheric effect.

"The Cocanutt Tope," No. 18, is very good: No. 23, the Tank and River near Kistnasawmy Pagoda, is also a beautiful example.

No. 44, although a little indistinct in parts, is a very fine photograph, embracing a much larger field of view, than is generally attempted. Nos. 60 and 72 are good pictures, the distance in No. 60 is remarkably clear. Nos. 16, 19, 58, and 70, showing portions of the ruins at Humpy, are well worthy of notice; being well taken, having good pictorial effect, and affording fine examples of Hindu Architecture.

Dr. Neill exhibits some well printed specimens, but their effect is deteriorated by the dark reddish tint pervading them all, to a greater or less degree. No. 50 as a Landscape. Nos. 46, 52, 57, 58, 59, and 61 from Architectural details, are very good, especial Nos. 58 and 59.

The Calotypes exhibited by J. Mitchell, Esq., are good. The view of the Shevagunga Hill containing numberless buildings and objects, all distinctly delineated is especially so. Three views of the Ulsoore temple at Bangalore are very good. The view of the Triplicane pagoda though effective, is injured by the spotty appearance observable in the water. Some smaller sized Photographs exhibited by W. H. Crake, Esq. are good; but it is questionable whether the tinted sky introduced in one example is in good taste, or not. The views taken at Agra by Dr. Murray are of large size, many of them being fine specimens of Photography. Nos. 344 and 438 from the Nynee Tall, are good subjects, well rendered. No. 381, the Palace Fort, is a good picture of a very picturesque

object. The picture "Dead Deer. Himalaya" is remarkable for fine effect. Dr. Mantell exhibits some smaller views that are good both as to the choice of subjects and execution. No. 163 is a beautiful little study. Nos. 160, 165, and 487, are also worthy of notice, being well photographed and printed. W. Glyn, Esq. exhibits some very good examples, taken from subjects selected with great taste.

The views by Capt. Simpson are of small size and are principally remarkable for the taste and discrimination evinced in the choice of subjects, many of them being of a very homely character. Nos. 226, 232, 233, and 299, are most artistic studies.

The Daguerreotype Landscapes by J. Rowe, Esq. are also very good. The "panoramic views of Calcutta" and the views of the "River Hooghly with shipping" are very perfect. Dr. Scott has contributed a series of excellent copies from Engravings. The copies of Engravings by J. Tawse, Esq. have the same defect as the Portraits exhibited by him.

Some good copies of Engravings are exhibited by C. Lazarus, Esq., and some successful Photographs from Microscopic objects by Dr. A. A. Mantell.

Of the system now prevailing of colouring Photographs, either with oil or water colour, there are one or two examples and these are inferior specimens, but it may be remarked that they, and all works of that kind are neither good as pictures or photographs, as pictures they want the very life of painting, drawing, and as Photographs, the beauty and exactness constituting their greatest charm is entirely lost in the colour with which it is overlaid.

Amongst the Photographs executed in Europe there are several good examples of Portraiture, especially the "Portrait of a Lady," contributed by Col. Denison. This is by far the best Photographic Portrait exhibited, being remarkable for the artistic arrangement of the drapery, and for the beautiful manner in which the light and shade are distributed.

The "Portrait of a Gentleman" by Major Mayne is also very good. Two magnificent specimens are exhibited by E. Maltby, Esq., one being a study of sea and sky, the other a view of a portion of the Hotel Richelieu; the former is perfectly wonderful as an example of Photographic art, particularly as from the nature of the subject it must have been taken instantaneously; the latter is of great size, of good colour, and very distinctly taken, the

paper notwithstanding its dimensions appearing perfectly free from flaws.

Some views in Edinburgh by W. Walker, Esq., and also two by Thunny of the same city, are worthy of notice; a few good views in Ireland are also exhibited, and a series exhibited by Colonel Denison consisting of views in Venice.

The Oil Paintings exhibited are few in number and indifferent in execution; Capt. Cazalet's two pictures representing views in Penang are carefully painted, but are ineffective and wanting in breadth.

Of the two pictures by Mr. G. W. Novice the still-life group (dead birds) is by far the best; the group of flowers sent by him is poor, both in drawing and colouring.

Two or three Portraits in oil colour are exhibited.

The collection of water colour and other Drawings is more numerous. Some beautiful specimens of Delhi paintings are contributed by Lord Harris; these are remarkable for their minuteness and for exquisite finish in drawing and colouring.

Two drawings exhibited by Geo. Latham, Esq., are excellent, combining good execution and finish as architectural drawings, with clever arrangement for pictorial effect; the figures introduced are well grouped and drawn with great spirit, the skies being also well painted.

W. H. Porteous, Esq., exhibits two single portraits and two groups. These drawings, executed in crayon and water colour by M. Serr, of Berlin, are in part very good. The effect of the groups, as pictures, is much injured by the stiff manner in which the figures are posed.

The two drawings exhibited by Capt. Rawlins, executed by Capt. Nicholls, representing the "Temple of the Sun" and the "Astec Tank," though well drawn, are too uniform in colour, and are very theatrical in treatment.

A series of Drawings from Flowers by Mrs. Col. J. R. Brown are worthy of notice; they are excellent as botanical studies, very characteristic, and true to nature, being also well drawn but requiring more finish in colouring, especially in the larger leaves. A set of Paintings on Tale, representing Native Figures, exhibited by G. Moorogasen Moodeliar, are remarkable for careful execution and finish.

Other Drawings are exhibited that do not call for any special notice.

Some French Engravings are exhibited by Mr. Deschamp.

The Government School of Arts contributes a number of Engravings and Lithographs, amongst them a series of Architectural details, comprising measurements of the Ancient Buildings in Rome by G. Marshall, Architect, engraved by Ant. Desgodetz.

Awards recommended by the Sub-Committee in the Jury on Class XXX, reporting on Pictures, Drawings, Photographs, and Engravings.

FIRST-CLASS MEDALS, MADRAS.

"George Latham, Esq., for his excellent Architectural drawings.

"Capt. Tripe, for his series of Calotypes, illustrating Burmese Architecture and Ornament.

"Capt. Greenlaw, for his series of Calotypes, illustrating Hindu Architecture.

"Dr. Scott, for his Photographs from groups of figures, and from engravings.

"Mrs. Colonel J. R. Brown, for her series of Water-colour Drawings, from Indian Plants.

CALCUTTA.

"Dr. Murray, for his Photographic views taken at Agra.

"Capt. Simpson, for his series of views, and for the taste evinced in the choice of the subjects from which they have been taken.

"Dr. Neill, for his Photographs of Architectural subjects.

"J. Mitchell, Esq., for his series of Photographic views.

"Major Mayne, for his Photographic Portraits.

"Dr. Mantell, for the Photographic views and the Photographs from Microscopic objects executed by him.

"J. Rowe, Esq., for his Daguerreotype Landscapes and Portraits.

HONORABLE MENTION.

The Right Honorable Lord Harris for the beautiful specimens of Delhi paintings exhibited by him.

"E. Maltby, Esq., for the two European Photographs exhibited by him.

"Col. Denison, for the Portrait of a Lady and the Photographic views of Venice exhibited by him.

A. COLE,

Reporter.

SUB-JURY.

BRONZES, MARBLE, ALABASTER, AND PARIAN
STATUETTES, PLASTER CASTS, &c.

G. ELLIS, Esq.

Captain HAY.

ALEX. HUNTER, Esq., *Associate and Reporter.*

There is a large collection of articles in this class, some deserving of notice from their antiquity, others from their quaintness of form, a few from the excellency of their workmanship or from their being copies of celebrated works of Art from the best galleries of Europe.

BRONZES.

There is a fair display of Bronzes from France, Italy, Burmah, and China. The best collection is the joint contribution of the Honorable Walter Elliot and J. Vans Agnew, Esq. In this series are some very spirited and excellent samples of modelling, particularly two horses by J. Mene; the animals by this artist are always remarkable for their careful anatomical modelling and spirited action: some of the best table ornaments of modern times are his groups of deer, horses, and dogs.

An excellent and humorous bronze from the same collection is an old Mastiff and a Tortoise by A. Jacquemart. There is a great deal of character in the old dog, who seems to be intensely interested in the movements of the small tortoise, creeping under his old nose; the texture of the skin and the anatomy of the dog are admirably rendered. A copy of the Mercury by John of Bologna exhibits good modelling, and the color of the bronze is dark and rich. A Dancing Peasant or Reaper is awkwardly posed and ungraceful in action. The bronze is also inferior in quality, being pale and brassy green in tint. A copy of an antique Vase with groups of Cupids is well executed and tasteful in form. In the same collection are some copies of Neapolitan Vases in bronze from the Borbonico Collection. These are mounted on plain marble stands and are remarkable for their simple elegance and purity of form. The Honorable Walter Elliot exhibits some interesting bronzes from Burmah, amongst which are a reliquary in the form of a Paha or Deghope, found at Tonghoo; it contained some reliques in the cavity at the top which was made to open for the purpose of receiving them. A Burmese Gong, Mirror, Combs, and set of Scales and Weights were also interesting.

Mr. Deschamps exhibits two bronze Statuettes by Pradier, rather insipid in sentiment and deficient in anatomical modelling. A Boar Vase, a Cup with a child and dog, and an Egyptian Cup, are more appropriate in style. Two small bronze figures of Soldiers of the Grenadier Guards are cleverly modelled and spirited in action. Mr. Burgass exhibits two bronze Japanese Candelabra of excellent metal, very plain in execution and simple in design.

Messrs. Oakes and Co. contribute two Chinese Bronze Vases on carved stands, both in bold perforated grotesque style, one ornamented with dragons and the other with the signs of the zodiac. These are of good bronze containing much copper, and are interesting from the skill which they exhibit in modelling, casting, and chasing of intricate patterns. Samples of this kind show great progress in a difficult branch of metallurgic Art. It is much to be regretted that there are not any specimens of Indian Bronzes, as it is known that good figures and ornaments in bronze and copper are to be met with in this Presidency, though the Art is rapidly deteriorating in India from the want of encouragement. A few of the samples of bronze, copper, and brass forwarded to the Exhibition of 1855 proved that the Natives excel in the chasing and mechanical details of this and other branches of metallurgic Art, which might easily be improved in India.

MARBLE AND ALABASTER BUSTS; STATUETTES,
AND TABLE ORNAMENTS.

A pair of fine colossal Busts in marble of Bacchus and Ariadne are exhibited by Mr. Deschamps. These are copies from the antique in good Italian marble on colored marble pedestals. The style is broad, simple, and effective without much detail. The vine leaves on the head of Bacchus are rather large and heavy; the Ariadne is the more pleasing bust of the two.

Mr. Deschamps exhibits also a statuette in marble of a young Apollo, and a recumbent female figure in grief, apparently intended for a monumental tablet. The drapery of the latter is in bad taste and the figure indifferently modelled. In the same collection are small alabaster statuettes of Narcissus, Diana at the Bath, Canova's Three Graces and a Tazza supported by three female figures; the latter is in bad taste, the nude female figure being tamely and inappropriately applied partly as a support but without any attempt at artistic adaptation of the figures, the backs of which are all shown in

the same attitude. A small copy in alabaster of the Dancing Faun, from the Vatican, the head and arms of which were restored by Michael Angelo, is one of the best statuettes exhibited by Mr. Deschamps.

A reclining figure of Gordama, the Burmese Buddha, is carved in a very translucent but hard marble; there is little attempt at anatomical modelling or accurate chiselling of details, and a total neglect of graceful forms either in the figure or in the folds of the drapery, smoothness of surface and high polish being the chief points aimed at by the Burmese sculptors, who carve two or three of their deities invariably in the same attitudes. This marble is apparently well suited for statuary purposes, and as the Burmese carve with great rapidity and freedom, it might be worth while trying if they could be induced to copy good ornaments or works of Art in marble or alabaster, both of which are known to be abundant in Ava.

CARVINGS IN STONE.

Two of the best specimens exhibited in this class are large ornamental Flower Vases carved in Maltese white sand-stone. These are remarkable for the accurate precision in the chiselling of the details, and the appropriate application of ornament; the forms of the vases are elegant, but the details are a little crowded in some parts of the vases. The Jury recommend a Second Class Medal to Messrs. Griffiths and Co., the Exhibitors.

PARIAN STATUETTES.

There are but two specimens of Parian, contributed by Messrs. Griffiths & Co., Cupids fighting for a heart and Pomona with the apple; the former is a spirited piece of modelling, with good and appropriate action in the figures and careful finish of details. The latter is rather common-place in attitude, smooth and deficient in detail as if from a worn-out mould. An elegant alabaster vase is exhibited by Griffiths and Co.

The Honorable Walter Elliot contributes four slabs of greyish marble, one carved with Hindoo figures in bold relief; another with an equestrian figure and a seated female, well carved. The third is a rosette formed of the Lotus flowers, with the sacred feet in the centre. These three are from the ruins of Amravatee in Guntoor. The fourth is an ornament carved in low relief inclosing the signs of the zodiac. This stone is from Cashmere and bears the marks of great antiquity. The Guntoor local

committee exhibit a large stone that formed the top of a Hindoo Sath, at Amravatee, and belonging to the series of Elliot sculptures at the Museum. Attempts were made to procure for the Exhibition some interesting slabs that formed the roof, or covering, for some of the old tombs or cromlechs filled with antique Pottery, discovered recently near Coimbatore by S. Fraser, Esq., Civil Engineer. These stones were upwards of six feet in length and three in breadth, and carved on the under or inner surface with Hindoo figures. The stones, however, could not be procured in time for the Exhibition.

The Honorable Walter Elliot also exhibits a horn of the African Rhinoceros (*R. Cyums*) lately carved in China. The pattern consists of aquatic plants and birds boldly and sharply undercut.

PLASTER OF PARIS CASTS.

There is a large contribution of Statues, Busts and Plaster Studies from the Madras School of Industrial Arts, consisting of casts from some of the best works of Art in the Galleries of Rome and the British Museum. Among these may be remarked the full length Statue of a combatant, usually called the Fighting Gladiator. This figure is full of energy and sudden muscular action, leaning forward as if in the act of delivering a blow. It is a fine example of anatomical modelling and of careful finish of details; the character of the head is in good keeping with the rest of the figure. The original was found at Antium and is by Agasias, a Grecian sculptor. The Dying Gladiator, from the Capitol at Rome, is also a fine work of Art, expressive in attitude and truthful in character, but not so perfect as the previous figure, the left leg and one of the hands being inferior in execution, probably from being modern restorations; it is not known by whom the original was executed.

The Venus of Milo is a fine example of Grecian Art in its best period; it combines ease and grace of attitude with bold, yet refined execution: the original is supposed to have been executed by Praxiteles.

It is to be regretted that an accident befel one of the best statues sent to the Exhibition, viz., the Athlete with the Strygil, presented to the School of Arts by the Roman Government.

The statue was broken after having been set up, and could not be repaired in time for the opening of the hall. The pedestal was

in consequence occupied by a colossal head by Phidias, from Monte Cavallo. This head has all the character, action, and expression of the head of the Apollo Belvidere, but has been much weather-worn and destroyed from exposure.

The collection of Busts from Rome contains two of a colossal size of the Emperors Septimus Severus, and Lucius Verus, from the Borghese Collection, both in a fine style of Art, combining boldness of chiselling with careful finish of details. A bust of Juno is in a broad, severe style. Busts of Cicero and the young Emperor Augustus are fine samples of careful modelling and expression. The collection of colossal and other hands and feet are well selected as studies for Schools.

The Madras School of Arts also contributes a complete series of casts from the Elgin Marbles in the British Museum, constituting about two-thirds of the Panathenaic Frieze with which Phidias embellished the outside of the Temple of the Parthenon at Athens. The subjects are the processions celebrated every fifth year in honor of Minerva; they consist of different compartments containing draped male and female figures, some walking slowly in procession, others bearing offerings, and leading animals to be slaughtered, a few sitting figures, two processions of charioteers in Bigas, and two long equestrian processions. There

are in all 254 figures, 163 horses and a few animals, about half the size of life, grouped and arranged with such simplicity, taste, and elegance as is not to be found in any works of a similar character now extant. The slabs, which amount to 82, cover a space of 249 feet, and over this extent is a life, activity, and grace, with a variety of attitude, costume, and animated action, which prove that the Grecian sculptors possessed a thorough knowledge of the human form, and a just appreciation of those actions of the body, delicate as well as violent, which give expression and character.

The draped female figures are remarkable for simplicity and elegance in attitude, with graceful disposition of the drapery. The male figures have a dignity and ease of action seldom attained in statuary, and there is an animation, life, and motion in the equestrian procession which prove a thorough mastery of the arts of modelling and sculpture. These casts were selected as the best and purest samples of high art that could be procured for comparison with some of the sculptures of India, which, though often excellent in ornament and rich in mechanical details, are deficient in the modelling of the human figure, which in Hindoo Art is usually over strained in action, and stiff and uneasy when in repose.

ALEX. HUNTER, M.D.,

Reporter.

Salpêtre de Mer

Mylabris

